

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	12
5 Band edge	25
6 Out-of-band emissions	34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band7	5	20775	1	#0	QPSK	22.17	-3.68	18.49	33.01	Pass
Band7	5	20775	1	#Mid	QPSK	22.59	-3.68	18.91	33.01	Pass
Band7	5	20775	1	#Max	QPSK	22.15	-3.68	18.47	33.01	Pass
Band7	5	20775	12	#0	QPSK	21.2	-3.68	17.52	33.01	Pass
Band7	5	20775	12	#Mid	QPSK	21.22	-3.68	17.54	33.01	Pass
Band7	5	20775	12	#Max	QPSK	21.22	-3.68	17.54	33.01	Pass
Band7	5	20775	25	#0	QPSK	21.17	-3.68	17.49	33.01	Pass
Band7	5	20775	1	#0	QAM16	21.53	-3.68	17.85	33.01	Pass
Band7	5	20775	1	#Mid	QAM16	21.89	-3.68	18.21	33.01	Pass
Band7	5	20775	1	#Max	QAM16	21.49	-3.68	17.81	33.01	Pass
Band7	5	20775	12	#0	QAM16	20.11	-3.68	16.43	33.01	Pass
Band7	5	20775	12	#Mid	QAM16	20.16	-3.68	16.48	33.01	Pass
Band7	5	20775	12	#Max	QAM16	20.09	-3.68	16.41	33.01	Pass
Band7	5	20775	25	#0	QAM16	0	-3.68	-3.68	33.01	Pass
Band7	5	21100	1	#0	QPSK	21.89	-3.68	18.21	33.01	Pass
Band7	5	21100	1	#Mid	QPSK	22.18	-3.68	18.50	33.01	Pass
Band7	5	21100	1	#Max	QPSK	22.04	-3.68	18.36	33.01	Pass
Band7	5	21100	12	#0	QPSK	21.15	-3.68	17.47	33.01	Pass
Band7	5	21100	12	#Mid	QPSK	21.16	-3.68	17.48	33.01	Pass
Band7	5	21100	12	#Max	QPSK	21.07	-3.68	17.39	33.01	Pass
Band7	5	21100	25	#0	QPSK	21.07	-3.68	17.39	33.01	Pass
Band7	5	21100	1	#0	QAM16	21.28	-3.68	17.60	33.01	Pass
Band7	5	21100	1	#Mid	QAM16	21.69	-3.68	18.01	33.01	Pass
Band7	5	21100	1	#Max	QAM16	21.31	-3.68	17.63	33.01	Pass
Band7	5	21100	12	#0	QAM16	20.1	-3.68	16.42	33.01	Pass
Band7	5	21100	12	#Mid	QAM16	20.17	-3.68	16.49	33.01	Pass
Band7	5	21100	12	#Max	QAM16	20.05	-3.68	16.37	33.01	Pass
Band7	5	21100	25	#0	QAM16	20.02	-3.68	16.34	33.01	Pass
Band7	5	21425	1	#0	QPSK	22.3	-3.68	18.62	33.01	Pass
Band7	5	21425	1	#Mid	QPSK	22.68	-3.68	19.00	33.01	Pass
Band7	5	21425	1	#Max	QPSK	22.26	-3.68	18.58	33.01	Pass
Band7	5	21425	12	#0	QPSK	21.35	-3.68	17.67	33.01	Pass
Band7	5	21425	12	#Mid	QPSK	21.36	-3.68	17.68	33.01	Pass
Band7	5	21425	12	#Max	QPSK	21.32	-3.68	17.64	33.01	Pass
Band7	5	21425	25	#0	QPSK	21.34	-3.68	17.66	33.01	Pass
Band7	5	21425	1	#0	QAM16	21.75	-3.68	18.07	33.01	Pass
Band7	5	21425	1	#Mid	QAM16	22.11	-3.68	18.43	33.01	Pass

Band7	5	21425	1	#Max	QAM16	21.73	-3.68	18.05	33.01	Pass
Band7	5	21425	12	#0	QAM16	20.31	-3.68	16.63	33.01	Pass
Band7	5	21425	12	#Mid	QAM16	20.33	-3.68	16.65	33.01	Pass
Band7	5	21425	12	#Max	QAM16	20.26	-3.68	16.58	33.01	Pass
Band7	5	21425	25	#0	QAM16	20.3	-3.68	16.62	33.01	Pass
Band7	10	20800	1	#0	QPSK	22.15	-3.68	18.47	33.01	Pass
Band7	10	20800	1	#Mid	QPSK	22.2	-3.68	18.52	33.01	Pass
Band7	10	20800	1	#Max	QPSK	22.05	-3.68	18.37	33.01	Pass
Band7	10	20800	25	#0	QPSK	21.22	-3.68	17.54	33.01	Pass
Band7	10	20800	25	#Mid	QPSK	21.19	-3.68	17.51	33.01	Pass
Band7	10	20800	25	#Max	QPSK	21.19	-3.68	17.51	33.01	Pass
Band7	10	20800	50	#0	QPSK	21.19	-3.68	17.51	33.01	Pass
Band7	10	20800	1	#0	QAM16	21.6	-3.68	17.92	33.01	Pass
Band7	10	20800	1	#Mid	QAM16	21.72	-3.68	18.04	33.01	Pass
Band7	10	20800	1	#Max	QAM16	21.55	-3.68	17.87	33.01	Pass
Band7	10	20800	25	#0	QAM16	20.22	-3.68	16.54	33.01	Pass
Band7	10	20800	25	#Mid	QAM16	20.17	-3.68	16.49	33.01	Pass
Band7	10	20800	25	#Max	QAM16	20.18	-3.68	16.50	33.01	Pass
Band7	10	20800	50	#0	QAM16	20.09	-3.68	16.41	33.01	Pass
Band7	10	21100	1	#0	QPSK	22.06	-3.68	18.38	33.01	Pass
Band7	10	21100	1	#Mid	QPSK	22.15	-3.68	18.47	33.01	Pass
Band7	10	21100	1	#Max	QPSK	22.06	-3.68	18.38	33.01	Pass
Band7	10	21100	25	#0	QPSK	21.13	-3.68	17.45	33.01	Pass
Band7	10	21100	25	#Mid	QPSK	21.11	-3.68	17.43	33.01	Pass
Band7	10	21100	25	#Max	QPSK	21.07	-3.68	17.39	33.01	Pass
Band7	10	21100	50	#0	QPSK	21.05	-3.68	17.37	33.01	Pass
Band7	10	21100	1	#0	QAM16	21.3	-3.68	17.62	33.01	Pass
Band7	10	21100	1	#Mid	QAM16	21.37	-3.68	17.69	33.01	Pass
Band7	10	21100	1	#Max	QAM16	21.28	-3.68	17.60	33.01	Pass
Band7	10	21100	25	#0	QAM16	20.14	-3.68	16.46	33.01	Pass
Band7	10	21100	25	#Mid	QAM16	20.09	-3.68	16.41	33.01	Pass
Band7	10	21100	25	#Max	QAM16	20.06	-3.68	16.38	33.01	Pass
Band7	10	21100	50	#0	QAM16	20.11	-3.68	16.43	33.01	Pass
Band7	10	21400	1	#0	QPSK	22.37	-3.68	18.69	33.01	Pass
Band7	10	21400	1	#Mid	QPSK	22.5	-3.68	18.82	33.01	Pass
Band7	10	21400	1	#Max	QPSK	22.35	-3.68	18.67	33.01	Pass
Band7	10	21400	25	#0	QPSK	21.41	-3.68	17.73	33.01	Pass
Band7	10	21400	25	#Mid	QPSK	21.36	-3.68	17.68	33.01	Pass
Band7	10	21400	25	#Max	QPSK	21.37	-3.68	17.69	33.01	Pass
Band7	10	21400	50	#0	QPSK	21.35	-3.68	17.67	33.01	Pass
Band7	10	21400	1	#0	QAM16	21.21	-3.68	17.53	33.01	Pass
Band7	10	21400	1	#Mid	QAM16	21.28	-3.68	17.60	33.01	Pass
Band7	10	21400	1	#Max	QAM16	21.22	-3.68	17.54	33.01	Pass
Band7	10	21400	25	#0	QAM16	20.4	-3.68	16.72	33.01	Pass

Band7	10	21400	25	#Mid	QAM16	20.33	-3.68	16.65	33.01	Pass
Band7	10	21400	25	#Max	QAM16	20.37	-3.68	16.69	33.01	Pass
Band7	10	21400	50	#0	QAM16	20.32	-3.68	16.64	33.01	Pass
Band7	15	20825	1	#0	QPSK	22.07	-3.68	18.39	33.01	Pass
Band7	15	20825	1	#Mid	QPSK	22.15	-3.68	18.47	33.01	Pass
Band7	15	20825	1	#Max	QPSK	21.89	-3.68	18.21	33.01	Pass
Band7	15	20825	36	#0	QPSK	21.22	-3.68	17.54	33.01	Pass
Band7	15	20825	36	#Mid	QPSK	21.21	-3.68	17.53	33.01	Pass
Band7	15	20825	36	#Max	QPSK	21.18	-3.68	17.50	33.01	Pass
Band7	15	20825	75	#0	QPSK	21.18	-3.68	17.50	33.01	Pass
Band7	15	20825	1	#0	QAM16	21.53	-3.68	17.85	33.01	Pass
Band7	15	20825	1	#Mid	QAM16	21.77	-3.68	18.09	33.01	Pass
Band7	15	20825	1	#Max	QAM16	21.39	-3.68	17.71	33.01	Pass
Band7	15	20825	36	#0	QAM16	20.02	-3.68	16.34	33.01	Pass
Band7	15	20825	36	#Mid	QAM16	20.15	-3.68	16.47	33.01	Pass
Band7	15	20825	36	#Max	QAM16	20.12	-3.68	16.44	33.01	Pass
Band7	15	20825	75	#0	QAM16	20.11	-3.68	16.43	33.01	Pass
Band7	15	21100	1	#0	QPSK	21.96	-3.68	18.28	33.01	Pass
Band7	15	21100	1	#Mid	QPSK	22.39	-3.68	18.71	33.01	Pass
Band7	15	21100	1	#Max	QPSK	21.93	-3.68	18.25	33.01	Pass
Band7	15	21100	36	#0	QPSK	21.18	-3.68	17.50	33.01	Pass
Band7	15	21100	36	#Mid	QPSK	21.16	-3.68	17.48	33.01	Pass
Band7	15	21100	36	#Max	QPSK	21.09	-3.68	17.41	33.01	Pass
Band7	15	21100	75	#0	QPSK	21.11	-3.68	17.43	33.01	Pass
Band7	15	21100	1	#0	QAM16	21.17	-3.68	17.49	33.01	Pass
Band7	15	21100	1	#Mid	QAM16	21.51	-3.68	17.83	33.01	Pass
Band7	15	21100	1	#Max	QAM16	21.16	-3.68	17.48	33.01	Pass
Band7	15	21100	36	#0	QAM16	20.18	-3.68	16.50	33.01	Pass
Band7	15	21100	36	#Mid	QAM16	20.17	-3.68	16.49	33.01	Pass
Band7	15	21100	36	#Max	QAM16	20.13	-3.68	16.45	33.01	Pass
Band7	15	21100	75	#0	QAM16	20.01	-3.68	16.33	33.01	Pass
Band7	15	21375	1	#0	QPSK	22.24	-3.68	18.56	33.01	Pass
Band7	15	21375	1	#Mid	QPSK	22.53	-3.68	18.85	33.01	Pass
Band7	15	21375	1	#Max	QPSK	22.22	-3.68	18.54	33.01	Pass
Band7	15	21375	36	#0	QPSK	21.36	-3.68	17.68	33.01	Pass
Band7	15	21375	36	#Mid	QPSK	21.4	-3.68	17.72	33.01	Pass
Band7	15	21375	36	#Max	QPSK	21.33	-3.68	17.65	33.01	Pass
Band7	15	21375	75	#0	QPSK	21.39	-3.68	17.71	33.01	Pass
Band7	15	21375	1	#0	QAM16	21.33	-3.68	17.65	33.01	Pass
Band7	15	21375	1	#Mid	QAM16	21.61	-3.68	17.93	33.01	Pass
Band7	15	21375	1	#Max	QAM16	21.12	-3.68	17.44	33.01	Pass
Band7	15	21375	36	#0	QAM16	20.28	-3.68	16.60	33.01	Pass
Band7	15	21375	36	#Mid	QAM16	20.28	-3.68	16.60	33.01	Pass
Band7	15	21375	36	#Max	QAM16	20.23	-3.68	16.55	33.01	Pass

Band7	15	21375	75	#0	QAM16	20.32	-3.68	16.64	33.01	Pass
Band7	20	20850	1	#0	QPSK	22	-3.68	18.32	33.01	Pass
Band7	20	20850	1	#Mid	QPSK	22.23	-3.68	18.55	33.01	Pass
Band7	20	20850	1	#Max	QPSK	21.82	-3.68	18.14	33.01	Pass
Band7	20	20850	50	#0	QPSK	21.02	-3.68	17.34	33.01	Pass
Band7	20	20850	50	#Mid	QPSK	21.08	-3.68	17.40	33.01	Pass
Band7	20	20850	50	#Max	QPSK	21.1	-3.68	17.42	33.01	Pass
Band7	20	20850	100	#0	QPSK	21.07	-3.68	17.39	33.01	Pass
Band7	20	20850	1	#0	QAM16	21.34	-3.68	17.66	33.01	Pass
Band7	20	20850	1	#Mid	QAM16	21.54	-3.68	17.86	33.01	Pass
Band7	20	20850	1	#Max	QAM16	21.12	-3.68	17.44	33.01	Pass
Band7	20	20850	50	#0	QAM16	20.05	-3.68	16.37	33.01	Pass
Band7	20	20850	50	#Mid	QAM16	20.11	-3.68	16.43	33.01	Pass
Band7	20	20850	50	#Max	QAM16	20.14	-3.68	16.46	33.01	Pass
Band7	20	20850	100	#0	QAM16	20.04	-3.68	16.36	33.01	Pass
Band7	20	21100	1	#0	QPSK	21.97	-3.68	18.29	33.01	Pass
Band7	20	21100	1	#Mid	QPSK	22.25	-3.68	18.57	33.01	Pass
Band7	20	21100	1	#Max	QPSK	21.95	-3.68	18.27	33.01	Pass
Band7	20	21100	50	#0	QPSK	21.14	-3.68	17.46	33.01	Pass
Band7	20	21100	50	#Mid	QPSK	21.1	-3.68	17.42	33.01	Pass
Band7	20	21100	50	#Max	QPSK	21.03	-3.68	17.35	33.01	Pass
Band7	20	21100	100	#0	QPSK	21.06	-3.68	17.38	33.01	Pass
Band7	20	21100	1	#0	QAM16	21.07	-3.68	17.39	33.01	Pass
Band7	20	21100	1	#Mid	QAM16	21.35	-3.68	17.67	33.01	Pass
Band7	20	21100	1	#Max	QAM16	21.05	-3.68	17.37	33.01	Pass
Band7	20	21100	50	#0	QAM16	20.11	-3.68	16.43	33.01	Pass
Band7	20	21100	50	#Mid	QAM16	20.1	-3.68	16.42	33.01	Pass
Band7	20	21100	50	#Max	QAM16	19.99	-3.68	16.31	33.01	Pass
Band7	20	21100	100	#0	QAM16	20.07	-3.68	16.39	33.01	Pass
Band7	20	21350	1	#0	QPSK	21.92	-3.68	18.24	33.01	Pass
Band7	20	21350	1	#Mid	QPSK	22.35	-3.68	18.67	33.01	Pass
Band7	20	21350	1	#Max	QPSK	22.04	-3.68	18.36	33.01	Pass
Band7	20	21350	50	#0	QPSK	21.25	-3.68	17.57	33.01	Pass
Band7	20	21350	50	#Mid	QPSK	21.29	-3.68	17.61	33.01	Pass
Band7	20	21350	50	#Max	QPSK	21.25	-3.68	17.57	33.01	Pass
Band7	20	21350	100	#0	QPSK	21.23	-3.68	17.55	33.01	Pass
Band7	20	21350	1	#0	QAM16	21.21	-3.68	17.53	33.01	Pass
Band7	20	21350	1	#Mid	QAM16	21.58	-3.68	17.90	33.01	Pass
Band7	20	21350	1	#Max	QAM16	21.1	-3.68	17.42	33.01	Pass
Band7	20	21350	50	#0	QAM16	20.33	-3.68	16.65	33.01	Pass
Band7	20	21350	50	#Mid	QAM16	20.33	-3.68	16.65	33.01	Pass
Band7	20	21350	50	#Max	QAM16	20.28	-3.68	16.60	33.01	Pass
Band7	20	21350	100	#0	QAM16	20.19	-3.68	16.51	33.01	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band7	20	20850	100	#0	QPSK	-0.72	-0.00029	-2.5	2.5	PASS
Band7	20	20850	100	#0	QAM16	-4.04	-0.00161	-2.5	2.5	PASS
Band7	20	21100	100	#0	QPSK	-5.87	-0.00232	-2.5	2.5	PASS
Band7	20	21100	100	#0	QAM16	-6.46	-0.00255	-2.5	2.5	PASS
Band7	20	21350	100	#0	QPSK	-9.32	-0.00364	-2.5	2.5	PASS
Band7	20	21350	100	#0	QAM16	-11.97	-0.00468	-2.5	2.5	PASS

Note: (Voltage: 3.91V, Temperature: 25°C) only reflect the worst mode.



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band7	5	21100	1	#0	QPSK	4.46	13	PASS
Band7	5	21100	1	#0	QAM16	5.18	13	PASS
Band7	10	21100	1	#0	QPSK	4.24	13	PASS
Band7	10	21100	1	#0	QAM16	5.09	13	PASS
Band7	15	21100	1	#0	QPSK	4.29	13	PASS
Band7	15	21100	1	#0	QAM16	5.19	13	PASS
Band7	20	21100	1	#0	QPSK	4.32	13	PASS
Band7	20	21100	1	#0	QAM16	5.01	13	PASS



Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0

**Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0****Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0**

**Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0**


**Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band7	5	20775	25	#0	QPSK	4.498	4.901	PASS
Band7	5	20775	25	#0	QAM16	4.503	4.924	PASS
Band7	5	21100	25	#0	QPSK	4.506	4.898	PASS
Band7	5	21100	25	#0	QAM16	4.522	4.898	PASS
Band7	5	21425	25	#0	QPSK	4.510	4.881	PASS
Band7	5	21425	25	#0	QAM16	4.525	4.903	PASS
Band7	10	20800	50	#0	QPSK	8.980	9.784	PASS
Band7	10	20800	50	#0	QAM16	8.954	9.600	PASS
Band7	10	21100	50	#0	QPSK	8.986	9.819	PASS
Band7	10	21100	50	#0	QAM16	8.963	9.654	PASS
Band7	10	21400	50	#0	QPSK	8.993	9.728	PASS
Band7	10	21400	50	#0	QAM16	9.015	9.621	PASS
Band7	15	20825	75	#0	QPSK	13.464	14.740	PASS
Band7	15	20825	75	#0	QAM16	13.459	14.448	PASS
Band7	15	21100	75	#0	QPSK	13.431	14.570	PASS
Band7	15	21100	75	#0	QAM16	13.486	14.570	PASS
Band7	15	21375	75	#0	QPSK	13.480	14.574	PASS
Band7	15	21375	75	#0	QAM16	13.465	14.551	PASS
Band7	20	20850	100	#0	QPSK	18.003	19.287	PASS
Band7	20	20850	100	#0	QAM16	17.979	19.126	PASS
Band7	20	21100	100	#0	QPSK	17.969	19.278	PASS
Band7	20	21100	100	#0	QAM16	17.991	19.307	PASS
Band7	20	21350	100	#0	QPSK	17.942	19.315	PASS
Band7	20	21350	100	#0	QAM16	17.970	19.314	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0





Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0



**Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0****Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0**







Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0


**Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0**

**Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0****Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0**


**Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0****Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0**




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0





5 Band edge


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	2499.00	-11.71	-10	PASS
Band7	5	20775	25	#0	QAM16	2499.00	-12.46	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.01	-13.05	-10	PASS
Band7	5	21425	25	#0	QAM16	2571.00	-13.34	-10	PASS
Band7	10	20800	50	#0	QPSK	2489.99	-35.41	-25	PASS
Band7	10	20800	50	#0	QAM16	2490.00	-36.65	-25	PASS
Band7	10	21400	50	#0	QPSK	2580.29	-35.92	-25	PASS
Band7	10	21400	50	#0	QAM16	2580.17	-36.33	-25	PASS
Band7	15	20825	75	#0	QPSK	2484.56	-36.48	-25	PASS
Band7	15	20825	75	#0	QAM16	2484.71	-38.15	-25	PASS
Band7	15	21375	75	#0	QPSK	2585.69	-36.98	-25	PASS
Band7	15	21375	75	#0	QAM16	2585.14	-37.84	-25	PASS
Band7	20	20850	100	#0	QPSK	2479.38	-39.73	-25	PASS
Band7	20	20850	100	#0	QAM16	2479.93	-40.16	-25	PASS
Band7	20	21350	100	#0	QPSK	2590.06	-39.79	-25	PASS
Band7	20	21350	100	#0	QAM16	2590.37	-39.44	-25	PASS

Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0


**Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0**




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0





Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0






Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0

**Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0****Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0**



**Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0**



Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0

**Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0****Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0**




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	100	2570.021	-25.4	-10
2	2571	2575	1000	2571.008	-13.05	-10
3	2575	2576	1000	2575.123	-31.78	-13
4	2576	2595	1000	2576.057	-33.83	-25



6 Out-of-band emissions



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	4615.53	-37.88	-25	PASS
Band7	5	20775	25	#0	QAM16	3888.33	-38.48	-25	PASS
Band7	5	21425	25	#0	QPSK	5132.35	-34.93	-25	PASS
Band7	5	21425	25	#0	QAM16	5135.28	-36.60	-25	PASS
Band7	10	20800	50	#0	QPSK	3802.83	-37.52	-25	PASS
Band7	10	20800	50	#0	QAM16	3859.30	-37.80	-25	PASS
Band7	10	21400	50	#0	QPSK	3803.50	-38.25	-25	PASS
Band7	10	21400	50	#0	QAM16	3871.45	-37.78	-25	PASS
Band7	15	20825	75	#0	QPSK	4032.55	-38.52	-25	PASS
Band7	15	20825	75	#0	QAM16	3786.63	-38.43	-25	PASS
Band7	15	21375	75	#0	QPSK	5124.48	-38.15	-25	PASS
Band7	15	21375	75	#0	QAM16	4344.18	-37.77	-25	PASS
Band7	20	20850	100	#0	QPSK	3707.43	-37.48	-25	PASS
Band7	20	20850	100	#0	QAM16	5082.18	-38.00	-25	PASS
Band7	20	21350	100	#0	QPSK	3883.60	-38.12	-25	PASS
Band7	20	21350	100	#0	QAM16	3858.40	-38.54	-25	PASS



Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0







Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0



**Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0**



**Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0****Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0**


**Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0****Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0**

**Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0****Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0**

**Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0****Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0**

**Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0****Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0**

**Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0****Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0**



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010491075	-45.43	-25
2	0.15	30	10	0.1634325	-56.68	-25
3	30	1000	100	756.40875	-53.16	-25
4	1000	10000	1000	5132.35	-34.93	-25