

Spurious Emission at Antenna Terminals


8.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.27	-69.76	-13	56.76	Pass	2986
30	1000	0.1	RMS	909.94	-63.25	-13	50.25	Pass	9701
1000	3000	1	RMS	2943	-49.78	-13	36.78	Pass	2001
3000	3690	1	RMS	3690	-49.67	-13	36.67	Pass	691
3690	3990	1	RMS	3700.5	19.66	60	40.34	Pass	401
3990	7000	1	RMS	7000	-66.28	-13	53.28	Pass	3011
7000	26500	1	RMS	25469	-49.76	-13	36.76	Pass	19503




8.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.04	-13	58.04	Pass	401
0.15	30	0.01	RMS	0.42	-70.6	-13	57.6	Pass	2986
30	1000	0.1	RMS	994.496	-62.67	-13	49.67	Pass	9701
1000	3000	1	RMS	2943	-49.77	-13	36.77	Pass	2001
3000	3690	1	RMS	3690	-49.96	-13	36.96	Pass	691
3690	3990	1	RMS	3708.75	19.49	60	40.51	Pass	401
3990	7000	1	RMS	6980	-66.38	-13	53.38	Pass	3011
7000	26500	1	RMS	25839	-49.99	-13	36.99	Pass	19503




8.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.58	-13	57.58	Pass	401
0.15	30	0.01	RMS	0.61	-70.75	-13	57.75	Pass	2986
30	1000	0.1	RMS	999.4	-62.86	-13	49.86	Pass	9701
1000	3000	1	RMS	2973	-49.66	-13	36.66	Pass	2001
3000	3690	1	RMS	3160	-50.23	-13	37.23	Pass	691
3690	3990	1	RMS	3840.75	10.53	60	49.47	Pass	401
3990	7000	1	RMS	6972	-66.35	-13	53.35	Pass	3011
7000	26500	1	RMS	25501	-49.92	-13	36.92	Pass	19503




8.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.37	-71.05	-13	58.05	Pass	2986
30	1000	0.1	RMS	789.4	-62.89	-13	49.89	Pass	9701
1000	3000	1	RMS	2934	-49.82	-13	36.82	Pass	2001
3000	3690	1	RMS	3160	-50.2	-13	37.2	Pass	691
3690	3990	1	RMS	3835.5	18.91	60	41.09	Pass	401
3990	7000	1	RMS	4044	-66.33	-13	53.33	Pass	3011
7000	26500	1	RMS	25538	-49.6	-13	36.6	Pass	19503




8.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	0.16	-69.43	-13	56.43	Pass	2986
30	1000	0.1	RMS	750.7	-63.04	-13	50.04	Pass	9701
1000	3000	1	RMS	2930	-49.76	-13	36.76	Pass	2001
3000	3690	1	RMS	3165	-50.29	-13	37.29	Pass	691
3690	3990	1	RMS	3843.75	18.86	60	41.14	Pass	401
3990	7000	1	RMS	4000	-66.26	-13	53.26	Pass	3011
7000	26500	1	RMS	25470	-50.24	-13	37.24	Pass	19503




8.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.62	-13	57.62	Pass	401
0.15	30	0.01	RMS	0.2	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	496.1	-63.22	-13	50.22	Pass	9701
1000	3000	1	RMS	2936	-49.79	-13	36.79	Pass	2001
3000	3690	1	RMS	3163	-50.32	-13	37.32	Pass	691
3690	3990	1	RMS	3975.75	11.5	60	48.5	Pass	401
3990	7000	1	RMS	3990	-38.58	-13	25.58	Pass	3011
7000	26500	1	RMS	25440	-49.99	-13	36.99	Pass	19503




8.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.24	-71.44	-13	58.44	Pass	2986
30	1000	0.1	RMS	864.41	-62.94	-13	49.94	Pass	9701
1000	3000	1	RMS	2924	-49.91	-13	36.91	Pass	2001
3000	3690	1	RMS	3166	-50.25	-13	37.25	Pass	691
3690	3990	1	RMS	3970.5	20.1	60	39.9	Pass	401
3990	7000	1	RMS	3990	-55.25	-13	42.25	Pass	3011
7000	26500	1	RMS	25520	-50.1	-13	37.1	Pass	19503




8.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.17	-13	58.17	Pass	401
0.15	30	0.01	RMS	0.17	-70.33	-13	57.33	Pass	2986
30	1000	0.1	RMS	964.877	-63.16	-13	50.16	Pass	9701
1000	3000	1	RMS	2943	-49.78	-13	36.78	Pass	2001
3000	3690	1	RMS	3166	-50.26	-13	37.26	Pass	691
3690	3990	1	RMS	3979.5	19.84	60	40.16	Pass	401
3990	7000	1	RMS	3990	-55.3	-13	42.3	Pass	3011
7000	26500	1	RMS	25440	-50.15	-13	37.15	Pass	19503




8.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	0.42	-70.82	-13	57.82	Pass	2986
30	1000	0.1	RMS	788.6	-63	-13	50	Pass	9701
1000	3000	1	RMS	2964	-49.73	-13	36.73	Pass	2001
3000	3690	1	RMS	3690	-34.72	-13	21.72	Pass	691
3690	3990	1	RMS	3705.75	4.4	60	55.6	Pass	401
3990	7000	1	RMS	6974	-66.43	-13	53.43	Pass	3011
7000	26500	1	RMS	25481	-50.35	-13	37.35	Pass	19503




8.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.15	-70.18	-13	57.18	Pass	2986
30	1000	0.1	RMS	774.5	-63.08	-13	50.08	Pass	9701
1000	3000	1	RMS	2935	-49.92	-13	36.92	Pass	2001
3000	3690	1	RMS	3677	-44.94	-13	31.94	Pass	691
3690	3990	1	RMS	3701.25	20.72	60	39.28	Pass	401
3990	7000	1	RMS	6977	-66.38	-13	53.38	Pass	3011
7000	26500	1	RMS	25472	-50.11	-13	37.11	Pass	19503




8.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	0.26	-70.53	-13	57.53	Pass	2986
30	1000	0.1	RMS	805.3	-63.22	-13	50.22	Pass	9701
1000	3000	1	RMS	2935	-49.84	-13	36.84	Pass	2001
3000	3690	1	RMS	3688	-44.5	-13	31.5	Pass	691
3690	3990	1	RMS	3748.5	20.11	60	39.89	Pass	401
3990	7000	1	RMS	6969	-66.43	-13	53.43	Pass	3011
7000	26500	1	RMS	25511	-50.22	-13	37.22	Pass	19503




8.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.28	-70.32	-13	57.32	Pass	2986
30	1000	0.1	RMS	953.969	-62.08	-13	49.08	Pass	9701
1000	3000	1	RMS	2934	-49.71	-13	36.71	Pass	2001
3000	3690	1	RMS	3159	-50.28	-13	37.28	Pass	691
3690	3990	1	RMS	3861.75	3.62	60	56.38	Pass	401
3990	7000	1	RMS	3990	-59.92	-13	46.92	Pass	3011
7000	26500	1	RMS	25890	-50	-13	37	Pass	19503




8.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.15	-13	57.15	Pass	401
0.15	30	0.01	RMS	0.16	-70.23	-13	57.23	Pass	2986
30	1000	0.1	RMS	976.184	-62.79	-13	49.79	Pass	9701
1000	3000	1	RMS	2931	-49.84	-13	36.84	Pass	2001
3000	3690	1	RMS	3161	-50.14	-13	37.14	Pass	691
3690	3990	1	RMS	3816	19.62	60	40.38	Pass	401
3990	7000	1	RMS	4440	-66.2	-13	53.2	Pass	3011
7000	26500	1	RMS	25499	-50.02	-13	37.02	Pass	19503




8.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	1.1	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	976.985	-62.04	-13	49.04	Pass	9701
1000	3000	1	RMS	2931	-49.81	-13	36.81	Pass	2001
3000	3690	1	RMS	3240	-50.19	-13	37.19	Pass	691
3690	3990	1	RMS	3864	20.18	60	39.82	Pass	401
3990	7000	1	RMS	6969	-66.33	-13	53.33	Pass	3011
7000	26500	1	RMS	25500	-50.24	-13	37.24	Pass	19503




8.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.59	-13	58.59	Pass	401
0.15	30	0.01	RMS	0.16	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	766.6	-62.99	-13	49.99	Pass	9701
1000	3000	1	RMS	2943	-49.8	-13	36.8	Pass	2001
3000	3690	1	RMS	3160	-50.23	-13	37.23	Pass	691
3690	3990	1	RMS	3972	4.2	60	55.8	Pass	401
3990	7000	1	RMS	3990	-33.32	-13	20.32	Pass	3011
7000	26500	1	RMS	25501	-50.17	-13	37.17	Pass	19503




8.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.32	-13	57.32	Pass	401
0.15	30	0.01	RMS	0.15	-70.35	-13	57.35	Pass	2986
30	1000	0.1	RMS	886.325	-62.71	-13	49.71	Pass	9701
1000	3000	1	RMS	2931	-49.7	-13	36.7	Pass	2001
3000	3690	1	RMS	3158	-50.36	-13	37.36	Pass	691
3690	3990	1	RMS	3931.5	20.37	60	39.63	Pass	401
3990	7000	1	RMS	3992	-44.93	-13	31.93	Pass	3011
7000	26500	1	RMS	25526	-50.15	-13	37.15	Pass	19503




8.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	1.77	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	994.797	-63.31	-13	50.31	Pass	9701
1000	3000	1	RMS	2948	-49.62	-13	36.62	Pass	2001
3000	3690	1	RMS	3160	-50.29	-13	37.29	Pass	691
3690	3990	1	RMS	3978.75	21.01	60	38.99	Pass	401
3990	7000	1	RMS	4003	-45.16	-13	32.16	Pass	3011
7000	26500	1	RMS	25478	-50.13	-13	37.13	Pass	19503




8.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.27	-70.6	-13	57.6	Pass	2986
30	1000	0.1	RMS	905.537	-61.91	-13	48.91	Pass	9701
1000	3000	1	RMS	2928	-49.78	-13	36.78	Pass	2001
3000	3690	1	RMS	3689	-36.15	-13	23.15	Pass	691
3690	3990	1	RMS	3703.5	1.67	60	58.33	Pass	401
3990	7000	1	RMS	3992	-60.13	-13	47.13	Pass	3011
7000	26500	1	RMS	25492	-49.92	-13	36.92	Pass	19503




8.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.8	-71.26	-13	58.26	Pass	2986
30	1000	0.1	RMS	962.375	-62.59	-13	49.59	Pass	9701
1000	3000	1	RMS	2939	-49.82	-13	36.82	Pass	2001
3000	3690	1	RMS	3652	-44.08	-13	31.08	Pass	691
3690	3990	1	RMS	3701.25	20.16	60	39.84	Pass	401
3990	7000	1	RMS	4325	-54.43	-13	41.43	Pass	3011
7000	26500	1	RMS	25906	-49.78	-13	36.78	Pass	19503




8.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.74	-13	56.74	Pass	401
0.15	30	0.01	RMS	1.8	-71.26	-13	58.26	Pass	2986
30	1000	0.1	RMS	883.223	-63.15	-13	50.15	Pass	9701
1000	3000	1	RMS	2944	-49.82	-13	36.82	Pass	2001
3000	3690	1	RMS	3682	-41.95	-13	28.95	Pass	691
3690	3990	1	RMS	3798.75	20.19	60	39.81	Pass	401
3990	7000	1	RMS	4423	-56.71	-13	43.71	Pass	3011
7000	26500	1	RMS	25502	-49.79	-13	36.79	Pass	19503




8.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.21	-70.17	-13	57.17	Pass	2986
30	1000	0.1	RMS	992.895	-62.79	-13	49.79	Pass	9701
1000	3000	1	RMS	2933	-49.77	-13	36.77	Pass	2001
3000	3690	1	RMS	3688	-46.25	-13	33.25	Pass	691
3690	3990	1	RMS	3884.25	1.09	60	58.91	Pass	401
3990	7000	1	RMS	3990	-50.74	-13	37.74	Pass	3011
7000	26500	1	RMS	25464	-49.93	-13	36.93	Pass	19503




8.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	58.1	Pass	2986
30	1000	0.1	RMS	894.43	-62.78	-13	49.78	Pass	9701
1000	3000	1	RMS	2953	-49.78	-13	36.78	Pass	2001
3000	3690	1	RMS	3167	-46.07	-13	33.07	Pass	691
3690	3990	1	RMS	3791.25	19.81	60	40.19	Pass	401
3990	7000	1	RMS	4415	-54.45	-13	41.45	Pass	3011
7000	26500	1	RMS	25492	-50.02	-13	37.02	Pass	19503




8.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.26	-70.45	-13	57.45	Pass	2986
30	1000	0.1	RMS	844.8	-63.35	-13	50.35	Pass	9701
1000	3000	1	RMS	2944	-49.74	-13	36.74	Pass	2001
3000	3690	1	RMS	3265	-37.21	-13	24.21	Pass	691
3690	3990	1	RMS	3888.75	21.1	60	38.9	Pass	401
3990	7000	1	RMS	4513	-52.65	-13	39.65	Pass	3011
7000	26500	1	RMS	25501	-49.84	-13	36.84	Pass	19503




8.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.86	-13	57.86	Pass	401
0.15	30	0.01	RMS	0.75	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	941.761	-63.05	-13	50.05	Pass	9701
1000	3000	1	RMS	2940	-49.72	-13	36.72	Pass	2001
3000	3690	1	RMS	3155	-50.15	-13	37.15	Pass	691
3690	3990	1	RMS	3974.25	1.31	60	58.69	Pass	401
3990	7000	1	RMS	3990	-35.56	-13	22.56	Pass	3011
7000	26500	1	RMS	25514	-49.84	-13	36.84	Pass	19503



8.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	0.16	-70.7	-13	57.7	Pass	2986
30	1000	0.1	RMS	911.541	-63.05	-13	50.05	Pass	9701
1000	3000	1	RMS	2971	-49.73	-13	36.73	Pass	2001
3000	3690	1	RMS	3257	-41.53	-13	28.53	Pass	691
3690	3990	1	RMS	3881.25	20.92	60	39.08	Pass	401
3990	7000	1	RMS	3998	-43.52	-13	30.52	Pass	3011
7000	26500	1	RMS	25541	-49.94	-13	36.94	Pass	19503



8.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70	-13	57	Pass	401
0.15	30	0.01	RMS	0.26	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	968.979	-62.79	-13	49.79	Pass	9701
1000	3000	1	RMS	2922	-49.8	-13	36.8	Pass	2001
3000	3690	1	RMS	3355	-39.18	-13	26.18	Pass	691
3690	3990	1	RMS	3978.75	20.71	60	39.29	Pass	401
3990	7000	1	RMS	4028	-42.42	-13	29.42	Pass	3011
7000	26500	1	RMS	25493	-49.82	-13	36.82	Pass	19503

