



Appendix A.17

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B66_1.4MHz_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	22.61	-2.74	19.87	<=30	Pass
			2	22.66	-2.74	19.92	<=30	Pass
			5	22.66	-2.74	19.92	<=30	Pass
		3	0	22.62	-2.74	19.88	<=30	Pass
			2	22.63	-2.74	19.89	<=30	Pass
			3	22.58	-2.74	19.84	<=30	Pass
		6	0	21.64	-2.74	18.90	<=30	Pass
	1745	1	0	22.70	-2.74	19.96	<=30	Pass
			2	22.43	-2.74	19.69	<=30	Pass
			5	22.40	-2.74	19.66	<=30	Pass
		3	0	22.45	-2.74	19.71	<=30	Pass
			2	22.42	-2.74	19.68	<=30	Pass
			3	22.44	-2.74	19.70	<=30	Pass
		6	0	21.45	-2.74	18.71	<=30	Pass
	1779.3	1	0	22.48	-2.74	19.74	<=30	Pass
			2	22.58	-2.74	19.84	<=30	Pass
			5	22.65	-2.74	19.91	<=30	Pass
		3	0	22.51	-2.74	19.77	<=30	Pass
			2	22.56	-2.74	19.82	<=30	Pass
			3	22.74	-2.74	20.00	<=30	Pass
		6	0	21.55	-2.74	18.81	<=30	Pass
16QAM	1710.7	1	0	21.82	-2.74	19.08	<=30	Pass
			2	21.84	-2.74	19.10	<=30	Pass
			5	21.77	-2.74	19.03	<=30	Pass
		3	0	21.75	-2.74	19.01	<=30	Pass
			2	21.80	-2.74	19.06	<=30	Pass
			3	21.73	-2.74	18.99	<=30	Pass
		6	0	20.68	-2.74	17.94	<=30	Pass
	1745	1	0	21.96	-2.74	19.22	<=30	Pass
			2	21.87	-2.74	19.13	<=30	Pass
			5	22.16	-2.74	19.42	<=30	Pass
		3	0	21.65	-2.74	18.91	<=30	Pass
			2	21.55	-2.74	18.81	<=30	Pass
			3	21.75	-2.74	19.01	<=30	Pass
		6	0	20.67	-2.74	17.93	<=30	Pass
	1779.3	1	0	22.23	-2.74	19.49	<=30	Pass
			2	22.29	-2.74	19.55	<=30	Pass
			5	21.80	-2.74	19.06	<=30	Pass
		3	0	21.80	-2.74	19.06	<=30	Pass
			2	21.87	-2.74	19.13	<=30	Pass
			5	21.87	-2.74	19.13	<=30	Pass

			3	21.78	-2.74	19.04	<=30	Pass	
		6	0	20.72	-2.74	17.98	<=30	Pass	
64QAM	1710.7	1	0	20.73	-2.74	17.99	<=30	Pass	
			2	20.60	-2.74	17.86	<=30	Pass	
			5	20.56	-2.74	17.82	<=30	Pass	
		3	0	20.72	-2.74	17.98	<=30	Pass	
			2	20.60	-2.74	17.86	<=30	Pass	
			3	20.56	-2.74	17.82	<=30	Pass	
		6	0	19.56	-2.74	16.82	<=30	Pass	
		1745	1	0	20.62	-2.74	17.88	<=30	Pass
				2	20.75	-2.74	18.01	<=30	Pass
	5			20.78	-2.74	18.04	<=30	Pass	
	3		0	20.58	-2.74	17.84	<=30	Pass	
			2	20.48	-2.74	17.74	<=30	Pass	
	3		20.59	-2.74	17.85	<=30	Pass		
	6	0	19.43	-2.74	16.69	<=30	Pass		
	1779.3	1	0	20.68	-2.74	17.94	<=30	Pass	
			2	20.91	-2.74	18.17	<=30	Pass	
			5	21.07	-2.74	18.33	<=30	Pass	
		3	0	20.94	-2.74	18.20	<=30	Pass	
			2	20.86	-2.74	18.12	<=30	Pass	
			3	20.81	-2.74	18.07	<=30	Pass	
		6	0	19.55	-2.74	16.81	<=30	Pass	
	256QAM	1710.7	1	0	17.76	-2.74	15.02	<=30	Pass
2				17.67	-2.74	14.93	<=30	Pass	
5				17.78	-2.74	15.04	<=30	Pass	
3			0	17.61	-2.74	14.87	<=30	Pass	
			2	17.42	-2.74	14.68	<=30	Pass	
			3	17.61	-2.74	14.87	<=30	Pass	
6			0	17.52	-2.74	14.78	<=30	Pass	
1745			1	0	17.46	-2.74	14.72	<=30	Pass
				2	17.54	-2.74	14.80	<=30	Pass
		5		17.46	-2.74	14.72	<=30	Pass	
		3	0	17.60	-2.74	14.86	<=30	Pass	
			2	17.56	-2.74	14.82	<=30	Pass	
			3	17.65	-2.74	14.91	<=30	Pass	
6		0	17.60	-2.74	14.86	<=30	Pass		
1779.3		1	0	17.60	-2.74	14.86	<=30	Pass	
			2	17.87	-2.74	15.13	<=30	Pass	
			5	17.60	-2.74	14.86	<=30	Pass	
		3	0	17.93	-2.74	15.19	<=30	Pass	
			2	17.92	-2.74	15.18	<=30	Pass	
			3	17.80	-2.74	15.06	<=30	Pass	
		6	0	17.77	-2.74	15.03	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	1711.5	1	0	22.68	-2.74	19.94	<=30	Pass
			7	22.92	-2.74	20.18	<=30	Pass
			14	22.56	-2.74	19.82	<=30	Pass
		8	0	21.62	-2.74	18.88	<=30	Pass
			4	21.68	-2.74	18.94	<=30	Pass
			7	21.68	-2.74	18.94	<=30	Pass
		15	0	21.57	-2.74	18.83	<=30	Pass
	1745	1	0	22.42	-2.74	19.68	<=30	Pass
			7	22.73	-2.74	19.99	<=30	Pass
			14	22.52	-2.74	19.78	<=30	Pass
		8	0	21.47	-2.74	18.73	<=30	Pass
			4	21.57	-2.74	18.83	<=30	Pass
			7	21.51	-2.74	18.77	<=30	Pass
		15	0	21.45	-2.74	18.71	<=30	Pass
	1778.5	1	0	22.46	-2.74	19.72	<=30	Pass
			7	22.93	-2.74	20.19	<=30	Pass
			14	22.53	-2.74	19.79	<=30	Pass
		8	0	21.62	-2.74	18.88	<=30	Pass
			4	21.59	-2.74	18.85	<=30	Pass
			7	21.68	-2.74	18.94	<=30	Pass
		15	0	21.68	-2.74	18.94	<=30	Pass
16QAM	1711.5	1	0	21.78	-2.74	19.04	<=30	Pass
			7	22.23	-2.74	19.49	<=30	Pass
			14	21.81	-2.74	19.07	<=30	Pass
		8	0	20.69	-2.74	17.95	<=30	Pass
			4	20.68	-2.74	17.94	<=30	Pass
			7	20.67	-2.74	17.93	<=30	Pass
		15	0	20.60	-2.74	17.86	<=30	Pass
	1745	1	0	21.88	-2.74	19.14	<=30	Pass
			7	21.60	-2.74	18.86	<=30	Pass
			14	21.70	-2.74	18.96	<=30	Pass
		8	0	20.55	-2.74	17.81	<=30	Pass
			4	20.74	-2.74	18.00	<=30	Pass
			7	20.59	-2.74	17.85	<=30	Pass
		15	0	20.44	-2.74	17.70	<=30	Pass
	1778.5	1	0	21.89	-2.74	19.15	<=30	Pass
			7	22.18	-2.74	19.44	<=30	Pass
			14	21.86	-2.74	19.12	<=30	Pass
		8	0	20.77	-2.74	18.03	<=30	Pass
			4	20.78	-2.74	18.04	<=30	Pass
			7	20.83	-2.74	18.09	<=30	Pass
		15	0	20.74	-2.74	18.00	<=30	Pass
64QAM	1711.5	1	0	20.72	-2.74	17.98	<=30	Pass
			7	20.77	-2.74	18.03	<=30	Pass
			14	20.73	-2.74	17.99	<=30	Pass
		8	0	19.68	-2.74	16.94	<=30	Pass
			4	19.81	-2.74	17.07	<=30	Pass
			7	19.64	-2.74	16.90	<=30	Pass
		15	0	19.61	-2.74	16.87	<=30	Pass
	1745	1	0	20.49	-2.74	17.75	<=30	Pass
			7	20.81	-2.74	18.07	<=30	Pass
			14	20.61	-2.74	17.87	<=30	Pass
		8	0	19.38	-2.74	16.64	<=30	Pass

256QAM		15	4	19.60	-2.74	16.86	<=30	Pass
			7	19.56	-2.74	16.82	<=30	Pass
			0	19.50	-2.74	16.76	<=30	Pass
	1778.5	1	0	20.81	-2.74	18.07	<=30	Pass
			7	20.78	-2.74	18.04	<=30	Pass
			14	20.82	-2.74	18.08	<=30	Pass
		8	0	19.70	-2.74	16.96	<=30	Pass
			4	19.76	-2.74	17.02	<=30	Pass
			7	19.72	-2.74	16.98	<=30	Pass
		15	0	19.65	-2.74	16.91	<=30	Pass
	1711.5	1	0	17.66	-2.74	14.92	<=30	Pass
			7	17.71	-2.74	14.97	<=30	Pass
			14	17.29	-2.74	14.55	<=30	Pass
		8	0	17.66	-2.74	14.92	<=30	Pass
			4	17.70	-2.74	14.96	<=30	Pass
			7	17.50	-2.74	14.76	<=30	Pass
		15	0	17.65	-2.74	14.91	<=30	Pass
	1745	1	0	17.42	-2.74	14.68	<=30	Pass
			7	17.93	-2.74	15.19	<=30	Pass
			14	17.64	-2.74	14.90	<=30	Pass
		8	0	17.43	-2.74	14.69	<=30	Pass
			4	17.62	-2.74	14.88	<=30	Pass
			7	17.61	-2.74	14.87	<=30	Pass
		15	0	17.52	-2.74	14.78	<=30	Pass
	1778.5	1	0	17.47	-2.74	14.73	<=30	Pass
			7	17.76	-2.74	15.02	<=30	Pass
			14	17.80	-2.74	15.06	<=30	Pass
		8	0	17.69	-2.74	14.95	<=30	Pass
			4	17.57	-2.74	14.83	<=30	Pass
			7	17.73	-2.74	14.99	<=30	Pass
		15	0	17.63	-2.74	14.89	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	22.55	-2.74	19.81	<=30	Pass
			13	22.70	-2.74	19.96	<=30	Pass
			24	22.54	-2.74	19.80	<=30	Pass
		12	0	21.54	-2.74	18.80	<=30	Pass
			6	21.62	-2.74	18.88	<=30	Pass
			13	21.57	-2.74	18.83	<=30	Pass
		25	0	21.65	-2.74	18.91	<=30	Pass
	1745	1	0	22.69	-2.74	19.95	<=30	Pass
			13	22.53	-2.74	19.79	<=30	Pass
			24	22.46	-2.74	19.72	<=30	Pass
		12	0	21.54	-2.74	18.80	<=30	Pass
			6	21.51	-2.74	18.77	<=30	Pass
			13	21.55	-2.74	18.81	<=30	Pass

		25	0	21.48	-2.74	18.74	<=30	Pass		
	1777.5	1	0	22.61	-2.74	19.87	<=30	Pass		
			13	22.77	-2.74	20.03	<=30	Pass		
			24	22.69	-2.74	19.95	<=30	Pass		
			0	21.64	-2.74	18.90	<=30	Pass		
		12	6	21.69	-2.74	18.95	<=30	Pass		
			13	21.73	-2.74	18.99	<=30	Pass		
			25	0	21.62	-2.74	18.88	<=30	Pass	
16QAM		1712.5	1	0	22.01	-2.74	19.27	<=30	Pass	
	13			21.95	-2.74	19.21	<=30	Pass		
	24			21.73	-2.74	18.99	<=30	Pass		
	0			20.58	-2.74	17.84	<=30	Pass		
	12		6	20.68	-2.74	17.94	<=30	Pass		
			13	20.42	-2.74	17.68	<=30	Pass		
			25	0	20.58	-2.74	17.84	<=30	Pass	
	1745		1	0	21.84	-2.74	19.10	<=30	Pass	
				13	21.99	-2.74	19.25	<=30	Pass	
				24	21.72	-2.74	18.98	<=30	Pass	
				0	20.42	-2.74	17.68	<=30	Pass	
			12	6	20.38	-2.74	17.64	<=30	Pass	
		13		20.58	-2.74	17.84	<=30	Pass		
		25		0	20.41	-2.74	17.67	<=30	Pass	
		1777.5	1	0	21.83	-2.74	19.09	<=30	Pass	
	13			22.01	-2.74	19.27	<=30	Pass		
	24			22.06	-2.74	19.32	<=30	Pass		
	0			20.58	-2.74	17.84	<=30	Pass		
	12		6	20.62	-2.74	17.88	<=30	Pass		
			13	20.77	-2.74	18.03	<=30	Pass		
			25	0	20.69	-2.74	17.95	<=30	Pass	
	64QAM	1712.5	1	0	20.79	-2.74	18.05	<=30	Pass	
				13	20.91	-2.74	18.17	<=30	Pass	
				24	20.57	-2.74	17.83	<=30	Pass	
				0	19.58	-2.74	16.84	<=30	Pass	
			12	6	19.67	-2.74	16.93	<=30	Pass	
				13	19.56	-2.74	16.82	<=30	Pass	
				25	0	19.47	-2.74	16.73	<=30	Pass
			1745	1	0	20.61	-2.74	17.87	<=30	Pass
					13	20.58	-2.74	17.84	<=30	Pass
		24			20.61	-2.74	17.87	<=30	Pass	
		0			19.48	-2.74	16.74	<=30	Pass	
12		6		19.55	-2.74	16.81	<=30	Pass		
		13		19.48	-2.74	16.74	<=30	Pass		
		25		0	19.51	-2.74	16.77	<=30	Pass	
1777.5		1	0	20.68	-2.74	17.94	<=30	Pass		
			13	20.82	-2.74	18.08	<=30	Pass		
			24	20.84	-2.74	18.10	<=30	Pass		
			0	19.60	-2.74	16.86	<=30	Pass		
			6	19.60	-2.74	16.86	<=30	Pass		
		12	13	19.68	-2.74	16.94	<=30	Pass		
			25	0	19.54	-2.74	16.80	<=30	Pass	
		256QAM	1712.5	1	0	17.41	-2.74	14.67	<=30	Pass
13					17.60	-2.74	14.86	<=30	Pass	
24					17.53	-2.74	14.79	<=30	Pass	



Report No.: SUCR260600048901

Page: 6 of 81

		12	0	17.52	-2.74	14.78	<=30	Pass
			6	17.61	-2.74	14.87	<=30	Pass
			13	17.60	-2.74	14.86	<=30	Pass
		25	0	17.65	-2.74	14.91	<=30	Pass
	1745	1	0	17.47	-2.74	14.73	<=30	Pass
			13	17.71	-2.74	14.97	<=30	Pass
			24	17.42	-2.74	14.68	<=30	Pass
		12	0	17.50	-2.74	14.76	<=30	Pass
			6	17.60	-2.74	14.86	<=30	Pass
			13	17.49	-2.74	14.75	<=30	Pass
		25	0	17.44	-2.74	14.70	<=30	Pass
	1777.5	1	0	17.56	-2.74	14.82	<=30	Pass
			13	17.85	-2.74	15.11	<=30	Pass
			24	17.50	-2.74	14.76	<=30	Pass
		12	0	17.65	-2.74	14.91	<=30	Pass
			6	17.64	-2.74	14.90	<=30	Pass
			13	17.65	-2.74	14.91	<=30	Pass
		25	0	17.70	-2.74	14.96	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	22.68	-2.74	19.94	<=30	Pass
			25	22.57	-2.74	19.83	<=30	Pass
			49	22.52	-2.74	19.78	<=30	Pass
		25	0	21.55	-2.74	18.81	<=30	Pass
			13	21.56	-2.74	18.82	<=30	Pass
			25	21.55	-2.74	18.81	<=30	Pass
		50	0	21.59	-2.74	18.85	<=30	Pass
	1745	1	0	22.51	-2.74	19.77	<=30	Pass
			25	22.44	-2.74	19.70	<=30	Pass
			49	22.66	-2.74	19.92	<=30	Pass
		25	0	21.50	-2.74	18.76	<=30	Pass
			13	21.51	-2.74	18.77	<=30	Pass
			25	21.53	-2.74	18.79	<=30	Pass
		50	0	21.43	-2.74	18.69	<=30	Pass
	1775	1	0	22.44	-2.74	19.70	<=30	Pass
			25	22.43	-2.74	19.69	<=30	Pass
			49	22.59	-2.74	19.85	<=30	Pass
		25	0	21.57	-2.74	18.83	<=30	Pass
			13	21.59	-2.74	18.85	<=30	Pass
			25	21.71	-2.74	18.97	<=30	Pass
		50	0	21.54	-2.74	18.80	<=30	Pass
16QAM	1715	1	0	21.65	-2.74	18.91	<=30	Pass
			25	21.97	-2.74	19.23	<=30	Pass
			49	21.66	-2.74	18.92	<=30	Pass
		25	0	20.55	-2.74	17.81	<=30	Pass
			13	20.59	-2.74	17.85	<=30	Pass

	1745	50	25	20.56	-2.74	17.82	<=30	Pass
			0	20.63	-2.74	17.89	<=30	Pass
			0	21.75	-2.74	19.01	<=30	Pass
		1	25	21.73	-2.74	18.99	<=30	Pass
			49	21.70	-2.74	18.96	<=30	Pass
			0	20.43	-2.74	17.69	<=30	Pass
		25	13	20.55	-2.74	17.81	<=30	Pass
			25	20.53	-2.74	17.79	<=30	Pass
			50	20.46	-2.74	17.72	<=30	Pass
	1775	1	0	21.93	-2.74	19.19	<=30	Pass
			25	22.11	-2.74	19.37	<=30	Pass
			49	21.86	-2.74	19.12	<=30	Pass
		25	0	20.58	-2.74	17.84	<=30	Pass
			13	20.62	-2.74	17.88	<=30	Pass
			25	20.75	-2.74	18.01	<=30	Pass
			50	20.56	-2.74	17.82	<=30	Pass
		1	0	20.72	-2.74	17.98	<=30	Pass
			25	20.82	-2.74	18.08	<=30	Pass
			49	20.67	-2.74	17.93	<=30	Pass
64QAM	1715	1	0	19.56	-2.74	16.82	<=30	Pass
			13	19.52	-2.74	16.78	<=30	Pass
			25	19.44	-2.74	16.70	<=30	Pass
		25	0	19.61	-2.74	16.87	<=30	Pass
			0	20.71	-2.74	17.97	<=30	Pass
			25	20.70	-2.74	17.96	<=30	Pass
			49	20.78	-2.74	18.04	<=30	Pass
	1745	1	0	19.46	-2.74	16.72	<=30	Pass
			13	19.53	-2.74	16.79	<=30	Pass
			25	19.56	-2.74	16.82	<=30	Pass
		25	0	19.55	-2.74	16.81	<=30	Pass
			0	20.68	-2.74	17.94	<=30	Pass
			25	20.94	-2.74	18.20	<=30	Pass
			49	20.81	-2.74	18.07	<=30	Pass
	1775	1	0	19.62	-2.74	16.88	<=30	Pass
			13	19.63	-2.74	16.89	<=30	Pass
			25	19.62	-2.74	16.88	<=30	Pass
		25	0	19.52	-2.74	16.78	<=30	Pass
			0	17.72	-2.74	14.98	<=30	Pass
			25	17.60	-2.74	14.86	<=30	Pass
			49	17.55	-2.74	14.81	<=30	Pass
256QAM	1715	1	0	17.51	-2.74	14.77	<=30	Pass
			13	17.64	-2.74	14.90	<=30	Pass
			25	17.63	-2.74	14.89	<=30	Pass
		25	0	17.58	-2.74	14.84	<=30	Pass
			0	17.32	-2.74	14.58	<=30	Pass
			25	17.63	-2.74	14.89	<=30	Pass
			49	17.60	-2.74	14.86	<=30	Pass
	1745	1	0	17.51	-2.74	14.77	<=30	Pass
			13	17.38	-2.74	14.64	<=30	Pass
			25	17.45	-2.74	14.71	<=30	Pass
		25	0	17.48	-2.74	14.74	<=30	Pass
			0	17.57	-2.74	14.83	<=30	Pass
			25	17.75	-2.74	15.01	<=30	Pass
	1775	1	0	17.57	-2.74	14.83	<=30	Pass
			25	17.75	-2.74	15.01	<=30	Pass
			25	17.75	-2.74	15.01	<=30	Pass



Report No.: SUCR260600048901

Page: 8 of 81

		49	17.49	-2.74	14.75	<=30	Pass
	25	0	17.59	-2.74	14.85	<=30	Pass
		13	17.70	-2.74	14.96	<=30	Pass
		25	17.68	-2.74	14.94	<=30	Pass
	50	0	17.61	-2.74	14.87	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	22.49	-2.74	19.75	<=30	Pass
			38	22.76	-2.74	20.02	<=30	Pass
			74	22.39	-2.74	19.65	<=30	Pass
		36	0	21.50	-2.74	18.76	<=30	Pass
			18	21.52	-2.74	18.78	<=30	Pass
			39	21.32	-2.74	18.58	<=30	Pass
		75	0	21.40	-2.74	18.66	<=30	Pass
	1745	1	0	23.09	-2.74	20.35	<=30	Pass
			38	22.54	-2.74	19.80	<=30	Pass
			74	22.65	-2.74	19.91	<=30	Pass
		36	0	21.65	-2.74	18.91	<=30	Pass
			18	21.42	-2.74	18.68	<=30	Pass
			39	21.47	-2.74	18.73	<=30	Pass
		75	0	21.35	-2.74	18.61	<=30	Pass
	1772.5	1	0	22.56	-2.74	19.82	<=30	Pass
			38	22.49	-2.74	19.75	<=30	Pass
			74	22.54	-2.74	19.80	<=30	Pass
		36	0	21.53	-2.74	18.79	<=30	Pass
			18	21.55	-2.74	18.81	<=30	Pass
			39	21.59	-2.74	18.85	<=30	Pass
		75	0	21.51	-2.74	18.77	<=30	Pass
16QAM	1717.5	1	0	21.69	-2.74	18.95	<=30	Pass
			38	21.74	-2.74	19.00	<=30	Pass
			74	21.47	-2.74	18.73	<=30	Pass
		36	0	20.46	-2.74	17.72	<=30	Pass
			18	20.57	-2.74	17.83	<=30	Pass
			39	20.48	-2.74	17.74	<=30	Pass
		75	0	20.54	-2.74	17.80	<=30	Pass
	1745	1	0	21.68	-2.74	18.94	<=30	Pass
			38	21.69	-2.74	18.95	<=30	Pass
			74	21.50	-2.74	18.76	<=30	Pass
		36	0	20.44	-2.74	17.70	<=30	Pass
			18	20.43	-2.74	17.69	<=30	Pass
			39	20.47	-2.74	17.73	<=30	Pass
		75	0	20.43	-2.74	17.69	<=30	Pass
	1772.5	1	0	21.54	-2.74	18.80	<=30	Pass
			38	21.77	-2.74	19.03	<=30	Pass
			74	22.11	-2.74	19.37	<=30	Pass
		36	0	20.54	-2.74	17.80	<=30	Pass



Report No.: SUCR260600048901

Page: 9 of 81

			18	20.59	-2.74	17.85	<=30	Pass	
			39	20.65	-2.74	17.91	<=30	Pass	
		75	0	20.60	-2.74	17.86	<=30	Pass	
64QAM	1717.5	1	0	20.89	-2.74	18.15	<=30	Pass	
			38	20.80	-2.74	18.06	<=30	Pass	
			74	20.62	-2.74	17.88	<=30	Pass	
		36	0	19.43	-2.74	16.69	<=30	Pass	
			18	19.59	-2.74	16.85	<=30	Pass	
			39	19.45	-2.74	16.71	<=30	Pass	
		75	0	19.54	-2.74	16.80	<=30	Pass	
		1745	1	0	20.70	-2.74	17.96	<=30	Pass
				38	20.71	-2.74	17.97	<=30	Pass
	74			20.58	-2.74	17.84	<=30	Pass	
	36		0	19.37	-2.74	16.63	<=30	Pass	
			18	19.42	-2.74	16.68	<=30	Pass	
			39	19.40	-2.74	16.66	<=30	Pass	
	75	0	19.47	-2.74	16.73	<=30	Pass		
	1772.5	1	0	20.74	-2.74	18.00	<=30	Pass	
			38	20.72	-2.74	17.98	<=30	Pass	
			74	20.64	-2.74	17.90	<=30	Pass	
		36	0	19.55	-2.74	16.81	<=30	Pass	
			18	19.52	-2.74	16.78	<=30	Pass	
			39	19.58	-2.74	16.84	<=30	Pass	
		75	0	19.48	-2.74	16.74	<=30	Pass	
		256QAM	1717.5	1	0	17.40	-2.74	14.66	<=30
	38				17.48	-2.74	14.74	<=30	Pass
	74				17.36	-2.74	14.62	<=30	Pass
36	0			17.46	-2.74	14.72	<=30	Pass	
	18			17.54	-2.74	14.80	<=30	Pass	
	39			17.52	-2.74	14.78	<=30	Pass	
75	0			17.50	-2.74	14.76	<=30	Pass	
1745	1			0	17.61	-2.74	14.87	<=30	Pass
				38	17.56	-2.74	14.82	<=30	Pass
			74	17.60	-2.74	14.86	<=30	Pass	
	36		0	17.32	-2.74	14.58	<=30	Pass	
			18	17.42	-2.74	14.68	<=30	Pass	
			39	17.47	-2.74	14.73	<=30	Pass	
75	0		17.41	-2.74	14.67	<=30	Pass		
1772.5	1		0	17.64	-2.74	14.90	<=30	Pass	
			38	17.73	-2.74	14.99	<=30	Pass	
			74	17.69	-2.74	14.95	<=30	Pass	
	36		0	17.49	-2.74	14.75	<=30	Pass	
			18	17.56	-2.74	14.82	<=30	Pass	
			39	17.66	-2.74	14.92	<=30	Pass	
	75		0	17.52	-2.74	14.78	<=30	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTN						
Modulation	Frequency	RB Allocation	Conducted Power	Gain	EIRP (dBm)	Verdict

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Connectivity Laboratory

South of No. 6 Plant, No. 1, RunSheng Road, Suzhou Industrial Park,
Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215123

t (86-512) 6229 2980
www.sgsgroup.com.cn

TRF No. SUZSCONN-TRF-CR001A_A_Jun 1st,2026

Member of the SGS Group (SGS SA)

	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1720	1	0	22.36	-2.74	19.62	<=30	Pass
			50	22.48	-2.74	19.74	<=30	Pass
			99	22.67	-2.74	19.93	<=30	Pass
		50	0	21.44	-2.74	18.70	<=30	Pass
			25	21.39	-2.74	18.65	<=30	Pass
			50	21.36	-2.74	18.62	<=30	Pass
		100	0	21.42	-2.74	18.68	<=30	Pass
	1745	1	0	22.48	-2.74	19.74	<=30	Pass
			50	22.54	-2.74	19.80	<=30	Pass
			99	22.31	-2.74	19.57	<=30	Pass
		50	0	21.49	-2.74	18.75	<=30	Pass
			25	21.36	-2.74	18.62	<=30	Pass
			50	21.41	-2.74	18.67	<=30	Pass
		100	0	21.38	-2.74	18.64	<=30	Pass
	1770	1	0	22.78	-2.74	20.04	<=30	Pass
			50	22.92	-2.74	20.18	<=30	Pass
			99	22.59	-2.74	19.85	<=30	Pass
		50	0	21.49	-2.74	18.75	<=30	Pass
			25	21.49	-2.74	18.75	<=30	Pass
			50	21.53	-2.74	18.79	<=30	Pass
		100	0	21.54	-2.74	18.80	<=30	Pass
16QAM	1720	1	0	21.62	-2.74	18.88	<=30	Pass
			50	21.68	-2.74	18.94	<=30	Pass
			99	21.65	-2.74	18.91	<=30	Pass
		50	0	20.39	-2.74	17.65	<=30	Pass
			25	20.47	-2.74	17.73	<=30	Pass
			50	20.52	-2.74	17.78	<=30	Pass
		100	0	20.46	-2.74	17.72	<=30	Pass
	1745	1	0	21.69	-2.74	18.95	<=30	Pass
			50	21.60	-2.74	18.86	<=30	Pass
			99	21.72	-2.74	18.98	<=30	Pass
		50	0	20.44	-2.74	17.70	<=30	Pass
			25	20.34	-2.74	17.60	<=30	Pass
			50	20.40	-2.74	17.66	<=30	Pass
		100	0	20.42	-2.74	17.68	<=30	Pass
	1770	1	0	21.58	-2.74	18.84	<=30	Pass
			50	21.82	-2.74	19.08	<=30	Pass
			99	21.73	-2.74	18.99	<=30	Pass
		50	0	20.55	-2.74	17.81	<=30	Pass
			25	20.49	-2.74	17.75	<=30	Pass
			50	20.54	-2.74	17.80	<=30	Pass
		100	0	20.51	-2.74	17.77	<=30	Pass
64QAM	1720	1	0	20.56	-2.74	17.82	<=30	Pass
			50	20.62	-2.74	17.88	<=30	Pass
			99	20.37	-2.74	17.63	<=30	Pass
		50	0	19.44	-2.74	16.70	<=30	Pass
			25	19.58	-2.74	16.84	<=30	Pass
			50	19.52	-2.74	16.78	<=30	Pass
		100	0	19.46	-2.74	16.72	<=30	Pass
	1745	1	0	20.70	-2.74	17.96	<=30	Pass
			50	20.63	-2.74	17.89	<=30	Pass
			99	20.30	-2.74	17.56	<=30	Pass

256QAM	1770	50	0	19.48	-2.74	16.74	<=30	Pass
			25	19.28	-2.74	16.54	<=30	Pass
			50	19.45	-2.74	16.71	<=30	Pass
		100	0	19.33	-2.74	16.59	<=30	Pass
			0	20.70	-2.74	17.96	<=30	Pass
			50	20.65	-2.74	17.91	<=30	Pass
		1	99	20.83	-2.74	18.09	<=30	Pass
			0	19.51	-2.74	16.77	<=30	Pass
			25	19.59	-2.74	16.85	<=30	Pass
	1720	50	50	19.61	-2.74	16.87	<=30	Pass
			0	19.55	-2.74	16.81	<=30	Pass
			0	17.72	-2.74	14.98	<=30	Pass
		1	50	17.37	-2.74	14.63	<=30	Pass
			99	17.27	-2.74	14.53	<=30	Pass
			0	17.47	-2.74	14.73	<=30	Pass
		50	25	17.52	-2.74	14.78	<=30	Pass
			50	17.44	-2.74	14.70	<=30	Pass
			0	17.50	-2.74	14.76	<=30	Pass
256QAM	1745	100	0	17.54	-2.74	14.80	<=30	Pass
			0	17.65	-2.74	14.91	<=30	Pass
			50	17.37	-2.74	14.63	<=30	Pass
		1	0	17.43	-2.74	14.69	<=30	Pass
			25	17.44	-2.74	14.70	<=30	Pass
			50	17.33	-2.74	14.59	<=30	Pass
		50	0	17.34	-2.74	14.60	<=30	Pass
			0	17.47	-2.74	14.73	<=30	Pass
			50	17.82	-2.74	15.08	<=30	Pass
	1770	1	99	17.37	-2.74	14.63	<=30	Pass
			0	17.50	-2.74	14.76	<=30	Pass
			25	17.64	-2.74	14.90	<=30	Pass
		50	50	17.64	-2.74	14.90	<=30	Pass
			0	17.52	-2.74	14.78	<=30	Pass
			0	17.52	-2.74	14.78	<=30	Pass
		100	0	17.52	-2.74	14.78	<=30	Pass
			0	17.52	-2.74	14.78	<=30	Pass
			0	17.52	-2.74	14.78	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B66_10MHz

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1745	50	0	20	3.27	-1.400	-0.0008	-2.5 to 2.5	Pass
					3.85	-4.100	-0.0023	-2.5 to 2.5	Pass
					4.43	-1.200	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-1.600	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-2.600	-0.0015	-2.5 to 2.5	Pass
				-10	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				0	3.85	-0.800	-0.0005	-2.5 to 2.5	Pass



Report No.: SUCR260600048901

Page: 12 of 81

				10	3.85	0.500	0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.600	-0.0003	-2.5 to 2.5	Pass
				50	3.85	-2.100	-0.0012	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band66_OBW

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1745	6	0	1.085	/	Pass
	16QAM	1745	6	0	1.083	/	Pass
	64QAM	1745	6	0	1.086	/	Pass
	256QAM	1745	6	0	1.081	/	Pass
3	QPSK	1745	15	0	2.685	/	Pass
	16QAM	1745	15	0	2.703	/	Pass
	64QAM	1745	15	0	2.693	/	Pass
	256QAM	1745	15	0	2.694	/	Pass
5	QPSK	1745	25	0	4.483	/	Pass
	16QAM	1745	25	0	4.482	/	Pass
	64QAM	1745	25	0	4.478	/	Pass
	256QAM	1745	25	0	4.483	/	Pass
10	QPSK	1745	50	0	8.950	/	Pass
	16QAM	1745	50	0	8.956	/	Pass
	64QAM	1745	50	0	8.964	/	Pass
	256QAM	1745	50	0	8.951	/	Pass
15	QPSK	1745	75	0	13.461	/	Pass
	16QAM	1745	75	0	13.418	/	Pass
	64QAM	1745	75	0	13.422	/	Pass
	256QAM	1745	75	0	13.415	/	Pass
20	QPSK	1745	100	0	17.948	/	Pass
	16QAM	1745	100	0	17.886	/	Pass
	64QAM	1745	100	0	17.945	/	Pass
	256QAM	1745	100	0	17.917	/	Pass

3.1.2 Band66_XDB

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1745	6	0	1.296	/	Pass
	16QAM	1745	6	0	1.326	/	Pass
	64QAM	1745	6	0	1.319	/	Pass
	256QAM	1745	6	0	1.281	/	Pass




Report No.: SUCR260600048901


Page: 13 of 81

3	QPSK	1745	15	0	2.987	/	Pass
	16QAM	1745	15	0	3.025	/	Pass
	64QAM	1745	15	0	2.971	/	Pass
	256QAM	1745	15	0	3.002	/	Pass
5	QPSK	1745	25	0	5.004	/	Pass
	16QAM	1745	25	0	4.970	/	Pass
	64QAM	1745	25	0	5.013	/	Pass
	256QAM	1745	25	0	5.002	/	Pass
10	QPSK	1745	50	0	9.737	/	Pass
	16QAM	1745	50	0	9.828	/	Pass
	64QAM	1745	50	0	9.817	/	Pass
	256QAM	1745	50	0	9.701	/	Pass
15	QPSK	1745	75	0	14.743	/	Pass
	16QAM	1745	75	0	14.564	/	Pass
	64QAM	1745	75	0	14.584	/	Pass
	256QAM	1745	75	0	14.807	/	Pass
20	QPSK	1745	100	0	19.350	/	Pass
	16QAM	1745	100	0	19.504	/	Pass
	64QAM	1745	100	0	19.415	/	Pass
	256QAM	1745	100	0	19.308	/	Pass


3.2 Test Graph

3.2.1 Band66_OBW







Band66_1.4MHz_64QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_256QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_256QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_256QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_256QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_256QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_256QAM_MCH_1745MHz_RB_100_0_NTNV




3.2.2 Band66_XDB







Band66_1.4MHz_64QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_256QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_256QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_256QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_256QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_256QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_256QAM_MCH_1745MHz_RB_100_0_NTNV





4. Peak-Average Ratio


4.1 Test Result


4.1.1 B66_20MHz

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	5.06	<=13	Pass
16QAM	1745	100	0	6.06	<=13	Pass
64QAM	1745	100	0	6.09	<=13	Pass
256QAM	1745	100	0	6.88	<=13	Pass


4.2 Test Graph

4.2.1 B66_20MHz






Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_256QAM_MCH_1745MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1779.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTNV				
Modulation	Frequency	RB Allocation	Spurious Emission	Verdict



Report No.: SUCR260600048901
Page: 45 of 81

	(MHz)	Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B66_15MHz


Band: 66 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1772.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


5.1.6 B66_20MHz

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass


5.2 Test Graph

5.2.1 B66_1.4MHz






Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-34.29	-13	Pass
1709	1710	0.013	/	2	1709.994	-27.57	-13	Pass
1710	1713	0.013	/	/	/	/	/	/


Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV



Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV




Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 5 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.023	-27.88	-13	Pass
1781	1783	1	CHP	2	1781.500	-39.07	-13	Pass


Band66 1.4MHz QPSK HCH 1779.3MHz RB 6 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.013	/	/	/	/	/	/
1780	1781	0.013	/	1	1780.006	-27.49	-13	Pass
1781	1783	1	CHP	2	1781.500	-36.32	-13	Pass

5.2.2 B66_3MHz






Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-26.71	-13	Pass
1709	1710	0.03	/	2	1709.994	-25.58	-13	Pass
1710	1713	0.03	/	/	/	/	/	/


Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV



Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.028	-31.30	-13	Pass
1781	1783	1	CHP	2	1781.500	-41.53	-13	Pass


Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.03	/	/	/	/	/	/
1780	1781	0.03	/	1	1780.006	-26.55	-13	Pass
1781	1783	1	CHP	2	1781.500	-25.63	-13	Pass

5.2.3 B66_5MHz






Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-28.33	-13	Pass
1709	1710	0.051	/	2	1709.990	-27.79	-13	Pass
1710	1715	0.051	/	/	/	/	/	/


Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV



Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.002	-34.60	-13	Pass
1781	1785	1	CHP	2	1781.500	-42.71	-13	Pass


Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.051	/	/	/	/	/	/
1780	1781	0.051	/	1	1780.010	-28.68	-13	Pass
1781	1785	1	CHP	2	1781.500	-26.62	-13	Pass

5.2.4 B66_10MHz






Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.500	-27.72	-13	Pass
1709	1710	0.1	/	2	1709.960	-32.45	-13	Pass
1710	1720	0.1	/	/	/	/	/	/


Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV



Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.004	-46.95	-13	Pass
1781	1790	1	CHP	2	1781.501	-45.02	-13	Pass


Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.1	/	/	/	/	/	/
1780	1781	0.1	/	1	1780.020	-30.37	-13	Pass
1781	1790	1	CHP	2	1781.500	-27.53	-13	Pass

5.2.5 B66_15MHz






Band66_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.500	-29.61	-13	Pass
1709	1710	0.15	/	2	1709.910	-33.32	-13	Pass
1710	1725	0.15	/	/	/	/	/	/


Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV



Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.006	-44.91	-13	Pass
1781	1795	1	CHP	2	1781.500	-45.20	-13	Pass


Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.15	/	/	/	/	/	/
1780	1781	0.15	/	1	1780.030	-33.81	-13	Pass
1781	1795	1	CHP	2	1781.500	-29.30	-13	Pass

5.2.6 B66_20MHz






Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-30.67	-13	Pass
1709	1710	0.2	/	2	1709.880	-34.39	-13	Pass
1710	1730	0.2	/	/	/	/	/	/


Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV



Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.007	-46.17	-13	Pass
1781	1800	1	CHP	2	1781.500	-44.20	-13	Pass

Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.2	/	/	/	/	/	/
1780	1781	0.2	/	1	1780.200	-33.88	-13	Pass
1781	1800	1	CHP	2	1781.520	-30.69	-13	Pass

---End of Attachment---