



AFC DUT TEST HARNESS REPORT

FCC ID : 2AGMR-AP750NRE

Equipment : 4-radio Narrow Directional Outdoor Wi-Fi 7 Access Point

Brand Name : FORTINET

Model Name : FortiAP-HD-444KNxxxxxxxxxx, FAP-HD-444KNxxxxxxxxxx,
FORTIAP-HD-444KNxxxxxxxxxx (Where "x" can be used as
"A-Z", or "0-9", or "-", or blank for software changes or
marketing purposes only)

Applicant : Fortinet, Inc.
909 Kifer Road, Sunnyvale, CA 94086, USA

Manufacturer : Fortinet, Inc.
909 Kifer Road, Sunnyvale, CA 94086, USA

Standard : 47 CFR FCC Part 15.407

The product was received on Jul. 10, 2025, and testing was started from Sep. 12, 2025 and completed on Sep. 12, 2025. We, Sporton International Inc. Hsinhua Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in AFC Device (AFC DUT) Compliance Test Plan Version 1.5 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. Hsinhua Laboratory, the test report shall not be reproduced except in full.


Approved by: Jackson Tsai

Sporton International Inc. Hsinhua Laboratory
No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)



Table of Contents

1	General Description	5
1.1	Product Feature of Equipment Under Test	5
1.2	Antenna Information	6
1.3	Table for Multiple Listing	7
1.4	Support Equipment	7
1.5	Applicable Standards	8
1.6	Testing Location	8
2	Measurement Environment	9
2.1	AFC DUT General Capabilities Declaration	9
2.2	Test Configuration	10
3	Protocol Test Results	12
3.1	Successful Registration and Spectrum Access Request	12
3.2	Unsuccessful Spectrum Access Request	14
3.3	Successful Spectrum Access Update	15
3.4	Unsuccessful Spectrum Access Update	17
3.5	Unsuccessful Server Validation	19
4	Test Equipment and Calibration Data	20
5	Measurement Uncertainty	21
Appendix A. Tools Report		
Appendix B. DUT Spectrum Inquiry Request/Response Logs		
Appendix C. RF Measurement Plots		
Photographs of EUT v01		



Summary of Test Result

Report Clause	Ref Std. Clause	Test Case Name	Result (PASS/FAIL)	Remark
AFC capability - Inquired Channel Test Group: Inquired Channel - Always				
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Channel_20MHz_10618_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Channel_40MHz_10619_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Channel_80MHz_10620_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Channel_160MHz_10621_1	PASS	-
3.2	3.2.4	CT_AFC_SP_AP_AFCDUSA32_Channel_10622_1	PASS	-
3.3	3.3.4	CT_AFC_SP_AP_AFCDSAU33_Channel_10623_1	PASS	-
3.4	3.4.4	CT_AFC_SP_AP_AFCDUAU34_Channel_10624_1	PASS	-
AFC capability - Server Validation – Mandatory Test Group: Server Validation - Always				
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1	PASS	-

Conformity Assessment Condition:

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the chapter "Measurement Uncertainty".

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Jason Su

Report Producer: Debby Hung



1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature of Equipment Under Test	
Power Type	From PoE
EUT Type	☐ Standard Power Access Point with Proxy ☒ Standard Power Access Point without Proxy ☐ Fixed Client with Proxy ☐ Fixed Client without Proxy
Bandwidth (MHz)	20 / 40 / 80 / 160
Condition of EUT	☐ Indoor ☒ Outdoor
Professional Installation	☒ Yes ☐ No
Firmware Version	1.2.1
Software Version	1.2.1
Hardware Version	V1.00
Proxy Firmware Version	NA
Proxy Software Version	NA
Proxy Hardware Version	NA

Note: The above information was declared by manufacturer.



1.2 Antenna Information

Ant.	Brand	Model Name	Antenna Type	Connector	Gain (dBi)	Support	Radio
1	Everest	PCB-000017-001-D	PCB	I-Pex	9	5G	Radio1
2	Everest	PCB-000017-001-D	PCB	I-Pex	9	5G	Radio1
3	Everest	PCB-000017-001-D	PCB	I-Pex	9	5G	Radio1
4	Everest	PCB-000017-001-D	PCB	I-Pex	9	5G	Radio1
5	Everest	PCB-000016-001-D	PCB	I-Pex	9	5G	Radio2
6	Everest	PCB-000016-001-D	PCB	I-Pex	9	5G	Radio2
7	Everest	PCB-000016-001-D	PCB	I-Pex	9	5G	Radio2
8	Everest	PCB-000016-001-D	PCB	I-Pex	9	5G	Radio2
9	Everest	PCB-000049-001-A	PCB	I-Pex	12.5	6G	Radio 3
10	Everest	PCB-000049-001-A	PCB	I-Pex	11.5	5G	Radio 3
11	Everest	PCB-000049-001-A	PCB	I-Pex	12.5	6G	Radio 3
12	Everest	PCB-000049-001-A	PCB	I-Pex	11.5	5G	Radio 3
13	Everest	PCB-000049-001-A	PCB	I-Pex	12.5	6G	Radio 3
14	Everest	PCB-000049-001-A	PCB	I-Pex	11.5	5G	Radio 3
15	Everest	PCB-000049-001-A	PCB	I-Pex	12.5	6G	Radio 3
16	Everest	PCB-000049-001-A	PCB	I-Pex	11.5	5G	Radio 3
17	Everest	PCB-000048-001-A	PCB	I-Pex	11	6G	Radio 4
18	Everest	PCB-000048-001-A	PCB	I-Pex	11	6G	Radio 4
19	Everest	PCB-000048-001-A	PCB	I-Pex	11	6G	Radio 4
20	Everest	PCB-000048-001-A	PCB	I-Pex	11	6G	Radio 4

Note 1: The above information was declared by manufacturer.

Note 2: The EUT has twenty antennas.

For 5GHz function:

For IEEE 802.11 a/n/ac/ax/be mode (4TX/4RX) (Radio 1)

Ant. 1 ~ Ant. 4 could transmit/receive.

For IEEE 802.11 a/n/ac/ax/be mode (4TX/4RX) (Radio 2)



Ant. 5 ~ Ant. 8 could transmit/receive.

For IEEE 802.11 a/n/ac/ax/be mode (4TX/4RX) (Radio 3)

Ant.10, Ant.12, Ant.14, Ant.16 could transmit/receive.

For 6GHz function:

For IEEE 802.11 ax/be mode(4TX/4RX) (Radio 3)

Ant. 9, Ant.11, Ant.13, Ant.15 could transmit/receive.

For IEEE 802.11 ax/be mode(4TX/4RX) (Radio 4)

Ant. 17 ~ Ant.20 could transmit/receive.

1.3 Table for Multiple Listing

The brand/model names in the following table are all refer to the identical product.

Brand Name	Model Name	Description
FORTINET	FortiAP-HD-444KNxxxxxxxxx, FAP-HD-444KNxxxxxxxxx, FORTIAP-HD-444KNxxxxxxxxx (Where "x" can be used as "A-Z", or "0-9", or "-", or blank for software changes or marketing purposes only)	All the models are identical, the difference model for difference brand served as marketing strategy.

Note 1: From the above models, model: FAP-HD-444KN was selected as representative model for the test and its data was recorded in this report.

Note 2: The above information was declared by manufacturer.

1.4 Support Equipment

Support Equipment				
No.	Equipment	Brand Name	Model Name	FCC ID
1	Notebook	DELL	E5410	-
2	Client(Slave) (customer provided)	Fortinet	FAP-241K	-
3	Notebook	DELL	E5410	-



1.5 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR FCC Part 15.407

The following reference test guidance is not within the scope of accreditation of TAF.

- ♦ AFC Device (AFC DUT) Compliance Test Plan Version 1.5
- ♦ FCC KDB 987594 D05 v01r01

1.6 Testing Location

Testing Location Information	
Test Lab. : Sporton International Inc. Hsinhua Laboratory	
Hsinhua	ADD: No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)
(TAF: 3785)	TEL: 886-3-327-3456 FAX: 886-3-327-0973
Test site Designation No. TW3785 with FCC.	

Test Condition	Test Site No.	Test Engineer	Test Environment (°C / %)	Test Date
RF Conducted	DFS03-HY	Alan Chien	22.3~23.4°C / 51~55%	12/Sep/2025



2 Measurement Environment


Measurement Environment Information	
AFC DUT Test Harness version	2.0.65.184

2.1 AFC DUT General Capabilities Declaration


Item	Question	Vendor Response
1	AFC DUT Type	Standard Power AP
2	What is the AFC DUT supports sending an Available Spectrum Inquiry Request type?	Channel
3	Does the AFC DUT need to be supplied with BSS configuration parameters?	No
4	Does the AFC DUT manufacturer attest to AFC DUT compliance with rules for LPI operation?	No
5	Does the AFC DUT need to be supplied with mandatory registration information to formulate an Available Spectrum Inquiry Request	No
6	If the Answer to Item 5 is "Yes". What is the geographic Supported by the AFC DUT?	-
7	Does the AFC DUT supports 160 MHz channel width operation?	Yes
8	Which method does AFC DUT acting as a Fixed Client uses for sending an Available Spectrum Inquiry Request?	-
9	Does the AFC DUT supports 320 MHz channel width operation?	No

Note: The above information was declared by manufacturer.

2.2 Test Configuration



Fixed Client Device Test Setup





3 Protocol Test Results

3.1 Successful Registration and Spectrum Access Request

3.1.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquired Frequency Range and/or the inquired Channels fields*.
4	AFC DUT Test Harness validates the presence of mandatory registration information
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout Step 1 to Step 4, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: - In the band if the AFC DUT supports only SP operation Or - Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
7	Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
8	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
9	AFC DUT Test Harness validates the presence of mandatory registration information
10	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 5.
11	Wait for 5 minutes (configurable) RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the latest Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the latest Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or



	availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods
21	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
22	AFC DUT Test Harness validates the presence of mandatory registration information
23	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 17.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds (configurable) RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the latest Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies

3.1.2 Test Result

Refer as Appendix A~C



3.2 Unsuccessful Spectrum Access Request

3.2.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 7
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
4	AFC DUT Test Harness validates mandatory registration information.
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
6	Throughout Step 2 to Step 5 and subsequent to Step 5, RF Test Equipment monitors the output of the AFC DUT to confirm the following: • For SP only operation, AFC DUT does not transmit in the band. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits.
7	If the AFC DUT is Fixed Client, go to Step 8 else Stop the test
8	The AFC DUT set to Initial Pre-test State.
9	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID or IC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
10	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
11	AFC DUT Test Harness validates mandatory registration information.
12	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available using either In-band or Out-of-band methods.
13	If AFC DUT used Out-of-band method, initiate connection procedure between Fixed Client and SP Access Point by following instructions provided by the AFC DUT Vendor
13	Wait for 60 seconds RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.

3.2.2 Test Result

Refer as Appendix A~C



3.3 Successful Spectrum Access Update

3.3.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
4	AFC DUT Harness validates mandatory registration information.
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout the preceding steps, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: - In the band if the AFC DUT supports only SP operation Or - Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
7	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate.
8	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the AFC DUT to verify the following and STOP the test - For SP only operation, AFC DUT does not transmit in the band. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits. If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 9
9	AFC DUT Test Harness evaluates validity of mandatory registration information
10	AFC DUT Test Harness waits for 60 seconds before sending an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 5. - During the 60 seconds wait time: - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, RF Test Equipment monitors the output of the AFC DUT to confirm that AFC DUT does not transmit above LPI threshold limits - For SP only operation, RF Test Equipment monitors the output of the AFC DUT to confirm that AFC DUT doesn't transmit in the band
11	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test



13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of- band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate
21	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the AFC DUT to verify the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel and STOP the test. If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 21
22	AFC DUT Test Harness evaluates validity of mandatory registration information
23	AFC DUT Test Harness waits for 60 seconds before sending an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from step 17. During the 60 seconds wait time, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies

3.3.2 Test Result

Refer as Appendix A~C



3.4 Unsuccessful Spectrum Access Update

3.4.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the DUT with AFC System URL and server root certificate. Trigger the DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields.
4	AFC DUT Test Harness validates mandatory registration information
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout the Step 2 to 5, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: - In the band if the AFC DUT supports only SP operation Or - Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies
7	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate.
8	Wait for 60 seconds - If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the DUT to verify the following and STOP the test: - For SP only operation, AFC DUT does not transmit in the band, - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits. - If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 8
9	AFC DUT Test Harness evaluates validity of mandatory registration information.
10	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
11	Throughout Step 7 to 10 and subsequent to Step 10 Test Equipment monitors the output of the AFC DUT to confirm that: For SP only operation, AFC DUT does not transmit in the band. For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 5 declaration), configure the DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of- band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information



17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID or IC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate
21	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel., If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 22 else STOP the test
22	AFC DUT Test Harness evaluates validity of mandatory registration information.
23	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.

3.4.2 Test Result

Refer as Appendix A~C



3.5 Unsuccessful Server Validation

3.5.1 Test Procedure

Step	Description
1	The AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT Test Harness with TLS configuration that is the same as the default configuration defined in Section 2.3.1 except for the following: - Run 1: A different server certificate (and private key) with SAN domain name entry "badafc.com" (i.e. that does not match AFC system URL's domain name); signed by the same root certificate as per Section 2.3.1 - Run 2: A different server certificate (and private key) where all attributes other than Public Key are the same as the server certificate per Section 2.3.1, but the certificate is signed by a different root certificate - Run 3: A different server certificate (and private key) with SAN domain name entry "wfatestorg.org" only (i.e. SAN domain name only matches suffix of AFC server's hostname); signed by the same root certificate as per Section 2.3.1 - Run 4: A different server certificate (and private key) where all attributes other than Public Key are the same as the server certificate per Section 2.3.1 signed by the same root certificate as per Section 2.3.1, but the server certificate is revoked as indicated in stapled OCSP response - Run 5: Same configuration as per Section 2.3.1, except OCSP stapling is disabled and CRL/OCSP servers are not available - Run 6: Same configuration as per Section 2.3.1, except stapled OCSP response has expired and CRL/OCSP servers are not available - Run 7: Same configuration as per Section 2.3.1, except only the TLS cipher suite "eNULL" (no encryption) is enabled - Run 8: N/A (same configuration as per Section 2.3.1) Configure the AFC DUT with the AFC System URL and the following root certificate: - Runs 1-7: Root certificate as per Section 2.3.1 - Run 8: No root certificate Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
2	AFC DUT Test Harness waits 10 seconds, and verifies no Available Spectrum Inquiry Request is sent to it.
3	Steps 1 and 2 are repeated for each of the remaining Runs

3.5.2 Test Result

Refer as Appendix A



4 Test Equipment and Calibration Data

Instrument	Manufacturer/ Brand	Model No.	Serial No.	Characteristics	Calibration Date	Calibration Due Date
Signal Analyzer	ROHDE&SCHWARZ	FSV3044	101439	10Hz~44GHz	23/Dec/2024	22/Dec/2025
Multi-Function GNSS Simulator	Orolia	GSG-63	202866	1000~2600 MHz	13/Aug/2025	12/Aug/2026
SENSE-15407_NII	Sporton	V5.11.23	N/A	N/A	N/A	N/A
WFA-Quick Track-Tool	Sporton	2.0.65.184	N/A	N/A	N/A	N/A



5 Measurement Uncertainty

Test Items	Uncertainty	Remark
Conducted Emission	0.66 dB	Confidence levels of 95%

————THE END————

AFC DUT Compliance Test Report

DUT Information

AFC DUT System	Standard Power AP
DUT Vendor Name	FORTINET
DUT Product Model	FAP-HD-444KN

Test Result

FCC Requirements	TestCaseName	Test Result
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 NoRootCA 10639 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 TLSCipherSuiteENULL 10638 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 StapledOCSPRespExpired 10637 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 OCSPStaplingDisabled 10636 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 ServerCertRevoked 10635 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 MatchSuffixSAN 10634 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 DifferentRootCA 10633 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 NonMatchSAN 10632 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT AFC SP AP AFCDUAU34 Channel 10624 1 (Unsuccessful spectrum access update)	PASS
15.407(k)(8)(i), 15.407(k)(8)(ii),	CT AFC SP AP AFCDUAU33 Channel 10623 1 (Successful spectrum access update)	PASS

15.407(k)(9)(i)		
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii)	CT AFC SP AP AFCDUSA32 Channel 10622 1 (Unsuccessful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 Channel 160MHz 10621 1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 Channel 80MHz 10620 1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 Channel 40MHz 10619 1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 Channel 20MHz 10618 1 (Successful registration and spectrum access request)	PASS

**Test Measurements**

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS



TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS



TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDUUAU34_Channel_10624_1 (Unsuccessful spectrum access update)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (36.0 dBm EIRP) on channel 173 bandwidth 20.	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditons in the Spectrum Inquiry Response	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDSAU33_Channel_10623_1 (Successful spectrum access update)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION_1	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (33.6 dBm EIRP) on channel 1 bandwidth 20.	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_SP_OPERATION_2	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (25.8 dBm EIRP) on channel 173 bandwidth 20.	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDUSA32_Channel_10622_1 (Unsuccessful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE	AFC DUT conforms to the conditons in the Spectrum Inquiry Response	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDRSA31_Channel_160MHz_10621_1 (Successful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (32.9 dBm EIRP) on channel center frequency index 15 bandwidth 160.	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS

AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (32.0 dBm EIRP) on channel center frequency index 143 bandwidth 160.	true	PASS
--	--	------	------

TestCaseName: CT_AFC_SP_AP_AFCRSA31_Channel_80MHz_10620_1 (Successful registration and spectrum access request)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (29.4 dBm EIRP) on channel center frequency index 23 bandwidth 80.	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (31.5 dBm EIRP) on channel center frequency index 167 bandwidth 80.	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_Channel_40MHz_10619_1 (Successful registration and spectrum access request)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (27.9 dBm EIRP) on channel center frequency index 19 bandwidth 40.	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (31.0 dBm EIRP) on channel center frequency index 171 bandwidth 40.	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_Channel_20MHz_10618_1 (Successful registration and spectrum access request)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (29.2 dBm EIRP) on channel 65 bandwidth 20.	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (23.8 dBm EIRP) on channel 141 bandwidth 20.	true	PASS

AFC capability - Inquired Channel

CT_AFC_SP_AP_AFCDRSA31_Channel_20MHz_10618_1

```
##### 2025-09-12T06:47:29Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "650",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133
          },
          {
            "globalOperatingClass": 134
          },
          {
            "globalOperatingClass": 135
          }
        ],
        "location": {
          "elevation": {
            "height": -0.9328799247741699,
            "heightType": "AGL",
            "verticalUncertainty": 1.9348798990249634
          },
          "ellipse": {
            "center": {
              "latitude": 23.506786346435547,
              "longitude": 122.0
            }
          }
        }
      }
    ]
  }
}
```



```
        "majorAxis": 2.6569504737854004,
        "minorAxis": 2.6569504737854004,
        "orientation": 0
      }
    },
    "requestId": "1757659609"
  }
],
"version": "1.4"
}
}

##### 2025-09-12T06:47:30Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            65,
            69,
            73,
            77,
            81,
            85,
            89,
            93,
            145,
            149,
            153,
            157,
            161,
            165,
            169,
            173
          ],
          "globalOperatingClass": 131,
          "maxEirp": [
            29.2,
            29.9,
            28.0,
            30.7,
            31.5,
            24.3,
            24.4,
            27.6,
            24.6,
            23.0,
            23.2,
            23.0,
            32.6,
```

```
        21.9,  
        29.0,  
        34.2  
    ]  
  },  
  {  
    "channelCfi": [  
      67,  
      75,  
      83,  
      91,  
      147,  
      155,  
      163,  
      171  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
      32.2,  
      31.0,  
      27.3,  
      27.4,  
      26.0,  
      26.0,  
      24.9,  
      32.0  
    ]  
  },  
  {  
    "channelCfi": [  
      71,  
      87,  
      151,  
      167  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
      34.0,  
      30.3,  
      29.0,  
      27.9  
    ]  
  },  
  {  
    "channelCfi": [  
      79  
    ],  
    "globalOperatingClass": 134,  
    "maxEirp": [  
      33.3  
    ]  
  }  
],  
"requestId": "1757659609",  
"availabilityExpireTime": "2025-09-13T06:47:30Z",
```



```
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
},
"version": "1.4"
}

##### 2025-09-12T06:56:13Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "650",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133
          },
          {
            "globalOperatingClass": 134
          },
          {
            "globalOperatingClass": 135
          }
        ],
        "location": {
          "elevation": {
            "height": -0.9328799247741699,
            "heightType": "AGL",
            "verticalUncertainty": 1.9348798990249634
          },
          "ellipse": {
            "center": {
```



```
        "latitude": 23.506786346435547,
        "longitude": 122.0
      },
      "majorAxis": 2.6569504737854004,
      "minorAxis": 2.6569504737854004,
      "orientation": 0
    }
  },
  "requestId": "1757660132"
}
],
"version": "1.4"
}
}

##### 2025-09-12T06:56:13Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            1,
            5,
            9,
            13,
            17,
            21,
            25,
            29,
            33,
            37,
            41,
            45,
            49,
            53,
            57,
            61,
            129,
            133,
            137,
            141
          ],
          "globalOperatingClass": 131,
          "maxEirp": [
            28.8,
            28.9,
            27.8,
            32.9,
            29.5,
            22.4,
```

```
        29.1,  
        29.6,  
        24.7,  
        27.3,  
        24.5,  
        30.6,  
        24.4,  
        27.6,  
        33.2,  
        33.5,  
        34.1,  
        34.9,  
        34.9,  
        23.8  
    ]  
},  
{  
    "channelCfi": [  
        3,  
        11,  
        19,  
        27,  
        35,  
        43,  
        51,  
        59,  
        131,  
        139  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        31.8,  
        30.8,  
        25.4,  
        32.1,  
        27.7,  
        27.5,  
        27.4,  
        36.0,  
        36.0,  
        26.8  
    ]  
},  
{  
    "channelCfi": [  
        7,  
        23,  
        39,  
        55,  
        135  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        33.8,  
        28.4,
```

```

        30.5,
        30.4,
        29.8
    ],
    },
    {
        "channelCfi": [
            15,
            47
        ],
        "globalOperatingClass": 134,
        "maxEirp": [
            31.4,
            33.4
        ]
    }
],
"requestId": "1757660132",
"availabilityExpireTime": "2025-09-13T06:56:13Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

```

CT_AFC_SP_AP_AFCRSA31_Channel_40MHz_10619_1

```

##### 2025-09-12T07:17:25Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "650",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          }
        ]
      }
    ]
  }
}

```

```
{
  {
    "globalOperatingClass": 132
  },
  {
    "globalOperatingClass": 133
  },
  {
    "globalOperatingClass": 134
  },
  {
    "globalOperatingClass": 135
  }
],
"location": {
  "elevation": {
    "height": -0.9328799247741699,
    "heightType": "AGL",
    "verticalUncertainty": 1.9348798990249634
  },
  "ellipse": {
    "center": {
      "latitude": 23.506786346435547,
      "longitude": 122.0
    },
    "majorAxis": 2.6569504737854004,
    "minorAxis": 2.6569504737854004,
    "orientation": 0
  }
},
"requestId": "1757661405"
}
},
"version": "1.4"
}
```

```
##### 2025-09-12T07:17:25Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            17,
            21,
            25,
            29,
            33,
            37,
            41,
            45,
```

```
        49,  
        53,  
        57,  
        61,  
        65,  
        69,  
        73,  
        77  
    ],  
    "globalOperatingClass": 131,  
    "maxEirp": [  
        24.9,  
        30.2,  
        25.5,  
        23.0,  
        24.0,  
        26.2,  
        34.2,  
        23.8,  
        21.9,  
        24.9,  
        24.9,  
        23.6,  
        21.8,  
        32.2,  
        30.8,  
        22.6  
    ]  
},  
{  
    "channelCfi": [  
        19,  
        27,  
        35,  
        43,  
        51,  
        59,  
        67,  
        75  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        27.9,  
        26.0,  
        27.0,  
        26.8,  
        24.9,  
        26.6,  
        24.8,  
        25.6  
    ]  
},  
{  
    "channelCfi": [  
        23,
```

```

        39,
        55,
        71
    ],
    "globalOperatingClass": 133,
    "maxEirp": [
        29.0,
        29.8,
        27.9,
        27.8
    ]
},
{
    "channelCfi": [
        47
    ],
    "globalOperatingClass": 134,
    "maxEirp": [
        30.9
    ]
}
],
"requestId": "1757661405",
"availabilityExpireTime": "2025-09-13T07:17:25Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

##### 2025-09-12T07:18:50Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "Accept": "application/json",
        "Content-Type": "application/json",
        "X-Forwarded-For": "192.168.101.23",
        "X-Forwarded-Host": "testserver.wfatestorg.org",
        "X-Forwarded-Server": "testserver.wfatestorg.org",
        "Content-Length": "650",
        "Connection": "Keep-Alive"
    },
    "body": {
        "availableSpectrumInquiryRequests": [
            {
                "deviceDescriptor": {
                    "certificationId": [
                        {
                            "id": "2AGMR-AP750NRE",
                            "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
                        }
                    ]
                },
                "serialNumber": "88DC96754804"
            },
            "inquiredChannels": [

```

```
{
  {
    "globalOperatingClass": 131
  },
  {
    "globalOperatingClass": 132
  },
  {
    "globalOperatingClass": 133
  },
  {
    "globalOperatingClass": 134
  },
  {
    "globalOperatingClass": 135
  }
],
"location": {
  "elevation": {
    "height": -0.9328799247741699,
    "heightType": "AGL",
    "verticalUncertainty": 1.9348798990249634
  },
  "ellipse": {
    "center": {
      "latitude": 23.506786346435547,
      "longitude": 122.0
    },
    "majorAxis": 2.6569504737854004,
    "minorAxis": 2.6569504737854004,
    "orientation": 0
  }
},
"requestId": "1757661490"
}
],
"version": "1.4"
}
```

```
##### 2025-09-12T07:18:51Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            17,
            21,
            25,
            29,
            33,

```

```
        37,  
        41,  
        45,  
        49,  
        53,  
        57,  
        61,  
        65,  
        69,  
        73,  
        77  
    ],  
    "globalOperatingClass": 131,  
    "maxEirp": [  
        24.9,  
        30.2,  
        25.5,  
        23.0,  
        24.0,  
        26.2,  
        34.2,  
        23.8,  
        21.9,  
        24.9,  
        24.9,  
        23.6,  
        21.8,  
        32.2,  
        30.8,  
        22.6  
    ]  
},  
{  
    "channelCfi": [  
        19,  
        27,  
        35,  
        43,  
        51,  
        59,  
        67,  
        75  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        27.9,  
        26.0,  
        27.0,  
        26.8,  
        24.9,  
        26.6,  
        24.8,  
        25.6  
    ]  
},  
}
```

```

    {
      "channelCfi": [
        23,
        39,
        55,
        71
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        29.0,
        29.8,
        27.9,
        27.8
      ]
    },
    {
      "channelCfi": [
        47
      ],
      "globalOperatingClass": 134,
      "maxEirp": [
        30.9
      ]
    }
  ],
  "requestId": "1757661490",
  "availabilityExpireTime": "2025-09-13T07:18:51Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

##### 2025-09-12T07:31:41Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "650",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ]
        }
      ]
    }
  ]
}

```

```

    "serialNumber": "88DC96754804"
  },
  "inquiredChannels": [
    {
      "globalOperatingClass": 131
    },
    {
      "globalOperatingClass": 132
    },
    {
      "globalOperatingClass": 133
    },
    {
      "globalOperatingClass": 134
    },
    {
      "globalOperatingClass": 135
    }
  ],
  "location": {
    "elevation": {
      "height": -0.9328799247741699,
      "heightType": "AGL",
      "verticalUncertainty": 1.9348798990249634
    },
    "ellipse": {
      "center": {
        "latitude": 23.506786346435547,
        "longitude": 122.0
      },
      "majorAxis": 2.6569504737854004,
      "minorAxis": 2.6569504737854004,
      "orientation": 0
    }
  },
  "requestId": "1757662261"
}
  },
  "version": "1.4"
}

```

```

##### 2025-09-12T07:31:41Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            1,
            5,

```

```
9,
13,
81,
85,
89,
93,
129,
133,
137,
141,
145,
149,
153,
157,
161,
165,
169,
173
],
"globalOperatingClass": 131,
"maxEirp": [
31.3,
34.0,
22.7,
32.9,
32.9,
31.1,
21.5,
29.3,
26.7,
23.7,
22.0,
23.6,
32.1,
33.1,
32.6,
31.5,
27.7,
29.4,
28.2,
28.0
]
},
{
"channelCfi": [
3,
11,
83,
91,
131,
139,
147,
155,
163,
171
```



```
    ],
    "globalOperatingClass": 132,
    "maxEirp": [
      34.3,
      25.7,
      34.1,
      24.5,
      26.7,
      25.0,
      35.1,
      34.5,
      30.7,
      31.0
    ]
  },
  {
    "channelCfi": [
      7,
      87,
      135,
      151,
      167
    ],
    "globalOperatingClass": 133,
    "maxEirp": [
      28.7,
      27.5,
      28.0,
      36.0,
      33.7
    ]
  },
  {
    "channelCfi": [
      143
    ],
    "globalOperatingClass": 134,
    "maxEirp": [
      31.0
    ]
  }
],
"requestId": "1757662261",
"availabilityExpireTime": "2025-09-13T07:31:41Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-09-12T07:32:57Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
```

```
"Content-Type": "application/json",
"X-Forwarded-For": "192.168.101.23",
"X-Forwarded-Host": "testserver.wfatestorg.org",
"X-Forwarded-Server": "testserver.wfatestorg.org",
"Content-Length": "650",
"Connection": "Keep-Alive"
},
"body": {
  "availableSpectrumInquiryRequests": [
    {
      "deviceDescriptor": {
        "certificationId": [
          {
            "id": "2AGMR-AP750NRE",
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
          }
        ],
        "serialNumber": "88DC96754804"
      },
      "inquiredChannels": [
        {
          "globalOperatingClass": 131
        },
        {
          "globalOperatingClass": 132
        },
        {
          "globalOperatingClass": 133
        },
        {
          "globalOperatingClass": 134
        },
        {
          "globalOperatingClass": 135
        }
      ],
      "location": {
        "elevation": {
          "height": -0.9328799247741699,
          "heightType": "AGL",
          "verticalUncertainty": 1.9348798990249634
        },
        "ellipse": {
          "center": {
            "latitude": 23.506786346435547,
            "longitude": 122.0
          },
          "majorAxis": 2.6569504737854004,
          "minorAxis": 2.6569504737854004,
          "orientation": 0
        }
      },
      "requestId": "1757662336"
    }
  ],
}
```



```
"version": "1.4"
}
}

##### 2025-09-12T07:32:57Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            1,
            5,
            9,
            13,
            81,
            85,
            89,
            93,
            129,
            133,
            137,
            141,
            145,
            149,
            153,
            157,
            161,
            165,
            169,
            173
          ],
          "globalOperatingClass": 131,
          "maxEirp": [
            31.3,
            34.0,
            22.7,
            32.9,
            32.9,
            31.1,
            21.5,
            29.3,
            26.7,
            23.7,
            22.0,
            23.6,
            32.1,
            33.1,
            32.6,
            31.5,
            27.7,
```

```

        29.4,
        28.2,
        28.0
    ]
},
{
    "channelCfi": [
        3,
        11,
        83,
        91,
        131,
        139,
        147,
        155,
        163,
        171
    ],
    "globalOperatingClass": 132,
    "maxEirp": [
        34.3,
        25.7,
        34.1,
        24.5,
        26.7,
        25.0,
        35.1,
        34.5,
        30.7,
        31.0
    ]
},
{
    "channelCfi": [
        7,
        87,
        135,
        151,
        167
    ],
    "globalOperatingClass": 133,
    "maxEirp": [
        28.7,
        27.5,
        28.0,
        36.0,
        33.7
    ]
},
{
    "channelCfi": [
        143
    ],
    "globalOperatingClass": 134,
    "maxEirp": [

```



```
31.0
    ]
  }
],
"requestId": "1757662336",
"availabilityExpireTime": "2025-09-13T07:32:57Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

CT_AFC_SP_AP_AFCDRSA31_Channel_80MHz_10620_1

##### 2025-09-12T07:46:12Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "650",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133
          },
          {
            "globalOperatingClass": 134
          },
          {
            "globalOperatingClass": 135
          }
        ]
      }
    ],
  }
}
```



```
"location": {
  "elevation": {
    "height": -0.9328799247741699,
    "heightType": "AGL",
    "verticalUncertainty": 1.9348798990249634
  },
  "ellipse": {
    "center": {
      "latitude": 23.506786346435547,
      "longitude": 122.0
    },
    "majorAxis": 2.6569504737854004,
    "minorAxis": 2.6569504737854004,
    "orientation": 0
  }
},
"requestId": "1757663131"
},
"version": "1.4"
}

##### 2025-09-12T07:46:12Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            17,
            21,
            25,
            29,
            65,
            69,
            73,
            77,
            129,
            133,
            137,
            141,
            145,
            149,
            153,
            157
          ],
          "globalOperatingClass": 131,
          "maxEirp": [
            29.0,
            23.4,
```

```
        24.9,  
        26.5,  
        25.1,  
        23.7,  
        31.7,  
        23.1,  
        26.7,  
        26.6,  
        26.1,  
        23.5,  
        31.5,  
        33.0,  
        22.4,  
        27.3  
    ]  
},  
{  
    "channelCfi": [  
        19,  
        27,  
        67,  
        75,  
        131,  
        139,  
        147,  
        155  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        26.4,  
        27.9,  
        26.7,  
        26.1,  
        29.6,  
        26.5,  
        34.5,  
        25.4  
    ]  
},  
{  
    "channelCfi": [  
        23,  
        71,  
        135,  
        151  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        29.4,  
        29.1,  
        29.5,  
        28.4  
    ]  
},  
{
```

```

        "channelCfi": [
            143
        ],
        "globalOperatingClass": 134,
        "maxEirp": [
            31.4
        ]
    }
},
"requestId": "1757663131",
"availabilityExpireTime": "2025-09-13T07:46:12Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-09-12T07:47:31Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "Accept": "application/json",
        "Content-Type": "application/json",
        "X-Forwarded-For": "192.168.101.23",
        "X-Forwarded-Host": "testserver.wfatestorg.org",
        "X-Forwarded-Server": "testserver.wfatestorg.org",
        "Content-Length": "650",
        "Connection": "Keep-Alive"
    },
    "body": {
        "availableSpectrumInquiryRequests": [
            {
                "deviceDescriptor": {
                    "certificationId": [
                        {
                            "id": "2AGMR-AP750NRE",
                            "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
                        }
                    ],
                    "serialNumber": "88DC96754804"
                },
                "inquiredChannels": [
                    {
                        "globalOperatingClass": 131
                    },
                    {
                        "globalOperatingClass": 132
                    },
                    {
                        "globalOperatingClass": 133
                    },
                    {
                        "globalOperatingClass": 134
                    }
                ]
            }
        ]
    }
}

```

```
        "globalOperatingClass": 135
      },
    ],
    "location": {
      "elevation": {
        "height": -0.9328799247741699,
        "heightType": "AGL",
        "verticalUncertainty": 1.9348798990249634
      },
      "ellipse": {
        "center": {
          "latitude": 23.506786346435547,
          "longitude": 122.0
        },
        "majorAxis": 2.6569504737854004,
        "minorAxis": 2.6569504737854004,
        "orientation": 0
      }
    },
    "requestId": "1757663211"
  }
},
"version": "1.4"
}
```

2025-09-12T07:47:31Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            17,
            21,
            25,
            29,
            65,
            69,
            73,
            77,
            129,
            133,
            137,
            141,
            145,
            149,
            153,
            157
          ],
          "globalOperatingClass": 131,

```

```
"maxEirp": [  
    29.0,  
    23.4,  
    24.9,  
    26.5,  
    25.1,  
    23.7,  
    31.7,  
    23.1,  
    26.7,  
    26.6,  
    26.1,  
    23.5,  
    31.5,  
    33.0,  
    22.4,  
    27.3  
]  
},  
{  
    "channelCfi": [  
        19,  
        27,  
        67,  
        75,  
        131,  
        139,  
        147,  
        155  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        26.4,  
        27.9,  
        26.7,  
        26.1,  
        29.6,  
        26.5,  
        34.5,  
        25.4  
    ]  
},  
{  
    "channelCfi": [  
        23,  
        71,  
        135,  
        151  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        29.4,  
        29.1,  
        29.5,  
        28.4
```



```
    ]
    },
    {
      "channelCfi": [
        143
      ],
      "globalOperatingClass": 134,
      "maxEirp": [
        31.4
      ]
    }
  ],
  "requestId": "1757663211",
  "availabilityExpireTime": "2025-09-13T07:47:31Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-09-12T07:52:17Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "650",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133
          },
          {

```

```
        "globalOperatingClass": 134
      },
      {
        "globalOperatingClass": 135
      }
    ],
    "location": {
      "elevation": {
        "height": -0.9328799247741699,
        "heightType": "AGL",
        "verticalUncertainty": 1.9348798990249634
      },
      "ellipse": {
        "center": {
          "latitude": 23.506786346435547,
          "longitude": 122.0
        },
        "majorAxis": 2.6569504737854004,
        "minorAxis": 2.6569504737854004,
        "orientation": 0
      }
    },
    "requestId": "1757663496"
  }
},
"version": "1.4"
}
```

2025-09-12T07:52:17Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            1,
            5,
            9,
            13,
            33,
            37,
            41,
            45,
            49,
            53,
            57,
            61,
            81,
            85,
            89,
```

```
93,  
161,  
165,  
169,  
173  
],  
"globalOperatingClass": 131,  
"maxEirp": [  
29.3,  
24.2,  
33.4,  
28.3,  
30.5,  
33.1,  
29.6,  
22.8,  
31.6,  
21.3,  
27.1,  
27.0,  
30.3,  
33.0,  
27.7,  
31.9,  
25.5,  
29.9,  
30.2,  
32.5  
]  
},  
{  
  "channelCfi": [  
3,  
11,  
35,  
43,  
51,  
59,  
83,  
91,  
163,  
171  
],  
"globalOperatingClass": 132,  
"maxEirp": [  
27.2,  
31.3,  
33.5,  
25.8,  
24.3,  
30.0,  
33.3,  
30.7,  
28.5,  
33.2
```

```
    ]
    },
    {
      "channelCfi": [
        7,
        39,
        55,
        87,
        167
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        30.2,
        28.8,
        27.3,
        33.7,
        31.5
      ]
    }
  ],
  {
    "channelCfi": [
      47
    ],
    "globalOperatingClass": 134,
    "maxEirp": [
      30.3
    ]
  }
},
"requestId": "1757663496",
"availabilityExpireTime": "2025-09-13T07:52:17Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

##### 2025-09-12T07:53:28Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "650",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {

```



```
        "id": "2AGMR-AP750NRE",
        "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
      }
    ],
    "serialNumber": "88DC96754804"
  },
  "inquiredChannels": [
    {
      "globalOperatingClass": 131
    },
    {
      "globalOperatingClass": 132
    },
    {
      "globalOperatingClass": 133
    },
    {
      "globalOperatingClass": 134
    },
    {
      "globalOperatingClass": 135
    }
  ],
  "location": {
    "elevation": {
      "height": -0.9328799247741699,
      "heightType": "AGL",
      "verticalUncertainty": 1.9348798990249634
    },
    "ellipse": {
      "center": {
        "latitude": 23.506786346435547,
        "longitude": 122.0
      },
      "majorAxis": 2.6569504737854004,
      "minorAxis": 2.6569504737854004,
      "orientation": 0
    }
  },
  "requestId": "1757663567"
}

],
"version": "1.4"
}

##### 2025-09-12T07:53:28Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
```

```
{
  "channelCfi": [
    1,
    5,
    9,
    13,
    33,
    37,
    41,
    45,
    49,
    53,
    57,
    61,
    81,
    85,
    89,
    93,
    161,
    165,
    169,
    173
  ],
  "globalOperatingClass": 131,
  "maxEirp": [
    29.3,
    24.2,
    33.4,
    28.3,
    30.5,
    33.1,
    29.6,
    22.8,
    31.6,
    21.3,
    27.1,
    27.0,
    30.3,
    33.0,
    27.7,
    31.9,
    25.5,
    29.9,
    30.2,
    32.5
  ]
},
{
  "channelCfi": [
    3,
    11,
    35,
    43,
    51,
    59,
```

```
        83,  
        91,  
        163,  
        171  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        27.2,  
        31.3,  
        33.5,  
        25.8,  
        24.3,  
        30.0,  
        33.3,  
        30.7,  
        28.5,  
        33.2  
    ]  
},  
{  
    "channelCfi": [  
        7,  
        39,  
        55,  
        87,  
        167  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        30.2,  
        28.8,  
        27.3,  
        33.7,  
        31.5  
    ]  
},  
{  
    "channelCfi": [  
        47  
    ],  
    "globalOperatingClass": 134,  
    "maxEirp": [  
        30.3  
    ]  
}  
},  
    "requestId": "1757663567",  
    "availabilityExpireTime": "2025-09-13T07:53:28Z",  
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
}  
},  
    "version": "1.4"  
}
```



CT_AFC_SP_AP_AFCRSA31_Channel_160MHz_10621_1

2025-09-12T07:57:22Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "650",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133
          },
          {
            "globalOperatingClass": 134
          },
          {
            "globalOperatingClass": 135
          }
        ],
        "location": {
          "elevation": {
            "height": -0.9328799247741699,
            "heightType": "AGL",
            "verticalUncertainty": 1.9348798990249634
          },
          "ellipse": {
            "center": {
              "latitude": 23.506786346435547,
              "longitude": 122.0
            },
            "majorAxis": 2.6569504737854004,
```



```
        "minorAxis": 2.6569504737854004,
        "orientation": 0
      }
    },
    "requestId": "1757663802"
  }
],
"version": "1.4"
}
}

##### 2025-09-12T07:57:22Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            1,
            5,
            9,
            13,
            17,
            21,
            25,
            29,
            65,
            69,
            73,
            77,
            81,
            85,
            89,
            93
          ],
          "globalOperatingClass": 131,
          "maxEirp": [
            26.9,
            23.9,
            33.1,
            34.3,
            25.5,
            29.4,
            27.6,
            26.3,
            22.9,
            22.1,
            22.7,
            21.2,
            25.1,
            30.9,
```

```
        29.1,  
        25.8  
    ]  
  },  
  {  
    "channelCfi": [  
      3,  
      11,  
      19,  
      27,  
      67,  
      75,  
      83,  
      91  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
      26.9,  
      36.0,  
      28.5,  
      29.3,  
      25.1,  
      24.2,  
      28.1,  
      28.8  
    ]  
  },  
  {  
    "channelCfi": [  
      7,  
      23,  
      71,  
      87  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
      29.9,  
      31.5,  
      27.2,  
      31.1  
    ]  
  },  
  {  
    "channelCfi": [  
      15,  
      79  
    ],  
    "globalOperatingClass": 134,  
    "maxEirp": [  
      32.9,  
      30.2  
    ]  
  }  
],  
"requestId": "1757663802",
```



```
"availabilityExpireTime": "2025-09-13T07:57:22Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

##### 2025-09-12T07:58:38Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "650",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133
          },
          {
            "globalOperatingClass": 134
          },
          {
            "globalOperatingClass": 135
          }
        ],
        "location": {
          "elevation": {
            "height": -0.9328799247741699,
            "heightType": "AGL",
            "verticalUncertainty": 1.9348798990249634
          },
          "ellipse": {
```



```
        "center": {
            "latitude": 23.506786346435547,
            "longitude": 122.0
        },
        "majorAxis": 2.6569504737854004,
        "minorAxis": 2.6569504737854004,
        "orientation": 0
    }
},
"requestId": "1757663878"
}
],
"version": "1.4"
}
}

##### 2025-09-12T07:58:38Z #####
{
    "availableSpectrumInquiryResponses": [
        {
            "response": {
                "responseCode": 0,
                "shortDescription": "SUCCESS"
            },
            "availableChannelInfo": [
                {
                    "channelCfi": [
                        1,
                        5,
                        9,
                        13,
                        17,
                        21,
                        25,
                        29,
                        65,
                        69,
                        73,
                        77,
                        81,
                        85,
                        89,
                        93
                    ],
                    "globalOperatingClass": 131,
                    "maxEirp": [
                        26.9,
                        23.9,
                        33.1,
                        34.3,
                        25.5,
                        29.4,
                        27.6,
                        26.3,
                        22.9,
```

```
        22.1,  
        22.7,  
        21.2,  
        25.1,  
        30.9,  
        29.1,  
        25.8  
    ]  
},  
{  
    "channelCfi": [  
        3,  
        11,  
        19,  
        27,  
        67,  
        75,  
        83,  
        91  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        26.9,  
        36.0,  
        28.5,  
        29.3,  
        25.1,  
        24.2,  
        28.1,  
        28.8  
    ]  
},  
{  
    "channelCfi": [  
        7,  
        23,  
        71,  
        87  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        29.9,  
        31.5,  
        27.2,  
        31.1  
    ]  
},  
{  
    "channelCfi": [  
        15,  
        79  
    ],  
    "globalOperatingClass": 134,  
    "maxEirp": [  
        32.9,
```



```
        30.2
      ]
    }
  ],
  "requestId": "1757663878",
  "availabilityExpireTime": "2025-09-13T07:58:38Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-09-12T08:01:58Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "650",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133
          },
          {
            "globalOperatingClass": 134
          },
          {
            "globalOperatingClass": 135
          }
        ],
        "location": {
          "elevation": {
```



```
        "height": -0.9328799247741699,
        "heightType": "AGL",
        "verticalUncertainty": 1.9348798990249634
      },
      "ellipse": {
        "center": {
          "latitude": 23.506786346435547,
          "longitude": 122.0
        },
        "majorAxis": 2.6569504737854004,
        "minorAxis": 2.6569504737854004,
        "orientation": 0
      }
    },
    "requestId": "1757664078"
  },
  "version": "1.4"
}

##### 2025-09-12T08:01:58Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            33,
            37,
            41,
            45,
            49,
            53,
            57,
            61,
            129,
            133,
            137,
            141,
            145,
            149,
            153,
            157
          ],
          "globalOperatingClass": 131,
          "maxEirp": [
            27.3,
            27.1,
            29.5,
            31.0,
```

```
        34.3,  
        31.7,  
        32.9,  
        25.4,  
        26.1,  
        23.0,  
        23.8,  
        30.1,  
        27.3,  
        29.2,  
        23.7,  
        27.8  
    ]  
},  
{  
    "channelCfi": [  
        35,  
        43,  
        51,  
        59,  
        131,  
        139,  
        147,  
        155  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        30.1,  
        32.5,  
        34.7,  
        28.4,  
        26.0,  
        26.8,  
        30.3,  
        26.7  
    ]  
},  
{  
    "channelCfi": [  
        39,  
        55,  
        135,  
        151  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        33.1,  
        31.4,  
        29.0,  
        29.7  
    ]  
},  
{  
    "channelCfi": [  
        47,
```

```
        143
      ],
      "globalOperatingClass": 134,
      "maxEirp": [
        34.4,
        32.0
      ]
    }
  ],
  "requestId": "1757664078",
  "availabilityExpireTime": "2025-09-13T08:01:58Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-09-12T08:03:09Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "650",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133
          },
          {
            "globalOperatingClass": 134
          }
        ]
      }
    ]
  }
}
```

```

        "globalOperatingClass": 135
      }
    ],
    "location": {
      "elevation": {
        "height": -0.9328799247741699,
        "heightType": "AGL",
        "verticalUncertainty": 1.9348798990249634
      },
      "ellipse": {
        "center": {
          "latitude": 23.506786346435547,
          "longitude": 122.0
        },
        "majorAxis": 2.6569504737854004,
        "minorAxis": 2.6569504737854004,
        "orientation": 0
      }
    },
    "requestId": "1757664149"
  }
},
"version": "1.4"
}
}

```

```

##### 2025-09-12T08:03:10Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            33,
            37,
            41,
            45,
            49,
            53,
            57,
            61,
            129,
            133,
            137,
            141,
            145,
            149,
            153,
            157
          ]
        }
      ],
      "globalOperatingClass": 131,
    }
  ]
}

```

```
"maxEirp": [  
    27.3,  
    27.1,  
    29.5,  
    31.0,  
    34.3,  
    31.7,  
    32.9,  
    25.4,  
    26.1,  
    23.0,  
    23.8,  
    30.1,  
    27.3,  
    29.2,  
    23.7,  
    27.8  
]  
,  
{  
    "channelCfi": [  
        35,  
        43,  
        51,  
        59,  
        131,  
        139,  
        147,  
        155  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        30.1,  
        32.5,  
        34.7,  
        28.4,  
        26.0,  
        26.8,  
        30.3,  
        26.7  
    ]  
},  
{  
    "channelCfi": [  
        39,  
        55,  
        135,  
        151  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        33.1,  
        31.4,  
        29.0,  
        29.7
```

```

    ]
  },
  {
    "channelCfi": [
      47,
      143
    ],
    "globalOperatingClass": 134,
    "maxEirp": [
      34.4,
      32.0
    ]
  }
],
"requestId": "1757664149",
"availabilityExpireTime": "2025-09-13T08:03:10Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

```

CT_AFC_SP_AP_AFCDUSA32_Channel_10622_1

```

##### 2025-09-12T08:07:43Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "650",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          }
        ]
      }
    ]
  }
}

```



```
        {
            "globalOperatingClass": 133
        },
        {
            "globalOperatingClass": 134
        },
        {
            "globalOperatingClass": 135
        }
    ],
    "location": {
        "elevation": {
            "height": -0.9328799247741699,
            "heightType": "AGL",
            "verticalUncertainty": 1.9348798990249634
        },
        "ellipse": {
            "center": {
                "latitude": 23.506786346435547,
                "longitude": 122.0
            },
            "majorAxis": 2.6569504737854004,
            "minorAxis": 2.6569504737854004,
            "orientation": 0
        }
    },
    "requestId": "1757664423"
}
],
"version": "1.4"
}
```

```
##### 2025-09-12T08:07:43Z #####
{
    "availableSpectrumInquiryResponses": [
        {
            "response": {
                "responseCode": 0,
                "shortDescription": "SUCCESS"
            },
            "availableChannelInfo": [],
            "requestId": "1757664423",
            "availabilityExpireTime": "2025-09-13T08:07:43Z",
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
        }
    ],
    "version": "1.4"
}
```

CT_AFC_SP_AP_AFCDUAU34_Channel_10624_1

2025-09-12T08:31:41Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "661",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133
          },
          {
            "globalOperatingClass": 134
          },
          {
            "globalOperatingClass": 135
          }
        ],
        "location": {
          "elevation": {
            "height": -1.3828799724578857,
            "heightType": "AGL",
            "verticalUncertainty": 0.15188002586364746
          },
          "ellipse": {
            "center": {
              "latitude": 23.506793975830078,
              "longitude": 121.99999237060547
            },
            "majorAxis": 1.771300196647644,
```



```
        "minorAxis": 1.771300196647644,
        "orientation": 0
      }
    },
    "requestId": "1757691026"
  }
],
"version": "1.4"
}
}

##### 2025-09-12T08:31:41Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            1,
            5,
            9,
            13,
            17,
            21,
            25,
            29,
            33,
            37,
            41,
            45,
            49,
            53,
            57,
            61,
            65,
            69,
            73,
            77,
            81,
            85,
            89,
            93,
            117,
            121,
            125,
            129,
            133,
            137,
            141,
            145,
            149,
```

[illegible]

```
"channelCfi": [  
    3,  
    11,  
    19,  
    27,  
    35,  
    43,  
    51,  
    59,  
    67,  
    75,  
    83,  
    91,  
    123,  
    131,  
    139,  
    147,  
    155,  
    163,  
    171,  
    179  
],  
"globalOperatingClass": 132,  
"maxEirp": [  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0,  
    36.0  
]  
},  
{  
    "channelCfi": [  
        7,  
        23,  
        39,  
        55,  
        71,  
        87,  
        135,
```



```
        151,
        167
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        36.0,
        36.0,
        36.0,
        36.0,
        36.0,
        36.0,
        36.0,
        36.0,
        36.0
      ]
    },
    {
      "channelCfi": [
        15,
        47,
        79,
        143
      ],
      "globalOperatingClass": 134,
      "maxEirp": [
        36.0,
        36.0,
        36.0,
        36.0
      ]
    }
  ],
  "requestId": "1757691026",
  "availabilityExpireTime": "2025-09-13T08:31:41Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}
```

```
##### 2025-09-12T08:38:27Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "571",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
```



```
"deviceDescriptor": {
  "certificationId": [
    {
      "id": "2AGMR-AP750NRE",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  ],
  "serialNumber": "88DC96754804"
},
"inquiredChannels": [
  {
    "globalOperatingClass": 131
  },
  {
    "globalOperatingClass": 132
  },
  {
    "globalOperatingClass": 133
  },
  {
    "globalOperatingClass": 134
  },
  {
    "globalOperatingClass": 135
  }
],
"location": {
  "elevation": {
    "height": 0.0,
    "heightType": "AGL",
    "verticalUncertainty": 0.0
  },
  "ellipse": {
    "center": {
      "latitude": 0.0,
      "longitude": 0.0
    },
    "majorAxis": 0.0,
    "minorAxis": 0.0,
    "orientation": 0
  }
},
"requestId": "1757666266"
}
],
"version": "1.4"
}
```

```
##### 2025-09-12T08:38:27Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
```

```

    "shortDescription": "SUCCESS"
  },
  "availableChannelInfo": [],
  "requestId": "1757666266",
  "availabilityExpireTime": "2025-09-13T08:38:27Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

```

CT_AFC_SP_AP_AFCDSAU33_Channel_10623_1

```

##### 2025-09-12T08:09:17Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "650",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133
          },
          {
            "globalOperatingClass": 134
          },
          {
            "globalOperatingClass": 135
          }
        ],
        "location": {

```



```
        "elevation": {
          "height": -0.9328799247741699,
          "heightType": "AGL",
          "verticalUncertainty": 1.9348798990249634
        },
        "ellipse": {
          "center": {
            "latitude": 23.506786346435547,
            "longitude": 122.0
          },
          "majorAxis": 2.6569504737854004,
          "minorAxis": 2.6569504737854004,
          "orientation": 0
        }
      },
      "requestId": "1757664516"
    },
    "version": "1.4"
  ],
}

##### 2025-09-12T08:09:17Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            1,
            5,
            9,
            13,
            49,
            53,
            57,
            61,
            81,
            85,
            89,
            93,
            129,
            133,
            137,
            141
          ],
          "globalOperatingClass": 131,
          "maxEirp": [
            33.6,
            21.1,
            25.6,

```

```
        32.5,  
        30.2,  
        21.0,  
        34.5,  
        29.8,  
        24.4,  
        34.2,  
        34.8,  
        33.0,  
        28.8,  
        22.2,  
        30.4,  
        33.0  
    ]  
},  
{  
    "channelCfi": [  
        3,  
        11,  
        51,  
        59,  
        83,  
        91,  
        131,  
        139  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        24.1,  
        28.6,  
        24.0,  
        32.8,  
        27.4,  
        36.0,  
        25.2,  
        33.4  
    ]  
},  
{  
    "channelCfi": [  
        7,  
        55,  
        87,  
        135  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        27.1,  
        27.0,  
        30.4,  
        28.2  
    ]  
},  
{  
    "channelCfi": [],
```



```
        "globalOperatingClass": 134,
        "maxEirp": []
    }
],
"requestId": "1757664516",
"availabilityExpireTime": "2025-09-13T08:09:17Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

##### 2025-09-12T08:15:48Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "661",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133
          },
          {
            "globalOperatingClass": 134
          },
          {
            "globalOperatingClass": 135
          }
        ],
        "location": {
          "elevation": {
```



```
        "height": -1.3828799724578857,
        "heightType": "AGL",
        "verticalUncertainty": 0.15188002586364746
      },
      "ellipse": {
        "center": {
          "latitude": 23.506793975830078,
          "longitude": 121.99999237060547
        },
        "majorAxis": 1.771300196647644,
        "minorAxis": 1.771300196647644,
        "orientation": 0
      }
    },
    "requestId": "1757664907"
  },
  "version": "1.4"
}

##### 2025-09-12T08:18:54Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "661",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133
          }
        ]
      }
    ]
  }
}
```

```

        {
            "globalOperatingClass": 134
        },
        {
            "globalOperatingClass": 135
        }
    ],
    "location": {
        "elevation": {
            "height": -1.3828799724578857,
            "heightType": "AGL",
            "verticalUncertainty": 0.15188002586364746
        },
        "ellipse": {
            "center": {
                "latitude": 23.506793975830078,
                "longitude": 121.99999237060547
            },
            "majorAxis": 1.771300196647644,
            "minorAxis": 1.771300196647644,
            "orientation": 0
        }
    },
    "requestId": "1757690259"
}
},
"version": "1.4"
}
}

##### 2025-09-12T08:19:30Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "Accept": "application/json",
        "Content-Type": "application/json",
        "X-Forwarded-For": "192.168.101.23",
        "X-Forwarded-Host": "testserver.wfatestorg.org",
        "X-Forwarded-Server": "testserver.wfatestorg.org",
        "Content-Length": "661",
        "Connection": "Keep-Alive"
    },
    "body": {
        "availableSpectrumInquiryRequests": [
            {
                "deviceDescriptor": {
                    "certificationId": [
                        {
                            "id": "2AGMR-AP750NRE",
                            "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
                        }
                    ],
                    "serialNumber": "88DC96754804"
                }
            }
        ],
        "inquiredChannels": [

```

```
{
  {
    "globalOperatingClass": 131
  },
  {
    "globalOperatingClass": 132
  },
  {
    "globalOperatingClass": 133
  },
  {
    "globalOperatingClass": 134
  },
  {
    "globalOperatingClass": 135
  }
],
"location": {
  "elevation": {
    "height": -1.3828799724578857,
    "heightType": "AGL",
    "verticalUncertainty": 0.15188002586364746
  },
  "ellipse": {
    "center": {
      "latitude": 23.506793975830078,
      "longitude": 121.99999237060547
    },
    "majorAxis": 1.771300196647644,
    "minorAxis": 1.771300196647644,
    "orientation": 0
  }
},
"requestId": "1757690296"
}
],
"version": "1.4"
}
```

```
##### 2025-09-12T08:20:26Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            17,
            21,
            25,
            29,
            33,

```

```
37,  
41,  
45,  
65,  
69,  
73,  
77,  
145,  
149,  
153,  
157,  
161,  
165,  
169,  
173  
],  
"globalOperatingClass": 131,  
"maxEirp": [  
  33.4,  
  32.7,  
  21.5,  
  27.9,  
  29.2,  
  28.5,  
  26.5,  
  34.5,  
  29.5,  
  27.7,  
  32.1,  
  27.6,  
  22.7,  
  30.2,  
  21.7,  
  31.0,  
  24.7,  
  32.1,  
  26.2,  
  25.8  
]  
},  
{  
  "channelCfi": [  
    19,  
    27,  
    35,  
    43,  
    67,  
    75,  
    147,  
    155,  
    163,  
    171  
  ],  
  "globalOperatingClass": 132,  
  "maxEirp": [  
    33.4,  
    32.7,  
    21.5,  
    27.9,  
    29.2,  
    28.5,  
    26.5,  
    34.5,  
    29.5,  
    27.7,  
    32.1,  
    27.6,  
    22.7,  
    30.2,  
    21.7,  
    31.0,  
    24.7,  
    32.1,  
    26.2,  
    25.8  
  ]  
}
```

```

        35.7,
        24.5,
        31.5,
        29.5,
        30.7,
        30.6,
        25.7,
        24.7,
        27.7,
        28.8
    ]
},
{
    "channelCfi": [
        23,
        39,
        71,
        151,
        167
    ],
    "globalOperatingClass": 133,
    "maxEirp": [
        27.5,
        32.5,
        33.6,
        27.7,
        30.7
    ]
},
{
    "channelCfi": [],
    "globalOperatingClass": 134,
    "maxEirp": []
}
],
"requestId": "1757690259",
"availabilityExpireTime": "2025-09-13T08:20:26Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}

##### 2025-09-12T08:20:26Z #####
{
    "availableSpectrumInquiryResponses": [
        {
            "response": {
                "responseCode": 0,
                "shortDescription": "SUCCESS"
            },
            "availableChannelInfo": [
                {
                    "channelCfi": [
                        17,

```

```
21,  
25,  
29,  
33,  
37,  
41,  
45,  
65,  
69,  
73,  
77,  
145,  
149,  
153,  
157,  
161,  
165,  
169,  
173  
],  
"globalOperatingClass": 131,  
"maxEirp": [  
33.4,  
32.7,  
21.5,  
27.9,  
29.2,  
28.5,  
26.5,  
34.5,  
29.5,  
27.7,  
32.1,  
27.6,  
22.7,  
30.2,  
21.7,  
31.0,  
24.7,  
32.1,  
26.2,  
25.8  
]  
},  
{  
"channelCfi": [  
19,  
27,  
35,  
43,  
67,  
75,  
147,  
155,  
163,
```

```
        171
      ],
      "globalOperatingClass": 132,
      "maxEirp": [
        35.7,
        24.5,
        31.5,
        29.5,
        30.7,
        30.6,
        25.7,
        24.7,
        27.7,
        28.8
      ]
    },
    {
      "channelCfi": [
        23,
        39,
        71,
        151,
        167
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        27.5,
        32.5,
        33.6,
        27.7,
        30.7
      ]
    },
    {
      "channelCfi": [],
      "globalOperatingClass": 134,
      "maxEirp": []
    }
  ],
  "requestId": "1757664907",
  "availabilityExpireTime": "2025-09-13T08:20:26Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}
##### 2025-09-12T08:20:26Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      }
    }
  ],
}
```

```
"availableChannelInfo": [  
  {  
    "channelCfi": [  
      17,  
      21,  
      25,  
      29,  
      33,  
      37,  
      41,  
      45,  
      65,  
      69,  
      73,  
      77,  
      145,  
      149,  
      153,  
      157,  
      161,  
      165,  
      169,  
      173  
    ],  
    "globalOperatingClass": 131,  
    "maxEirp": [  
      33.4,  
      32.7,  
      21.5,  
      27.9,  
      29.2,  
      28.5,  
      26.5,  
      34.5,  
      29.5,  
      27.7,  
      32.1,  
      27.6,  
      22.7,  
      30.2,  
      21.7,  
      31.0,  
      24.7,  
      32.1,  
      26.2,  
      25.8  
    ]  
  },  
  {  
    "channelCfi": [  
      19,  
      27,  
      35,  
      43,  
      67,
```



```

        75,
        147,
        155,
        163,
        171
    ],
    "globalOperatingClass": 132,
    "maxEirp": [
        35.7,
        24.5,
        31.5,
        29.5,
        30.7,
        30.6,
        25.7,
        24.7,
        27.7,
        28.8
    ]
},
{
    "channelCfi": [
        23,
        39,
        71,
        151,
        167
    ],
    "globalOperatingClass": 133,
    "maxEirp": [
        27.5,
        32.5,
        33.6,
        27.7,
        30.7
    ]
},
{
    "channelCfi": [],
    "globalOperatingClass": 134,
    "maxEirp": []
}
},
"requestId": "1757664907",
"availabilityExpireTime": "2025-09-13T08:20:26Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

```

```
##### 2025-09-12T08:22:00Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
    }
}

```

```
"Accept": "application/json",
"Content-Type": "application/json",
"X-Forwarded-For": "192.168.101.23",
"X-Forwarded-Host": "testserver.wfatestorg.org",
"X-Forwarded-Server": "testserver.wfatestorg.org",
"Content-Length": "661",
"Connection": "Keep-Alive"
},
"body": {
  "availableSpectrumInquiryRequests": [
    {
      "deviceDescriptor": {
        "certificationId": [
          {
            "id": "2AGMR-AP750NRE",
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
          }
        ],
        "serialNumber": "88DC96754804"
      },
      "inquiredChannels": [
        {
          "globalOperatingClass": 131
        },
        {
          "globalOperatingClass": 132
        },
        {
          "globalOperatingClass": 133
        },
        {
          "globalOperatingClass": 134
        },
        {
          "globalOperatingClass": 135
        }
      ],
      "location": {
        "elevation": {
          "height": -1.3828799724578857,
          "heightType": "AGL",
          "verticalUncertainty": 0.15188002586364746
        },
        "ellipse": {
          "center": {
            "latitude": 23.506793975830078,
            "longitude": 121.99999237060547
          },
          "majorAxis": 1.771300196647644,
          "minorAxis": 1.771300196647644,
          "orientation": 0
        }
      },
      "requestId": "1757690446"
    }
  ]
}
```



```
    ],
    "version": "1.4"
  }
}

##### 2025-09-12T08:22:00Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            17,
            21,
            25,
            29,
            33,
            37,
            41,
            45,
            65,
            69,
            73,
            77,
            145,
            149,
            153,
            157,
            161,
            165,
            169,
            173
          ],
          "globalOperatingClass": 131,
          "maxEirp": [
            33.4,
            32.7,
            21.5,
            27.9,
            29.2,
            28.5,
            26.5,
            34.5,
            29.5,
            27.7,
            32.1,
            27.6,
            22.7,
            30.2,
            21.7,
            31.0,

```

```
        24.7,  
        32.1,  
        26.2,  
        25.8  
    ]  
  },  
  {  
    "channelCfi": [  
      19,  
      27,  
      35,  
      43,  
      67,  
      75,  
      147,  
      155,  
      163,  
      171  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
      35.7,  
      24.5,  
      31.5,  
      29.5,  
      30.7,  
      30.6,  
      25.7,  
      24.7,  
      27.7,  
      28.8  
    ]  
  },  
  {  
    "channelCfi": [  
      23,  
      39,  
      71,  
      151,  
      167  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
      27.5,  
      32.5,  
      33.6,  
      27.7,  
      30.7  
    ]  
  },  
  {  
    "channelCfi": [],  
    "globalOperatingClass": 134,  
    "maxEirp": []  
  }  
}
```



```
    ],
    "requestId": "1757690446",
    "availabilityExpireTime": "2025-09-13T08:22:00Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
],
"version": "1.4"
}

##### 2025-09-12T08:22:31Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "X-Forwarded-For": "192.168.101.23",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "661",
    "Connection": "Keep-Alive"
  },
  "body": {
    "availableSpectrumInquiryRequests": [
      {
        "deviceDescriptor": {
          "certificationId": [
            {
              "id": "2AGMR-AP750NRE",
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
            }
          ],
          "serialNumber": "88DC96754804"
        },
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133
          },
          {
            "globalOperatingClass": 134
          },
          {
            "globalOperatingClass": 135
          }
        ],
        "location": {
          "elevation": {
            "height": -1.3828799724578857,
            "heightType": "AGL",
            "verticalUncertainty": 0.15188002586364746
          }
        }
      }
    ]
  }
}
```



```
    },
    "ellipse": {
      "center": {
        "latitude": 23.506793975830078,
        "longitude": 121.99999237060547
      },
      "majorAxis": 1.771300196647644,
      "minorAxis": 1.771300196647644,
      "orientation": 0
    }
  },
  "requestId": "1757690477"
},
"version": "1.4"
}
}

##### 2025-09-12T08:22:31Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            17,
            21,
            25,
            29,
            33,
            37,
            41,
            45,
            65,
            69,
            73,
            77,
            145,
            149,
            153,
            157,
            161,
            165,
            169,
            173
          ],
          "globalOperatingClass": 131,
          "maxEirp": [
            33.4,
            32.7,
            21.5,
```

```
        27.9,  
        29.2,  
        28.5,  
        26.5,  
        34.5,  
        29.5,  
        27.7,  
        32.1,  
        27.6,  
        22.7,  
        30.2,  
        21.7,  
        31.0,  
        24.7,  
        32.1,  
        26.2,  
        25.8  
    ]  
},  
{  
    "channelCfi": [  
        19,  
        27,  
        35,  
        43,  
        67,  
        75,  
        147,  
        155,  
        163,  
        171  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        35.7,  
        24.5,  
        31.5,  
        29.5,  
        30.7,  
        30.6,  
        25.7,  
        24.7,  
        27.7,  
        28.8  
    ]  
},  
{  
    "channelCfi": [  
        23,  
        39,  
        71,  
        151,  
        167  
    ],  
    "globalOperatingClass": 133,
```



```
        "maxEirp": [
            27.5,
            32.5,
            33.6,
            27.7,
            30.7
        ]
    },
    {
        "channelCfi": [],
        "globalOperatingClass": 134,
        "maxEirp": []
    }
],
"requestId": "1757690477",
"availabilityExpireTime": "2025-09-13T08:22:31Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

AFC capability - Inquired Channel
AFCD.RSA: Successful registration and spectrum access request

Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6275	SP	20	11	9.89	20.89	29.2	Pass	-3.55	7.45	-	Pass
6655	SP	20	12.5	8.29	20.79	23.8	Pass	-5.30	7.2	-	Pass
6045	SP	40	11	9.62	20.62	27.9	Pass	-6.88	4.12	-	Pass
6805	SP	40	12.5	9.26	21.76	31	Pass	-6.70	5.8	-	Pass
6065	SP	80	11	9.44	20.44	29.4	Pass	-9.79	1.21	-	Pass
6785	SP	80	12.5	9.26	21.76	31.5	Pass	-10.02	2.48	-	Pass
6025	SP	160	11	10.20	21.2	32.9	Pass	-11.53	-0.53	-	Pass
6665	SP	160	12.5	9.83	22.33	32	Pass	-12.31	0.19	-	Pass

AFCD.SAU: Successful spectrum access update

Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
5955	SP	20	11	8.44	19.44	33.6	Pass	-4.75	6.25	-	Pass
6815	SP	20	12.5	8.54	21.04	25.8	Pass	-5.14	7.36	-	Pass

AFCD.UAU: Unsuccessful spectrum access update

Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6815	SP	20	12.5	1.17	13.67	36	Pass	-11.33	1.17	-	Pass



AFC capability - Inquired Channel

CT_AFC_SP_AP_AFCDRSA31_Channel_20MHz_10618_1


Frequency (MHz): 6275

5.925-6.425GHz_802.11be EHT20 SP_1TX

AV Power

6275MHz_TX

12/09/2025



Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)
9.89	9.89

5.925-6.425GHz_802.11be EHT20 SP_1TX


PSD

6275MHz

12/09/2025



Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-3.55	-3.55	-3.55





CT_AFC_SP_AP_AFCRSA31_Channel_40MHz_10619_1

Frequency (MHz): 6045

5.925-6.425GHz_802.11be EHT40 SP_1TX


AV Power

6045MHz_TX

12/09/2025

CF (Hz)
6.045G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
40M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
9.62	9.62


5.925-6.425GHz_802.11be EHT40 SP_1TX

PSD

6045MHz

12/09/2025

CF (Hz)
6.045G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.88	-6.88	-6.88





CT_AFC_SP_AP_AFCRSA31_Channel_80MHz_10620_1

Frequency (MHz): 6065

5.925-6.425GHz_802.11be EHT80 SP_1TX


AV Power

6065MHz_TX

12/09/2025

CF (Hz)
6.065G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
80M

Sum=Total Power
PX=Port X



Port 1


5.925-6.425GHz_802.11be EHT80 SP_1TX

PSD

6065MHz

12/09/2025

CF (Hz)
6.065G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1



Frequency (MHz): 6785

6.525-6.875GHz_802.11be EHT80 SP_1TX


AV Power

6785MHz_TX

12/09/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
80M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
9.26	9.26


6.525-6.875GHz_802.11be EHT80 SP_1TX

PSD

6785MHz

12/09/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.02	-10.02	-10.02



CT_AFC_SP_AP_AFCDRSA31_Channel_160MHz_10621_1

Frequency (MHz): 6025

5.925-6.425GHz_802.11be EHT160 SP_1TX


AV Power

6025MHz_TX

12/09/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
160M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
10.20	10.20


5.925-6.425GHz_802.11be EHT160 SP_1TX

PSD

6025MHz

12/09/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.53	-11.53	-11.53





CT_AFC_SP_AP_AFCDSAU33_Channel_10623_1

Bandwidth: 20MHz


Frequency (MHz): 5955

5.925-6.425GHz_802.11be EHT20 SP_1TX

AV Power

5955MHz_TX

12/09/2025




5.925-6.425GHz_802.11be EHT20 SP_1TX

PSD

5955MHz

12/09/2025



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.75	-4.75	-4.75



CT_AFC_SP_AP_AFCDSAU33_Channel_10623_1

Bandwidth: 20MHz


Frequency (MHz): 6815

6.525-6.875GHz_802.11be EHT20 SP_1TX

AV Power

6815MHz_TX

12/09/2025

Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)
8.54	8.54

6.525-6.875GHz_802.11be EHT20 SP_1TX

PSD

6815MHz

12/09/2025



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.14	-5.14	-5.14



CT_AFC_SP_AP_AFCDUAU34_Channel_10624_1

Bandwidth: 20MHz

Frequency (MHz): 6815

6.525-6.875GHz_802.11be EHT20 SP_1TX


AV Power

6815MHz_TX

12/09/2025

CF (Hz)
6.815G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
20M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
1.17	1.17


6.525-6.875GHz_802.11be EHT20 SP_1TX

PSD

6815MHz

12/09/2025

CF (Hz)
6.815G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.33	-11.33	-11.33

Duty Cycle

Bandwidth: 20MHz


DC;be20;BWch:20



Ch Freq (Hz)	RBW (Hz)	VBW (Hz)	Sweep Time (s)	Total Sample	Sample Time (s)	TX Time (s)	DC
5.965G	10M	10M	100m	32001	3.125u	93.534375m	0.935

Bandwidth: 40MHz


DC;be40;BWch:40



Ch Freq (Hz)	RBW (Hz)	VBW (Hz)	Sweep Time (s)	Total Sample	Sample Time (s)	TX Time (s)	DC
5.965G	10M	10M	100m	32001	3.125u	95.125m	0.951


Bandwidth: 80MHz

DC;be80;BWch:80



Bandwidth: 160MHz

DC;be160;BWch:160



—THE END—