

**Appendix A.6****1. Effective (Isotropic) Radiated Power Output Data****1.1 Test Result****1.1.1 B2_1.4MHz_EIRP**

Band: 2 / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.42	-0.85	22.57	<=33.01	Pass
			2	23.44	-0.85	22.59	<=33.01	Pass
			5	23.45	-0.85	22.60	<=33.01	Pass
		3	0	23.39	-0.85	22.54	<=33.01	Pass
			2	23.43	-0.85	22.58	<=33.01	Pass
			3	23.50	-0.85	22.65	<=33.01	Pass
		6	0	22.40	-0.85	21.55	<=33.01	Pass
	1880	1	0	23.15	-0.85	22.30	<=33.01	Pass
			2	23.38	-0.85	22.53	<=33.01	Pass
			5	23.29	-0.85	22.44	<=33.01	Pass
		3	0	23.08	-0.85	22.23	<=33.01	Pass
			2	23.12	-0.85	22.27	<=33.01	Pass
			3	23.07	-0.85	22.22	<=33.01	Pass
		6	0	22.22	-0.85	21.37	<=33.01	Pass
	1909.3	1	0	23.20	-0.85	22.35	<=33.01	Pass
			2	23.49	-0.85	22.64	<=33.01	Pass
			5	23.26	-0.85	22.41	<=33.01	Pass
		3	0	23.12	-0.85	22.27	<=33.01	Pass
			2	23.22	-0.85	22.37	<=33.01	Pass
			3	23.19	-0.85	22.34	<=33.01	Pass
		6	0	22.11	-0.85	21.26	<=33.01	Pass
16QAM	1850.7	1	0	21.99	-0.85	21.14	<=33.01	Pass
			2	22.16	-0.85	21.31	<=33.01	Pass
			5	22.06	-0.85	21.21	<=33.01	Pass
		3	0	22.42	-0.85	21.57	<=33.01	Pass
			2	22.59	-0.85	21.74	<=33.01	Pass
			3	22.46	-0.85	21.61	<=33.01	Pass
		6	0	21.50	-0.85	20.65	<=33.01	Pass
	1880	1	0	21.92	-0.85	21.07	<=33.01	Pass
			2	21.97	-0.85	21.12	<=33.01	Pass
			5	21.65	-0.85	20.80	<=33.01	Pass
		3	0	22.08	-0.85	21.23	<=33.01	Pass
			2	22.27	-0.85	21.42	<=33.01	Pass
			3	22.22	-0.85	21.37	<=33.01	Pass
		6	0	21.10	-0.85	20.25	<=33.01	Pass
	1909.3	1	0	21.78	-0.85	20.93	<=33.01	Pass
			2	21.89	-0.85	21.04	<=33.01	Pass
			5	21.56	-0.85	20.71	<=33.01	Pass
		3	0	22.16	-0.85	21.31	<=33.01	Pass
			2	22.24	-0.85	21.39	<=33.01	Pass
			5	22.24	-0.85	21.39	<=33.01	Pass



Report No.: SUCR260700064209

Page: 2 of 63

64QAM	1850.7	6	3	22.19	-0.85	21.34	<=33.01	Pass
			0	21.24	-0.85	20.39	<=33.01	Pass
			0	21.20	-0.85	20.35	<=33.01	Pass
	1880	1	2	21.42	-0.85	20.57	<=33.01	Pass
			5	21.37	-0.85	20.52	<=33.01	Pass
			0	21.39	-0.85	20.54	<=33.01	Pass
		3	2	21.35	-0.85	20.50	<=33.01	Pass
			3	21.39	-0.85	20.54	<=33.01	Pass
			0	20.20	-0.85	19.35	<=33.01	Pass
	1909.3	1	0	21.12	-0.85	20.27	<=33.01	Pass
			2	21.19	-0.85	20.34	<=33.01	Pass
			5	21.11	-0.85	20.26	<=33.01	Pass
		3	0	21.21	-0.85	20.36	<=33.01	Pass
			2	21.18	-0.85	20.33	<=33.01	Pass
			3	21.14	-0.85	20.29	<=33.01	Pass
		6	0	19.96	-0.85	19.11	<=33.01	Pass
			0	21.18	-0.85	20.33	<=33.01	Pass
			2	21.26	-0.85	20.41	<=33.01	Pass
	1909.3	1	5	21.15	-0.85	20.30	<=33.01	Pass
			0	20.98	-0.85	20.13	<=33.01	Pass
			2	21.07	-0.85	20.22	<=33.01	Pass
		3	3	21.04	-0.85	20.19	<=33.01	Pass
			0	19.98	-0.85	19.13	<=33.01	Pass
			0	19.98	-0.85	19.13	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.47	-0.85	22.62	<=33.01	Pass
			7	23.41	-0.85	22.56	<=33.01	Pass
			14	23.54	-0.85	22.69	<=33.01	Pass
		8	0	22.53	-0.85	21.68	<=33.01	Pass
			4	22.50	-0.85	21.65	<=33.01	Pass
			7	22.52	-0.85	21.67	<=33.01	Pass
		15	0	22.42	-0.85	21.57	<=33.01	Pass
	1880	1	0	23.28	-0.85	22.43	<=33.01	Pass
			7	23.50	-0.85	22.65	<=33.01	Pass
			14	23.24	-0.85	22.39	<=33.01	Pass
		8	0	22.32	-0.85	21.47	<=33.01	Pass
			4	22.30	-0.85	21.45	<=33.01	Pass
			7	22.22	-0.85	21.37	<=33.01	Pass
		15	0	22.21	-0.85	21.36	<=33.01	Pass
	1908.5	1	0	23.24	-0.85	22.39	<=33.01	Pass
			7	23.62	-0.85	22.77	<=33.01	Pass
			14	23.30	-0.85	22.45	<=33.01	Pass
		8	0	22.31	-0.85	21.46	<=33.01	Pass
			4	22.30	-0.85	21.45	<=33.01	Pass
			7	22.22	-0.85	21.37	<=33.01	Pass
		15	0	22.21	-0.85	21.36	<=33.01	Pass



Report No.: SUCR260700064209

Page: 3 of 63

16QAM	1851.5	1	0	22.21	-0.85	21.36	<=33.01	Pass	
			7	22.43	-0.85	21.58	<=33.01	Pass	
			14	22.20	-0.85	21.35	<=33.01	Pass	
		8	0	21.42	-0.85	20.57	<=33.01	Pass	
			4	21.42	-0.85	20.57	<=33.01	Pass	
			7	21.39	-0.85	20.54	<=33.01	Pass	
		15	0	21.27	-0.85	20.42	<=33.01	Pass	
		1880	1	0	21.84	-0.85	20.99	<=33.01	Pass
				7	22.07	-0.85	21.22	<=33.01	Pass
	14			21.90	-0.85	21.05	<=33.01	Pass	
	8		0	20.90	-0.85	20.05	<=33.01	Pass	
			4	20.99	-0.85	20.14	<=33.01	Pass	
			7	20.92	-0.85	20.07	<=33.01	Pass	
	15		0	20.97	-0.85	20.12	<=33.01	Pass	
	1908.5		1	0	21.97	-0.85	21.12	<=33.01	Pass
				7	22.08	-0.85	21.23	<=33.01	Pass
		14		21.79	-0.85	20.94	<=33.01	Pass	
		8	0	20.99	-0.85	20.14	<=33.01	Pass	
			4	20.96	-0.85	20.11	<=33.01	Pass	
			7	20.89	-0.85	20.04	<=33.01	Pass	
		15	0	20.97	-0.85	20.12	<=33.01	Pass	
64QAM		1851.5	1	0	21.41	-0.85	20.56	<=33.01	Pass
				7	21.67	-0.85	20.82	<=33.01	Pass
	14			21.34	-0.85	20.49	<=33.01	Pass	
	8		0	20.58	-0.85	19.73	<=33.01	Pass	
			4	20.41	-0.85	19.56	<=33.01	Pass	
			7	20.45	-0.85	19.60	<=33.01	Pass	
	15		0	20.47	-0.85	19.62	<=33.01	Pass	
	1880	1	0	21.05	-0.85	20.20	<=33.01	Pass	
			7	21.20	-0.85	20.35	<=33.01	Pass	
			14	21.15	-0.85	20.30	<=33.01	Pass	
		8	0	20.19	-0.85	19.34	<=33.01	Pass	
			4	20.06	-0.85	19.21	<=33.01	Pass	
			7	20.10	-0.85	19.25	<=33.01	Pass	
		15	0	20.26	-0.85	19.41	<=33.01	Pass	
	1908.5	1	0	21.05	-0.85	20.20	<=33.01	Pass	
			7	21.42	-0.85	20.57	<=33.01	Pass	
			14	21.18	-0.85	20.33	<=33.01	Pass	
		8	0	20.05	-0.85	19.20	<=33.01	Pass	
			4	20.09	-0.85	19.24	<=33.01	Pass	
			7	20.15	-0.85	19.30	<=33.01	Pass	
		15	0	20.30	-0.85	19.45	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.32	-0.85	22.47	<=33.01	Pass
			13	23.40	-0.85	22.55	<=33.01	Pass

		12	24	23.39	-0.85	22.54	<=33.01	Pass	
			0	22.51	-0.85	21.66	<=33.01	Pass	
			6	22.55	-0.85	21.70	<=33.01	Pass	
			13	22.54	-0.85	21.69	<=33.01	Pass	
		25	0	22.48	-0.85	21.63	<=33.01	Pass	
	1880	1	0	23.11	-0.85	22.26	<=33.01	Pass	
			13	23.17	-0.85	22.32	<=33.01	Pass	
			24	23.25	-0.85	22.40	<=33.01	Pass	
		12	0	22.08	-0.85	21.23	<=33.01	Pass	
			6	22.25	-0.85	21.40	<=33.01	Pass	
			13	22.08	-0.85	21.23	<=33.01	Pass	
		25	0	22.11	-0.85	21.26	<=33.01	Pass	
		1907.5	1	0	23.11	-0.85	22.26	<=33.01	Pass
				13	23.37	-0.85	22.52	<=33.01	Pass
	24			23.21	-0.85	22.36	<=33.01	Pass	
	12		0	22.16	-0.85	21.31	<=33.01	Pass	
			6	22.25	-0.85	21.40	<=33.01	Pass	
			13	22.17	-0.85	21.32	<=33.01	Pass	
	25		0	22.22	-0.85	21.37	<=33.01	Pass	
	16QAM		1852.5	1	0	22.22	-0.85	21.37	<=33.01
		13			22.11	-0.85	21.26	<=33.01	Pass
		24			21.85	-0.85	21.00	<=33.01	Pass
		12		0	21.18	-0.85	20.33	<=33.01	Pass
6				21.27	-0.85	20.42	<=33.01	Pass	
13				21.31	-0.85	20.46	<=33.01	Pass	
25		0		21.66	-0.85	20.81	<=33.01	Pass	
1880		1		0	21.76	-0.85	20.91	<=33.01	Pass
				13	21.91	-0.85	21.06	<=33.01	Pass
			24	21.75	-0.85	20.90	<=33.01	Pass	
		12	0	21.12	-0.85	20.27	<=33.01	Pass	
			6	21.19	-0.85	20.34	<=33.01	Pass	
			13	21.13	-0.85	20.28	<=33.01	Pass	
25		0	21.14	-0.85	20.29	<=33.01	Pass		
1907.5		1	0	21.99	-0.85	21.14	<=33.01	Pass	
			13	21.84	-0.85	20.99	<=33.01	Pass	
			24	21.79	-0.85	20.94	<=33.01	Pass	
		12	0	20.93	-0.85	20.08	<=33.01	Pass	
			6	21.21	-0.85	20.36	<=33.01	Pass	
			13	21.12	-0.85	20.27	<=33.01	Pass	
		25	0	21.09	-0.85	20.24	<=33.01	Pass	
		64QAM	1852.5	1	0	21.38	-0.85	20.53	<=33.01
13					21.34	-0.85	20.49	<=33.01	Pass
24	21.14				-0.85	20.29	<=33.01	Pass	
12	0			20.89	-0.85	20.04	<=33.01	Pass	
	6			20.81	-0.85	19.96	<=33.01	Pass	
	13			20.46	-0.85	19.61	<=33.01	Pass	
25	0		20.49	-0.85	19.64	<=33.01	Pass		
1880	1		0	20.93	-0.85	20.08	<=33.01	Pass	
			13	21.16	-0.85	20.31	<=33.01	Pass	
			24	20.98	-0.85	20.13	<=33.01	Pass	
	12		0	20.41	-0.85	19.56	<=33.01	Pass	
			6	20.52	-0.85	19.67	<=33.01	Pass	
			13	20.41	-0.85	19.56	<=33.01	Pass	



Report No.: SUCR260700064209

Page: 5 of 63

	1907.5	25	0	20.39	-0.85	19.54	<=33.01	Pass
		1	0	21.03	-0.85	20.18	<=33.01	Pass
			13	21.47	-0.85	20.62	<=33.01	Pass
			24	21.00	-0.85	20.15	<=33.01	Pass
			0	20.07	-0.85	19.22	<=33.01	Pass
		12	6	20.49	-0.85	19.64	<=33.01	Pass
			13	20.29	-0.85	19.44	<=33.01	Pass
			25	20.33	-0.85	19.48	<=33.01	Pass
		25	0	20.33	-0.85	19.48	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.68	-0.85	22.83	<=33.01	Pass
			25	23.86	-0.85	23.01	<=33.01	Pass
			49	23.57	-0.85	22.72	<=33.01	Pass
		25	0	22.65	-0.85	21.80	<=33.01	Pass
			13	22.58	-0.85	21.73	<=33.01	Pass
			25	22.45	-0.85	21.60	<=33.01	Pass
		50	0	22.50	-0.85	21.65	<=33.01	Pass
	1880	1	0	23.17	-0.85	22.32	<=33.01	Pass
			25	23.48	-0.85	22.63	<=33.01	Pass
			49	23.29	-0.85	22.44	<=33.01	Pass
		25	0	22.37	-0.85	21.52	<=33.01	Pass
			13	22.24	-0.85	21.39	<=33.01	Pass
			25	22.18	-0.85	21.33	<=33.01	Pass
		50	0	22.18	-0.85	21.33	<=33.01	Pass
	1905	1	0	23.22	-0.85	22.37	<=33.01	Pass
			25	23.59	-0.85	22.74	<=33.01	Pass
			49	23.35	-0.85	22.50	<=33.01	Pass
		25	0	22.19	-0.85	21.34	<=33.01	Pass
			13	22.26	-0.85	21.41	<=33.01	Pass
			25	22.22	-0.85	21.37	<=33.01	Pass
		50	0	22.21	-0.85	21.36	<=33.01	Pass
16QAM	1855	1	0	22.48	-0.85	21.63	<=33.01	Pass
			25	22.43	-0.85	21.58	<=33.01	Pass
			49	22.28	-0.85	21.43	<=33.01	Pass
		25	0	21.48	-0.85	20.63	<=33.01	Pass
			13	21.45	-0.85	20.60	<=33.01	Pass
			25	21.23	-0.85	20.38	<=33.01	Pass
		50	0	21.46	-0.85	20.61	<=33.01	Pass
	1880	1	0	21.70	-0.85	20.85	<=33.01	Pass
			25	22.18	-0.85	21.33	<=33.01	Pass
			49	21.88	-0.85	21.03	<=33.01	Pass
		25	0	21.19	-0.85	20.34	<=33.01	Pass
			13	21.21	-0.85	20.36	<=33.01	Pass
			25	21.12	-0.85	20.27	<=33.01	Pass
		50	0	21.10	-0.85	20.25	<=33.01	Pass
	1905	1	0	21.90	-0.85	21.05	<=33.01	Pass

		25	25	22.15	-0.85	21.30	<=33.01	Pass		
			49	21.97	-0.85	21.12	<=33.01	Pass		
			0	21.14	-0.85	20.29	<=33.01	Pass		
		50	13	21.28	-0.85	20.43	<=33.01	Pass		
			25	21.07	-0.85	20.22	<=33.01	Pass		
			0	21.25	-0.85	20.40	<=33.01	Pass		
64QAM	1855	1	0	21.53	-0.85	20.68	<=33.01	Pass		
			25	21.57	-0.85	20.72	<=33.01	Pass		
			49	21.36	-0.85	20.51	<=33.01	Pass		
		25	0	20.64	-0.85	19.79	<=33.01	Pass		
			13	20.58	-0.85	19.73	<=33.01	Pass		
			25	20.46	-0.85	19.61	<=33.01	Pass		
		50	0	20.42	-0.85	19.57	<=33.01	Pass		
		1880	1	0	20.98	-0.85	20.13	<=33.01	Pass	
				25	21.72	-0.85	20.87	<=33.01	Pass	
	49			21.00	-0.85	20.15	<=33.01	Pass		
	25		0	20.24	-0.85	19.39	<=33.01	Pass		
			13	20.30	-0.85	19.45	<=33.01	Pass		
			25	20.27	-0.85	19.42	<=33.01	Pass		
	50		0	20.12	-0.85	19.27	<=33.01	Pass		
	1905		1	0	20.94	-0.85	20.09	<=33.01	Pass	
				25	21.48	-0.85	20.63	<=33.01	Pass	
		49		21.15	-0.85	20.30	<=33.01	Pass		
		25	0	20.35	-0.85	19.50	<=33.01	Pass		
			13	20.36	-0.85	19.51	<=33.01	Pass		
			25	20.22	-0.85	19.37	<=33.01	Pass		
		50	0	20.18	-0.85	19.33	<=33.01	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTVN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1857.5	1	0	23.52	-0.85	22.67	<=33.01	Pass	
			38	23.81	-0.85	22.96	<=33.01	Pass	
			74	23.47	-0.85	22.62	<=33.01	Pass	
		36	0	22.51	-0.85	21.66	<=33.01	Pass	
			18	22.56	-0.85	21.71	<=33.01	Pass	
			39	22.42	-0.85	21.57	<=33.01	Pass	
		75	0	22.49	-0.85	21.64	<=33.01	Pass	
		1880	1	0	23.47	-0.85	22.62	<=33.01	Pass
				38	23.52	-0.85	22.67	<=33.01	Pass
	74			23.16	-0.85	22.31	<=33.01	Pass	
	36		0	22.34	-0.85	21.49	<=33.01	Pass	
			18	22.36	-0.85	21.51	<=33.01	Pass	
			39	22.24	-0.85	21.39	<=33.01	Pass	
	75	0	22.18	-0.85	21.33	<=33.01	Pass		
	1902.5	1	0	23.08	-0.85	22.23	<=33.01	Pass	
			38	23.38	-0.85	22.53	<=33.01	Pass	
			74	23.28	-0.85	22.43	<=33.01	Pass	

16QAM	1857.5	36	0	22.27	-0.85	21.42	<=33.01	Pass
			18	22.24	-0.85	21.39	<=33.01	Pass
			39	22.14	-0.85	21.29	<=33.01	Pass
		75	0	22.20	-0.85	21.35	<=33.01	Pass
			0	22.20	-0.85	21.35	<=33.01	Pass
			38	22.20	-0.85	21.35	<=33.01	Pass
		36	74	22.13	-0.85	21.28	<=33.01	Pass
			0	21.55	-0.85	20.70	<=33.01	Pass
			18	21.52	-0.85	20.67	<=33.01	Pass
		75	39	21.30	-0.85	20.45	<=33.01	Pass
			0	21.44	-0.85	20.59	<=33.01	Pass
			0	22.09	-0.85	21.24	<=33.01	Pass
64QAM	1880	1	38	21.97	-0.85	21.12	<=33.01	Pass
			74	21.79	-0.85	20.94	<=33.01	Pass
			0	21.10	-0.85	20.25	<=33.01	Pass
		36	18	21.18	-0.85	20.33	<=33.01	Pass
			39	21.18	-0.85	20.33	<=33.01	Pass
			0	21.13	-0.85	20.28	<=33.01	Pass
	1902.5	1	0	21.55	-0.85	20.70	<=33.01	Pass
			38	21.91	-0.85	21.06	<=33.01	Pass
			74	21.80	-0.85	20.95	<=33.01	Pass
		36	0	21.10	-0.85	20.25	<=33.01	Pass
			18	21.03	-0.85	20.18	<=33.01	Pass
			39	21.07	-0.85	20.22	<=33.01	Pass
		75	0	21.20	-0.85	20.35	<=33.01	Pass
			0	21.55	-0.85	20.70	<=33.01	Pass
			38	21.66	-0.85	20.81	<=33.01	Pass
	1857.5	1	74	21.18	-0.85	20.33	<=33.01	Pass
			0	20.58	-0.85	19.73	<=33.01	Pass
			18	20.68	-0.85	19.83	<=33.01	Pass
		36	39	20.36	-0.85	19.51	<=33.01	Pass
			0	20.38	-0.85	19.53	<=33.01	Pass
			0	21.29	-0.85	20.44	<=33.01	Pass
		1	38	21.55	-0.85	20.70	<=33.01	Pass
			74	20.91	-0.85	20.06	<=33.01	Pass
			0	20.26	-0.85	19.41	<=33.01	Pass
		36	18	20.33	-0.85	19.48	<=33.01	Pass
			39	20.10	-0.85	19.25	<=33.01	Pass
			0	20.36	-0.85	19.51	<=33.01	Pass
	1902.5	1	0	21.06	-0.85	20.21	<=33.01	Pass
			38	21.21	-0.85	20.36	<=33.01	Pass
			74	21.06	-0.85	20.21	<=33.01	Pass
		36	0	20.06	-0.85	19.21	<=33.01	Pass
			18	20.16	-0.85	19.31	<=33.01	Pass
			39	20.10	-0.85	19.25	<=33.01	Pass
		75	0	20.08	-0.85	19.23	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.27	-0.85	21.42	<=33.01	Pass
			50	23.80	-0.85	22.95	<=33.01	Pass
			99	22.45	-0.85	21.60	<=33.01	Pass
		50	0	21.56	-0.85	20.71	<=33.01	Pass
			25	21.57	-0.85	20.72	<=33.01	Pass
			50	21.44	-0.85	20.59	<=33.01	Pass
		100	0	21.46	-0.85	20.61	<=33.01	Pass
	1880	1	0	22.34	-0.85	21.49	<=33.01	Pass
			50	22.29	-0.85	21.44	<=33.01	Pass
			99	22.15	-0.85	21.30	<=33.01	Pass
		50	0	21.36	-0.85	20.51	<=33.01	Pass
			25	21.22	-0.85	20.37	<=33.01	Pass
			50	21.13	-0.85	20.28	<=33.01	Pass
		100	0	21.19	-0.85	20.34	<=33.01	Pass
	1900	1	0	22.03	-0.85	21.18	<=33.01	Pass
			50	22.59	-0.85	21.74	<=33.01	Pass
			99	22.23	-0.85	21.38	<=33.01	Pass
		50	0	21.26	-0.85	20.41	<=33.01	Pass
			25	21.19	-0.85	20.34	<=33.01	Pass
			50	21.15	-0.85	20.30	<=33.01	Pass
		100	0	21.22	-0.85	20.37	<=33.01	Pass
16QAM	1860	1	0	22.15	-0.85	21.30	<=33.01	Pass
			50	22.48	-0.85	21.63	<=33.01	Pass
			99	21.95	-0.85	21.10	<=33.01	Pass
		50	0	21.32	-0.85	20.47	<=33.01	Pass
			25	21.37	-0.85	20.52	<=33.01	Pass
			50	21.42	-0.85	20.57	<=33.01	Pass
		100	0	21.29	-0.85	20.44	<=33.01	Pass
	1880	1	0	22.02	-0.85	21.17	<=33.01	Pass
			50	22.42	-0.85	21.57	<=33.01	Pass
			99	21.68	-0.85	20.83	<=33.01	Pass
		50	0	21.28	-0.85	20.43	<=33.01	Pass
			25	20.94	-0.85	20.09	<=33.01	Pass
			50	21.10	-0.85	20.25	<=33.01	Pass
		100	0	21.13	-0.85	20.28	<=33.01	Pass
	1900	1	0	21.78	-0.85	20.93	<=33.01	Pass
			50	22.11	-0.85	21.26	<=33.01	Pass
			99	21.74	-0.85	20.89	<=33.01	Pass
		50	0	21.07	-0.85	20.22	<=33.01	Pass
			25	21.01	-0.85	20.16	<=33.01	Pass
			50	20.85	-0.85	20.00	<=33.01	Pass
		100	0	21.06	-0.85	20.21	<=33.01	Pass
64QAM	1860	1	0	21.35	-0.85	20.50	<=33.01	Pass
			50	21.86	-0.85	21.01	<=33.01	Pass
			99	20.96	-0.85	20.11	<=33.01	Pass
		50	0	20.39	-0.85	19.54	<=33.01	Pass
			25	20.48	-0.85	19.63	<=33.01	Pass
			50	20.35	-0.85	19.50	<=33.01	Pass
		100	0	20.24	-0.85	19.39	<=33.01	Pass
	1880	1	0	21.14	-0.85	20.29	<=33.01	Pass
			50	21.73	-0.85	20.88	<=33.01	Pass



Report No.: SUCR260700064209

Page: 9 of 63

		50	99	21.04	-0.85	20.19	<=33.01	Pass
			0	20.19	-0.85	19.34	<=33.01	Pass
			25	20.08	-0.85	19.23	<=33.01	Pass
			50	20.05	-0.85	19.20	<=33.01	Pass
	1900	100	0	20.17	-0.85	19.32	<=33.01	Pass
			0	20.93	-0.85	20.08	<=33.01	Pass
			50	21.51	-0.85	20.66	<=33.01	Pass
		1	99	21.03	-0.85	20.18	<=33.01	Pass
			0	20.05	-0.85	19.20	<=33.01	Pass
			25	19.97	-0.85	19.12	<=33.01	Pass
		50	50	19.86	-0.85	19.01	<=33.01	Pass
			0	19.99	-0.85	19.14	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	8.8	-8.000	-0.0043	-2.5 to 2.5	Pass
					7.7	-2.100	-0.0011	-2.5 to 2.5	Pass
					6.6	-2.500	-0.0013	-2.5 to 2.5	Pass
				-30	7.7	-0.200	-0.0001	-2.5 to 2.5	Pass
				-20	7.7	-3.100	-0.0016	-2.5 to 2.5	Pass
				-10	7.7	-5.000	-0.0027	-2.5 to 2.5	Pass
				0	7.7	-2.900	-0.0015	-2.5 to 2.5	Pass
				10	7.7	-8.200	-0.0044	-2.5 to 2.5	Pass
				30	7.7	-2.100	-0.0011	-2.5 to 2.5	Pass
				40	7.7	-3.100	-0.0016	-2.5 to 2.5	Pass
				50	7.7	-2.500	-0.0013	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW

Band: 2 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.092	/	Pass
	16QAM	1880	6	0	1.085	/	Pass
	64QAM	1880	6	0	1.088	/	Pass



Report No.: SUCR260700064209

Page: 10 of 63


3	QPSK	1880	15	0	2.686	/	Pass
	16QAM	1880	15	0	2.685	/	Pass
	64QAM	1880	15	0	2.689	/	Pass
5	QPSK	1880	25	0	4.477	/	Pass
	16QAM	1880	25	0	4.481	/	Pass
	64QAM	1880	25	0	4.478	/	Pass
10	QPSK	1880	50	0	8.954	/	Pass
	16QAM	1880	50	0	8.928	/	Pass
	64QAM	1880	50	0	8.945	/	Pass
15	QPSK	1880	75	0	13.455	/	Pass
	16QAM	1880	75	0	13.409	/	Pass
	64QAM	1880	75	0	13.421	/	Pass
20	QPSK	1880	100	0	17.878	/	Pass
	16QAM	1880	100	0	17.837	/	Pass
	64QAM	1880	100	0	17.849	/	Pass

3.1.2 Band2_XDB


Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.280	/	Pass
	16QAM	1880	6	0	1.265	/	Pass
	64QAM	1880	6	0	1.279	/	Pass
3	QPSK	1880	15	0	2.927	/	Pass
	16QAM	1880	15	0	2.944	/	Pass
	64QAM	1880	15	0	2.945	/	Pass
5	QPSK	1880	25	0	4.954	/	Pass
	16QAM	1880	25	0	4.920	/	Pass
	64QAM	1880	25	0	4.869	/	Pass
10	QPSK	1880	50	0	9.664	/	Pass
	16QAM	1880	50	0	9.603	/	Pass
	64QAM	1880	50	0	9.730	/	Pass
15	QPSK	1880	75	0	14.509	/	Pass
	16QAM	1880	75	0	14.652	/	Pass
	64QAM	1880	75	0	14.468	/	Pass
20	QPSK	1880	100	0	19.237	/	Pass
	16QAM	1880	100	0	19.127	/	Pass
	64QAM	1880	100	0	19.202	/	Pass

3.2 Test Graph


3.2.1 Band2_OBW




Band2_1.4MHz_64QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV




3.2.2 Band2_XDB




Band2_1.4MHz_64QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV





Report No.: SUCR260700064209
Page: 29 of 63

4. Peak-Average Ratio


4.1 Test Result


4.1.1 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	5.72	<=13	Pass
16QAM	1880	100	0	6.60	<=13	Pass
64QAM	1880	100	0	6.50	<=13	Pass

4.2 Test Graph

4.2.1 B2_20MHz







5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV				
Modulation	Frequency	RB Allocation	Spurious Emission	Verdict



Report No.: SUCR260700064209

Page: 33 of 63

	(MHz)	Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1902.5	1	0	Refer To Test Graph	
	74			Refer To Test Graph		Pass
	75		0	Refer To Test Graph		Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B2_1.4MHz



Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-30.52	-13	Pass
1849	1850	0.03	/	2	1849.994	-32.60	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV



Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.006	-25.24	-13	Pass
1911	1913	1	CHP	2	1911.500	-35.30	-13	Pass


Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.006	-32.20	-13	Pass
1911	1913	1	CHP	2	1911.500	-30.91	-13	Pass


5.2.2 B2_3MHz

Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1847.936	-35.01	-13	Pass
1849	1850	0.03	/	2	1849.994	-25.26	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-29.82	-13	Pass
1849	1850	0.03	/	2	1849.994	-31.30	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.006	-25.33	-13	Pass
1911	1913	1	CHP	2	1911.500	-35.51	-13	Pass


Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.006	-31.99	-13	Pass
1911	1913	1	CHP	2	1911.500	-27.48	-13	Pass


5.2.3 B2_5MHz

Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.470	-35.43	-13	Pass
1849	1850	0.03	/	2	1849.990	-27.03	-13	Pass
1850	1855	0.03	/	/	/	/	/	/


Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-30.21	-13	Pass
1849	1850	0.05	/	2	1849.990	-32.25	-13	Pass
1850	1855	0.05	/	/	/	/	/	/


Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.010	-30.48	-13	Pass
1911	1915	1	CHP	2	1911.500	-35.02	-13	Pass

Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05	/	/	/	/	/	/
1910	1911	0.05	/	1	1910.010	-33.72	-13	Pass
1911	1915	1	CHP	2	1911.500	-28.80	-13	Pass


5.2.4 B2_10MHz



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.500	-35.54	-13	Pass
1849	1850	0.1	/	2	1849.980	-39.28	-13	Pass
1850	1860	0.1	/	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.008	-41.70	-13	Pass
1911	1920	1	CHP	2	1913.518	-37.23	-13	Pass

Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.1	/	/	/	/	/	/
1910	1911	0.1	/	1	1910.060	-37.75	-13	Pass
1911	1920	1	CHP	2	1911.500	-32.56	-13	Pass


5.2.5 B2_15MHz



Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-36.90	-13	Pass
1849	1850	0.2	/	2	1849.940	-39.41	-13	Pass
1850	1865	0.2	/	/	/	/	/	/


Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.015	-40.46	-13	Pass
1911	1925	1	CHP	2	1911.500	-36.84	-13	Pass


Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.2	/	/	/	/	/	/
1910	1911	0.2	/	1	1910.060	-36.94	-13	Pass
1911	1925	1	CHP	2	1911.500	-33.85	-13	Pass

5.2.6 B2_20MHz


Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-38.24	-13	Pass
1849	1850	0.2	/	2	1849.960	-43.02	-13	Pass
1850	1870	0.2	/	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.015	-46.12	-13	Pass
1911	1930	1	CHP	2	1911.500	-39.12	-13	Pass

Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.2	/	/	/	/	/	/
1910	1911	0.2	/	1	1910.080	-39.74	-13	Pass
1911	1930	1	CHP	2	1912.360	-35.01	-13	Pass

---End of Attachment---