

Appendix for Band 66

Report No.: BCTC2605525578E

Applicant: SEEWORLD Technology Co.,Ltd

Product Name: GPS Tracker


Test Model: G60L

Tested Date: 2026-05-14 to 2026-06-15

Shenzhen BCTC Technology Co., Ltd.

Contents

Appendix 1. Conducted output power	3
Appendix 2. Frequency stability	8
Appendix 3. Peak-to-Average Ratio	23
Appendix 4. Occupied bandwidth	42
Appendix 5. Band edge	61
Appendix 6. Out-of-band emissions	74



Appendix 1. Conducted output power

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	Verdict
NVNT	Band66	1.4	131979	1	#0	QPSK	23.59	-0.17	23.42	PASS
NVNT	Band66	1.4	131979	1	#Mid	QPSK	23.44	-0.17	23.27	PASS
NVNT	Band66	1.4	131979	1	#Max	QPSK	23.29	-0.17	23.12	PASS
NVNT	Band66	1.4	131979	3	#0	QPSK	23.23	-0.17	23.06	PASS
NVNT	Band66	1.4	131979	3	#Mid	QPSK	23.17	-0.17	23.00	PASS
NVNT	Band66	1.4	131979	3	#Max	QPSK	23.16	-0.17	22.99	PASS
NVNT	Band66	1.4	131979	6	#0	QPSK	22.10	-0.17	21.93	PASS
NVNT	Band66	1.4	131979	1	#0	16QAM	22.14	-0.17	21.97	PASS
NVNT	Band66	1.4	131979	1	#Mid	16QAM	22.18	-0.17	22.01	PASS
NVNT	Band66	1.4	131979	1	#Max	16QAM	22.21	-0.17	22.04	PASS
NVNT	Band66	1.4	131979	3	#0	16QAM	22.34	-0.17	22.17	PASS
NVNT	Band66	1.4	131979	3	#Mid	16QAM	22.33	-0.17	22.16	PASS
NVNT	Band66	1.4	131979	3	#Max	16QAM	22.37	-0.17	22.20	PASS
NVNT	Band66	1.4	131979	6	#0	16QAM	21.45	-0.17	21.28	PASS
NVNT	Band66	1.4	132322	1	#0	QPSK	23.26	-0.17	23.09	PASS
NVNT	Band66	1.4	132322	1	#Mid	QPSK	23.26	-0.17	23.09	PASS
NVNT	Band66	1.4	132322	1	#Max	QPSK	23.17	-0.17	23.00	PASS
NVNT	Band66	1.4	132322	3	#0	QPSK	23.12	-0.17	22.95	PASS
NVNT	Band66	1.4	132322	3	#Mid	QPSK	23.09	-0.17	22.92	PASS
NVNT	Band66	1.4	132322	3	#Max	QPSK	23.07	-0.17	22.90	PASS
NVNT	Band66	1.4	132322	6	#0	QPSK	22.14	-0.17	21.97	PASS
NVNT	Band66	1.4	132322	1	#0	16QAM	22.45	-0.17	22.28	PASS
NVNT	Band66	1.4	132322	1	#Mid	16QAM	22.43	-0.17	22.26	PASS
NVNT	Band66	1.4	132322	1	#Max	16QAM	22.46	-0.17	22.29	PASS
NVNT	Band66	1.4	132322	3	#0	16QAM	22.41	-0.17	22.24	PASS
NVNT	Band66	1.4	132322	3	#Mid	16QAM	22.40	-0.17	22.23	PASS
NVNT	Band66	1.4	132322	3	#Max	16QAM	22.40	-0.17	22.23	PASS
NVNT	Band66	1.4	132322	6	#0	16QAM	21.59	-0.17	21.42	PASS
NVNT	Band66	1.4	132665	1	#0	QPSK	22.40	-0.17	22.23	PASS
NVNT	Band66	1.4	132665	1	#Mid	QPSK	22.30	-0.17	22.13	PASS
NVNT	Band66	1.4	132665	1	#Max	QPSK	22.22	-0.17	22.05	PASS
NVNT	Band66	1.4	132665	3	#0	QPSK	22.16	-0.17	21.99	PASS
NVNT	Band66	1.4	132665	3	#Mid	QPSK	22.13	-0.17	21.96	PASS
NVNT	Band66	1.4	132665	3	#Max	QPSK	22.12	-0.17	21.95	PASS
NVNT	Band66	1.4	132665	6	#0	QPSK	21.17	-0.17	21.00	PASS
NVNT	Band66	1.4	132665	1	#0	16QAM	21.53	-0.17	21.36	PASS
NVNT	Band66	1.4	132665	1	#Mid	16QAM	21.49	-0.17	21.32	PASS

NVNT	Band66	1.4	132665	1	#Max	16QAM	21.53	-0.17	21.36	PASS
NVNT	Band66	1.4	132665	3	#0	16QAM	21.52	-0.17	21.35	PASS
NVNT	Band66	1.4	132665	3	#Mid	16QAM	21.51	-0.17	21.34	PASS
NVNT	Band66	1.4	132665	3	#Max	16QAM	21.51	-0.17	21.34	PASS
NVNT	Band66	1.4	132665	6	#0	16QAM	20.62	-0.17	20.45	PASS
NVNT	Band66	3	131987	1	#0	QPSK	23.24	-0.17	23.07	PASS
NVNT	Band66	3	131987	1	#Mid	QPSK	23.03	-0.17	22.86	PASS
NVNT	Band66	3	131987	1	#Max	QPSK	22.86	-0.17	22.69	PASS
NVNT	Band66	3	131987	8	#0	QPSK	22.04	-0.17	21.87	PASS
NVNT	Band66	3	131987	8	#Mid	QPSK	22.04	-0.17	21.87	PASS
NVNT	Band66	3	131987	8	#Max	QPSK	21.98	-0.17	21.81	PASS
NVNT	Band66	3	131987	15	#0	QPSK	22.02	-0.17	21.85	PASS
NVNT	Band66	3	131987	1	#0	16QAM	22.44	-0.17	22.27	PASS
NVNT	Band66	3	131987	1	#Mid	16QAM	22.49	-0.17	22.32	PASS
NVNT	Band66	3	131987	1	#Max	16QAM	22.34	-0.17	22.17	PASS
NVNT	Band66	3	131987	8	#0	16QAM	21.21	-0.17	21.04	PASS
NVNT	Band66	3	131987	8	#Mid	16QAM	21.22	-0.17	21.05	PASS
NVNT	Band66	3	131987	8	#Max	16QAM	21.22	-0.17	21.05	PASS
NVNT	Band66	3	131987	15	#0	16QAM	21.25	-0.17	21.08	PASS
NVNT	Band66	3	132322	1	#0	QPSK	23.15	-0.17	22.98	PASS
NVNT	Band66	3	132322	1	#Mid	QPSK	23.16	-0.17	22.99	PASS
NVNT	Band66	3	132322	1	#Max	QPSK	23.17	-0.17	23.00	PASS
NVNT	Band66	3	132322	8	#0	QPSK	22.15	-0.17	21.98	PASS
NVNT	Band66	3	132322	8	#Mid	QPSK	22.15	-0.17	21.98	PASS
NVNT	Band66	3	132322	8	#Max	QPSK	22.22	-0.17	22.05	PASS
NVNT	Band66	3	132322	15	#0	QPSK	22.15	-0.17	21.98	PASS
NVNT	Band66	3	132322	1	#0	16QAM	22.36	-0.17	22.19	PASS
NVNT	Band66	3	132322	1	#Mid	16QAM	22.41	-0.17	22.24	PASS
NVNT	Band66	3	132322	1	#Max	16QAM	22.46	-0.17	22.29	PASS
NVNT	Band66	3	132322	8	#0	16QAM	21.28	-0.17	21.11	PASS
NVNT	Band66	3	132322	8	#Mid	16QAM	21.40	-0.17	21.23	PASS
NVNT	Band66	3	132322	8	#Max	16QAM	21.41	-0.17	21.24	PASS
NVNT	Band66	3	132322	15	#0	16QAM	21.38	-0.17	21.21	PASS
NVNT	Band66	3	132657	1	#0	QPSK	22.40	-0.17	22.23	PASS
NVNT	Band66	3	132657	1	#Mid	QPSK	22.29	-0.17	22.12	PASS
NVNT	Band66	3	132657	1	#Max	QPSK	22.24	-0.17	22.07	PASS
NVNT	Band66	3	132657	8	#0	QPSK	21.24	-0.17	21.07	PASS
NVNT	Band66	3	132657	8	#Mid	QPSK	21.27	-0.17	21.10	PASS
NVNT	Band66	3	132657	8	#Max	QPSK	21.24	-0.17	21.07	PASS
NVNT	Band66	3	132657	15	#0	QPSK	21.26	-0.17	21.09	PASS
NVNT	Band66	3	132657	1	#0	16QAM	21.29	-0.17	21.12	PASS
NVNT	Band66	3	132657	1	#Mid	16QAM	21.29	-0.17	21.12	PASS

NVNT	Band66	3	132657	1	#Max	16QAM	21.25	-0.17	21.08	PASS
NVNT	Band66	3	132657	8	#0	16QAM	20.48	-0.17	20.31	PASS
NVNT	Band66	3	132657	8	#Mid	16QAM	20.51	-0.17	20.34	PASS
NVNT	Band66	3	132657	8	#Max	16QAM	20.48	-0.17	20.31	PASS
NVNT	Band66	3	132657	15	#0	16QAM	20.58	-0.17	20.41	PASS
NVNT	Band66	5	131997	1	#0	QPSK	23.53	-0.17	23.36	PASS
NVNT	Band66	5	131997	1	#Mid	QPSK	22.93	-0.17	22.76	PASS
NVNT	Band66	5	131997	1	#Max	QPSK	22.84	-0.17	22.67	PASS
NVNT	Band66	5	131997	12	#0	QPSK	21.96	-0.17	21.79	PASS
NVNT	Band66	5	131997	12	#Mid	QPSK	21.98	-0.17	21.81	PASS
NVNT	Band66	5	131997	12	#Max	QPSK	21.86	-0.17	21.69	PASS
NVNT	Band66	5	131997	25	#0	QPSK	21.95	-0.17	21.78	PASS
NVNT	Band66	5	131997	1	#0	16QAM	22.87	-0.17	22.70	PASS
NVNT	Band66	5	131997	1	#Mid	16QAM	22.52	-0.17	22.35	PASS
NVNT	Band66	5	131997	1	#Max	16QAM	22.48	-0.17	22.31	PASS
NVNT	Band66	5	131997	12	#0	16QAM	21.22	-0.17	21.05	PASS
NVNT	Band66	5	131997	12	#Mid	16QAM	21.18	-0.17	21.01	PASS
NVNT	Band66	5	131997	12	#Max	16QAM	21.13	-0.17	20.96	PASS
NVNT	Band66	5	131997	25	#0	16QAM	21.13	-0.17	20.96	PASS
NVNT	Band66	5	132322	1	#0	QPSK	23.46	-0.17	23.29	PASS
NVNT	Band66	5	132322	1	#Mid	QPSK	23.13	-0.17	22.96	PASS
NVNT	Band66	5	132322	1	#Max	QPSK	23.46	-0.17	23.29	PASS
NVNT	Band66	5	132322	12	#0	QPSK	22.09	-0.17	21.92	PASS
NVNT	Band66	5	132322	12	#Mid	QPSK	22.18	-0.17	22.01	PASS
NVNT	Band66	5	132322	12	#Max	QPSK	22.21	-0.17	22.04	PASS
NVNT	Band66	5	132322	25	#0	QPSK	22.19	-0.17	22.02	PASS
NVNT	Band66	5	132322	1	#0	16QAM	22.72	-0.17	22.55	PASS
NVNT	Band66	5	132322	1	#Mid	16QAM	22.53	-0.17	22.36	PASS
NVNT	Band66	5	132322	1	#Max	16QAM	22.83	-0.17	22.66	PASS
NVNT	Band66	5	132322	12	#0	16QAM	21.30	-0.17	21.13	PASS
NVNT	Band66	5	132322	12	#Mid	16QAM	21.36	-0.17	21.19	PASS
NVNT	Band66	5	132322	12	#Max	16QAM	21.36	-0.17	21.19	PASS
NVNT	Band66	5	132322	25	#0	16QAM	21.44	-0.17	21.27	PASS
NVNT	Band66	5	132647	1	#0	QPSK	22.55	-0.17	22.38	PASS
NVNT	Band66	5	132647	1	#Mid	QPSK	22.25	-0.17	22.08	PASS
NVNT	Band66	5	132647	1	#Max	QPSK	22.34	-0.17	22.17	PASS
NVNT	Band66	5	132647	12	#0	QPSK	21.22	-0.17	21.05	PASS
NVNT	Band66	5	132647	12	#Mid	QPSK	21.28	-0.17	21.11	PASS
NVNT	Band66	5	132647	12	#Max	QPSK	21.26	-0.17	21.09	PASS
NVNT	Band66	5	132647	25	#0	QPSK	21.27	-0.17	21.10	PASS
NVNT	Band66	5	132647	1	#0	16QAM	21.94	-0.17	21.77	PASS
NVNT	Band66	5	132647	1	#Mid	16QAM	21.68	-0.17	21.51	PASS

NVNT	Band66	5	132647	1	#Max	16QAM	21.90	-0.17	21.73	PASS
NVNT	Band66	5	132647	12	#0	16QAM	20.57	-0.17	20.40	PASS
NVNT	Band66	5	132647	12	#Mid	16QAM	20.65	-0.17	20.48	PASS
NVNT	Band66	5	132647	12	#Max	16QAM	20.63	-0.17	20.46	PASS
NVNT	Band66	5	132647	25	#0	16QAM	20.60	-0.17	20.43	PASS

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	Verdict
NVNT	Band66	10	132022	1	#0	QPSK	24.89	-0.17	24.72	PASS
NVNT	Band66	10	132022	1	#Mid	QPSK	23.91	-0.17	23.74	PASS
NVNT	Band66	10	132022	1	#Max	QPSK	24.03	-0.17	23.86	PASS
NVNT	Band66	10	132022	25	#0	QPSK	22.97	-0.17	22.80	PASS
NVNT	Band66	10	132022	25	#Mid	QPSK	22.86	-0.17	22.69	PASS
NVNT	Band66	10	132022	25	#Max	QPSK	22.59	-0.17	22.42	PASS
NVNT	Band66	10	132022	50	#0	QPSK	22.72	-0.17	22.55	PASS
NVNT	Band66	10	132322	1	#0	QPSK	24.72	-0.17	24.55	PASS
NVNT	Band66	10	132322	1	#Mid	QPSK	24.26	-0.17	24.09	PASS
NVNT	Band66	10	132322	1	#Max	QPSK	24.92	-0.17	24.75	PASS
NVNT	Band66	10	132322	25	#0	QPSK	23.17	-0.17	23.00	PASS
NVNT	Band66	10	132322	25	#Mid	QPSK	23.26	-0.17	23.09	PASS
NVNT	Band66	10	132322	25	#Max	QPSK	23.34	-0.17	23.17	PASS
NVNT	Band66	10	132322	50	#0	QPSK	23.27	-0.17	23.10	PASS
NVNT	Band66	10	132622	1	#0	QPSK	24.20	-0.17	24.03	PASS
NVNT	Band66	10	132622	1	#Mid	QPSK	23.70	-0.17	23.53	PASS
NVNT	Band66	10	132622	1	#Max	QPSK	24.04	-0.17	23.87	PASS
NVNT	Band66	10	132622	25	#0	QPSK	22.57	-0.17	22.40	PASS
NVNT	Band66	10	132622	25	#Mid	QPSK	22.64	-0.17	22.47	PASS
NVNT	Band66	10	132622	25	#Max	QPSK	22.60	-0.17	22.43	PASS
NVNT	Band66	10	132622	50	#0	QPSK	22.59	-0.17	22.42	PASS
NVNT	Band66	15	132047	1	#0	QPSK	24.23	-0.17	24.06	PASS
NVNT	Band66	15	132047	1	#Mid	QPSK	23.39	-0.17	23.22	PASS
NVNT	Band66	15	132047	1	#Max	QPSK	23.19	-0.17	23.02	PASS
NVNT	Band66	15	132047	36	#0	QPSK	22.81	-0.17	22.64	PASS
NVNT	Band66	15	132047	36	#Mid	QPSK	22.59	-0.17	22.42	PASS
NVNT	Band66	15	132047	36	#Max	QPSK	22.36	-0.17	22.19	PASS
NVNT	Band66	15	132047	75	#0	QPSK	23.93	-0.17	23.76	PASS
NVNT	Band66	15	132322	1	#0	QPSK	24.35	-0.17	24.18	PASS
NVNT	Band66	15	132322	1	#Mid	QPSK	24.48	-0.17	24.31	PASS
NVNT	Band66	15	132322	1	#Max	QPSK	24.72	-0.17	24.55	PASS
NVNT	Band66	15	132322	36	#0	QPSK	23.19	-0.17	23.02	PASS
NVNT	Band66	15	132322	36	#Mid	QPSK	23.37	-0.17	23.20	PASS
NVNT	Band66	15	132322	36	#Max	QPSK	23.46	-0.17	23.29	PASS

NVNT	Band66	15	132322	75	#0	QPSK	24.60	-0.17	24.43	PASS
NVNT	Band66	15	132597	1	#0	QPSK	24.14	-0.17	23.97	PASS
NVNT	Band66	15	132597	1	#Mid	QPSK	23.91	-0.17	23.74	PASS
NVNT	Band66	15	132597	1	#Max	QPSK	23.85	-0.17	23.68	PASS
NVNT	Band66	15	132597	36	#0	QPSK	22.72	-0.17	22.55	PASS
NVNT	Band66	15	132597	36	#Mid	QPSK	22.75	-0.17	22.58	PASS
NVNT	Band66	15	132597	36	#Max	QPSK	22.68	-0.17	22.51	PASS
NVNT	Band66	15	132597	75	#0	QPSK	23.64	-0.17	23.47	PASS
NVNT	Band66	20	132072	1	#0	QPSK	24.44	-0.17	24.27	PASS
NVNT	Band66	20	132072	1	#Mid	QPSK	23.54	-0.17	23.37	PASS
NVNT	Band66	20	132072	1	#Max	QPSK	23.24	-0.17	23.07	PASS
NVNT	Band66	20	132072	50	#0	QPSK	22.73	-0.17	22.56	PASS
NVNT	Band66	20	132072	50	#Mid	QPSK	22.54	-0.17	22.37	PASS
NVNT	Band66	20	132072	50	#Max	QPSK	22.33	-0.17	22.16	PASS
NVNT	Band66	20	132072	100	#0	QPSK	-21.22	-0.17	-21.39	PASS
NVNT	Band66	20	132322	1	#0	QPSK	24.02	-0.17	23.85	PASS
NVNT	Band66	20	132322	1	#Mid	QPSK	24.44	-0.17	24.27	PASS
NVNT	Band66	20	132322	1	#Max	QPSK	24.59	-0.17	24.42	PASS
NVNT	Band66	20	132322	50	#0	QPSK	23.19	-0.17	23.02	PASS
NVNT	Band66	20	132322	50	#Mid	QPSK	23.34	-0.17	23.17	PASS
NVNT	Band66	20	132322	50	#Max	QPSK	23.42	-0.17	23.25	PASS
NVNT	Band66	20	132322	100	#0	QPSK	24.44	-0.17	24.27	PASS
NVNT	Band66	20	132572	1	#0	QPSK	24.32	-0.17	24.15	PASS
NVNT	Band66	20	132572	1	#Mid	QPSK	24.01	-0.17	23.84	PASS
NVNT	Band66	20	132572	1	#Max	QPSK	23.84	-0.17	23.67	PASS
NVNT	Band66	20	132572	50	#0	QPSK	22.74	-0.17	22.57	PASS
NVNT	Band66	20	132572	50	#Mid	QPSK	22.78	-0.17	22.61	PASS
NVNT	Band66	20	132572	50	#Max	QPSK	22.62	-0.17	22.45	PASS
NVNT	Band66	20	132572	100	#0	QPSK	23.67	-0.17	23.50	PASS

Appendix 2.Frequency stability

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
NVNT	Band6	1.4	131979	6	#0	QPSK	LV	NT	-18.12	-0.011	PASS
NVNT	Band6	1.4	131979	6	#0	QPSK	NV	NT	-20.46	-0.012	PASS
NVNT	Band6	1.4	131979	6	#0	QPSK	HV	NT	-20.71	-0.012	PASS
NVNT	Band6	1.4	131979	6	#0	16QAM	LV	NT	-20.91	-0.012	PASS
NVNT	Band6	1.4	131979	6	#0	16QAM	NV	NT	-20.76	-0.012	PASS
NVNT	Band6	1.4	131979	6	#0	16QAM	HV	NT	-19.93	-0.012	PASS
NVNT	Band6	1.4	132322	6	#0	QPSK	LV	NT	-17.80	-0.010	PASS
NVNT	Band6	1.4	132322	6	#0	QPSK	NV	NT	-20.90	-0.012	PASS
NVNT	Band6	1.4	132322	6	#0	QPSK	HV	NT	-18.15	-0.010	PASS
NVNT	Band6	1.4	132322	6	#0	16QAM	LV	NT	-17.01	-0.010	PASS
NVNT	Band6	1.4	132322	6	#0	16QAM	NV	NT	-18.31	-0.010	PASS
NVNT	Band6	1.4	132322	6	#0	16QAM	HV	NT	-17.08	-0.010	PASS
NVNT	Band6	1.4	132665	6	#0	QPSK	LV	NT	-16.58	-0.009	PASS
NVNT	Band6	1.4	132665	6	#0	QPSK	NV	NT	-17.19	-0.010	PASS
NVNT	Band6	1.4	132665	6	#0	QPSK	HV	NT	-18.93	-0.011	PASS
NVNT	Band6	1.4	132665	6	#0	16QAM	LV	NT	-16.59	-0.009	PASS
NVNT	Band6	1.4	132665	6	#0	16QAM	NV	NT	-16.09	-0.009	PASS
NVNT	Band6	1.4	132665	6	#0	16QAM	HV	NT	-16.25	-0.009	PASS
NVNT	Band6	3	131987	15	#0	QPSK	LV	NT	4.68	0.003	PASS

	6										
NVNT	Band6 6	3	131987	15	#0	QPSK	NV	NT	-19.53	-0.011	PASS
NVNT	Band6 6	3	131987	15	#0	QPSK	HV	NT	-20.38	-0.012	PASS
NVNT	Band6 6	3	131987	15	#0	16QAM	LV	NT	-19.60	-0.011	PASS
NVNT	Band6 6	3	131987	15	#0	16QAM	NV	NT	-19.77	-0.012	PASS
NVNT	Band6 6	3	131987	15	#0	16QAM	HV	NT	-18.90	-0.011	PASS
NVNT	Band6 6	3	132322	15	#0	QPSK	LV	NT	-17.11	-0.010	PASS
NVNT	Band6 6	3	132322	15	#0	QPSK	NV	NT	-17.62	-0.010	PASS
NVNT	Band6 6	3	132322	15	#0	QPSK	HV	NT	-19.94	-0.011	PASS
NVNT	Band6 6	3	132322	15	#0	16QAM	LV	NT	-18.31	-0.010	PASS
NVNT	Band6 6	3	132322	15	#0	16QAM	NV	NT	-14.65	-0.008	PASS
NVNT	Band6 6	3	132322	15	#0	16QAM	HV	NT	-16.39	-0.009	PASS
NVNT	Band6 6	3	132657	15	#0	QPSK	LV	NT	-17.28	-0.010	PASS
NVNT	Band6 6	3	132657	15	#0	QPSK	NV	NT	-17.32	-0.010	PASS
NVNT	Band6 6	3	132657	15	#0	QPSK	HV	NT	-13.96	-0.008	PASS
NVNT	Band6 6	3	132657	15	#0	16QAM	LV	NT	-17.11	-0.010	PASS
NVNT	Band6 6	3	132657	15	#0	16QAM	NV	NT	-19.00	-0.011	PASS
NVNT	Band6 6	3	132657	15	#0	16QAM	HV	NT	-16.84	-0.009	PASS
NVNT	Band6 6	5	131997	25	#0	QPSK	LV	NT	16.51	0.010	PASS
NVNT	Band6 6	5	131997	25	#0	QPSK	NV	NT	-17.27	-0.010	PASS
NVNT	Band6 6	5	131997	25	#0	QPSK	HV	NT	-17.91	-0.010	PASS
NVNT	Band6 6	5	131997	25	#0	16QAM	LV	NT	-15.89	-0.009	PASS

NVNT	Band6 6	5	131997	25	#0	16QAM	NV	NT	-14.36	-0.008	PASS
NVNT	Band6 6	5	131997	25	#0	16QAM	HV	NT	-17.44	-0.010	PASS
NVNT	Band6 6	5	132322	25	#0	QPSK	LV	NT	-17.60	-0.010	PASS
NVNT	Band6 6	5	132322	25	#0	QPSK	NV	NT	-16.28	-0.009	PASS
NVNT	Band6 6	5	132322	25	#0	QPSK	HV	NT	-14.32	-0.008	PASS
NVNT	Band6 6	5	132322	25	#0	16QAM	LV	NT	-15.32	-0.009	PASS
NVNT	Band6 6	5	132322	25	#0	16QAM	NV	NT	-17.11	-0.010	PASS
NVNT	Band6 6	5	132322	25	#0	16QAM	HV	NT	-14.85	-0.009	PASS
NVNT	Band6 6	5	132647	25	#0	QPSK	LV	NT	-13.35	-0.008	PASS
NVNT	Band6 6	5	132647	25	#0	QPSK	NV	NT	-16.47	-0.009	PASS
NVNT	Band6 6	5	132647	25	#0	QPSK	HV	NT	-18.61	-0.010	PASS
NVNT	Band6 6	5	132647	25	#0	16QAM	LV	NT	-16.84	-0.009	PASS
NVNT	Band6 6	5	132647	25	#0	16QAM	NV	NT	-15.64	-0.009	PASS
NVNT	Band6 6	5	132647	25	#0	16QAM	HV	NT	-17.97	-0.010	PASS

Conditio n	Band	Bandwidht h (MHz)	UL Channe l	RB Siz e	RB Positio n	Modulatio n	Voltag e (Vdc)	Temperatu e (C)	Resul t (Hz)	Resul t (ppm)	Verdic t
NVNT	Band6 6	1.4	131979	6	#0	QPSK	NV	-30	-18.77	-0.011	PASS
NVNT	Band6 6	1.4	131979	6	#0	QPSK	NV	-20	-18.81	-0.011	PASS
NVNT	Band6 6	1.4	131979	6	#0	QPSK	NV	0	-17.50	-0.010	PASS
NVNT	Band6 6	1.4	131979	6	#0	QPSK	NV	10	-20.44	-0.012	PASS
NVNT	Band6 6	1.4	131979	6	#0	QPSK	NV	20	-18.58	-0.011	PASS
NVNT	Band6 6	1.4	131979	6	#0	QPSK	NV	30	-19.37	-0.011	PASS

	6										
NVNT	Band6 6	1.4	131979	6	#0	QPSK	NV	40	-18.07	-0.011	PASS
NVNT	Band6 6	1.4	131979	6	#0	QPSK	NV	50	-19.31	-0.011	PASS
NVNT	Band6 6	1.4	131979	6	#0	16QAM	NV	-30	-17.09	-0.010	PASS
NVNT	Band6 6	1.4	131979	6	#0	16QAM	NV	-20	-17.57	-0.010	PASS
NVNT	Band6 6	1.4	131979	6	#0	16QAM	NV	0	-18.57	-0.011	PASS
NVNT	Band6 6	1.4	131979	6	#0	16QAM	NV	10	-16.01	-0.009	PASS
NVNT	Band6 6	1.4	131979	6	#0	16QAM	NV	20	-16.72	-0.010	PASS
NVNT	Band6 6	1.4	131979	6	#0	16QAM	NV	30	-17.45	-0.010	PASS
NVNT	Band6 6	1.4	131979	6	#0	16QAM	NV	40	-17.67	-0.010	PASS
NVNT	Band6 6	1.4	131979	6	#0	16QAM	NV	50	-15.84	-0.009	PASS
NVNT	Band6 6	1.4	132322	6	#0	QPSK	NV	-30	-15.55	-0.009	PASS
NVNT	Band6 6	1.4	132322	6	#0	QPSK	NV	-20	-18.20	-0.010	PASS
NVNT	Band6 6	1.4	132322	6	#0	QPSK	NV	0	-16.94	-0.010	PASS
NVNT	Band6 6	1.4	132322	6	#0	QPSK	NV	10	-14.51	-0.008	PASS
NVNT	Band6 6	1.4	132322	6	#0	QPSK	NV	20	-19.01	-0.011	PASS
NVNT	Band6 6	1.4	132322	6	#0	QPSK	NV	30	-17.55	-0.010	PASS
NVNT	Band6 6	1.4	132322	6	#0	QPSK	NV	40	-20.04	-0.011	PASS
NVNT	Band6 6	1.4	132322	6	#0	QPSK	NV	50	-17.85	-0.010	PASS
NVNT	Band6 6	1.4	132322	6	#0	16QAM	NV	-30	-14.61	-0.008	PASS
NVNT	Band6 6	1.4	132322	6	#0	16QAM	NV	-20	-19.60	-0.011	PASS
NVNT	Band6 6	1.4	132322	6	#0	16QAM	NV	0	-14.12	-0.008	PASS

NVNT	Band6 6	1.4	132322	6	#0	16QAM	NV	10	-13.76	-0.008	PASS
NVNT	Band6 6	1.4	132322	6	#0	16QAM	NV	20	-12.43	-0.007	PASS
NVNT	Band6 6	1.4	132322	6	#0	16QAM	NV	30	-11.49	-0.007	PASS
NVNT	Band6 6	1.4	132322	6	#0	16QAM	NV	40	-19.47	-0.011	PASS
NVNT	Band6 6	1.4	132322	6	#0	16QAM	NV	50	-21.93	-0.013	PASS
NVNT	Band6 6	1.4	132665	6	#0	QPSK	NV	-30	-17.70	-0.010	PASS
NVNT	Band6 6	1.4	132665	6	#0	QPSK	NV	-20	-11.42	-0.006	PASS
NVNT	Band6 6	1.4	132665	6	#0	QPSK	NV	0	-14.33	-0.008	PASS
NVNT	Band6 6	1.4	132665	6	#0	QPSK	NV	10	-23.13	-0.013	PASS
NVNT	Band6 6	1.4	132665	6	#0	QPSK	NV	20	-20.23	-0.011	PASS
NVNT	Band6 6	1.4	132665	6	#0	QPSK	NV	30	-11.46	-0.006	PASS
NVNT	Band6 6	1.4	132665	6	#0	QPSK	NV	40	-20.48	-0.012	PASS
NVNT	Band6 6	1.4	132665	6	#0	QPSK	NV	50	-9.44	-0.005	PASS
NVNT	Band6 6	1.4	132665	6	#0	16QAM	NV	-30	-12.57	-0.007	PASS
NVNT	Band6 6	1.4	132665	6	#0	16QAM	NV	-20	-14.88	-0.008	PASS
NVNT	Band6 6	1.4	132665	6	#0	16QAM	NV	0	-13.22	-0.007	PASS
NVNT	Band6 6	1.4	132665	6	#0	16QAM	NV	10	-9.01	-0.005	PASS
NVNT	Band6 6	1.4	132665	6	#0	16QAM	NV	20	-6.45	-0.004	PASS
NVNT	Band6 6	1.4	132665	6	#0	16QAM	NV	30	-3.36	-0.002	PASS
NVNT	Band6 6	1.4	132665	6	#0	16QAM	NV	40	3.60	0.002	PASS
NVNT	Band6 6	1.4	132665	6	#0	16QAM	NV	50	8.67	0.005	PASS
NVNT	Band6	3	131987	15	#0	QPSK	NV	-30	16.22	0.009	PASS

	6										
NVNT	Band6 6	3	131987	15	#0	QPSK	NV	-20	10.97	0.006	PASS
NVNT	Band6 6	3	131987	15	#0	QPSK	NV	0	3.82	0.002	PASS
NVNT	Band6 6	3	131987	15	#0	QPSK	NV	10	-2.27	-0.001	PASS
NVNT	Band6 6	3	131987	15	#0	QPSK	NV	20	-4.26	-0.002	PASS
NVNT	Band6 6	3	131987	15	#0	QPSK	NV	30	-4.21	-0.002	PASS
NVNT	Band6 6	3	131987	15	#0	QPSK	NV	40	-0.83	0.000	PASS
NVNT	Band6 6	3	131987	15	#0	QPSK	NV	50	3.83	0.002	PASS
NVNT	Band6 6	3	131987	15	#0	16QAM	NV	-30	10.47	0.006	PASS
NVNT	Band6 6	3	131987	15	#0	16QAM	NV	-20	20.90	0.012	PASS
NVNT	Band6 6	3	131987	15	#0	16QAM	NV	0	14.86	0.009	PASS
NVNT	Band6 6	3	131987	15	#0	16QAM	NV	10	9.16	0.005	PASS
NVNT	Band6 6	3	131987	15	#0	16QAM	NV	20	19.23	0.011	PASS
NVNT	Band6 6	3	131987	15	#0	16QAM	NV	30	16.48	0.010	PASS
NVNT	Band6 6	3	131987	15	#0	16QAM	NV	40	8.67	0.005	PASS
NVNT	Band6 6	3	131987	15	#0	16QAM	NV	50	21.53	0.013	PASS
NVNT	Band6 6	3	132322	15	#0	QPSK	NV	-30	10.20	0.006	PASS
NVNT	Band6 6	3	132322	15	#0	QPSK	NV	-20	19.24	0.011	PASS
NVNT	Band6 6	3	132322	15	#0	QPSK	NV	0	14.61	0.008	PASS
NVNT	Band6 6	3	132322	15	#0	QPSK	NV	10	13.65	0.008	PASS
NVNT	Band6 6	3	132322	15	#0	QPSK	NV	20	17.24	0.010	PASS
NVNT	Band6 6	3	132322	15	#0	QPSK	NV	30	12.86	0.007	PASS

NVNT	Band6 6	3	132322	15	#0	QPSK	NV	40	9.18	0.005	PASS
NVNT	Band6 6	3	132322	15	#0	QPSK	NV	50	19.53	0.011	PASS
NVNT	Band6 6	3	132322	15	#0	16QAM	NV	-30	16.34	0.009	PASS
NVNT	Band6 6	3	132322	15	#0	16QAM	NV	-20	16.89	0.010	PASS
NVNT	Band6 6	3	132322	15	#0	16QAM	NV	0	15.45	0.009	PASS
NVNT	Band6 6	3	132322	15	#0	16QAM	NV	10	13.80	0.008	PASS
NVNT	Band6 6	3	132322	15	#0	16QAM	NV	20	13.16	0.008	PASS
NVNT	Band6 6	3	132322	15	#0	16QAM	NV	30	10.30	0.006	PASS
NVNT	Band6 6	3	132322	15	#0	16QAM	NV	40	14.93	0.009	PASS
NVNT	Band6 6	3	132322	15	#0	16QAM	NV	50	11.33	0.006	PASS
NVNT	Band6 6	3	132657	15	#0	QPSK	NV	-30	12.07	0.007	PASS
NVNT	Band6 6	3	132657	15	#0	QPSK	NV	-20	21.49	0.012	PASS
NVNT	Band6 6	3	132657	15	#0	QPSK	NV	0	14.81	0.008	PASS
NVNT	Band6 6	3	132657	15	#0	QPSK	NV	10	10.13	0.006	PASS
NVNT	Band6 6	3	132657	15	#0	QPSK	NV	20	17.14	0.010	PASS
NVNT	Band6 6	3	132657	15	#0	QPSK	NV	30	23.03	0.013	PASS
NVNT	Band6 6	3	132657	15	#0	QPSK	NV	40	19.33	0.011	PASS
NVNT	Band6 6	3	132657	15	#0	QPSK	NV	50	20.94	0.012	PASS
NVNT	Band6 6	3	132657	15	#0	16QAM	NV	-30	19.10	0.011	PASS
NVNT	Band6 6	3	132657	15	#0	16QAM	NV	-20	19.51	0.011	PASS
NVNT	Band6 6	3	132657	15	#0	16QAM	NV	0	16.38	0.009	PASS
NVNT	Band6 6	3	132657	15	#0	16QAM	NV	10	14.10	0.008	PASS

	6										
NVNT	Band6 6	3	132657	15	#0	16QAM	NV	20	14.42	0.008	PASS
NVNT	Band6 6	3	132657	15	#0	16QAM	NV	30	16.08	0.009	PASS
NVNT	Band6 6	3	132657	15	#0	16QAM	NV	40	18.12	0.010	PASS
NVNT	Band6 6	3	132657	15	#0	16QAM	NV	50	21.76	0.012	PASS
NVNT	Band6 6	5	131997	25	#0	QPSK	NV	-30	12.66	0.007	PASS
NVNT	Band6 6	5	131997	25	#0	QPSK	NV	-20	-0.79	0.000	PASS
NVNT	Band6 6	5	131997	25	#0	QPSK	NV	0	-9.00	-0.005	PASS
NVNT	Band6 6	5	131997	25	#0	QPSK	NV	10	-6.77	-0.004	PASS
NVNT	Band6 6	5	131997	25	#0	QPSK	NV	20	-0.39	0.000	PASS
NVNT	Band6 6	5	131997	25	#0	QPSK	NV	30	11.77	0.007	PASS
NVNT	Band6 6	5	131997	25	#0	QPSK	NV	40	10.54	0.006	PASS
NVNT	Band6 6	5	131997	25	#0	QPSK	NV	50	15.48	0.009	PASS
NVNT	Band6 6	5	131997	25	#0	16QAM	NV	-30	14.59	0.009	PASS
NVNT	Band6 6	5	131997	25	#0	16QAM	NV	-20	18.98	0.011	PASS
NVNT	Band6 6	5	131997	25	#0	16QAM	NV	0	17.12	0.010	PASS
NVNT	Band6 6	5	131997	25	#0	16QAM	NV	10	15.16	0.009	PASS
NVNT	Band6 6	5	131997	25	#0	16QAM	NV	20	19.44	0.011	PASS
NVNT	Band6 6	5	131997	25	#0	16QAM	NV	30	19.88	0.012	PASS
NVNT	Band6 6	5	131997	25	#0	16QAM	NV	40	14.63	0.009	PASS
NVNT	Band6 6	5	131997	25	#0	16QAM	NV	50	16.77	0.010	PASS
NVNT	Band6 6	5	132322	25	#0	QPSK	NV	-30	15.86	0.009	PASS

NVNT	Band6 6	5	132322	25	#0	QPSK	NV	-20	19.23	0.011	PASS
NVNT	Band6 6	5	132322	25	#0	QPSK	NV	0	16.88	0.010	PASS
NVNT	Band6 6	5	132322	25	#0	QPSK	NV	10	13.03	0.007	PASS
NVNT	Band6 6	5	132322	25	#0	QPSK	NV	20	10.76	0.006	PASS
NVNT	Band6 6	5	132322	25	#0	QPSK	NV	30	9.90	0.006	PASS
NVNT	Band6 6	5	132322	25	#0	QPSK	NV	40	15.58	0.009	PASS
NVNT	Band6 6	5	132322	25	#0	QPSK	NV	50	20.00	0.011	PASS
NVNT	Band6 6	5	132322	25	#0	16QAM	NV	-30	15.88	0.009	PASS
NVNT	Band6 6	5	132322	25	#0	16QAM	NV	-20	19.94	0.011	PASS
NVNT	Band6 6	5	132322	25	#0	16QAM	NV	0	17.24	0.010	PASS
NVNT	Band6 6	5	132322	25	#0	16QAM	NV	10	21.83	0.013	PASS
NVNT	Band6 6	5	132322	25	#0	16QAM	NV	20	14.85	0.009	PASS
NVNT	Band6 6	5	132322	25	#0	16QAM	NV	30	16.75	0.010	PASS
NVNT	Band6 6	5	132322	25	#0	16QAM	NV	40	19.97	0.011	PASS
NVNT	Band6 6	5	132322	25	#0	16QAM	NV	50	15.59	0.009	PASS
NVNT	Band6 6	5	132647	25	#0	QPSK	NV	-30	0.00	0.000	PASS
NVNT	Band6 6	5	132647	25	#0	QPSK	NV	-20	0.00	0.000	PASS
NVNT	Band6 6	5	132647	25	#0	QPSK	NV	0	0.00	0.000	PASS
NVNT	Band6 6	5	132647	25	#0	QPSK	NV	10	0.00	0.000	PASS
NVNT	Band6 6	5	132647	25	#0	QPSK	NV	20	0.00	0.000	PASS
NVNT	Band6 6	5	132647	25	#0	QPSK	NV	30	0.00	0.000	PASS
NVNT	Band6 6	5	132647	25	#0	QPSK	NV	40	0.00	0.000	PASS

	6										
NVNT	Band6 6	5	132647	25	#0	QPSK	NV	50	0.00	0.000	PASS
NVNT	Band6 6	5	132647	25	#0	16QAM	NV	-30	0.00	0.000	PASS
NVNT	Band6 6	5	132647	25	#0	16QAM	NV	-20	0.00	0.000	PASS
NVNT	Band6 6	5	132647	25	#0	16QAM	NV	0	0.00	0.000	PASS
NVNT	Band6 6	5	132647	25	#0	16QAM	NV	10	0.00	0.000	PASS
NVNT	Band6 6	5	132647	25	#0	16QAM	NV	20	0.00	0.000	PASS
NVNT	Band6 6	5	132647	25	#0	16QAM	NV	30	-21.62	-0.012	PASS
NVNT	Band6 6	5	132647	25	#0	16QAM	NV	40	-21.13	-0.012	PASS
NVNT	Band6 6	5	132647	25	#0	16QAM	NV	50	-21.59	-0.012	PASS
NVNT	Band6 6	10	132022	50	#0	QPSK	NV	-30	-17.55	-0.010	PASS
NVNT	Band6 6	10	132022	50	#0	QPSK	NV	-20	-19.07	-0.011	PASS
NVNT	Band6 6	10	132022	50	#0	QPSK	NV	0	-21.10	-0.012	PASS
NVNT	Band6 6	10	132022	50	#0	QPSK	NV	10	-19.58	-0.011	PASS
NVNT	Band6 6	10	132022	50	#0	QPSK	NV	20	-17.18	-0.010	PASS
NVNT	Band6 6	10	132022	50	#0	QPSK	NV	30	-16.47	-0.010	PASS
NVNT	Band6 6	10	132022	50	#0	QPSK	NV	40	-18.48	-0.011	PASS
NVNT	Band6 6	10	132022	50	#0	QPSK	NV	50	-21.94	-0.013	PASS
NVNT	Band6 6	10	132322	50	#0	QPSK	NV	-30	-19.20	-0.011	PASS
NVNT	Band6 6	10	132322	50	#0	QPSK	NV	-20	-18.38	-0.011	PASS
NVNT	Band6 6	10	132322	50	#0	QPSK	NV	0	-17.50	-0.010	PASS
NVNT	Band6 6	10	132322	50	#0	QPSK	NV	10	-17.74	-0.010	PASS

NVNT	Band6 6	10	132322	50	#0	QPSK	NV	20	-18.44	-0.011	PASS
NVNT	Band6 6	10	132322	50	#0	QPSK	NV	30	-17.45	-0.010	PASS
NVNT	Band6 6	10	132322	50	#0	QPSK	NV	40	-19.51	-0.011	PASS
NVNT	Band6 6	10	132322	50	#0	QPSK	NV	50	-16.74	-0.010	PASS
NVNT	Band6 6	10	132622	50	#0	QPSK	NV	-30	-16.39	-0.009	PASS
NVNT	Band6 6	10	132622	50	#0	QPSK	NV	-20	-15.09	-0.009	PASS
NVNT	Band6 6	10	132622	50	#0	QPSK	NV	0	-21.33	-0.012	PASS
NVNT	Band6 6	10	132622	50	#0	QPSK	NV	10	-17.18	-0.010	PASS
NVNT	Band6 6	10	132622	50	#0	QPSK	NV	20	-16.39	-0.009	PASS
NVNT	Band6 6	10	132622	50	#0	QPSK	NV	30	-19.33	-0.011	PASS
NVNT	Band6 6	10	132622	50	#0	QPSK	NV	40	-18.25	-0.010	PASS
NVNT	Band6 6	10	132622	50	#0	QPSK	NV	50	-17.54	-0.010	PASS
NVNT	Band6 6	15	132047	75	#0	QPSK	NV	-30	8.35	0.005	PASS
NVNT	Band6 6	15	132047	75	#0	QPSK	NV	-20	-17.12	-0.010	PASS
NVNT	Band6 6	15	132047	75	#0	QPSK	NV	0	-15.51	-0.009	PASS
NVNT	Band6 6	15	132047	75	#0	QPSK	NV	10	-18.64	-0.011	PASS
NVNT	Band6 6	15	132047	75	#0	QPSK	NV	20	-19.13	-0.011	PASS
NVNT	Band6 6	15	132047	75	#0	QPSK	NV	30	-16.24	-0.009	PASS
NVNT	Band6 6	15	132047	75	#0	QPSK	NV	40	-17.31	-0.010	PASS
NVNT	Band6 6	15	132047	75	#0	QPSK	NV	50	-16.28	-0.009	PASS
NVNT	Band6 6	15	132322	75	#0	QPSK	NV	-30	-16.67	-0.010	PASS
NVNT	Band6 6	15	132322	75	#0	QPSK	NV	-20	-17.68	-0.010	PASS


	6										
NVNT	Band6 6	15	132322	75	#0	QPSK	NV	0	-19.57	-0.011	PASS
NVNT	Band6 6	15	132322	75	#0	QPSK	NV	10	-16.74	-0.010	PASS
NVNT	Band6 6	15	132322	75	#0	QPSK	NV	20	-16.11	-0.009	PASS
NVNT	Band6 6	15	132322	75	#0	QPSK	NV	30	-16.65	-0.010	PASS
NVNT	Band6 6	15	132322	75	#0	QPSK	NV	40	-18.45	-0.011	PASS
NVNT	Band6 6	15	132322	75	#0	QPSK	NV	50	-16.61	-0.010	PASS
NVNT	Band6 6	15	132597	75	#0	QPSK	NV	-30	-17.90	-0.010	PASS
NVNT	Band6 6	15	132597	75	#0	QPSK	NV	-20	-15.85	-0.009	PASS
NVNT	Band6 6	15	132597	75	#0	QPSK	NV	0	-15.46	-0.009	PASS
NVNT	Band6 6	15	132597	75	#0	QPSK	NV	10	-16.29	-0.009	PASS
NVNT	Band6 6	15	132597	75	#0	QPSK	NV	20	-16.12	-0.009	PASS
NVNT	Band6 6	15	132597	75	#0	QPSK	NV	30	-17.25	-0.010	PASS
NVNT	Band6 6	15	132597	75	#0	QPSK	NV	40	-17.51	-0.010	PASS
NVNT	Band6 6	15	132597	75	#0	QPSK	NV	50	-18.35	-0.010	PASS
NVNT	Band6 6	20	132072	100	#0	QPSK	NV	-30	11.87	0.007	PASS
NVNT	Band6 6	20	132072	100	#0	QPSK	NV	-20	-10.69	-0.006	PASS
NVNT	Band6 6	20	132072	100	#0	QPSK	NV	0	-13.62	-0.008	PASS
NVNT	Band6 6	20	132072	100	#0	QPSK	NV	10	-16.22	-0.009	PASS
NVNT	Band6 6	20	132072	100	#0	QPSK	NV	20	-16.04	-0.009	PASS
NVNT	Band6 6	20	132072	100	#0	QPSK	NV	30	-15.55	-0.009	PASS
NVNT	Band6 6	20	132072	100	#0	QPSK	NV	40	-14.36	-0.008	PASS

NVNT	Band6 6	20	132072	100	#0	QPSK	NV	50	-14.23	-0.008	PASS
NVNT	Band6 6	20	132322	100	#0	QPSK	NV	-30	-15.79	-0.009	PASS
NVNT	Band6 6	20	132322	100	#0	QPSK	NV	-20	-15.74	-0.009	PASS
NVNT	Band6 6	20	132322	100	#0	QPSK	NV	0	-15.12	-0.009	PASS
NVNT	Band6 6	20	132322	100	#0	QPSK	NV	10	-16.58	-0.010	PASS
NVNT	Band6 6	20	132322	100	#0	QPSK	NV	20	-14.06	-0.008	PASS
NVNT	Band6 6	20	132322	100	#0	QPSK	NV	30	-15.66	-0.009	PASS
NVNT	Band6 6	20	132322	100	#0	QPSK	NV	40	-16.18	-0.009	PASS
NVNT	Band6 6	20	132322	100	#0	QPSK	NV	50	-15.39	-0.009	PASS
NVNT	Band6 6	20	132572	100	#0	QPSK	NV	-30	-14.56	-0.008	PASS
NVNT	Band6 6	20	132572	100	#0	QPSK	NV	-20	-15.46	-0.009	PASS
NVNT	Band6 6	20	132572	100	#0	QPSK	NV	0	-14.32	-0.008	PASS
NVNT	Band6 6	20	132572	100	#0	QPSK	NV	10	-16.75	-0.009	PASS
NVNT	Band6 6	20	132572	100	#0	QPSK	NV	20	-16.59	-0.009	PASS
NVNT	Band6 6	20	132572	100	#0	QPSK	NV	30	-17.19	-0.010	PASS
NVNT	Band6 6	20	132572	100	#0	QPSK	NV	40	-15.22	-0.009	PASS
NVNT	Band6 6	20	132572	100	#0	QPSK	NV	50	-18.21	-0.010	PASS

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
NVNT	Band6 6	10	132022	50	#0	QPSK	LV	NT	-19.17	-0.011	PASS
NVNT	Band6 6	10	132022	50	#0	QPSK	NV	NT	-19.77	-0.012	PASS
NVNT	Band6 6	10	132022	50	#0	QPSK	HV	NT	-20.27	-0.012	PASS

	6										
NVNT	Band6 6	10	132322	50	#0	QPSK	LV	NT	-18.27	-0.010	PASS
NVNT	Band6 6	10	132322	50	#0	QPSK	NV	NT	-20.34	-0.012	PASS
NVNT	Band6 6	10	132322	50	#0	QPSK	HV	NT	-18.57	-0.011	PASS
NVNT	Band6 6	10	132622	50	#0	QPSK	LV	NT	-19.54	-0.011	PASS
NVNT	Band6 6	10	132622	50	#0	QPSK	NV	NT	-18.84	-0.011	PASS
NVNT	Band6 6	10	132622	50	#0	QPSK	HV	NT	-17.85	-0.010	PASS
NVNT	Band6 6	15	132047	75	#0	QPSK	LV	NT	-17.80	-0.010	PASS
NVNT	Band6 6	15	132047	75	#0	QPSK	NV	NT	-15.18	-0.009	PASS
NVNT	Band6 6	15	132047	75	#0	QPSK	HV	NT	-18.20	-0.011	PASS
NVNT	Band6 6	15	132322	75	#0	QPSK	LV	NT	-16.67	-0.010	PASS
NVNT	Band6 6	15	132322	75	#0	QPSK	NV	NT	-16.62	-0.010	PASS
NVNT	Band6 6	15	132322	75	#0	QPSK	HV	NT	-19.07	-0.011	PASS
NVNT	Band6 6	15	132597	75	#0	QPSK	LV	NT	-16.37	-0.009	PASS
NVNT	Band6 6	15	132597	75	#0	QPSK	NV	NT	-15.42	-0.009	PASS
NVNT	Band6 6	15	132597	75	#0	QPSK	HV	NT	-17.60	-0.010	PASS
NVNT	Band6 6	20	132072	100	#0	QPSK	LV	NT	10.04	0.006	PASS
NVNT	Band6 6	20	132072	100	#0	QPSK	NV	NT	-17.84	-0.010	PASS
NVNT	Band6 6	20	132072	100	#0	QPSK	HV	NT	-14.59	-0.008	PASS
NVNT	Band6 6	20	132322	100	#0	QPSK	LV	NT	-16.35	-0.009	PASS
NVNT	Band6 6	20	132322	100	#0	QPSK	NV	NT	-15.98	-0.009	PASS
NVNT	Band6 6	20	132322	100	#0	QPSK	HV	NT	-14.86	-0.009	PASS

NVNT	Band6 6	20	132572	100	#0	QPSK	LV	NT	-18.51	-0.010	PASS
NVNT	Band6 6	20	132572	100	#0	QPSK	NV	NT	-19.73	-0.011	PASS
NVNT	Band6 6	20	132572	100	#0	QPSK	HV	NT	-18.02	-0.010	PASS




Appendix 3. Peak-to-Average Ratio


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
NVNT	Band66	1.4	131979	1	#0	QPSK	4.63	13	PASS
NVNT	Band66	1.4	131979	1	#0	16QAM	5.84	13	PASS
NVNT	Band66	1.4	132322	1	#0	QPSK	5.17	13	PASS
NVNT	Band66	1.4	132322	1	#0	16QAM	6.05	13	PASS
NVNT	Band66	1.4	132665	1	#0	QPSK	5.09	13	PASS
NVNT	Band66	1.4	132665	1	#0	16QAM	6.10	13	PASS
NVNT	Band66	3	131987	1	#0	QPSK	4.64	13	PASS
NVNT	Band66	3	131987	1	#0	16QAM	5.70	13	PASS
NVNT	Band66	3	132322	1	#0	QPSK	5.29	13	PASS
NVNT	Band66	3	132322	1	#0	16QAM	6.35	13	PASS
NVNT	Band66	3	132657	1	#0	QPSK	4.91	13	PASS
NVNT	Band66	3	132657	1	#0	16QAM	5.87	13	PASS
NVNT	Band66	5	131997	1	#0	QPSK	4.46	13	PASS
NVNT	Band66	5	131997	1	#0	16QAM	5.38	13	PASS
NVNT	Band66	5	132322	1	#0	QPSK	5.06	13	PASS
NVNT	Band66	5	132322	1	#0	16QAM	5.94	13	PASS
NVNT	Band66	5	132647	1	#0	QPSK	4.77	13	PASS
NVNT	Band66	5	132647	1	#0	16QAM	5.60	13	PASS


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
NVNT	Band66	10	132022	1	#0	QPSK	4.07	13	PASS
NVNT	Band66	10	132322	1	#0	QPSK	5.01	13	PASS
NVNT	Band66	10	132622	1	#0	QPSK	4.47	13	PASS
NVNT	Band66	15	132047	1	#0	QPSK	4.50	13	PASS
NVNT	Band66	15	132322	1	#0	QPSK	5.44	13	PASS
NVNT	Band66	15	132597	1	#0	QPSK	4.73	13	PASS
NVNT	Band66	20	132072	1	#0	QPSK	4.53	13	PASS
NVNT	Band66	20	132322	1	#0	QPSK	5.46	13	PASS
NVNT	Band66	20	132572	1	#0	QPSK	5.08	13	PASS




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#0 NVNT











Band66 16QAM BW=1.4MHz Channel=132322 RB Size=1 Position=#0 NVNT










Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0 NVNT










Band66 16QAM BW=3MHz Channel=132322 RB Size=1 Position=#0 NVNT











Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0 NVNT









Band66 16QAM BW=5MHz Channel=132322 RB Size=1 Position=#0 NVNT







Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#0 NVNT

