

| Communication System                                                            | UID   | Rev | Group    | PAR (dB) |
|---------------------------------------------------------------------------------|-------|-----|----------|----------|
| UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)                                       | 10274 | CAC | WCDMA    | 4.87     |
| UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)                                        | 10275 | CAC | WCDMA    | 3.96     |
| PHS (QPSK)                                                                      | 10277 | CAA | PHS      | 11.81    |
| PHS (QPSK, BW 884 MHz, Rolloff 0.5)                                             | 10278 | CAA | PHS      | 11.81    |
| PHS (QPSK, BW 884 MHz, Rolloff 0.38)                                            | 10279 | CAA | PHS      | 12.18    |
| CDMA2000, RC1, SO55, Full Rate                                                  | 10290 | AAB | CDMA2000 | 3.91     |
| CDMA2000, RC3, SO55, Full Rate                                                  | 10291 | AAB | CDMA2000 | 3.46     |
| CDMA2000, RC3, SO32, Full Rate                                                  | 10292 | AAB | CDMA2000 | 3.39     |
| CDMA2000, RC3, SO3, Full Rate                                                   | 10293 | AAB | CDMA2000 | 3.50     |
| CDMA2000, RC1, SO3, 1/8th Rate 25 fr.                                           | 10295 | AAB | CDMA2000 | 12.49    |
| LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)                                         | 10297 | AAE | LTE-FDD  | 5.81     |
| LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)                                          | 10298 | AAE | LTE-FDD  | 5.72     |
| LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)                                        | 10299 | AAE | LTE-FDD  | 6.39     |
| LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)                                        | 10300 | AAE | LTE-FDD  | 6.60     |
| IEEE 802.16e WiMAX (29:18, 5 ms, 10 MHz, QPSK, PUSC)                            | 10301 | AAA | WiMAX    | 12.03    |
| IEEE 802.16e WiMAX (29:18, 5 ms, 10 MHz, QPSK, PUSC, 3 CTRL symbols)            | 10302 | AAA | WiMAX    | 12.57    |
| IEEE 802.16e WiMAX (31:15, 5 ms, 10 MHz, 64QAM, PUSC)                           | 10303 | AAA | WiMAX    | 12.52    |
| IEEE 802.16e WiMAX (29:18, 5 ms, 10 MHz, 64QAM, PUSC)                           | 10304 | AAA | WiMAX    | 11.86    |
| IEEE 802.16e WiMAX (31:15, 10 ms, 10 MHz, 64QAM, PUSC, 15 symbols)              | 10305 | AAA | WiMAX    | 15.24    |
| IEEE 802.16e WiMAX (29:18, 10 ms, 10 MHz, 64QAM, PUSC, 18 symbols)              | 10306 | AAA | WiMAX    | 14.67    |
| IEEE 802.16e WiMAX (29:18, 10 ms, 10 MHz, QPSK, PUSC, 18 symbols)               | 10307 | AAA | WiMAX    | 14.49    |
| IEEE 802.16e WiMAX (29:18, 10 ms, 10 MHz, 16QAM, PUSC)                          | 10308 | AAA | WiMAX    | 14.46    |
| IEEE 802.16e WiMAX (29:18, 10 ms, 10 MHz, 16QAM, AMC 2x3, 18 symbols)           | 10309 | AAA | WiMAX    | 14.58    |
| IEEE 802.16e WiMAX (29:18, 10 ms, 10 MHz, QPSK, AMC 2x3, 18 symbols)            | 10310 | AAA | WiMAX    | 14.57    |
| LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)                                        | 10311 | AAE | LTE-FDD  | 6.06     |
| iDEN 1:3                                                                        | 10313 | AAA | iDEN     | 10.51    |
| iDEN 1:6                                                                        | 10314 | AAA | iDEN     | 13.48    |
| IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)                       | 10315 | AAB | WLAN     | 1.71     |
| IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)                   | 10316 | AAB | WLAN     | 8.36     |
| IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)                         | 10317 | AAE | WLAN     | 8.36     |
| IEEE 802.11ac WiFi (20 MHz, 64-QAM, 99pc duty cycle)                            | 10400 | AAF | WLAN     | 8.38     |
| IEEE 802.11ac WiFi (40 MHz, 64-QAM, 99pc duty cycle)                            | 10401 | AAF | WLAN     | 8.60     |
| IEEE 802.11ac WiFi (80 MHz, 64-QAM, 99pc duty cycle)                            | 10402 | AAF | WLAN     | 8.53     |
| CDMA2000 (1xEV-DO, Rev. 0)                                                      | 10403 | AAB | CDMA2000 | 3.76     |
| CDMA2000 (1xEV-DO, Rev. A)                                                      | 10404 | AAB | CDMA2000 | 3.77     |
| CDMA2000, RC3, SO32, SCH0, Full Rate                                            | 10406 | AAB | CDMA2000 | 5.22     |
| LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9, Subframe Conf=4) | 10410 | AAH | LTE-TDD  | 7.83     |
| IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)                       | 10415 | AAA | WLAN     | 1.54     |
| IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)                   | 10416 | AAA | WLAN     | 8.23     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)                       | 10417 | AAD | WLAN     | 8.23     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)   | 10418 | AAA | WLAN     | 8.14     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)  | 10419 | AAA | WLAN     | 8.19     |
| IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)                                    | 10422 | AAD | WLAN     | 8.32     |
| IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)                                 | 10423 | AAD | WLAN     | 8.47     |
| IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)                                 | 10424 | AAD | WLAN     | 8.40     |
| IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)                                     | 10425 | AAD | WLAN     | 8.41     |
| IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)                                   | 10426 | AAD | WLAN     | 8.45     |
| IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)                                  | 10427 | AAD | WLAN     | 8.41     |
| LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)                                                | 10430 | AAE | LTE-FDD  | 8.28     |
| LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)                                               | 10431 | AAE | LTE-FDD  | 8.38     |
| LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)                                               | 10432 | AAD | LTE-FDD  | 8.34     |
| LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)                                               | 10433 | AAD | LTE-FDD  | 8.34     |
| W-CDMA (BS Test Model 1, 64 DPCH)                                               | 10434 | AAB | WCDMA    | 8.60     |
| LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)                  | 10435 | AAG | LTE-TDD  | 7.82     |
| LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)                                  | 10447 | AAE | LTE-FDD  | 7.56     |
| LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)                                 | 10448 | AAE | LTE-FDD  | 7.53     |
| LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)                                 | 10449 | AAD | LTE-FDD  | 7.51     |
| LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)                                 | 10450 | AAD | LTE-FDD  | 7.48     |
| W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)                                 | 10451 | AAB | WCDMA    | 7.59     |
| Validation (Square, 10 ms, 1 ms)                                                | 10453 | AAE | Test     | 10.00    |



| Communication System                                                 | UID   | Rev | Group    | PAR (dB) |
|----------------------------------------------------------------------|-------|-----|----------|----------|
| IEEE 802.11ac WiFi (160 MHz, 64-QAM, 99pc duty cycle)                | 10456 | AAD | WLAN     | 8.63     |
| UMTS-FDD (DC-HSDPA)                                                  | 10457 | AAB | WCDMA    | 6.62     |
| CDMA2000 (1xEV-DO, Rev. B, 2 carriers)                               | 10458 | AAA | CDMA2000 | 6.55     |
| CDMA2000 (1xEV-DO, Rev. B, 3 carriers)                               | 10459 | AAA | CDMA2000 | 8.25     |
| UMTS-FDD (WCDMA, AMR)                                                | 10460 | AAB | WCDMA    | 2.39     |
| LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)      | 10461 | AAC | LTE-TDD  | 7.83     |
| LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)    | 10462 | AAC | LTE-TDD  | 8.30     |
| LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)    | 10463 | AAC | LTE-TDD  | 8.56     |
| LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)        | 10464 | AAD | LTE-TDD  | 7.82     |
| LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)      | 10465 | AAD | LTE-TDD  | 8.32     |
| LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)      | 10466 | AAD | LTE-TDD  | 8.57     |
| LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)        | 10467 | AAG | LTE-TDD  | 7.82     |
| LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)      | 10468 | AAG | LTE-TDD  | 8.32     |
| LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)      | 10469 | AAG | LTE-TDD  | 8.56     |
| LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)       | 10470 | AAG | LTE-TDD  | 7.83     |
| LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)     | 10471 | AAG | LTE-TDD  | 8.32     |
| LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)     | 10472 | AAG | LTE-TDD  | 8.57     |
| LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)       | 10473 | AAF | LTE-TDD  | 7.83     |
| LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)     | 10474 | AAF | LTE-TDD  | 8.32     |
| LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)     | 10475 | AAF | LTE-TDD  | 8.57     |
| LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)     | 10477 | AAG | LTE-TDD  | 8.32     |
| LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)     | 10478 | AAG | LTE-TDD  | 8.57     |
| LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)    | 10479 | AAC | LTE-TDD  | 7.74     |
| LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)  | 10480 | AAC | LTE-TDD  | 8.18     |
| LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)  | 10481 | AAC | LTE-TDD  | 8.45     |
| LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)      | 10482 | AAD | LTE-TDD  | 7.71     |
| LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)    | 10483 | AAD | LTE-TDD  | 8.39     |
| LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)    | 10484 | AAD | LTE-TDD  | 8.47     |
| LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)      | 10485 | AAG | LTE-TDD  | 7.59     |
| LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)    | 10486 | AAG | LTE-TDD  | 8.38     |
| LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)    | 10487 | AAG | LTE-TDD  | 8.60     |
| LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)     | 10488 | AAG | LTE-TDD  | 7.70     |
| LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)   | 10489 | AAG | LTE-TDD  | 8.31     |
| LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)   | 10490 | AAG | LTE-TDD  | 8.54     |
| LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)     | 10491 | AAF | LTE-TDD  | 7.74     |
| LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)   | 10492 | AAF | LTE-TDD  | 8.41     |
| LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)   | 10493 | AAF | LTE-TDD  | 8.55     |
| LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)     | 10494 | AAG | LTE-TDD  | 7.74     |
| LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)   | 10495 | AAG | LTE-TDD  | 8.37     |
| LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)   | 10496 | AAG | LTE-TDD  | 8.54     |
| LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)   | 10497 | AAC | LTE-TDD  | 7.67     |
| LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | 10498 | AAC | LTE-TDD  | 8.40     |
| LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | 10499 | AAC | LTE-TDD  | 8.68     |
| LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)     | 10500 | AAD | LTE-TDD  | 7.67     |
| LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)   | 10501 | AAD | LTE-TDD  | 8.44     |
| LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)   | 10502 | AAD | LTE-TDD  | 8.52     |
| LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)     | 10503 | AAG | LTE-TDD  | 7.72     |
| LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)   | 10504 | AAG | LTE-TDD  | 8.31     |
| LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)   | 10505 | AAG | LTE-TDD  | 8.54     |
| LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)    | 10506 | AAG | LTE-TDD  | 7.74     |
| LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)  | 10507 | AAG | LTE-TDD  | 8.36     |
| LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)  | 10508 | AAG | LTE-TDD  | 8.55     |
| LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)    | 10509 | AAF | LTE-TDD  | 7.99     |
| LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)  | 10510 | AAF | LTE-TDD  | 8.48     |
| LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)  | 10511 | AAF | LTE-TDD  | 8.51     |
| LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)    | 10512 | AAG | LTE-TDD  | 7.74     |
| LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)  | 10513 | AAG | LTE-TDD  | 8.42     |
| LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)  | 10514 | AAG | LTE-TDD  | 8.45     |
| IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)            | 10515 | AAA | WLAN     | 1.57     |
| IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)          | 10516 | AAA | WLAN     | 1.57     |



| Communication System                                            | UID   | Rev | Group | PAR (dB) |
|-----------------------------------------------------------------|-------|-----|-------|----------|
| IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)      | 10517 | AAA | WLAN  | 1.58     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)       | 10518 | AAD | WLAN  | 8.23     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)      | 10519 | AAD | WLAN  | 8.39     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)      | 10520 | AAD | WLAN  | 8.12     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)      | 10521 | AAD | WLAN  | 7.97     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)      | 10522 | AAD | WLAN  | 8.45     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)      | 10523 | AAD | WLAN  | 8.08     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)      | 10524 | AAD | WLAN  | 8.27     |
| IEEE 802.11ac WiFi (20 MHz, MCS0, 99pc duty cycle)              | 10525 | AAD | WLAN  | 8.36     |
| IEEE 802.11ac WiFi (20 MHz, MCS1, 99pc duty cycle)              | 10526 | AAD | WLAN  | 8.41     |
| IEEE 802.11ac WiFi (20 MHz, MCS2, 99pc duty cycle)              | 10527 | AAD | WLAN  | 8.21     |
| IEEE 802.11ac WiFi (20 MHz, MCS3, 99pc duty cycle)              | 10528 | AAD | WLAN  | 8.36     |
| IEEE 802.11ac WiFi (20 MHz, MCS4, 99pc duty cycle)              | 10529 | AAD | WLAN  | 8.36     |
| IEEE 802.11ac WiFi (20 MHz, MCS6, 99pc duty cycle)              | 10531 | AAD | WLAN  | 8.43     |
| IEEE 802.11ac WiFi (20 MHz, MCS7, 99pc duty cycle)              | 10532 | AAD | WLAN  | 8.29     |
| IEEE 802.11ac WiFi (20 MHz, MCS8, 99pc duty cycle)              | 10533 | AAD | WLAN  | 8.38     |
| IEEE 802.11ac WiFi (40 MHz, MCS0, 99pc duty cycle)              | 10534 | AAD | WLAN  | 8.45     |
| IEEE 802.11ac WiFi (40 MHz, MCS1, 99pc duty cycle)              | 10535 | AAD | WLAN  | 8.45     |
| IEEE 802.11ac WiFi (40 MHz, MCS2, 99pc duty cycle)              | 10536 | AAD | WLAN  | 8.32     |
| IEEE 802.11ac WiFi (40 MHz, MCS3, 99pc duty cycle)              | 10537 | AAD | WLAN  | 8.44     |
| IEEE 802.11ac WiFi (40 MHz, MCS4, 99pc duty cycle)              | 10538 | AAD | WLAN  | 8.54     |
| IEEE 802.11ac WiFi (40 MHz, MCS6, 99pc duty cycle)              | 10540 | AAD | WLAN  | 8.39     |
| IEEE 802.11ac WiFi (40 MHz, MCS7, 99pc duty cycle)              | 10541 | AAD | WLAN  | 8.46     |
| IEEE 802.11ac WiFi (40 MHz, MCS8, 99pc duty cycle)              | 10542 | AAD | WLAN  | 8.65     |
| IEEE 802.11ac WiFi (40 MHz, MCS9, 99pc duty cycle)              | 10543 | AAD | WLAN  | 8.65     |
| IEEE 802.11ac WiFi (80 MHz, MCS0, 99pc duty cycle)              | 10544 | AAD | WLAN  | 8.47     |
| IEEE 802.11ac WiFi (80 MHz, MCS1, 99pc duty cycle)              | 10545 | AAD | WLAN  | 8.55     |
| IEEE 802.11ac WiFi (80 MHz, MCS2, 99pc duty cycle)              | 10546 | AAD | WLAN  | 8.35     |
| IEEE 802.11ac WiFi (80 MHz, MCS3, 99pc duty cycle)              | 10547 | AAD | WLAN  | 8.49     |
| IEEE 802.11ac WiFi (80 MHz, MCS4, 99pc duty cycle)              | 10548 | AAD | WLAN  | 8.37     |
| IEEE 802.11ac WiFi (80 MHz, MCS6, 99pc duty cycle)              | 10550 | AAD | WLAN  | 8.38     |
| IEEE 802.11ac WiFi (80 MHz, MCS7, 99pc duty cycle)              | 10551 | AAD | WLAN  | 8.50     |
| IEEE 802.11ac WiFi (80 MHz, MCS8, 99pc duty cycle)              | 10552 | AAD | WLAN  | 8.42     |
| IEEE 802.11ac WiFi (80 MHz, MCS9, 99pc duty cycle)              | 10553 | AAD | WLAN  | 8.45     |
| IEEE 802.11ac WiFi (160 MHz, MCS0, 99pc duty cycle)             | 10554 | AAE | WLAN  | 8.48     |
| IEEE 802.11ac WiFi (160 MHz, MCS1, 99pc duty cycle)             | 10555 | AAE | WLAN  | 8.47     |
| IEEE 802.11ac WiFi (160 MHz, MCS2, 99pc duty cycle)             | 10556 | AAE | WLAN  | 8.50     |
| IEEE 802.11ac WiFi (160 MHz, MCS3, 99pc duty cycle)             | 10557 | AAE | WLAN  | 8.52     |
| IEEE 802.11ac WiFi (160 MHz, MCS4, 99pc duty cycle)             | 10558 | AAE | WLAN  | 8.61     |
| IEEE 802.11ac WiFi (160 MHz, MCS6, 99pc duty cycle)             | 10560 | AAE | WLAN  | 8.73     |
| IEEE 802.11ac WiFi (160 MHz, MCS7, 99pc duty cycle)             | 10561 | AAE | WLAN  | 8.56     |
| IEEE 802.11ac WiFi (160 MHz, MCS8, 99pc duty cycle)             | 10562 | AAE | WLAN  | 8.69     |
| IEEE 802.11ac WiFi (160 MHz, MCS9, 99pc duty cycle)             | 10563 | AAE | WLAN  | 8.77     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)  | 10564 | AAA | WLAN  | 8.25     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle) | 10565 | AAA | WLAN  | 8.46     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle) | 10566 | AAA | WLAN  | 8.13     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle) | 10567 | AAA | WLAN  | 8.00     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle) | 10568 | AAA | WLAN  | 8.37     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle) | 10569 | AAA | WLAN  | 8.10     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle) | 10570 | AAA | WLAN  | 8.30     |
| IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)       | 10571 | AAA | WLAN  | 1.99     |
| IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)       | 10572 | AAA | WLAN  | 1.99     |
| IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)     | 10573 | AAA | WLAN  | 1.98     |
| IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)      | 10574 | AAA | WLAN  | 1.98     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)  | 10575 | AAA | WLAN  | 8.59     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)  | 10576 | AAA | WLAN  | 8.60     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle) | 10577 | AAA | WLAN  | 8.70     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle) | 10578 | AAA | WLAN  | 8.49     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle) | 10579 | AAA | WLAN  | 8.36     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle) | 10580 | AAA | WLAN  | 8.76     |



| Communication System                                            | UID   | Rev | Group | PAR (dB) |
|-----------------------------------------------------------------|-------|-----|-------|----------|
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle) | 10581 | AAA | WLAN  | 8.35     |
| IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle) | 10582 | AAA | WLAN  | 8.67     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)       | 10583 | AAD | WLAN  | 8.59     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)       | 10584 | AAD | WLAN  | 8.60     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)      | 10585 | AAD | WLAN  | 8.70     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)      | 10586 | AAD | WLAN  | 8.49     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)      | 10587 | AAD | WLAN  | 8.36     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)      | 10588 | AAD | WLAN  | 8.76     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)      | 10589 | AAD | WLAN  | 8.35     |
| IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)      | 10590 | AAD | WLAN  | 8.67     |
| IEEE 802.11n (HT Mixed, 20 MHz, MCS0, 90pc duty cycle)          | 10591 | AAD | WLAN  | 8.63     |
| IEEE 802.11n (HT Mixed, 20 MHz, MCS1, 90pc duty cycle)          | 10592 | AAD | WLAN  | 8.79     |
| IEEE 802.11n (HT Mixed, 20 MHz, MCS2, 90pc duty cycle)          | 10593 | AAD | WLAN  | 8.64     |
| IEEE 802.11n (HT Mixed, 20 MHz, MCS3, 90pc duty cycle)          | 10594 | AAD | WLAN  | 8.74     |
| IEEE 802.11n (HT Mixed, 20 MHz, MCS4, 90pc duty cycle)          | 10595 | AAD | WLAN  | 8.74     |
| IEEE 802.11n (HT Mixed, 20 MHz, MCS5, 90pc duty cycle)          | 10596 | AAD | WLAN  | 8.71     |
| IEEE 802.11n (HT Mixed, 20 MHz, MCS6, 90pc duty cycle)          | 10597 | AAD | WLAN  | 8.72     |
| IEEE 802.11n (HT Mixed, 20 MHz, MCS7, 90pc duty cycle)          | 10598 | AAD | WLAN  | 8.50     |
| IEEE 802.11n (HT Mixed, 40 MHz, MCS0, 90pc duty cycle)          | 10599 | AAD | WLAN  | 8.79     |
| IEEE 802.11n (HT Mixed, 40 MHz, MCS1, 90pc duty cycle)          | 10600 | AAD | WLAN  | 8.88     |
| IEEE 802.11n (HT Mixed, 40 MHz, MCS2, 90pc duty cycle)          | 10601 | AAD | WLAN  | 8.82     |
| IEEE 802.11n (HT Mixed, 40 MHz, MCS3, 90pc duty cycle)          | 10602 | AAD | WLAN  | 8.94     |
| IEEE 802.11n (HT Mixed, 40 MHz, MCS4, 90pc duty cycle)          | 10603 | AAD | WLAN  | 9.03     |
| IEEE 802.11n (HT Mixed, 40 MHz, MCS5, 90pc duty cycle)          | 10604 | AAD | WLAN  | 8.76     |
| IEEE 802.11n (HT Mixed, 40 MHz, MCS6, 90pc duty cycle)          | 10605 | AAD | WLAN  | 8.97     |
| IEEE 802.11n (HT Mixed, 40 MHz, MCS7, 90pc duty cycle)          | 10606 | AAD | WLAN  | 8.82     |
| IEEE 802.11ac WiFi (20 MHz, MCS0, 90pc duty cycle)              | 10607 | AAD | WLAN  | 8.64     |
| IEEE 802.11ac WiFi (20 MHz, MCS1, 90pc duty cycle)              | 10608 | AAD | WLAN  | 8.77     |
| IEEE 802.11ac WiFi (20 MHz, MCS2, 90pc duty cycle)              | 10609 | AAD | WLAN  | 8.57     |
| IEEE 802.11ac WiFi (20 MHz, MCS3, 90pc duty cycle)              | 10610 | AAD | WLAN  | 8.78     |
| IEEE 802.11ac WiFi (20 MHz, MCS4, 90pc duty cycle)              | 10611 | AAD | WLAN  | 8.70     |
| IEEE 802.11ac WiFi (20 MHz, MCS5, 90pc duty cycle)              | 10612 | AAD | WLAN  | 8.77     |
| IEEE 802.11ac WiFi (20 MHz, MCS6, 90pc duty cycle)              | 10613 | AAD | WLAN  | 8.94     |
| IEEE 802.11ac WiFi (20 MHz, MCS7, 90pc duty cycle)              | 10614 | AAD | WLAN  | 8.59     |
| IEEE 802.11ac WiFi (20 MHz, MCS8, 90pc duty cycle)              | 10615 | AAD | WLAN  | 8.82     |
| IEEE 802.11ac WiFi (40 MHz, MCS0, 90pc duty cycle)              | 10616 | AAD | WLAN  | 8.82     |
| IEEE 802.11ac WiFi (40 MHz, MCS1, 90pc duty cycle)              | 10617 | AAD | WLAN  | 8.81     |
| IEEE 802.11ac WiFi (40 MHz, MCS2, 90pc duty cycle)              | 10618 | AAD | WLAN  | 8.58     |
| IEEE 802.11ac WiFi (40 MHz, MCS3, 90pc duty cycle)              | 10619 | AAD | WLAN  | 8.86     |
| IEEE 802.11ac WiFi (40 MHz, MCS4, 90pc duty cycle)              | 10620 | AAD | WLAN  | 8.87     |
| IEEE 802.11ac WiFi (40 MHz, MCS5, 90pc duty cycle)              | 10621 | AAD | WLAN  | 8.77     |
| IEEE 802.11ac WiFi (40 MHz, MCS6, 90pc duty cycle)              | 10622 | AAD | WLAN  | 8.68     |
| IEEE 802.11ac WiFi (40 MHz, MCS7, 90pc duty cycle)              | 10623 | AAD | WLAN  | 8.82     |
| IEEE 802.11ac WiFi (40 MHz, MCS8, 90pc duty cycle)              | 10624 | AAD | WLAN  | 8.96     |
| IEEE 802.11ac WiFi (40 MHz, MCS9, 90pc duty cycle)              | 10625 | AAD | WLAN  | 8.96     |
| IEEE 802.11ac WiFi (80 MHz, MCS0, 90pc duty cycle)              | 10626 | AAD | WLAN  | 8.83     |
| IEEE 802.11ac WiFi (80 MHz, MCS1, 90pc duty cycle)              | 10627 | AAD | WLAN  | 8.88     |
| IEEE 802.11ac WiFi (80 MHz, MCS2, 90pc duty cycle)              | 10628 | AAD | WLAN  | 8.71     |
| IEEE 802.11ac WiFi (80 MHz, MCS3, 90pc duty cycle)              | 10629 | AAD | WLAN  | 8.85     |
| IEEE 802.11ac WiFi (80 MHz, MCS4, 90pc duty cycle)              | 10630 | AAD | WLAN  | 8.72     |
| IEEE 802.11ac WiFi (80 MHz, MCS5, 90pc duty cycle)              | 10631 | AAD | WLAN  | 8.81     |
| IEEE 802.11ac WiFi (80 MHz, MCS6, 90pc duty cycle)              | 10632 | AAD | WLAN  | 8.74     |
| IEEE 802.11ac WiFi (80 MHz, MCS7, 90pc duty cycle)              | 10633 | AAD | WLAN  | 8.83     |
| IEEE 802.11ac WiFi (80 MHz, MCS8, 90pc duty cycle)              | 10634 | AAD | WLAN  | 8.80     |
| IEEE 802.11ac WiFi (80 MHz, MCS9, 90pc duty cycle)              | 10635 | AAD | WLAN  | 8.81     |
| IEEE 802.11ac WiFi (160 MHz, MCS0, 90pc duty cycle)             | 10636 | AAE | WLAN  | 8.83     |
| IEEE 802.11ac WiFi (160 MHz, MCS1, 90pc duty cycle)             | 10637 | AAE | WLAN  | 8.79     |
| IEEE 802.11ac WiFi (160 MHz, MCS2, 90pc duty cycle)             | 10638 | AAE | WLAN  | 8.86     |
| IEEE 802.11ac WiFi (160 MHz, MCS3, 90pc duty cycle)             | 10639 | AAE | WLAN  | 8.85     |
| IEEE 802.11ac WiFi (160 MHz, MCS4, 90pc duty cycle)             | 10640 | AAE | WLAN  | 8.98     |



| Communication System                                   | UID   | Rev | Group     | PAR (dB) |
|--------------------------------------------------------|-------|-----|-----------|----------|
| IEEE 802.11ac WiFi (160 MHz, MCS5, 90pc duty cycle)    | 10641 | AAE | WLAN      | 9.06     |
| IEEE 802.11ac WiFi (160 MHz, MCS6, 90pc duty cycle)    | 10642 | AAE | WLAN      | 9.06     |
| IEEE 802.11ac WiFi (160 MHz, MCS7, 90pc duty cycle)    | 10643 | AAE | WLAN      | 8.89     |
| IEEE 802.11ac WiFi (160 MHz, MCS8, 90pc duty cycle)    | 10644 | AAE | WLAN      | 9.05     |
| IEEE 802.11ac WiFi (160 MHz, MCS9, 90pc duty cycle)    | 10645 | AAE | WLAN      | 9.11     |
| LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)  | 10646 | AAH | LTE-TDD   | 11.96    |
| LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7) | 10647 | AAG | LTE-TDD   | 11.96    |
| CDMA2000 (1x Advanced)                                 | 10648 | AAA | CDMA2000  | 3.45     |
| LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)         | 10652 | AAF | LTE-TDD   | 6.91     |
| LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)        | 10653 | AAF | LTE-TDD   | 7.42     |
| LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)        | 10654 | AAE | LTE-TDD   | 6.96     |
| LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)        | 10655 | AAF | LTE-TDD   | 7.21     |
| Pulse Waveform (200Hz, 10%)                            | 10658 | AAB | Test      | 10.00    |
| Pulse Waveform (200Hz, 20%)                            | 10659 | AAB | Test      | 6.99     |
| Pulse Waveform (200Hz, 40%)                            | 10660 | AAB | Test      | 3.98     |
| Pulse Waveform (200Hz, 60%)                            | 10661 | AAB | Test      | 2.22     |
| Pulse Waveform (200Hz, 80%)                            | 10662 | AAB | Test      | 0.97     |
| Bluetooth Low Energy                                   | 10670 | AAA | Bluetooth | 2.19     |
| IEEE 802.11ax (20 MHz, MCS0, 90pc duty cycle)          | 10671 | AAC | WLAN      | 9.09     |
| IEEE 802.11ax (20 MHz, MCS1, 90pc duty cycle)          | 10672 | AAC | WLAN      | 8.57     |
| IEEE 802.11ax (20 MHz, MCS2, 90pc duty cycle)          | 10673 | AAC | WLAN      | 8.78     |
| IEEE 802.11ax (20 MHz, MCS3, 90pc duty cycle)          | 10674 | AAC | WLAN      | 8.74     |
| IEEE 802.11ax (20 MHz, MCS4, 90pc duty cycle)          | 10675 | AAC | WLAN      | 8.90     |
| IEEE 802.11ax (20 MHz, MCS5, 90pc duty cycle)          | 10676 | AAC | WLAN      | 8.77     |
| IEEE 802.11ax (20 MHz, MCS6, 90pc duty cycle)          | 10677 | AAC | WLAN      | 8.73     |
| IEEE 802.11ax (20 MHz, MCS7, 90pc duty cycle)          | 10678 | AAC | WLAN      | 8.78     |
| IEEE 802.11ax (20 MHz, MCS8, 90pc duty cycle)          | 10679 | AAC | WLAN      | 8.89     |
| IEEE 802.11ax (20 MHz, MCS9, 90pc duty cycle)          | 10680 | AAC | WLAN      | 8.80     |
| IEEE 802.11ax (20 MHz, MCS10, 90pc duty cycle)         | 10681 | AAC | WLAN      | 8.62     |
| IEEE 802.11ax (20 MHz, MCS11, 90pc duty cycle)         | 10682 | AAC | WLAN      | 8.83     |
| IEEE 802.11ax (20 MHz, MCS0, 99pc duty cycle)          | 10683 | AAC | WLAN      | 8.42     |
| IEEE 802.11ax (20 MHz, MCS1, 99pc duty cycle)          | 10684 | AAC | WLAN      | 8.26     |
| IEEE 802.11ax (20 MHz, MCS2, 99pc duty cycle)          | 10685 | AAC | WLAN      | 8.33     |
| IEEE 802.11ax (20 MHz, MCS3, 99pc duty cycle)          | 10686 | AAC | WLAN      | 8.28     |
| IEEE 802.11ax (20 MHz, MCS4, 99pc duty cycle)          | 10687 | AAC | WLAN      | 8.45     |
| IEEE 802.11ax (20 MHz, MCS5, 99pc duty cycle)          | 10688 | AAC | WLAN      | 8.29     |
| IEEE 802.11ax (20 MHz, MCS6, 99pc duty cycle)          | 10689 | AAC | WLAN      | 8.55     |
| IEEE 802.11ax (20 MHz, MCS7, 99pc duty cycle)          | 10690 | AAC | WLAN      | 8.29     |
| IEEE 802.11ax (20 MHz, MCS8, 99pc duty cycle)          | 10691 | AAC | WLAN      | 8.25     |
| IEEE 802.11ax (20 MHz, MCS9, 99pc duty cycle)          | 10692 | AAC | WLAN      | 8.29     |
| IEEE 802.11ax (20 MHz, MCS10, 99pc duty cycle)         | 10693 | AAC | WLAN      | 8.25     |
| IEEE 802.11ax (20 MHz, MCS11, 99pc duty cycle)         | 10694 | AAC | WLAN      | 8.57     |
| IEEE 802.11ax (40 MHz, MCS0, 90pc duty cycle)          | 10695 | AAC | WLAN      | 8.78     |
| IEEE 802.11ax (40 MHz, MCS1, 90pc duty cycle)          | 10696 | AAC | WLAN      | 8.91     |
| IEEE 802.11ax (40 MHz, MCS2, 90pc duty cycle)          | 10697 | AAC | WLAN      | 8.62     |
| IEEE 802.11ax (40 MHz, MCS3, 90pc duty cycle)          | 10698 | AAC | WLAN      | 8.89     |
| IEEE 802.11ax (40 MHz, MCS4, 90pc duty cycle)          | 10699 | AAC | WLAN      | 8.82     |
| IEEE 802.11ax (40 MHz, MCS5, 90pc duty cycle)          | 10700 | AAC | WLAN      | 8.73     |
| IEEE 802.11ax (40 MHz, MCS6, 90pc duty cycle)          | 10701 | AAC | WLAN      | 8.86     |
| IEEE 802.11ax (40 MHz, MCS7, 90pc duty cycle)          | 10702 | AAC | WLAN      | 8.70     |
| IEEE 802.11ax (40 MHz, MCS8, 90pc duty cycle)          | 10703 | AAC | WLAN      | 8.82     |
| IEEE 802.11ax (40 MHz, MCS9, 90pc duty cycle)          | 10704 | AAC | WLAN      | 8.56     |
| IEEE 802.11ax (40 MHz, MCS10, 90pc duty cycle)         | 10705 | AAC | WLAN      | 8.69     |
| IEEE 802.11ax (40 MHz, MCS11, 90pc duty cycle)         | 10706 | AAC | WLAN      | 8.66     |
| IEEE 802.11ax (40 MHz, MCS0, 99pc duty cycle)          | 10707 | AAC | WLAN      | 8.32     |
| IEEE 802.11ax (40 MHz, MCS1, 99pc duty cycle)          | 10708 | AAC | WLAN      | 8.55     |
| IEEE 802.11ax (40 MHz, MCS2, 99pc duty cycle)          | 10709 | AAC | WLAN      | 8.33     |
| IEEE 802.11ax (40 MHz, MCS3, 99pc duty cycle)          | 10710 | AAC | WLAN      | 8.29     |
| IEEE 802.11ax (40 MHz, MCS4, 99pc duty cycle)          | 10711 | AAC | WLAN      | 8.39     |
| IEEE 802.11ax (40 MHz, MCS5, 99pc duty cycle)          | 10712 | AAC | WLAN      | 8.67     |



| Communication System                            | UID   | Rev | Group         | PAR (dB) |
|-------------------------------------------------|-------|-----|---------------|----------|
| IEEE 802.11ax (40 MHz, MCS6, 99pc duty cycle)   | 10713 | AAC | WLAN          | 8.33     |
| IEEE 802.11ax (40 MHz, MCS7, 99pc duty cycle)   | 10714 | AAC | WLAN          | 8.26     |
| IEEE 802.11ax (40 MHz, MCS8, 99pc duty cycle)   | 10715 | AAC | WLAN          | 8.45     |
| IEEE 802.11ax (40 MHz, MCS9, 99pc duty cycle)   | 10716 | AAC | WLAN          | 8.30     |
| IEEE 802.11ax (40 MHz, MCS10, 99pc duty cycle)  | 10717 | AAC | WLAN          | 8.48     |
| IEEE 802.11ax (40 MHz, MCS11, 99pc duty cycle)  | 10718 | AAC | WLAN          | 8.24     |
| IEEE 802.11ax (80 MHz, MCS0, 90pc duty cycle)   | 10719 | AAC | WLAN          | 8.81     |
| IEEE 802.11ax (80 MHz, MCS1, 90pc duty cycle)   | 10720 | AAC | WLAN          | 8.87     |
| IEEE 802.11ax (80 MHz, MCS2, 90pc duty cycle)   | 10721 | AAC | WLAN          | 8.76     |
| IEEE 802.11ax (80 MHz, MCS3, 90pc duty cycle)   | 10722 | AAC | WLAN          | 8.55     |
| IEEE 802.11ax (80 MHz, MCS4, 90pc duty cycle)   | 10723 | AAC | WLAN          | 8.70     |
| IEEE 802.11ax (80 MHz, MCS5, 90pc duty cycle)   | 10724 | AAC | WLAN          | 8.90     |
| IEEE 802.11ax (80 MHz, MCS6, 90pc duty cycle)   | 10725 | AAC | WLAN          | 8.74     |
| IEEE 802.11ax (80 MHz, MCS7, 90pc duty cycle)   | 10726 | AAC | WLAN          | 8.72     |
| IEEE 802.11ax (80 MHz, MCS8, 90pc duty cycle)   | 10727 | AAC | WLAN          | 8.66     |
| IEEE 802.11ax (80 MHz, MCS9, 90pc duty cycle)   | 10728 | AAC | WLAN          | 8.65     |
| IEEE 802.11ax (80 MHz, MCS10, 90pc duty cycle)  | 10729 | AAC | WLAN          | 8.64     |
| IEEE 802.11ax (80 MHz, MCS11, 90pc duty cycle)  | 10730 | AAC | WLAN          | 8.67     |
| IEEE 802.11ax (80 MHz, MCS0, 99pc duty cycle)   | 10731 | AAC | WLAN          | 8.42     |
| IEEE 802.11ax (80 MHz, MCS1, 99pc duty cycle)   | 10732 | AAC | WLAN          | 8.46     |
| IEEE 802.11ax (80 MHz, MCS2, 99pc duty cycle)   | 10733 | AAC | WLAN          | 8.40     |
| IEEE 802.11ax (80 MHz, MCS3, 99pc duty cycle)   | 10734 | AAC | WLAN          | 8.25     |
| IEEE 802.11ax (80 MHz, MCS4, 99pc duty cycle)   | 10735 | AAC | WLAN          | 8.33     |
| IEEE 802.11ax (80 MHz, MCS5, 99pc duty cycle)   | 10736 | AAC | WLAN          | 8.27     |
| IEEE 802.11ax (80 MHz, MCS6, 99pc duty cycle)   | 10737 | AAC | WLAN          | 8.36     |
| IEEE 802.11ax (80 MHz, MCS7, 99pc duty cycle)   | 10738 | AAC | WLAN          | 8.42     |
| IEEE 802.11ax (80 MHz, MCS8, 99pc duty cycle)   | 10739 | AAC | WLAN          | 8.29     |
| IEEE 802.11ax (80 MHz, MCS9, 99pc duty cycle)   | 10740 | AAC | WLAN          | 8.48     |
| IEEE 802.11ax (80 MHz, MCS10, 99pc duty cycle)  | 10741 | AAC | WLAN          | 8.40     |
| IEEE 802.11ax (80 MHz, MCS11, 99pc duty cycle)  | 10742 | AAC | WLAN          | 8.43     |
| IEEE 802.11ax (160 MHz, MCS0, 90pc duty cycle)  | 10743 | AAC | WLAN          | 8.94     |
| IEEE 802.11ax (160 MHz, MCS1, 90pc duty cycle)  | 10744 | AAC | WLAN          | 9.16     |
| IEEE 802.11ax (160 MHz, MCS2, 90pc duty cycle)  | 10745 | AAC | WLAN          | 8.94     |
| IEEE 802.11ax (160 MHz, MCS3, 90pc duty cycle)  | 10746 | AAC | WLAN          | 9.11     |
| IEEE 802.11ax (160 MHz, MCS4, 90pc duty cycle)  | 10747 | AAC | WLAN          | 9.04     |
| IEEE 802.11ax (160 MHz, MCS5, 90pc duty cycle)  | 10748 | AAC | WLAN          | 8.93     |
| IEEE 802.11ax (160 MHz, MCS6, 90pc duty cycle)  | 10749 | AAC | WLAN          | 8.90     |
| IEEE 802.11ax (160 MHz, MCS7, 90pc duty cycle)  | 10750 | AAC | WLAN          | 8.79     |
| IEEE 802.11ax (160 MHz, MCS8, 90pc duty cycle)  | 10751 | AAC | WLAN          | 8.81     |
| IEEE 802.11ax (160 MHz, MCS9, 90pc duty cycle)  | 10752 | AAC | WLAN          | 8.81     |
| IEEE 802.11ax (160 MHz, MCS10, 90pc duty cycle) | 10753 | AAC | WLAN          | 9.00     |
| IEEE 802.11ax (160 MHz, MCS11, 90pc duty cycle) | 10754 | AAC | WLAN          | 8.94     |
| IEEE 802.11ax (160 MHz, MCS0, 99pc duty cycle)  | 10755 | AAC | WLAN          | 8.64     |
| IEEE 802.11ax (160 MHz, MCS1, 99pc duty cycle)  | 10756 | AAC | WLAN          | 8.77     |
| IEEE 802.11ax (160 MHz, MCS2, 99pc duty cycle)  | 10757 | AAC | WLAN          | 8.77     |
| IEEE 802.11ax (160 MHz, MCS3, 99pc duty cycle)  | 10758 | AAC | WLAN          | 8.69     |
| IEEE 802.11ax (160 MHz, MCS4, 99pc duty cycle)  | 10759 | AAC | WLAN          | 8.58     |
| IEEE 802.11ax (160 MHz, MCS5, 99pc duty cycle)  | 10760 | AAC | WLAN          | 8.49     |
| IEEE 802.11ax (160 MHz, MCS6, 99pc duty cycle)  | 10761 | AAC | WLAN          | 8.58     |
| IEEE 802.11ax (160 MHz, MCS7, 99pc duty cycle)  | 10762 | AAC | WLAN          | 8.49     |
| IEEE 802.11ax (160 MHz, MCS8, 99pc duty cycle)  | 10763 | AAC | WLAN          | 8.54     |
| IEEE 802.11ax (160 MHz, MCS9, 99pc duty cycle)  | 10764 | AAC | WLAN          | 8.54     |
| IEEE 802.11ax (160 MHz, MCS10, 99pc duty cycle) | 10765 | AAC | WLAN          | 8.54     |
| IEEE 802.11ax (160 MHz, MCS11, 99pc duty cycle) | 10766 | AAC | WLAN          | 8.51     |
| 5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)      | 10767 | AAG | 5G NR FR1 TDD | 7.99     |
| 5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)     | 10768 | AAE | 5G NR FR1 TDD | 8.01     |
| 5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)     | 10769 | AAD | 5G NR FR1 TDD | 8.01     |
| 5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)     | 10770 | AAE | 5G NR FR1 TDD | 8.02     |
| 5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)     | 10771 | AAD | 5G NR FR1 TDD | 8.02     |
| 5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)     | 10772 | AAE | 5G NR FR1 TDD | 8.23     |



| Communication System                            | UID   | Rev | Group         | PAR (dB) |
|-------------------------------------------------|-------|-----|---------------|----------|
| 5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)     | 10773 | AAF | 5G NR FR1 TDD | 8.03     |
| 5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)     | 10774 | AAE | 5G NR FR1 TDD | 8.02     |
| 5G NR (CP-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)    | 10775 | AAF | 5G NR FR1 TDD | 8.31     |
| 5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)   | 10776 | AAE | 5G NR FR1 TDD | 8.30     |
| 5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)   | 10777 | AAC | 5G NR FR1 TDD | 8.30     |
| 5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)   | 10778 | AAE | 5G NR FR1 TDD | 8.34     |
| 5G NR (CP-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)   | 10779 | AAC | 5G NR FR1 TDD | 8.42     |
| 5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)   | 10780 | AAE | 5G NR FR1 TDD | 8.38     |
| 5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)   | 10781 | AAF | 5G NR FR1 TDD | 8.38     |
| 5G NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)   | 10782 | AAE | 5G NR FR1 TDD | 8.43     |
| 5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)   | 10783 | AAG | 5G NR FR1 TDD | 8.31     |
| 5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)  | 10784 | AAE | 5G NR FR1 TDD | 8.29     |
| 5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)  | 10785 | AAD | 5G NR FR1 TDD | 8.40     |
| 5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)  | 10786 | AAE | 5G NR FR1 TDD | 8.35     |
| 5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)  | 10787 | AAD | 5G NR FR1 TDD | 8.44     |
| 5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)  | 10788 | AAE | 5G NR FR1 TDD | 8.39     |
| 5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)  | 10789 | AAF | 5G NR FR1 TDD | 8.37     |
| 5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)  | 10790 | AAE | 5G NR FR1 TDD | 8.39     |
| 5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)      | 10791 | AAG | 5G NR FR1 TDD | 7.83     |
| 5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)     | 10792 | AAE | 5G NR FR1 TDD | 7.92     |
| 5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)     | 10793 | AAD | 5G NR FR1 TDD | 7.95     |
| 5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)     | 10794 | AAE | 5G NR FR1 TDD | 7.82     |
| 5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)     | 10795 | AAD | 5G NR FR1 TDD | 7.84     |
| 5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)     | 10796 | AAE | 5G NR FR1 TDD | 7.82     |
| 5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)     | 10797 | AAF | 5G NR FR1 TDD | 8.01     |
| 5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)     | 10798 | AAE | 5G NR FR1 TDD | 7.89     |
| 5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)     | 10799 | AAF | 5G NR FR1 TDD | 7.93     |
| 5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)     | 10801 | AAF | 5G NR FR1 TDD | 7.89     |
| 5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)     | 10802 | AAE | 5G NR FR1 TDD | 7.87     |
| 5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)    | 10803 | AAF | 5G NR FR1 TDD | 7.93     |
| 5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)   | 10805 | AAE | 5G NR FR1 TDD | 8.34     |
| 5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)   | 10806 | AAD | 5G NR FR1 TDD | 8.37     |
| 5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)   | 10809 | AAE | 5G NR FR1 TDD | 8.34     |
| 5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)   | 10810 | AAF | 5G NR FR1 TDD | 8.34     |
| 5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)   | 10812 | AAF | 5G NR FR1 TDD | 8.36     |
| 5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)   | 10817 | AAG | 5G NR FR1 TDD | 8.35     |
| 5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)  | 10818 | AAE | 5G NR FR1 TDD | 8.34     |
| 5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)  | 10819 | AAD | 5G NR FR1 TDD | 8.33     |
| 5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)  | 10820 | AAE | 5G NR FR1 TDD | 8.30     |
| 5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)  | 10821 | AAD | 5G NR FR1 TDD | 8.41     |
| 5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)  | 10822 | AAE | 5G NR FR1 TDD | 8.41     |
| 5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)  | 10823 | AAF | 5G NR FR1 TDD | 8.36     |
| 5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)  | 10824 | AAE | 5G NR FR1 TDD | 8.39     |
| 5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)  | 10825 | AAF | 5G NR FR1 TDD | 8.41     |
| 5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)  | 10827 | AAF | 5G NR FR1 TDD | 8.42     |
| 5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)  | 10828 | AAE | 5G NR FR1 TDD | 8.43     |
| 5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz) | 10829 | AAF | 5G NR FR1 TDD | 8.40     |
| 5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)     | 10830 | AAE | 5G NR FR1 TDD | 7.63     |
| 5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 60 kHz)     | 10831 | AAD | 5G NR FR1 TDD | 7.73     |
| 5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)     | 10832 | AAE | 5G NR FR1 TDD | 7.74     |
| 5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)     | 10833 | AAD | 5G NR FR1 TDD | 7.70     |
| 5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)     | 10834 | AAE | 5G NR FR1 TDD | 7.75     |
| 5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)     | 10835 | AAF | 5G NR FR1 TDD | 7.70     |
| 5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 60 kHz)     | 10836 | AAE | 5G NR FR1 TDD | 7.66     |
| 5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 60 kHz)     | 10837 | AAF | 5G NR FR1 TDD | 7.68     |
| 5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)     | 10839 | AAF | 5G NR FR1 TDD | 7.70     |
| 5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)     | 10840 | AAE | 5G NR FR1 TDD | 7.67     |
| 5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 60 kHz)    | 10841 | AAF | 5G NR FR1 TDD | 7.71     |
| 5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)   | 10843 | AAD | 5G NR FR1 TDD | 8.49     |
| 5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)   | 10844 | AAE | 5G NR FR1 TDD | 8.34     |

