

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 CA_7C_NTNV_EIRP

Band: CA_7C / NTN										
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Conducted Power (dBm)			Gain (dBi)	EIRP (dBm)		Verdict
				CC1	CC2	Sum		Result	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	21.43	-29.73	21.43	1.20	22.63	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	21.94	21.75	23.33	1.20	24.53	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	19.13	13.13	20.10	1.20	21.30	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	20.72	15.23	21.71	1.20	22.91	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	20.61	14.86	21.59	1.20	22.79	<=33.01	Pass
		CC1:2525.3 CC2:2539.7	CC1: 1@0 CC2: 0@0	22.71	-29.75	22.71	1.20	23.91	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	22.07	21.89	23.47	1.20	24.67	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	19.66	12.46	20.41	1.20	21.61	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	20.95	14.97	21.85	1.20	23.05	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	21.06	14.49	21.88	1.20	23.08	<=33.01	Pass
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 0@0	22.12	-29.86	22.12	1.20	23.32	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	21.47	21.31	22.87	1.20	24.07	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	18.88	12.95	19.87	1.20	21.07	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	20.31	14.79	21.31	1.20	22.51	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	20.34	14.65	21.33	1.20	22.53	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	22.36	-28.69	22.36	1.20	23.56	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	22.25	21.35	23.17	1.20	24.37	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	19.19	13.30	20.19	1.20	21.39	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	19.90	14.26	20.87	1.20	22.07	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	19.72	14.04	20.71	1.20	21.91	<=33.01	Pass
		CC1:2525.3 CC2:2539.7	CC1: 1@0 CC2: 0@0	22.88	-29.84	22.88	1.20	24.08	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	22.23	21.20	23.10	1.20	24.30	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	19.69	12.48	20.45	1.20	21.65	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	20.05	14.00	20.94	1.20	22.14	<=33.01	Pass
			CC1: 50@0	20.08	13.53	20.91	1.20	22.11	<=33.01	Pass

		CC1:2545.6 CC2:2560	CC2: 100@0							
			CC1: 1@0 CC2: 0@0	22.19	-29.75	22.19	1.20	23.39	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	21.67	20.69	22.56	1.20	23.76	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	18.90	12.94	19.88	1.20	21.08	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	19.20	13.72	20.20	1.20	21.40	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	19.32	13.62	20.32	1.20	21.52	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	21.95	-29.08	21.95	1.20	23.15	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	19.96	19.07	20.89	1.20	22.09	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	19.13	13.16	20.11	1.20	21.31	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	19.72	14.22	20.71	1.20	21.91	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	19.60	13.99	20.61	1.20	21.81	<=33.01	Pass
		CC1:2525.3 CC2:2539.7	CC1: 1@0 CC2: 0@0	21.61	-30.17	21.61	1.20	22.81	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	20.07	19.14	20.98	1.20	22.18	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	19.65	12.47	20.41	1.20	21.61	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	19.98	14.05	20.89	1.20	22.09	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	20.05	13.54	20.88	1.20	22.08	<=33.01	Pass
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 0@0	21.02	-30.14	21.02	1.20	22.22	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	19.56	18.53	20.43	1.20	21.63	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	18.87	12.87	19.85	1.20	21.05	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	19.35	13.88	20.35	1.20	21.55	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	19.37	13.64	20.35	1.20	21.55	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	17.86	-30.12	17.86	1.20	19.06	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	17.81	16.90	18.73	1.20	19.93	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	17.12	11.14	18.10	1.20	19.30	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	17.72	12.27	18.73	1.20	19.93	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	17.65	11.92	18.63	1.20	19.83	<=33.01	Pass
		CC1:2525.3 CC2:2539.7	CC1: 1@0 CC2: 0@0	18.43	-31.55	18.43	1.20	19.63	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	18.03	17.08	18.94	1.20	20.14	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	17.52	10.39	18.29	1.20	19.49	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	17.92	11.93	18.82	1.20	20.02	<=33.01	Pass

			CC1: 50@0 CC2: 100@0	18.09	11.54	18.92	1.20	20.12	<=33.01	Pass
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 0@0	17.75	-31.26	17.75	1.20	18.95	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	17.40	16.55	18.34	1.20	19.54	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	16.80	10.82	17.78	1.20	18.98	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	17.19	11.83	18.22	1.20	19.42	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	17.37	11.60	18.35	1.20	19.55	<=33.01	Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 0@0	22.07	-30.69	22.07	1.20	23.27	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.81	17.57	23.15	1.20	24.35	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	19.02	13.14	20.02	1.20	21.22	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	20.71	14.74	21.69	1.20	22.89	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	20.70	14.75	21.69	1.20	22.89	<=33.01	Pass
		CC1:2530.3 CC2:2542.3	CC1: 1@0 CC2: 0@0	22.66	-31.61	22.66	1.20	23.86	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.46	17.15	22.78	1.20	23.98	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	19.50	12.50	20.29	1.20	21.49	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	20.69	14.23	21.57	1.20	22.77	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	20.85	14.08	21.68	1.20	22.88	<=33.01	Pass
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 0@0	22.10	-32.02	22.10	1.20	23.30	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.62	17.25	22.93	1.20	24.13	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	18.77	12.92	19.77	1.20	20.97	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	20.49	14.56	21.47	1.20	22.67	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	20.34	14.43	21.33	1.20	22.53	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 0@0	21.68	-30.86	21.68	1.20	22.88	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	22.32	15.60	23.12	1.20	24.32	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	19.10	13.32	20.12	1.20	21.32	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	19.76	13.81	20.74	1.20	21.94	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	19.70	13.84	20.70	1.20	21.90	<=33.01	Pass
		CC1:2530.3 CC2:2542.3	CC1: 1@0 CC2: 0@0	22.68	-31.73	22.68	1.20	23.88	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.70	15.13	22.53	1.20	23.73	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	19.54	12.48	20.32	1.20	21.52	<=33.01	Pass
			CC1: 36@39	19.75	13.25	20.62	1.20	21.82	<=33.01	Pass

			CC2: 25@0								
			CC1: 75@0 CC2: 50@0	19.83	13.12	20.67	1.20	21.87	<=33.01	Pass	
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 0@0	21.81	-32.31	21.81	1.20	23.01	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	21.78	15.42	22.65	1.20	23.85	<=33.01	Pass	
			CC1: 36@0 CC2: 25@25	18.78	12.92	19.78	1.20	20.98	<=33.01	Pass	
			CC1: 36@39 CC2: 25@0	19.42	13.55	20.42	1.20	21.62	<=33.01	Pass	
			CC1: 75@0 CC2: 50@0	19.38	13.44	20.36	1.20	21.56	<=33.01	Pass	
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 0@0	21.82	-30.94	21.82	1.20	23.02	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	20.02	13.82	20.92	1.20	22.12	<=33.01	Pass	
			CC1: 36@0 CC2: 25@25	19.20	13.25	20.18	1.20	21.38	<=33.01	Pass	
			CC1: 36@39 CC2: 25@0	19.72	13.82	20.71	1.20	21.91	<=33.01	Pass	
			CC1: 75@0 CC2: 50@0	19.72	13.78	20.70	1.20	21.90	<=33.01	Pass	
		CC1:2530.3 CC2:2542.3	CC1: 1@0 CC2: 0@0	21.35	-33.07	21.35	1.20	22.55	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	19.74	13.26	20.59	1.20	21.79	<=33.01	Pass	
			CC1: 36@0 CC2: 25@25	19.50	12.52	20.29	1.20	21.49	<=33.01	Pass	
			CC1: 36@39 CC2: 25@0	19.72	13.21	20.60	1.20	21.80	<=33.01	Pass	
			CC1: 75@0 CC2: 50@0	19.83	13.11	20.67	1.20	21.87	<=33.01	Pass	
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 0@0	20.69	-33.26	20.69	1.20	21.89	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	19.85	13.34	20.70	1.20	21.90	<=33.01	Pass	
			CC1: 36@0 CC2: 25@25	18.79	12.87	19.78	1.20	20.98	<=33.01	Pass	
			CC1: 36@39 CC2: 25@0	19.01	14.99	20.46	1.20	21.66	<=33.01	Pass	
			CC1: 75@0 CC2: 50@0	19.37	13.50	20.37	1.20	21.57	<=33.01	Pass	
		CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 0@0	17.86	-34.30	17.86	1.20	19.06	<=33.01	Pass
				CC1: 1@74 CC2: 1@0	17.63	11.56	18.55	1.20	19.75	<=33.01	Pass
				CC1: 36@0 CC2: 25@25	17.14	11.14	18.11	1.20	19.31	<=33.01	Pass
				CC1: 36@39 CC2: 25@0	17.80	11.75	18.77	1.20	19.97	<=33.01	Pass
				CC1: 75@0 CC2: 50@0	17.65	11.72	18.64	1.20	19.84	<=33.01	Pass
	CC1:2530.3 CC2:2542.3		CC1: 1@0 CC2: 0@0	18.48	-34.93	18.48	1.20	19.68	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	17.69	11.37	18.56	1.20	19.76	<=33.01	Pass	
			CC1: 36@0 CC2: 25@25	17.57	10.48	18.34	1.20	19.54	<=33.01	Pass	

			CC1: 36@39 CC2: 25@0	17.68	11.14	18.55	1.20	19.75	<=33.01	Pass	
			CC1: 75@0 CC2: 50@0	17.88	11.11	18.71	1.20	19.91	<=33.01	Pass	
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 0@0	17.68	-35.51	17.68	1.20	18.88	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	17.62	11.60	18.55	1.20	19.75	<=33.01	Pass	
			CC1: 36@0 CC2: 25@25	16.85	10.87	17.83	1.20	19.03	<=33.01	Pass	
			CC1: 36@39 CC2: 25@0	17.49	11.52	18.47	1.20	19.67	<=33.01	Pass	
			CC1: 75@0 CC2: 50@0	17.38	11.50	18.38	1.20	19.58	<=33.01	Pass	
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 0@0	22.48	-29.25	22.48	1.20	23.68	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	21.87	17.58	23.24	1.20	24.44	<=33.01	Pass	
			CC1: 36@0 CC2: 36@39	19.18	13.16	20.15	1.20	21.35	<=33.01	Pass	
			CC1: 36@39 CC2: 36@0	21.69	15.67	22.66	1.20	23.86	<=33.01	Pass	
			CC1: 75@0 CC2: 75@0	20.76	14.52	21.69	1.20	22.89	<=33.01	Pass	
		CC1:2527.5 CC2:2542.5	CC1: 1@0 CC2: 0@0	22.71	-30.31	22.71	1.20	23.91	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	21.71	17.27	23.05	1.20	24.25	<=33.01	Pass	
			CC1: 36@0 CC2: 36@39	19.63	12.37	20.38	1.20	21.58	<=33.01	Pass	
			CC1: 36@39 CC2: 36@0	21.78	15.21	22.64	1.20	23.84	<=33.01	Pass	
			CC1: 75@0 CC2: 75@0	20.86	14.01	21.67	1.20	22.87	<=33.01	Pass	
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 0@0	22.14	-30.52	22.14	1.20	23.34	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	21.37	17.13	22.76	1.20	23.96	<=33.01	Pass	
			CC1: 36@0 CC2: 36@39	18.96	12.89	19.92	1.20	21.12	<=33.01	Pass	
			CC1: 36@39 CC2: 36@0	21.17	15.33	22.18	1.20	23.38	<=33.01	Pass	
			CC1: 75@0 CC2: 75@0	20.30	14.25	21.27	1.20	22.47	<=33.01	Pass	
		CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 0@0	22.23	-29.39	22.23	1.20	23.43	<=33.01	Pass
				CC1: 1@74 CC2: 1@0	22.07	16.00	23.03	1.20	24.23	<=33.01	Pass
				CC1: 36@0 CC2: 36@39	19.20	13.18	20.17	1.20	21.37	<=33.01	Pass
	CC1: 36@39 CC2: 36@0			20.80	14.77	21.77	1.20	22.97	<=33.01	Pass	
	CC1: 75@0 CC2: 75@0			19.77	13.74	20.73	1.20	21.93	<=33.01	Pass	
	CC1:2527.5 CC2:2542.5		CC1: 1@0 CC2: 0@0	22.66	-30.62	22.66	1.20	23.86	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	21.66	16.90	22.91	1.20	24.11	<=33.01	Pass	
			CC1: 36@0	19.61	12.48	20.38	1.20	21.58	<=33.01	Pass	

			CC2: 36@39							
			CC1: 36@39 CC2: 36@0	20.79	14.26	21.67	1.20	22.87	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	19.93	13.10	20.75	1.20	21.95	<=33.01	Pass
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 0@0	22.05	-30.50	22.05	1.20	23.25	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.50	15.11	22.40	1.20	23.60	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	18.92	12.92	19.89	1.20	21.09	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	20.28	14.45	21.29	1.20	22.49	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	19.36	13.55	20.37	1.20	21.57	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 0@0	21.97	-29.76	21.97	1.20	23.17	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	20.03	13.69	20.93	1.20	22.13	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	19.15	13.22	20.14	1.20	21.34	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	19.77	13.89	20.77	1.20	21.97	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	19.69	13.71	20.67	1.20	21.87	<=33.01	Pass
		CC1:2527.5 CC2:2542.5	CC1: 1@0 CC2: 0@0	21.51	-31.30	21.51	1.20	22.71	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.92	13.49	20.81	1.20	22.01	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	19.53	12.43	20.30	1.20	21.50	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	19.78	13.37	20.67	1.20	21.87	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	19.94	13.00	20.74	1.20	21.94	<=33.01	Pass
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 0@0	21.02	-31.05	21.02	1.20	22.22	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.73	13.65	20.69	1.20	21.89	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	18.94	12.97	19.92	1.20	21.12	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	19.31	13.51	20.33	1.20	21.53	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	19.35	13.43	20.34	1.20	21.54	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 0@0	17.89	-31.82	17.89	1.20	19.09	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	18.02	11.76	18.94	1.20	20.14	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	17.21	11.18	18.18	1.20	19.38	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	17.72	11.79	18.71	1.20	19.91	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	17.72	11.74	18.70	1.20	19.90	<=33.01	Pass
		CC1:2527.5 CC2:2542.5	CC1: 1@0 CC2: 0@0	18.58	-32.70	18.58	1.20	19.78	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	18.08	11.50	18.94	1.20	20.14	<=33.01	Pass

			CC1: 36@0 CC2: 36@39	17.63	10.38	18.38	1.20	19.58	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	17.89	11.34	18.76	1.20	19.96	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	17.98	11.00	18.77	1.20	19.97	<=33.01	Pass
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 0@0	18.00	-32.57	18.00	1.20	19.20	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	17.43	11.25	18.37	1.20	19.57	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	16.87	10.85	17.84	1.20	19.04	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	17.25	11.50	18.27	1.20	19.47	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	17.36	11.43	18.35	1.20	19.55	<=33.01	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 0@0	22.20	-29.19	22.20	1.20	23.40	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.90	17.70	23.30	1.20	24.50	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	19.25	12.98	20.17	1.20	21.37	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	20.84	14.85	21.81	1.20	23.01	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	20.72	14.69	21.69	1.20	22.89	<=33.01	Pass
		CC1:2525.2 CC2:2542.3	CC1: 1@0 CC2: 0@0	22.74	-29.50	22.74	1.20	23.94	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.86	17.53	23.22	1.20	24.42	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	19.67	12.31	20.40	1.20	21.60	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	20.93	14.36	21.80	1.20	23.00	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	21.01	14.17	21.83	1.20	23.03	<=33.01	Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 0@0	22.39	-29.95	22.39	1.20	23.59	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.25	16.99	22.63	1.20	23.83	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	19.18	12.86	20.09	1.20	21.29	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	20.23	14.37	21.23	1.20	22.43	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	20.42	14.33	21.38	1.20	22.58	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 0@0	22.14	-28.91	22.14	1.20	23.34	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	22.29	15.72	23.15	1.20	24.35	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	19.22	13.14	20.18	1.20	21.38	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	19.83	13.89	20.81	1.20	22.01	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	19.78	13.76	20.75	1.20	21.95	<=33.01	Pass
		CC1:2525.2 CC2:2542.3	CC1: 1@0 CC2: 0@0	22.68	-30.08	22.68	1.20	23.88	<=33.01	Pass
			CC1: 1@74	22.13	15.61	23.00	1.20	24.20	<=33.01	Pass

			CC2: 1@0							
			CC1: 36@0 CC2: 50@50	19.69	12.36	20.43	1.20	21.63	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	19.97	13.44	20.84	1.20	22.04	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	20.05	13.20	20.87	1.20	22.07	<=33.01	Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 0@0	22.35	-29.79	22.35	1.20	23.55	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.60	15.26	22.51	1.20	23.71	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	19.12	12.86	20.04	1.20	21.24	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	19.25	13.35	20.25	1.20	21.45	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	18.95	14.82	20.37	1.20	21.57	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 0@0	21.89	-29.08	21.89	1.20	23.09	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.93	13.92	20.90	1.20	22.10	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	19.23	13.13	20.18	1.20	21.38	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	19.89	13.88	20.86	1.20	22.06	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	19.89	13.95	20.87	1.20	22.07	<=33.01	Pass
		CC1:2525.2 CC2:2542.3	CC1: 1@0 CC2: 0@0	21.63	-29.92	21.63	1.20	22.83	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	20.08	13.75	20.99	1.20	22.19	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	19.65	12.32	20.39	1.20	21.59	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	19.96	13.44	20.83	1.20	22.03	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	20.04	13.20	20.86	1.20	22.06	<=33.01	Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 0@0	21.32	-29.83	21.32	1.20	22.52	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	19.40	13.32	20.35	1.20	21.55	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	19.18	12.95	20.11	1.20	21.31	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	19.22	13.33	20.22	1.20	21.42	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	19.41	13.31	20.36	1.20	21.56	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 0@0	17.90	-30.79	17.90	1.20	19.10	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	18.02	11.88	18.97	1.20	20.17	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	17.23	11.04	18.17	1.20	19.37	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	17.84	11.93	18.83	1.20	20.03	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	17.89	11.72	18.83	1.20	20.03	<=33.01	Pass
		CC1:2525.2 CC2:2542.3	CC1: 1@0 CC2: 0@0	18.48	-31.50	18.48	1.20	19.68	<=33.01	Pass

			CC1: 1@74 CC2: 1@0	17.96	11.62	18.87	1.20	20.07	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	17.63	10.33	18.37	1.20	19.57	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	17.87	11.40	18.76	1.20	19.96	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	18.09	11.09	18.88	1.20	20.08	<=33.01	Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 0@0	18.06	-31.24	18.06	1.20	19.26	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	17.48	11.35	18.42	1.20	19.62	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	17.13	10.82	18.04	1.20	19.24	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	17.21	11.38	18.22	1.20	19.42	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	17.39	11.38	18.36	1.20	19.56	<=33.01	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 0@0	22.46	-30.61	22.46	1.20	23.66	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.70	17.55	23.23	1.20	24.43	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	19.20	13.19	20.17	1.20	21.37	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	20.82	14.80	21.77	1.20	22.97	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	20.72	14.69	21.67	1.20	22.87	<=33.01	Pass
		CC1:2530.3 CC2:2544.7	CC1: 1@0 CC2: 0@0	22.73	-31.46	22.73	1.20	23.93	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.25	17.10	22.78	1.20	23.98	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	18.59	14.87	20.13	1.20	21.33	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	20.10	15.47	21.36	1.20	22.56	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	20.78	13.99	21.60	1.20	22.80	<=33.01	Pass
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 0@0	22.09	-31.75	22.09	1.20	23.29	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.48	17.38	23.02	1.20	24.22	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	18.84	12.91	19.83	1.20	21.03	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	20.39	14.46	21.35	1.20	22.55	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	20.33	14.42	21.31	1.20	22.51	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 0@0	22.11	-30.79	22.11	1.20	23.31	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.65	15.66	22.99	1.20	24.19	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	19.19	13.25	20.18	1.20	21.38	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	19.86	13.80	20.80	1.20	22.00	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	19.75	13.71	20.71	1.20	21.91	<=33.01	Pass
		CC1:2530.3	CC1: 1@0	22.72	-31.60	22.72	1.20	23.92	<=33.01	Pass

		CC2:2544.7	CC2: 0@0							
			CC1: 1@99 CC2: 1@0	22.27	14.95	22.59	1.20	23.79	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	18.53	14.86	20.08	1.20	21.28	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	19.64	13.02	20.47	1.20	21.67	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	19.87	13.04	20.68	1.20	21.88	<=33.01	Pass
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 0@0	22.08	-31.81	22.08	1.20	23.28	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.30	15.30	22.65	1.20	23.85	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	18.83	12.93	19.83	1.20	21.03	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	19.41	13.45	20.37	1.20	21.57	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	19.37	13.36	20.33	1.20	21.53	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 0@0	21.77	-31.23	21.77	1.20	22.97	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	20.50	15.36	21.02	1.20	22.22	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	19.26	13.18	20.22	1.20	21.42	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	19.81	13.85	20.77	1.20	21.97	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	19.73	13.75	20.70	1.20	21.90	<=33.01	Pass
		CC1:2530.3 CC2:2544.7	CC1: 1@0 CC2: 0@0	21.69	-32.47	21.69	1.20	22.89	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	20.18	13.23	20.55	1.20	21.75	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	19.44	12.27	20.20	1.20	21.40	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	19.61	13.06	20.46	1.20	21.66	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	19.83	12.99	20.64	1.20	21.84	<=33.01	Pass
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 0@0	21.06	-32.73	21.06	1.20	22.26	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	20.01	14.75	20.51	1.20	21.71	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	18.84	12.89	19.82	1.20	21.02	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	19.46	13.49	20.41	1.20	21.61	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	18.85	14.95	20.32	1.20	21.52	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 0@0	17.79	-34.73	17.79	1.20	18.99	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	18.44	12.04	18.84	1.20	20.04	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	17.13	11.11	18.10	1.20	19.30	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	17.77	11.88	18.75	1.20	19.95	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	17.82	11.71	18.76	1.20	19.96	<=33.01	Pass

		CC1:2530.3 CC2:2544.7	CC1: 1@0 CC2: 0@0	18.58	-34.92	18.58	1.20	19.78	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	17.80	11.17	18.17	1.20	19.37	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	17.57	10.44	18.34	1.20	19.54	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	17.60	11.09	18.46	1.20	19.66	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	17.82	11.04	18.64	1.20	19.84	<=33.01	Pass
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 0@0	17.76	-35.46	17.76	1.20	18.96	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	18.24	11.35	18.61	1.20	19.81	<=33.01	Pass
			CC1: 50@0 CC2: 25@25	16.72	10.79	17.71	1.20	18.91	<=33.01	Pass
			CC1: 50@50 CC2: 25@0	17.39	11.48	18.36	1.20	19.56	<=33.01	Pass
			CC1: 100@0 CC2: 50@0	17.37	11.50	18.36	1.20	19.56	<=33.01	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 0@0	22.24	-30.68	22.24	1.20	23.44	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.00	17.63	23.35	1.20	24.55	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	19.16	13.09	20.12	1.20	21.32	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	20.84	14.74	21.80	1.20	23.00	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	20.78	14.66	21.73	1.20	22.93	<=33.01	Pass
		CC1:2527.7 CC2:2544.8	CC1: 1@0 CC2: 0@0	22.79	-31.35	22.79	1.20	23.99	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	21.50	17.15	22.86	1.20	24.06	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	18.67	14.89	20.19	1.20	21.39	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	20.75	14.16	21.61	1.20	22.81	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	20.92	14.05	21.73	1.20	22.93	<=33.01	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 0@0	22.44	-31.38	22.44	1.20	23.64	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	21.40	17.10	22.77	1.20	23.97	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	19.05	12.89	19.99	1.20	21.19	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	20.19	14.38	21.20	1.20	22.40	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	20.38	14.37	21.35	1.20	22.55	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 0@0	22.25	-30.84	22.25	1.20	23.45	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.17	15.73	23.06	1.20	24.26	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	19.27	13.13	20.22	1.20	21.42	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	19.90	13.83	20.86	1.20	22.06	<=33.01	Pass
			CC1: 100@0	19.84	13.70	20.78	1.20	21.98	<=33.01	Pass

		CC1:2527.7 CC2:2544.8	CC2: 75@0							
			CC1: 1@0 CC2: 0@0	22.79	-31.34	22.79	1.20	23.99	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	21.92	15.43	22.80	1.20	24.00	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	19.64	12.55	20.42	1.20	21.62	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	19.82	13.09	20.66	1.20	21.86	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	20.00	12.99	20.79	1.20	21.99	<=33.01	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 0@0	22.46	-31.60	22.46	1.20	23.66	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	21.06	16.74	22.43	1.20	23.63	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	19.00	12.83	19.94	1.20	21.14	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	19.19	13.34	20.19	1.20	21.39	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	19.30	13.37	20.29	1.20	21.49	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 0@0	21.88	-31.05	21.88	1.20	23.08	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.53	15.36	20.94	1.20	22.14	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	19.25	13.12	20.20	1.20	21.40	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	19.84	13.72	20.79	1.20	21.99	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	19.81	13.79	20.78	1.20	21.98	<=33.01	Pass
		CC1:2527.7 CC2:2544.8	CC1: 1@0 CC2: 0@0	21.48	-32.20	21.48	1.20	22.68	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.82	13.35	20.70	1.20	21.90	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	19.68	12.37	20.42	1.20	21.62	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	19.26	14.58	20.53	1.20	21.73	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	19.95	12.97	20.74	1.20	21.94	<=33.01	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 0@0	21.14	-32.70	21.14	1.20	22.34	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.71	13.53	20.65	1.20	21.85	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	19.00	12.84	19.94	1.20	21.14	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	19.27	13.39	20.27	1.20	21.47	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	19.38	13.41	20.36	1.20	21.56	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 0@0	18.06	-34.15	18.06	1.20	19.26	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	18.31	11.62	19.15	1.20	20.35	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	17.27	11.01	18.19	1.20	19.39	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	17.86	11.75	18.81	1.20	20.01	<=33.01	Pass

CC1:20 CC2:20		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	17.74	11.70	18.70	1.20	19.90	<=33.01	Pass
			CC1: 1@0 CC2: 0@0	18.51	-34.95	18.51	1.20	19.71	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	17.62	11.28	18.53	1.20	19.73	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	17.60	10.36	18.36	1.20	19.56	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	17.74	11.17	18.61	1.20	19.81	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	18.01	11.05	18.80	1.20	20.00	<=33.01	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 0@0	18.32	-34.77	18.32	1.20	19.52	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	17.59	11.52	18.55	1.20	19.75	<=33.01	Pass
			CC1: 50@0 CC2: 36@39	17.09	10.75	18.00	1.20	19.20	<=33.01	Pass
			CC1: 50@50 CC2: 36@0	17.28	11.38	18.27	1.20	19.47	<=33.01	Pass
			CC1: 100@0 CC2: 75@0	17.37	11.32	18.34	1.20	19.54	<=33.01	Pass
	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	22.22	-29.66	22.22	1.20	23.42	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.11	17.83	23.49	1.20	24.69	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.33	12.81	20.20	1.20	21.40	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	21.69	15.58	22.64	1.20	23.84	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	20.80	14.53	21.72	1.20	22.92	<=33.01	Pass
		CC1:2525.1 CC2:2544.9	CC1: 1@0 CC2: 0@0	22.66	-30.37	22.66	1.20	23.86	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	21.79	17.34	23.12	1.20	24.32	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.64	12.37	20.39	1.20	21.59	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	21.73	15.05	22.58	1.20	23.78	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	20.95	13.99	21.75	1.20	22.95	<=33.01	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 0@0	22.59	-30.43	22.59	1.20	23.79	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	21.33	17.19	22.75	1.20	23.95	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.34	12.80	20.21	1.20	21.41	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	21.12	15.12	22.09	1.20	23.29	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	20.54	14.21	21.45	1.20	22.65	<=33.01	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	22.23	-29.48	22.23	1.20	23.43	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.16	15.71	23.05	1.20	24.25	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.25	12.85	20.15	1.20	21.35	<=33.01	Pass
			CC1: 50@50	20.80	14.70	21.76	1.20	22.96	<=33.01	Pass

			CC2: 50@0							
			CC1: 100@0 CC2: 100@0	19.91	13.61	20.83	1.20	22.03	<=33.01	Pass
		CC1:2525.1 CC2:2544.9	CC1: 1@0 CC2: 0@0	22.54	-30.31	22.54	1.20	23.74	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	21.95	15.41	22.82	1.20	24.02	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.64	12.39	20.39	1.20	21.59	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	20.83	14.18	21.68	1.20	22.88	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	20.00	13.13	20.81	1.20	22.01	<=33.01	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 0@0	22.94	-30.01	22.94	1.20	24.14	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	21.32	15.04	22.24	1.20	23.44	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.31	12.80	20.19	1.20	21.39	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	20.19	14.19	21.16	1.20	22.36	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	19.48	13.36	20.43	1.20	21.63	<=33.01	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	21.87	-29.74	21.87	1.20	23.07	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.97	13.72	20.90	1.20	22.10	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.38	12.85	20.26	1.20	21.46	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	19.82	13.78	20.79	1.20	21.99	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	19.94	13.80	20.88	1.20	22.08	<=33.01	Pass
		CC1:2525.1 CC2:2544.9	CC1: 1@0 CC2: 0@0	21.48	-30.47	21.48	1.20	22.68	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.94	13.31	20.79	1.20	21.99	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.49	12.35	20.26	1.20	21.46	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	19.85	13.22	20.70	1.20	21.90	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	19.99	12.98	20.78	1.20	21.98	<=33.01	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 0@0	21.48	-30.00	21.48	1.20	22.68	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	19.30	12.92	20.20	1.20	21.40	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.36	12.88	20.24	1.20	21.44	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	19.25	13.18	20.21	1.20	21.41	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	19.53	13.26	20.45	1.20	21.65	<=33.01	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	18.12	-30.91	18.12	1.20	19.32	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	18.02	11.88	18.96	1.20	20.16	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	17.31	10.82	18.19	1.20	19.39	<=33.01	Pass

			CC1: 50@50 CC2: 50@0	17.91	11.85	18.87	1.20	20.07	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	17.88	11.61	18.80	1.20	20.00	<=33.01	Pass
		CC1:2525.1 CC2:2544.9	CC1: 1@0 CC2: 0@0	18.38	-31.96	18.38	1.20	19.58	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	18.02	11.55	18.91	1.20	20.11	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	17.58	10.28	18.32	1.20	19.52	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	17.93	11.23	18.77	1.20	19.97	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	17.98	11.14	18.80	1.20	20.00	<=33.01	Pass
			CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 0@0	18.61	-31.07	18.61	1.20	19.81	<=33.01
		CC1: 1@99 CC2: 1@0		17.39	11.33	18.36	1.20	19.56	<=33.01	Pass
		CC1: 50@0 CC2: 50@50		17.33	10.69	18.18	1.20	19.38	<=33.01	Pass
		CC1: 50@50 CC2: 50@0		17.29	11.34	18.28	1.20	19.48	<=33.01	Pass
		CC1: 100@0 CC2: 100@0		17.51	11.35	18.45	1.20	19.65	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain										

2. 99% & 26dB Bandwidth

2.1 Test Result

2.1.1 CA_7C_NTNV_OBW

Band: CA 7C / NTN						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	99% Occupied Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	27.44	/	Pass
		CC1:2525.3 CC2:2539.7	CC1: 50@0 CC2: 100@0	27.77	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	27.51	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	27.54	/	Pass
		CC1:2525.3 CC2:2539.7	CC1: 50@0 CC2: 100@0	27.77	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	27.62	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	27.46	/	Pass
		CC1:2525.3 CC2:2539.7	CC1: 50@0 CC2: 100@0	27.72	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	27.57	/	Pass
	CC1: 256QAM CC2:	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	27.36	/	Pass
		CC1:2525.3 CC2:	CC1: 50@0	27.79	/	Pass

	256QAM	CC2:2539.7	CC2: 100@0			
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	27.65	/	Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.05	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	23.17	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	23.03	/	Pass
		CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.08	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	23.16	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	23.09	/	Pass
		CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.04	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	23.14	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	23.00	/	Pass
		CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.03	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	23.16	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	22.95	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.03	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	23.16	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	22.95	/	Pass
		CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.03	/	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.12	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	28.41	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.20	/	Pass
		CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.14	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	28.38	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.17	/	Pass
		CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.20	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	28.35	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.22	/	Pass
		CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.30	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	28.43	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.15	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.30	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	28.43	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.15	/	Pass
		CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.30	/	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	32.81	/	Pass
		CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	33.12	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	32.83	/	Pass
	CC1: 16QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	32.71	/	Pass

	CC2: 16QAM	CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	33.09	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	32.82	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	32.83	/	Pass
		CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	33.10	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	32.75	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	32.73	/	Pass
		CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	33.05	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	32.73	/	Pass
	CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	27.68	/
CC1:2530.3 CC2:2544.7			CC1: 100@0 CC2: 50@0	27.71	/	Pass
CC1:2550.6 CC2:2565			CC1: 100@0 CC2: 50@0	27.53	/	Pass
CC1: 16QAM CC2: 16QAM		CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	27.65	/	Pass
		CC1:2530.3 CC2:2544.7	CC1: 100@0 CC2: 50@0	27.83	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	27.45	/	Pass
CC1: 64QAM CC2: 64QAM		CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	27.74	/	Pass
		CC1:2530.3 CC2:2544.7	CC1: 100@0 CC2: 50@0	27.76	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	27.57	/	Pass
CC1: 256QAM CC2: 256QAM		CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	27.62	/	Pass
		CC1:2530.3 CC2:2544.7	CC1: 100@0 CC2: 50@0	27.81	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	27.55	/	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	32.93	/	Pass
		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	33.00	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	32.79	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	32.79	/	Pass
		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	33.09	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	32.72	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	32.83	/	Pass
		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	33.00	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	32.95	/	Pass
	CC1:	CC1:2510	CC1: 100@0	32.75	/	Pass

	256QAM CC2: 256QAM	CC2:2527.1	CC2: 75@0			
		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	33.11	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	32.79	/	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	37.79	/	Pass
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	38.05	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	37.57	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	37.76	/	Pass
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	37.95	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	37.63	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	37.78	/	Pass
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	37.93	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	37.52	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	37.68	/	Pass
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	38.01	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	37.58	/	Pass

2.1.2 CA_7C_NTNV_XDB

Band: CA_7C / NTN						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	26dB Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	28.91	/	Pass
		CC1:2525.3 CC2:2539.7	CC1: 50@0 CC2: 100@0	29.12	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	28.97	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	29.05	/	Pass
		CC1:2525.3 CC2:2539.7	CC1: 50@0 CC2: 100@0	29.21	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	29.12	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	29.04	/	Pass
		CC1:2525.3 CC2:2539.7	CC1: 50@0 CC2: 100@0	29.28	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	28.96	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	28.87	/	Pass
		CC1:2525.3 CC2:2539.7	CC1: 50@0 CC2: 100@0	29.29	/	Pass
		CC1:2545.6	CC1: 50@0	29.12	/	Pass


		CC2:2560	CC2: 100@0			
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	24.41	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	24.56	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	24.35	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	24.46	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	26.00	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	24.50	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	24.45	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	24.66	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	24.49	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	24.36	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	24.61	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	24.47	/	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	29.62	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	29.76	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	29.91	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	29.70	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	30.07	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	29.66	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	29.64	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	29.88	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	29.52	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	29.74	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	29.77	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	29.64	/	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	35.17	/	Pass
		CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	36.74	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	35.12	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	35.19	/	Pass
		CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	35.38	/	Pass

		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	35.08	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	35.16	/	Pass
		CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	35.42	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	35.08	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	35.16	/	Pass
		CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	35.36	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	35.10	/	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	29.25	/	Pass
		CC1:2530.3 CC2:2544.7	CC1: 100@0 CC2: 50@0	29.34	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	29.11	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	29.25	/	Pass
		CC1:2530.3 CC2:2544.7	CC1: 100@0 CC2: 50@0	29.33	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	29.11	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	29.12	/	Pass
		CC1:2530.3 CC2:2544.7	CC1: 100@0 CC2: 50@0	29.54	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	29.17	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	29.30	/	Pass
		CC1:2530.3 CC2:2544.7	CC1: 100@0 CC2: 50@0	29.19	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	28.99	/	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	35.19	/	Pass
		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	35.32	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	36.23	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	35.36	/	Pass
		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	36.99	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	35.29	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	35.46	/	Pass
		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	35.52	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	35.17	/	Pass
	CC1: 256QAM CC2:	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	35.17	/	Pass
		CC1:2527.7	CC1: 100@0	35.45	/	Pass


	256QAM	CC2:2544.8	CC2: 75@0			
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	35.82	/	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.03	/	Pass
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	40.38	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	40.31	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.06	/	Pass
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	40.16	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	40.32	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.14	/	Pass
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	40.31	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	40.40	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.21	/	Pass
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	40.43	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	40.13	/	Pass

2.2 Test Graph


2.2.1 CA_7C_NTNV_OBW




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2525.3 CC2:2539.7MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2525.3 CC2:2539.7MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2525.3 CC2:2539.7MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:2507.5_CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:2530.3_CC2:2542.3MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2553 CC2:2565MHz CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2530.3 CC2:2542.3MHz_CC1: 75@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2530.3 CC2:2542.3MHz_CC1: 75@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz CC1:64QAM CC2:64QAM CC1:2553 CC2:2565MHz CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2530.3 CC2:2542.3MHz_CC1: 75@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2507.5_CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2527.5_CC2:2542.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2527.5 CC2:2542.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2527.5 CC2:2542.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2527.5 CC2:2542.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2:
75@0





CA_7C_SISO_NTNV_CC1:15_CC2:20MHz_CC1:QPSK_CC2:QPSK_CC1:2507.5_CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15_CC2:20MHz_CC1:QPSK_CC2:QPSK_CC1:2525.2_CC2:2542.3MHz_CC1: 75@0 CC2: 100@0







CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2525.2 CC2:2542.3MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2525.2 CC2:2542.3MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2525.2 CC2:2542.3MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2:
100@0




CA 7C SISO NTN_V CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2510 CC2:2524.4MHz CC1: 100@0 CC2: 50@0




CA 7C SISO NTN_V CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2530.3 CC2:2544.7MHz CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2530.3 CC2:2544.7MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2530.3 CC2:2544.7MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2530.3 CC2:2544.7MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2:
50@0




CA 7C SISO NTN CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2510 CC2:2527.1MHz CC1: 100@0 CC2: 75@0




CA 7C SISO NTN CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2527.7 CC2:2544.8MHz CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2545.4 CC2:2562.5MHz CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2527.7 CC2:2544.8MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2527.7 CC2:2544.8MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2527.7 CC2:2544.8MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0




2.2.2 CA_7C_NTNV_XDB


CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2505 CC2:2519.4MHz CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2525.3 CC2:2539.7MHz CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2525.3 CC2:2539.7MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2525.3 CC2:2539.7MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2525.3 CC2:2539.7MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:2507.5_CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:2530.3_CC2:2542.3MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2530.3 CC2:2542.3MHz_CC1: 75@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2530.3 CC2:2542.3MHz_CC1: 75@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz CC1:64QAM CC2:64QAM CC1:2553 CC2:2565MHz CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2530.3 CC2:2542.3MHz_CC1: 75@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2507.5_CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2527.5_CC2:2542.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2527.5 CC2:2542.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2527.5 CC2:2542.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2527.5 CC2:2542.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:15_CC2:20MHz_CC1:QPSK_CC2:QPSK_CC1:2507.5_CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15_CC2:20MHz_CC1:QPSK_CC2:QPSK_CC1:2525.2_CC2:2542.3MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2525.2 CC2:2542.3MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2525.2 CC2:2542.3MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2525.2 CC2:2542.3MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2:
100@0





CA 7C SISO NTN_V CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2510 CC2:2524.4MHz CC1: 100@0 CC2: 50@0




CA 7C SISO NTN_V CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2530.3 CC2:2544.7MHz CC1: 100@0 CC2: 50@0







CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2530.3 CC2:2544.7MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2530.3 CC2:2544.7MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2530.3 CC2:2544.7MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2:
50@0




CA 7C SISO NTN_V CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2510 CC2:2527.1MHz CC1: 100@0 CC2: 75@0




CA 7C SISO NTN_V CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2527.7 CC2:2544.8MHz CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2545.4 CC2:2562.5MHz CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2527.7 CC2:2544.8MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2527.7 CC2:2544.8MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2527.7 CC2:2544.8MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2:
100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0



3. Spurious Emission

3.1 Test Result

3.1.1 CA_7C_NTNV

Band: CA_7C / NTNV								
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
				CC1	CC2	Sum	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@49 CC2: 1@99	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass
	CC1: 16QAM CC2: 16QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@49 CC2: 1@99	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass
	CC1: 64QAM CC2: 64QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@49 CC2: 1@99	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass
	CC1: 256QAM CC2: 256QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass
CC1:2545.6 CC2:2560		CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass	
		CC1: 1@49 CC2: 1@99	Refer To Test Graph				Pass	
		CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass	
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph				Pass
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass

			CC1: 1@74 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@74	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2547.5	CC1: 1@0	Refer To Test Graph	Pass

		CC2:2562.5	CC2: 1@0		
			CC1: 1@74 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass


		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@74	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
	CC1: 64QAM CC2:	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0	Refer To Test Graph	Pass

	64QAM	CC1:2545.4 CC2:2562.5	CC2: 75@0		
			CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
	CC1: QPSK CC2: QPSK	CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@99	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
	CC1: 256QAM CC2: 256QAM	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass

3.2 Test Graph


3.2.1 CA_7C_NTNV

CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.490	-28.77	-25	Pass
2490.5	2496	1	CHP	2	2490.580	-28.75	-13	Pass
2496	2499	1	CHP	3	2498.500	-43.90	-10	Pass
2499	2500	0.02	/	4	2499.980	-49.84	-10	Pass
2500	2529.7	0.02	/	/	/	/	/	/


CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 1@0 CC2: 1@0




CA 7C SISO NTN CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2505 CC2:2519.4MHz CC1: 1@0 CC2: 1@0




CA 7C SISO NTN CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2505 CC2:2519.4MHz CC1: 1@0 CC2: 1@0




CA 7C SISO NTN_V CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2505 CC2:2519.4MHz CC1: 50@0 CC2: 100@0




CA 7C SISO NTN_V CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2505 CC2:2519.4MHz CC1: 50@0 CC2: 100@0




CA 7C SISO NTN_V CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2505 CC2:2519.4MHz CC1: 50@0 CC2: 100@0




CA 7C SISO NTN_V CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2505 CC2:2519.4MHz CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10_CC2:20MHz_CC1:QPSK_CC2:QPSK_CC1:2545.6_CC2:2560MHz_CC1: 1@0_CC2: 1@0




CA_7C_SISO_NTNV_CC1:10_CC2:20MHz_CC1:QPSK_CC2:QPSK_CC1:2545.6_CC2:2560MHz_CC1: 1@0_CC2: 1@0



CA 7C SISO NTN CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz CC1: 1@0 CC2: 1@0




CA 7C SISO NTN CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz CC1: 1@49 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540.3	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.010	-52.47	-10	Pass
2571	2575	1	CHP	2	2571.500	-46.61	-10	Pass
2575	2599.109	1	CHP	3	2587.700	-37.70	-13	Pass
2599.109	2605	1	CHP	4	2600.860	-48.29	-25	Pass

CA 7C SISO NTN CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz CC1: 50@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540.3	2570	0.1	/	/	/	/	/	/
2570	2571	0.579	CHP	1	2570.400	-33.44	-10	Pass
2571	2575	1	CHP	2	2571.500	-32.32	-10	Pass
2575	2598.968	1	CHP	3	2575.050	-35.11	-13	Pass
2598.968	2605	1	CHP	4	2599.300	-47.74	-25	Pass


CA 7C SISO NTN CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz CC1: 50@0 CC2: 100@0




CA 7C SISO NTN_V CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz CC1: 50@0 CC2: 100@0



CA 7C SISO NTN_V CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz CC1: 50@0 CC2: 100@0



CA_7C_SISO_NTNV_CC1:10_CC2:20MHz_CC1:16QAM_CC2:16QAM_CC1:2505_CC2:2519.4MHz_CC1: 1@0_CC2: 1@0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.480	-26.64	-25	Pass
2490.5	2496	1	CHP	2	2490.690	-26.62	-13	Pass
2496	2499	1	CHP	3	2498.500	-43.36	-10	Pass
2499	2500	0.02	/	4	2499.990	-48.99	-10	Pass
2500	2529.7	0.02	/	/	/	/	/	/

CA_7C_SISO_NTNV_CC1:10_CC2:20MHz_CC1:16QAM_CC2:16QAM_CC1:2505_CC2:2519.4MHz_CC1: 1@0_CC2: 1@0

