






Technical Description

1. Use 'AI / PDF' provided by 'SAMSUNG' for letter and contents
2. Background color is 'WHITE', letter color is 'BLACK'
(reverse for SAMSUNG LOGO)
3. Back side should be attached to release paper once adhesive is applied.
4. No letter should be blur/smeared
5. The production must be proceed after the approval of SAMSUNG R&D Group
6. The product must be within approved sample's specification tolerance.
7. The product must be finished in a ROLL
8. Release paper must be unifiedn for material and color(blue)
9. Do not contain any substances which are specified in (OQA-2049).


MAT. WHITE POLYESTER		FIN. Semi transparency OPP Laminating + UVP Coating				
TITLE	GT-S3350(EU) LABEL-MAIN					
UNIT	mm	DESIGNED	CHECKED	APPROVED	PROJECTION	1 / 1
TOLERANCE	+0.0 -0.1	Park Tae San	Jo Kyeong Hwan	Kim June Sop		
SCALE	N/S				SHEET NO	
Vendor	HANSUNG	100614	100614	100614		
		Doc. CODE				





The label is placed inside the battery compartment

The FCC ID Label shown will be readily visible at the time of purchase.



The label is placed inside the battery compartment

The FCC ID Label shown will be readily visible at the time of purchase.