

File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/00041318_SAR.VLT
Start : 13-Apr-100 03:35:40 pm End : 13-Apr-100 03:42:10 pm

Radio Type : A3LSCHA105
Model Number : SCH-A105
Serial Number : #02
Frequency : 848.97 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR 10g
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
SAMSUNG FM MODE hand SAR flip w/belt-clip
CHAN 799 SAR 26.0 dBm CONDUCTED
FCC ID A3LSCHA105

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -3.000, Y = -1.750, Z = 0.000 (cm) Value = 25.130

Ave. SAR over 10 g (mW/g) = 0.9734


X-Z Plane Slice Y=-1.750

File : 00041318_SAR

Start : 13-Apr-100 03:35:40 pm End : 13-Apr-100 03:42:10 pm

A3LSCHA105/SCH-A105/#02;848.97MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR 10g;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 00041318_SAR

Start : 13-Apr-100 03:35:40 pm End : 13-Apr-100 03:42:10 pm

A3LSCHA105/SCH-A105/#02;848.97MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR 10g;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 00041318_SAR

Start : 13-Apr-100 03:35:40 pm End : 13-Apr-100 03:42:10 pm

A3LSCHA105/SCH-A105/#02;848.97MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR 10g;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/00041319_SAR.VLT
Start : 13-Apr-100 03:58:00 pm End : 13-Apr-100 04:04:30 pm

Radio Type : A3LSCHA105
Model Number : SCH-A105
Serial Number : #02
Frequency : 848.97 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR 10g
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
SAMSUNG FM MODE hand SAR flip w/belt-clip
CHAN 799 SAR 26.0 dBm CONDUCTED
FCC ID A3LSCHA105

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -3.000, Y = -1.750, Z = 0.000 (cm) Value = 14.533

Ave. SAR over 10 g (mW/g) = 0.6169


X-Z Plane Slice Y=-1.750

File : 00041319_SAR

Start : 13-Apr-100 03:58:00 pm End : 13-Apr-100 04:04:30 pm

A3LSCHA105/SCH-A105/#02;848.97MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR 10g;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 00041319_SAR

Start : 13-Apr-100 03:58:00 pm End : 13-Apr-100 04:04:30 pm

A3LSCHA105/SCH-A105/#02;848.97MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR 10g;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : 00041319_SAR

Start : 13-Apr-100 03:58:00 pm End : 13-Apr-100 04:04:30 pm

A3LSCHA105/SCH-A105/#02;848.97MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR 10g;PCTEST/E Field/0 DegreesMuscle/51.700/1.100

