


SAMSUNG FCC: A3LSCHA562 -- 835MHz.CDMA Head SAR

SAM Phantom; Right Cheek (CRP) Section; Probe:ET3DV6 - SN1551-- ConvF(6.80,6.80,6.80)
Head 835 MHz ; $\sigma = 0.88$ mho/m $\epsilon_r = 41.3$ $\rho = 1.00$ g/cm³ ; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.26 mW/g

SAMSUNG Single-Mode Cellular Phone Model: SCH-A562
CDMA Mode, Ch.0363 [835.89MHz]; Standard Battery; Meas. Ambient Temp. (°C) - 20.9
Conducted Power = 24.5dBm; Right Head Phantom, Cheek/Touch Position, Meas. Tissue Temp. (°C) - 20.2
Test Date -- 02/05/2003 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAMSUNG FCC: A3LSCHA562 -- 835MHz.CDMA Head SAR

SAM Phantom; Right Cheek (CRP) Section; Probe:ET3DV6 - SN1551-- ConvF(6.80,6.80,6.80)

Head 835 MHz : $\sigma = 0.88$ mho/m $\epsilon_r = 41.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.333 mW/g

SAMSUNG Single-Mode Cellular Phone Model: SCH-A562

CDMA Mode, Ch.0363 [835.89MHz]; Standard Battery; Meas. Ambient Temp. (°C) - 20.9

Conducted Power = 24.5dBm; Right Head Phantom, Ear/Tilt 15 deg Position, Meas. Tissue Temp. (°C) - 20.2

Test Date -- 02/05/2003 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAMSUNG FCC ID: A3LSCHA562 -- 835MHz. CDMA Head SAR

SAM Phantom; Left Cheek (CRP) Section; Probe:ET3DV6 - SN1551-- ConvF(6.80,6.80,6.80)

Head 835 MHz : $\sigma = 0.88$ mho/m $\epsilon_r = 41.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.22 mW/g

SAMSUNG Single-Mode Cellular Phone Model: SCH-A562

CDMA Mode, Ch.0363 [835.89MHz]; Standard Battery; Meas. Ambient Temp. (°C) - 20.5

Conducted Power = 24.5dBm; Left Head Phantom, Cheek/Touch Position, Meas. Tissue Temp. (°C) - 20.0

Test Date -- 02/05/2003 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAMSUNG FCC: A3LSCHA562 -- 835MHz. CDMA Head SAR

SAM Phantom; Left Cheek (CRP) Section; Probe:ET3DV6 - SN1551-- ConvF(6.80,6.80,6.80)

Head 835 MHz : $\sigma = 0.88$ mho/m $\epsilon_r = 41.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.334 mW/g

SAMSUNG Single-Mode Cellular Phone Model: SCH-A562

CDMA Mode, Ch.0363 [835.89MHz]; Standard Battery; Meas. Ambient Temp. (°C) - 20.5

Conducted Power = 24.5dBm; Left Head Phantom, Ear/Tilt 15 deg Position, Meas. Tissue Temp. (°C) - 20.0

Test Date -- 02/05/2003 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAMSUNG FCC: A3LSCHA562 -- 835MHz. CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1551-- ConvF(6.60,6.60,6.60)

Body 835 MHz : $\sigma = 0.94$ mho/m $\epsilon_r = 55.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.880 mW/g

SAMSUNG Single-Mode Cellular Phone Model: SCH-A562

CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery; Ambient Temp. (°C) - 21.9

Conducted Power = 24.5dBm; Spacing = 1.5cm. from flat phantom to phone w/o beltclip or holster, Tissue Temp. (°C) - 21.0


Test Date -- 02/06/2003 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAMSUNG FCC: A3LSCHA562 -- 835MHz.CDMA Head SAR

SAM Phantom; Right Cheek (CRP) Section; Probe:ET3DV6 - SN1551-- ConvF(6.80,6.80,6.80)
Head 835 MHz ; $\sigma = 0.88$ mho/m $\epsilon_r = 41.3$ $\rho = 1.00$ g/cm³ ; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.26 mW/g

SAMSUNG Single-Mode Cellular Phone Model: SCH-A562
CDMA Mode, Ch.0363 [835.89MHz]; Standard Battery; Meas. Ambient Temp. (°C) - 20.9
Conducted Power = 24.5dBm; Right Head Phantom, Cheek/Touch Position, Meas. Tissue Temp. (°C) - 20.2
Test Date -- 02/05/2003 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAMSUNG FCC: A3LSCHA562 -- 835MHz. CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1551-- ConvF(6.60,6.60,6.60)

Body 835 MHz : $\sigma = 0.94$ mho/m $\epsilon_r = 55.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.880 mW/g

SAMSUNG Single-Mode Cellular Phone Model: SCH-A562

CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery ; Meas.Ambient Temp. (°C) - 21.9

Conducted Power = 24.5dBm; Spacing = 1.5cm. from flat phantom to phone w/o beltclip or holster, Tissue Temp. (°C) - 21.0

Test Date -- 02/06/2003 [FCC/OET Bulletin 65 - Supplement C, July 2001]

