


SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.03 mW/g, SAR (10g): 0.726 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.0dBm; Left Head Phantom, Cheek/Touch position
Test Date -- 09/10/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.04 mW/g, SAR (10g): 0.733 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.0dBm; Left Head Phantom, Cheek/Touch position
Test Date -- 09/10/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.15 mW/g, SAR (10g): 0.831 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.0dBm; Left Head Phantom, Cheek/Touch position
Test Date -- 09/10/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.10 mW/g, SAR (10g): 0.776 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.0dBm; Left Head Phantom, Cheek/Touch position
Test Date -- 09/10/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.28 mW/g, SAR (10g): 0.948 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.0dBm; Left Head Phantom, Cheek/Touch position
Test Date -- 09/10/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.861 mW/g, SAR (10g): 0.610 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.0dBm; Left Head Phantom, Cheek/Touch position
Test Date -- 09/10/2001




SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.21 mW/g, SAR (10g): 0.739 mW/g

SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.0dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 09/10/2001




SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.32 mW/g, SAR (10g): 0.832 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.0dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 09/10/2001




SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.24 mW/g, SAR (10g): 0.759 mW/g

SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.0dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 09/10/2001




SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.41 mW/g, SAR (10g): 0.885 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.0dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 09/10/2001




SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.47 mW/g, SAR (10g): 0.887 mW/g

SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.0dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 09/10/2001




SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.07 mW/g, SAR (10g): 0.664 mW/g

SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.0dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 09/10/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.40 mW/g, SAR (10g): 0.843 mW/g

SAMSUNG TriMode phone Model: SCH-N370


FM Mode, Ch.0799 [848.97MHz]; Extended Battery

Conducted Power = 27.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 09/10/2001




SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.06 mW/g, SAR (10g): 0.662 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0799 [848.97MHz]; Extended Battery
Conducted Power = 27.0dBm; Left Head Phantom, Ear/15degree Tilt position
Test Date -- 09/10/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.881 mW/g, SAR (10g): 0.637 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.0dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 09/10/2001




SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.748 mW/g, SAR (10g): 0.540 mW/g

SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.0dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 09/10/2001




SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.969 mW/g, SAR (10g): 0.698 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.0dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 09/10/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.817 mW/g, SAR (10g): 0.588 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.0dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 09/10/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.09 mW/g, SAR (10g): 0.785 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.0dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 09/10/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.638 mW/g, SAR (10g): 0.460 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.0dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 09/10/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.879 mW/g, SAR (10g): 0.587 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.0dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 09/10/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.35 mW/g, SAR (10g): 0.919 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0991 [824.04MHz]; Standard Battery
Conducted Power = 27.0dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 09/10/2001




SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 0.933 mW/g, SAR (10g): 0.605 mW/g

SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.0dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 09/10/2001




SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.999 mW/g, SAR (10g): 0.667 mW/g


SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 27.0dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 09/10/2001




SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0
SAR (1g): 1.09 mW/g, SAR (10g): 0.706 mW/g

SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.0dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 09/10/2001




SAR_{Tot} [mW/g]



SAMSUNG FCC ID:A3LSCHN370 -- FM Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.757 mW/g, SAR (10g): 0.500 mW/g

SAMSUNG TriMode phone Model: SCH-N370
FM Mode, Ch.0799 [848.97MHz]; Standard Battery
Conducted Power = 27.0dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 09/10/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.693 mW/g, SAR (10g): 0.519 mW/g

SAMSUNG TriMode phone Model: SCH-N370

FM Mode, Ch.0991 [824.04MHz]; Standard Battery

Conducted Power = 27.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/11/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.483 mW/g, SAR (10g): 0.361 mW/g

SAMSUNG TriMode phone Model: SCH-N370

FM Mode, Ch.0991 [824.04MHz]; Standard Battery

Conducted Power = 27.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/11/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.737 mW/g, SAR (10g): 0.548 mW/g

SAMSUNG TriMode phone Model: SCH-N370

FM Mode, Ch.0383 [836.49MHz]; Standard Battery

Conducted Power = 27.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/11/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.528 mW/g, SAR (10g): 0.392 mW/g

SAMSUNG TriMode phone Model: SCH-N370

FM Mode, Ch.0383 [836.49MHz]; Standard Battery

Conducted Power = 27.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/11/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.668 mW/g, SAR (10g): 0.493 mW/g

SAMSUNG TriMode phone Model: SCH-N370

FM Mode, Ch.0799 [848.97MHz]; Standard Battery

Conducted Power = 27.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/11/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.394 mW/g, SAR (10g): 0.279 mW/g

SAMSUNG TriMode phone Model: SCH-N370

FM Mode, Ch.0799 [848.97MHz]; Standard Battery

Conducted Power = 27.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/11/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.720 mW/g, SAR (10g): 0.537 mW/g

SAMSUNG TriMode phone Model: SCH-N370

FM Mode, Ch.0383 [836.49MHz]; Extended Battery

Conducted Power = 27.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/11/2001



SAMSUNG FCC ID:A3LSCHN370 -- FM BODY SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.523 mW/g, SAR (10g): 0.389 mW/g

SAMSUNG TriMode phone Model: SCH-N370

FM Mode, Ch.0383 [836.49MHz]; Extended Battery

Conducted Power = 27.0dBm; Flat Phantom, Spacing = 2.0cm from flat phantom to back of phone w/ Beltclip

Test Date -- 09/11/2001

