SAMSUNG FCC ID: A3LSGHE715 -- 1900MHz. PCS GSM Head SAR

SAM Phantom; Right Cheek(CRP) Section; Probe:ET3DV6 - SN1735; ConvF(5.50,5.50,5.50)
Head 1900 MHz: σ = 1.41 mho/m ε_r = 40.2 ρ = 1.00 g/cm^3 ; Antenna: Internal; Crest Factor 8.0
SAR (1g): 0.559 mW/g

SAMSUNG Single-Band PCS Only Phone Model: SGH-E715
GSM 1900 Mode, Ch.810 [1909.8MHz]; Standard Battery, Ambient Temp. (°C) - 21.5
Conducted Power=30dBm; Right Head Phantom, Cheek/Touch Position; Meas. Tissue Temp. (°C) - 20.7
Test Date--08/19/2003 [FCC/OET Bulletin 65-Supplement C, July 2001]



SAMSUNG FCC ID: A3LSGHE715 -- 1900MHz. PCS GSM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1735; ConvF(5.50,5.50,5.50)
Head 1900 MHz: σ = 1.41 mho/m ε_r = 40.2 ρ = 1.00 g/cm^3; Antenna: Internal; Crest Factor 8.0
SAR (1g): 0.281 mW/g

SAMSUNG Single-Band PCS Only Phone Model: SGH-E715
GSM 1900 Mode, Ch.810 [1909.8MHz]; Standard Battery, Ambient Temp. (°C) - 21.5
Conducted Power=30dBm; Right Head Phantom, Ear/Tilt 15 deg Position; Meas. Tissue Temp. (°C) - 20.7
Test Date--08/19/2003 [FCC/OET Bulletin 65-Supplement C, July 2001]



SAMSUNG FCC ID: A3LSGHE715 -- 1900MHz. PCS GSM Head SAR

SAM Phantom; Left Cheek(CRP) Section; Probe:ET3DV6 - SN1735; ConvF(5.50,5.50,5.50)
Head 1900 MHz: σ = 1.41 mho/m ε_r = 40.2 ρ = 1.00 g/cm^3 ; Antenna: Internal; Crest Factor 8.0
SAR (1g): 0.555 mW/g

SAMSUNG Single-Band PCS Only Phone Model: SGH-E715
GSM 1900 Mode, Ch.810 [1909.8MHz]; Standard Battery, Ambient Temp. (°C) - 21.5
Conducted Power=30dBm; Left Head Phantom, Cheek/Touch Position; Meas. Tissue Temp. (°C) - 20.7
Test Date--08/19/2003 [FCC/OET Bulletin 65-Supplement C, July 2001]



SAMSUNG FCC ID: A3LSGHE715 -- 1900MHz. PCS GSM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1735; ConvF(5.50,5.50,5.50)

Head 1900 MHz: σ = 1.41 mho/m ε_r = 40.2 ρ = 1.00 g/cm^3 ; Antenna: Internal; Crest Factor 8.0

SAR (1g): 0.282 mW/g,

SAMSUNG Single-Band PCS Only Phone Model: SGH-E715

GSM 1900 Mode, Ch.512 [1850.2MHz]; Standard Battery, Ambient Temp. (°C) - 21.5

Conducted Power=30dBm; Left Head Phantom, Ear/Tilt 15 deg Position; Meas. Tissue Temp. (°C) - 20.7

Test Date--08/19/2003 [FCC/OET Bulletin 65-Supplement C, July 2001]



SAMSUNG FCC ID: A3LSGHE715 -- 1900MHz. PCS GSM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1735; ConvF(5.00,5.00,5.00)
Body 1900 MHz: σ = 1.53 mho/m ε_r = 51.2 ρ = 1.00 g/cm^3; Antenna: Internal; Crest Factor 8.0
SAR (1g): 0.0985 mW/g

SAMSUNG Single-Band PCS Only Phone Model: SGH-E715
GSM 1900 Mode, Ch.512 [1850.2MHz]; Standard Battery, Ambient Temp. (°C) - 21.5
Conducted Power=30dBm; with holster, Tissue Temp. (°C) - 20.7
Test Date--08/19/2003 [FCC/OET Bulletin 65-Supplement C, July 2001]



SAMSUNG FCC ID: A3LSGHE715 -- 1900MHz. PCS GSM Head SAR

SAM Phantom; Right Cheek(CRP) Section; Probe:ET3DV6 - SN1735; ConvF(5.50,5.50,5.50)
Head 1900 MHz: $\sigma = 1.41$ mho/m $\varepsilon_r = 40.2$ $\rho = 1.00$ g/cm^3 ; Antenna: Internal; Crest Factor 8.0
SAR (1g): 0.559 mW/g

SAMSUNG Single-Band PCS Only Phone Model: SGH-E715
GSM 1900 Mode, Ch.810 [1909.8MHz]; Standard Battery, Ambient Temp. (°C) - 21.5
Conducted Power=30dBm; Right Head Phantom, Cheek/Touch Position; Meas. Tissue Temp. (°C) - 20.7
Test Date--08/19/2003 [FCC/OET Bulletin 65-Supplement C, July 2001]



SAMSUNG FCC ID: A3LSGHE715 -- 1900MHz. PCS GSM Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1735; ConvF(5.00,5.00,5.00)
Body 1900 MHz: $\sigma = 1.53$ mho/m $\varepsilon_r = 51.2$ $\rho = 1.00$ g/cm^3; Antenna: Internal; Crest Factor 8.0
SAR (1g): 0.0985 mW/g

SAMSUNG Single-Band PCS Only Phone Model: SGH-E715
GSM 1900 Mode, Ch.512 [1850.2MHz]; Standard Battery, Ambient Temp. (°C) - 21.5
Conducted Power=30dBm; with holster, Tissue Temp. (°C) - 20.7
Test Date--08/19/2003 [FCC/OET Bulletin 65-Supplement C, July 2001]