



HCT Co., Ltd.
74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383
KOREA Tel. +82 31 634 6300 Fax. +82 31 645 6401

FCC ID: A3LSMA336M

Appendix A.


- DUT Antenna Information and SAR Test SETUP PHOTOGRAPHS

REVISION HISTORY

The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	Jan. 06, 2022	Initial Release


- DUT Antenna Information



Antenna Location	Band
Sub #1 : LB DRx, DRx MIMO	GSM : 850 DRx WCDMA : B5 DRx LTE : B5/12/13/17/26 DRx NR : N5 DRx
Sub #2 : MHB DRx, NR MHB TRx	GSM : 1900 DRx WCDMA : B2/4 DRx LTE : B2/4/66 DRx B2/66 TRx for ENDC NR : N66 TRx N66 DRx GPS
Sub #3 :UHB TRx	WIFI 5G TRx
Sub #4 : UHB TRx	-
Sub #5 : PRx MIMO, DRx MIMO	LTE : B66 PRx MIMO NR : B66 DRx MIMO WIFI 2.4G / BT TRx
Sub #6 : DRx MIMO	LTE : B66 DRx MIMO NR : N66 PRx MIMO
Sub#7	NR : N77/78/79 PRx MIMO
Main#1	GSM : 850,1900 TRx WCDMA : WCDMA 2/4/5 TRx LTE : B2/4/5/12/13/17/26/66 TRx B2/4/66 DRx for ENDC NR : N5 TRx N66 DRx
Main#2	HB LTE B41 TRx, HB/UHB DRx)

- SAR Test SETUP PHOTOGRAPHS

1. Head 1.1 Left All




1.2 Left Touch / Left Tilt



1.3 Right All




1.4 Right Touch / Right Tilt



2. Body

2.1 Body All



2.2 Body Rear



Distance of 10 mm from the EUT



Distance of 15 mm from the EUT

2.3 Body Front



Distance of 10 mm from the EUT



Distance of 15 mm from the EUT

2.4 Body Left



Distance of 10 mm from the EUT

2.5 Body Right




Distance of 10 mm from the EUT

2.6 Body Bottom



Distance of 10 mm from the EUT

2.7 Body Top



Distance of 10 mm from the EUT

3. Phablet

3.1 Phablet SAR Test Setup Rear



Distance of 0 mm from the EUT

3.2 Phablet SAR Test Setup Front



Distance of 0 mm from the EUT

3.3 Phablet SAR Test Setup Left



Distance of 0 mm from the EUT

3.4 Phablet SAR Test Setup Right



Distance of 0 mm from the EUT

3.5 Phablet SAR Test Setup Bottom



Distance of 0 mm from the EUT

3.6 Phablet SAR Test Setup Rear



Distance of 9 mm from the EUT

3.8 Phablet SAR Test Setup Front



Distance of 5 mm from the EUT

3.9 Phablet SAR Test Setup Bottom



Distance of 13 mm from the EUT