



PART 24 MEASUREMENT REPORT

Applicant Name:
 Samsung Electronics Co., Ltd.
 129, Samsung-ro,
 Yeongtong-gu, Suwon-si
 Gyeonggi-do, 16677, Korea


Date of Testing:
 9/23/2020 – 12/11/2020
Test Site/Location:
 PCTEST Lab. Columbia, MD, USA
Test Report Serial No.:
 1M2009230152-19.A3L

FCC ID:	A3LSMG998U
Applicant Name:	Samsung Electronics Co., Ltd.

Application Type:	Certification
Model:	SM-G998U
Additional Model(s):	SM-G998U1
EUT Type:	Portable Handset
FCC Classification:	PCS Licensed Transmitter Held to Ear (PCE)
FCC Rule Part:	24
Test Procedure(s):	ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01, KDB 648474 D03 v01r04

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.


 Randy Ortanez
 President




FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT 		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 1 of 241


TABLE OF CONTENTS

1.0	INTRODUCTION	5
1.1	Scope	5
1.2	PCTEST Test Location.....	5
1.3	Test Facility / Accreditations.....	5
2.0	PRODUCT INFORMATION.....	6
2.1	Equipment Description	6
2.2	Device Capabilities.....	6
2.3	Test Configuration	6
2.4	EMI Suppression Device(s)/Modifications	6
3.0	DESCRIPTION OF TESTS	7
3.1	Evaluation Procedure	7
3.2	Radiated Power and Radiated Spurious Emissions	7
4.0	MEASUREMENT UNCERTAINTY	8
5.0	TEST EQUIPMENT CALIBRATION DATA	9
6.0	SAMPLE CALCULATIONS	10
7.0	TEST RESULTS.....	12
7.1	Summary.....	12
7.2	Occupied Bandwidth	13
7.3	Spurious and Harmonic Emissions at Antenna Terminal	65
7.4	Band Edge Emissions at Antenna Terminal	96
7.5	Peak-Average Ratio	158
7.6	Radiated Power (ERP/EIRP).....	210
7.7	Radiated Spurious Emissions Measurements	218
7.8	Frequency Stability / Temperature Variation	235
8.0	CONCLUSION.....	241

FCC ID: A3LSMG998U	 PART 24 MEASUREMENT REPORT 	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset
		Page 2 of 241



PART 24 MEASUREMENT REPORT



Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
GSM/GPRS	N/A	GMSK	1850.2 - 1909.8	0.707	28.49	241KGXW
EDGE		8-PSK	1850.2 - 1909.8	0.343	25.35	247KG7W
WCDMA	N/A	Spread Spectrum	1852.4 - 1907.6	0.229	23.59	4M16F9W
CDMA	N/A	Spread Spectrum	1851.25 - 1908.75	0.233	23.67	1M28F9W

Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
LTE Band 25/2	20 MHz	QPSK	1860 - 1905	0.193	22.86	18M0G7D
		16QAM	1860 - 1905	0.168	22.25	17M9W7D
		64QAM	1860 - 1905	0.130	21.12	18M0W7D
		256QAM	1860 - 1905	0.064	18.03	17M9W7D
	15 MHz	QPSK	1857.5 - 1907.5	0.130	22.94	13M5G7D
		16QAM	1857.5 - 1907.5	0.197	22.20	13M5W7D
		64QAM	1857.5 - 1907.5	0.187	21.64	13M5W7D
		256QAM	1857.5 - 1907.5	0.162	18.22	13M5W7D
	10 MHz	QPSK	1855 - 1910	0.189	22.76	9M03G7D
		16QAM	1855 - 1910	0.163	22.12	8M98W7D
		64QAM	1855 - 1910	0.142	21.51	9M01W7D
		256QAM	1855 - 1910	0.063	17.96	8M99W7D
	5 MHz	QPSK	1852.5 - 1912.5	0.199	22.98	4M51G7D
		16QAM	1852.5 - 1912.5	0.170	22.29	4M50W7D
		64QAM	1852.5 - 1912.5	0.127	21.02	4M52W7D
		256QAM	1852.5 - 1912.5	0.064	18.06	4M50W7D
	3 MHz	QPSK	1851.5 - 1913.5	0.195	22.89	2M70G7D
		16QAM	1851.5 - 1913.5	0.165	22.18	2M72W7D
		64QAM	1851.5 - 1913.5	0.142	21.53	2M71W7D
		256QAM	1851.5 - 1913.5	0.065	18.11	2M70W7D
	1.4 MHz	QPSK	1850.7 - 1914.3	0.195	22.90	1M10G7D
		16QAM	1850.7 - 1914.3	0.162	22.10	1M10W7D
		64QAM	1850.7 - 1914.3	0.121	20.84	1M10W7D
		256QAM	1850.7 - 1914.3	0.063	17.97	1M09W7D

FCC ID: A3LSMG998U	 PART 24 MEASUREMENT REPORT 		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 3 of 241

Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n25 ANTA	40 MHz	11/2 BPSK	1870.0 - 1895.0	0.264	24.22	38M8G7D
		QPSK	1870.0 - 1895.0	0.277	24.42	38M7G7D
		16QAM	1870.0 - 1895.0	0.234	23.70	38M6W7D
		64QAM	1870.0 - 1895.0	0.151	21.79	38M7W7D
	30 MHz	256QAM	1870.0 - 1895.0	0.103	20.13	38M8W7D
		11/2 BPSK	1865.0 - 1900.0	0.272	24.35	28M9G7D
		QPSK	1865.0 - 1900.0	0.260	24.15	28M7G7D
		16QAM	1865.0 - 1900.0	0.232	23.65	28M7W7D
	25 MHz	64QAM	1865.0 - 1900.0	0.145	21.60	28M8W7D
		256QAM	1865.0 - 1900.0	0.107	20.29	28M9W7D
		11/2 BPSK	1862.5 - 1902.5	0.249	23.96	23M2G7D
		QPSK	1862.5 - 1902.5	0.261	24.16	24M1G7D
NR Band n25/2 ANTA	20 MHz	11/2 BPSK	1860 - 1905	0.278	24.43	18M0G7D
		QPSK	1860 - 1905	0.274	24.37	19M0G7D
		16QAM	1860 - 1905	0.230	23.61	19M0W7D
		64QAM	1860 - 1905	0.152	21.82	19M0W7D
	15 MHz	256QAM	1860 - 1905	0.101	20.05	18M9W7D
		11/2 BPSK	1857.5 - 1907.5	0.276	24.41	13M5G7D
		QPSK	1857.5 - 1907.5	0.273	24.36	14M2G7D
		16QAM	1857.5 - 1907.5	0.228	23.58	14M2W7D
	10 MHz	64QAM	1857.5 - 1907.5	0.158	22.00	14M2W7D
		256QAM	1857.5 - 1907.5	0.104	20.15	14M2W7D
		11/2 BPSK	1855 - 1910	0.272	24.35	8M96G7D
		QPSK	1855 - 1910	0.275	24.40	9M35G7D
	5 MHz	16QAM	1855 - 1910	0.222	23.46	9M36W7D
		64QAM	1855 - 1910	0.146	21.65	9M33W7D
		256QAM	1855 - 1910	0.093	19.69	9M36W7D
		11/2 BPSK	1852.5 - 1912.5	0.277	24.42	4M51G7D
NR Band n25 ANTE	40 MHz	QPSK	1852.5 - 1912.5	0.271	24.33	4M51G7D
		16QAM	1852.5 - 1912.5	0.219	23.41	4M64W7D
		64QAM	1852.5 - 1912.5	0.148	21.70	4M50W7D
		256QAM	1852.5 - 1912.5	0.097	19.88	4M52W7D
	30 MHz	11/2 BPSK	1870.0 - 1895.0	0.195	22.90	38M8G7D
		QPSK	1870.0 - 1895.0	0.194	22.87	38M6G7D
		16QAM	1870.0 - 1895.0	0.161	22.07	38M5W7D
		64QAM	1870.0 - 1895.0	0.108	20.35	38M7W7D
	25 MHz	256QAM	1870.0 - 1895.0	0.075	18.77	38M7W7D
		11/2 BPSK	1865.0 - 1900.0	0.193	22.86	28M8G7D
		QPSK	1865.0 - 1900.0	0.198	22.97	28M7G7D
		16QAM	1865.0 - 1900.0	0.162	22.09	28M6W7D
	20 MHz	64QAM	1865.0 - 1900.0	0.117	20.67	28M7W7D
		256QAM	1865.0 - 1900.0	0.076	18.79	28M8W7D
		11/2 BPSK	1862.5 - 1902.5	0.194	22.87	22M9G7D
		QPSK	1862.5 - 1902.5	0.195	22.89	23M8G7D
	15 MHz	16QAM	1862.5 - 1902.5	0.129	21.10	23M7W7D
		64QAM	1862.5 - 1902.5	0.090	19.56	23M8W7D
		256QAM	1862.5 - 1902.5	0.064	18.04	23M8W7D
		11/2 BPSK	1860 - 1905	0.201	23.04	17M9G7D
NR Band n25/2 ANTE	20 MHz	QPSK	1860 - 1905	0.202	23.05	19M1G7D
		16QAM	1860 - 1905	0.172	22.36	19M0W7D
		64QAM	1860 - 1905	0.134	21.26	19M0W7D
		256QAM	1860 - 1905	0.086	19.37	19M0W7D
	15 MHz	11/2 BPSK	1857.5 - 1907.5	0.200	23.00	13M5G7D
		QPSK	1857.5 - 1907.5	0.202	23.05	14M2G7D
		16QAM	1857.5 - 1907.5	0.166	22.20	14M2W7D
		64QAM	1857.5 - 1907.5	0.132	21.19	14M2W7D
	10 MHz	256QAM	1857.5 - 1907.5	0.086	19.36	14M2W7D
		11/2 BPSK	1855 - 1910	0.196	22.92	8M96G7D
		QPSK	1855 - 1910	0.205	23.11	9M33G7D
		16QAM	1855 - 1910	0.161	22.08	9M32W7D
	5 MHz	64QAM	1855 - 1910	0.121	20.84	9M30W7D
		256QAM	1855 - 1910	0.078	18.90	9M33W7D
		11/2 BPSK	1852.5 - 1912.5	0.197	22.95	4M54G7D
		QPSK	1852.5 - 1912.5	0.201	23.03	4M50G7D
		16QAM	1852.5 - 1912.5	0.160	22.03	4M51W7D
		64QAM	1852.5 - 1912.5	0.123	20.89	4M49W7D
		256QAM	1852.5 - 1912.5	0.081	19.09	4M49W7D

FCC ID: A3LSMG998U		PART 24 MEASUREMENT REPORT			Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 4 of 241	

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISSED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISSED.

FCC ID: A3LSMG998U		PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 5 of 241

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Handset FCC ID: A3LSMG998U**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 24.

Test Device Serial No.: 0788M, 0722M, 0695M, 0706M, 0707M, 0752M, 0705M, 0144M

2.2 Device Capabilities

This device contains the following capabilities:

800/850/1900 CDMA/EvDO Rev0/A, 1x Advanced (BC0, BC1, BC10), 850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, 5G NR (n5, n71, n41, n66, n2, n12, n25, n30, n77, n260, n261), 802.11b/g/n/ax WLAN, 802.11a/n/ac/ax UNII (5GHz and 6GHz), Bluetooth (1x, EDR, LE), NFC, Wireless Power Transfer, UWB

This device uses a tuner circuit that dynamically updates the antenna impedance parameters to optimize antenna performance for certain bands and modes of operation. The tuner for this device was set to simulate a "free space" condition where the transmit antenna is matched to the medium into which it is transmitting and, thus, the power is at its maximum level.

LTE Band 25 (1850 - 1915 MHz) overlaps the entire frequency range of LTE Band 2 (1850 - 1910 MHz). Therefore, test data provided in this report covers Band 2 as well as Band 25.

NR Band n25 (1850 - 1915 MHz) overlaps the entire frequency range of NR Band n2 (1850 - 1910 MHz). Therefore, test data provided in this report covers n2 as well as n25 for the operating BWs that overlap between the 2 bands.

This EUT supports 2 antennas (Antenna A and Antenna E) for n2/n25 operations. This report includes conducted and radiated data from both antennas to ensure compliance.

2.3 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 3.2 of this test report for a description of the radiated and antenna port conducted emissions tests.

This device supports wireless charging capability and, thus, is subject to the test requirements of KDB 648474 D03 v01r04. Additional radiated spurious emission measurements were performed with the EUT lying flat on an authorized wireless charging pad (WCP) Model: EP-5100 while operating under normal conditions in a simulated call or data transmission configuration. The worst case radiated emissions data is shown in this report.

2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: A3LSMG998U		PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 6 of 241

3.0 DESCRIPTION OF TESTS

3.1 Evaluation Procedure

The measurement procedures described in the “Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards” (ANSI/TIA-603-E-2016) and “Measurement Guidance for Certification of Licensed Digital Transmitters” (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

Deviation from Measurement Procedure.....None

3.2 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.

For radiated power measurements, substitution method is used per the guidance of ANSI/TIA-603-E-2016. A half-wave dipole is substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d \text{ [dBm]} = P_g \text{ [dBm]} - \text{cable loss [dB]} + \text{antenna gain [dBd/dBi]};$$

where P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g \text{ [dBm]} - \text{cable loss [dB]}$.

For radiated spurious emissions measurements and calculations, conversion method is used per the formulas in KDB 971168 Section 5.8.4. Field Strength (EIRP) is calculated using the following formulas:

$$E_{\text{[dB}\mu\text{V/m]}} = \text{Measured amplitude level}_{\text{[dBm]}} + 107 + \text{Cable Loss}_{\text{[dB]}} + \text{Antenna Factor}_{\text{[dB/m]}}$$

And

$$\text{EIRP}_{\text{[dBm]}} = E_{\text{[dB}\mu\text{V/m]}} + 20\log D - 104.8; \text{ where } D \text{ is the measurement distance in meters.}$$

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 474788 D01.

Radiated power and radiated spurious emission levels are investigated with the receive antenna horizontally and vertically polarized per ANSI/TIA-603-E-2016.

FCC ID: A3LSMG998U		PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 7 of 241

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ($\pm$ dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: A3LSMG998U	 PART 24 MEASUREMENT REPORT 	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset
		Page 8 of 241

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	LTx2	Licensed Transmitter Cable Set	9/16/2020	Annual	9/16/2021	LTx2
-	LTx4	Licensed Transmitter Cable Set	9/16/2020	Annual	9/16/2021	LTx4
Anritsu	MT8821C	Radio Communication Analyzer	3/10/2020	Annual	3/10/2021	6200901190
Com-Power	AL-130	9kHz - 30MHz Loop Antenna	10/10/2019	Biennial	10/10/2021	121034
Emco	3115	Horn Antenna (1-18GHz)	6/18/2020	Biennial	6/18/2022	9704-5182
Espec	ESX-2CA	Environmental Chamber	8/27/2020	Biennial	8/27/2022	17620
ETS Lindgren	3117	1-18 GHz DRG Horn (Medium)	2/14/2019	Biennial	2/14/2021	125518
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	2/22/2019	Biennial	2/22/2021	128338
ETS-Lindgren	3115	Double Ridged Guide Horn 750MHz - 18GHz	3/12/2020	Biennial	3/12/2022	150693
Hewlett-Packard	8648D	(9kHz-4GHz) Signal Generator	6/23/2020	Annual	6/23/2021	3613A00315
Keysight Technologies	N9020A	MXA Signal Analyzer	8/14/2020	Annual	8/14/2021	US46470561
Keysight Technologies	N9038A	MXE EMI Receiver	8/11/2020	Annual	8/11/2021	MY51210133
Keysight Technologies	N9030A	PXA Signal Analyzer (44GHz)	8/17/2020	Annual	8/17/2021	MY52350166
Keysight Technologies	N9020A	MXA Signal Analyzer	9/22/2020	Annual	9/22/2021	MY54500644
Keysight Technologies	N9030B	PXA Signal Analyzer, Multi-touch	9/17/2020	Annual	9/17/2021	MY57141001
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator	N/A			11403100002
Rohde & Schwarz	CMU200	Base Station Simulator	N/A			107826
Rohde & Schwarz	CMW500	Radio Communication Tester	11/5/2020	Annual	11/5/2021	112347
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	7/15/2020	Annual	7/15/2021	100342
Rohde & Schwarz	ESU40	EMI Test Receiver (40GHz)	9/9/2020	Annual	9/9/2021	100348
Rohde & Schwarz	FSW67	Signal / Spectrum Analyzer	8/10/2020	Annual	8/10/2021	103200
Rohde & Schwarz	TC-TA18	Cross-Pol Antenna 400MHz-18GHz	7/8/2020	Biennial	7/8/2022	101058
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	2/10/2020	Annual	2/10/2021	102134
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	2/21/2020	Annual	2/21/2021	102133
Sunol	DRH-118	Horn Antenna (1-18GHz)	10/3/2019	Biennial	10/3/2021	A050307
Sunol Science	JB5	Bi-Log Antenna (30M - 5GHz)	7/27/2020	Biennial	7/27/2022	A051107
Micro-Tronics	BRM50706	Notch filter for B5/26/8	N/A			G036
Micro-Tronics	BRM20472	Notch Filter for B71/12/17/13/14	N/A			G001
Micro-Tronics	BRM50710	Notch Filter for B30	N/A			G017
Micro-Tronics	BRM50713	Notch Filter for B66	N/A			G020
Micro-Tronics	BRM50711	Notch Filter for B48	N/A			G039

Table 5-1. Test Equipment

Notes:

Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: A3LSMG998U	 PART 24 MEASUREMENT REPORT 		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 9 of 241

6.0 SAMPLE CALCULATIONS

GPRS Emission Designator

Emission Designator = 250KGXW

GPRS BW = 250 kHz

G = Phase Modulation

X = Cases not otherwise covered

W = Combination (Audio/Data)

EDGE Emission Designator

Emission Designator = 250KG7W

EDGE BW = 250 kHz

G = Phase Modulation

7 = Quantized/Digital Info

W = Combination (Audio/Data)

CDMA Emission Designator

Emission Designator = 1M25F9W

CDMA BW = 1.25 MHz

F = Frequency Modulation

9 = Composite Digital Info

W = Combination (Audio/Data)

WCDMA Emission Designator

Emission Designator = 4M16F9W

WCDMA BW = 4.16 MHz

F = Frequency Modulation

9 = Composite Digital Info

W = Combination (Audio/Data)

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

FCC ID: A3LSMG998U	 PART 24 MEASUREMENT REPORT 	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset
		Page 10 of 241

Spurious Radiated Emission

Example: Spurious emission at 3700.40 MHz

The receive spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 3700.40 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.50 dBm so this harmonic was 25.50 dBm $- (-24.80) = 50.3$ dBc.

FCC ID: A3LSMG998U	 PART 24 MEASUREMENT REPORT 	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset
		Page 11 of 241

7.0 TEST RESULTS

7.1 Summary

Company Name: Samsung Electronics Co., Ltd.
 FCC ID: A3LSMG998U
 FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
 Mode(s): GSM/GPRS/EDGE/WCDMA/CDMA/LTE/NR

Test Condition	Test Description	FCC Part Section(s)	RSS Section(s)	Test Limit	Test Result	Reference
CONDUCTED	Occupied Bandwidth	2.1049	RSS-133(2.3)	N/A	PASS	Section 7.2
	Conducted Band Edge / Spurious Emissions	2.1051, 24.238(a)	RSS-133(6.5)	> 43 + 10log10(P[Watts]) at Band Edge and for all out-of-band emissions	PASS	Sections 7.3, 7.4
	Transmitter Conducted Output Power	2.1046	RSS-133(4.1)	N/A	PASS	See RF Exposure Report
	Frequency Stability	2.1055, 24.235	RSS-133(6.3)	Fundamental emissions stay within authorized frequency block	PASS	Section 7.8
RADIATED	Effective Radiated Power / Equivalent Isotropic Radiated Power	24.232(c)	RSS-132(5.4)	< 7 Watts max. ERP	PASS	Section 7.6
	Radiated Spurious Emissions	2.1053, 24.238(a)	RSS-133(6.5)	> 43 + 10 log10 (P[Watts]) for all out-of-band emissions	PASS	Section 7.7

Table 7-1. Summary of Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) All conducted emissions measurements are performed with automated test software to capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST 2G/3G Automation Version 4.5, LTE Automation Version 5.3.

FCC ID: A3LSMG998U	 PART 24 MEASUREMENT REPORT 		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 12 of 241

7.2 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 4.2

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-1. Test Instrument & Measurement Setup

Test Notes

None.

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 13 of 241

GSM/GPRS PCS




Plot 7-1. Occupied Bandwidth Plot (GPRS, Ch. 661)



Plot 7-2. Occupied Bandwidth Plot (EDGE, Ch. 661)

FCC ID: A3LSMG998U	PCTEST PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 14 of 241


WCDMA PCS



Plot 7-3. Occupied Bandwidth Plot (WCDMA, Ch. 9400)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 15 of 241


CDMA PCS



Plot 7-4. Occupied Bandwidth Plot (CDMA, Ch. 600)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 16 of 241

LTE Band 25/2




Plot 7-5. Occupied Bandwidth Plot (LTE Band 25/2 - 20MHz QPSK - Full RB Configuration)



Plot 7-6. Occupied Bandwidth Plot (LTE Band 25/2 - 20MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 17 of 241



Plot 7-7. Occupied Bandwidth Plot (LTE Band 25/2 - 20MHz 64-QAM - Full RB Configuration)



Plot 7-8. Occupied Bandwidth Plot (LTE Band 25/2 - 20MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 18 of 241




Plot 7-9. Occupied Bandwidth Plot (LTE Band 25/2 - 15MHz QPSK - Full RB Configuration)



Plot 7-10. Occupied Bandwidth Plot (LTE Band 25/2 - 15MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 19 of 241




Plot 7-11. Occupied Bandwidth Plot (LTE Band 25/2 - 15MHz 64-QAM - Full RB Configuration)




Plot 7-12. Occupied Bandwidth Plot (LTE Band 25/2 - 15MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 20 of 241




Plot 7-13. Occupied Bandwidth Plot (LTE Band 25/2 - 10MHz QPSK - Full RB Configuration)



Plot 7-14. Occupied Bandwidth Plot (LTE Band 25/2 - 10MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 21 of 241




Plot 7-15. Occupied Bandwidth Plot (LTE Band 25/2 - 10MHz 64-QAM - Full RB Configuration)




Plot 7-16. Occupied Bandwidth Plot (LTE Band 25/2 - 10MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 22 of 241




Plot 7-17. Occupied Bandwidth Plot (LTE Band 25/2 - 5MHz QPSK - Full RB Configuration)




Plot 7-18. Occupied Bandwidth Plot (LTE Band 25/2 - 5MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG998U				Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset	Page 23 of 241	




Plot 7-19. Occupied Bandwidth Plot (LTE Band 25/2 - 5MHz 64-QAM - Full RB Configuration)




Plot 7-20. Occupied Bandwidth Plot (LTE Band 25/2 - 5MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 24 of 241




Plot 7-21. Occupied Bandwidth Plot (LTE Band 25/2 - 3MHz QPSK - Full RB Configuration)



Plot 7-22. Occupied Bandwidth Plot (LTE Band 25/2 - 3MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG998U				Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 25 of 241



Plot 7-23. Occupied Bandwidth Plot (LTE Band 25/2 - 3MHz 64-QAM - Full RB Configuration)



Plot 7-24. Occupied Bandwidth Plot (LTE Band 25/2 - 3MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 26 of 241



Plot 7-25. Occupied Bandwidth Plot (LTE Band 25/2 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-26. Occupied Bandwidth Plot (LTE Band 25/2 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 27 of 241



Plot 7-27. Occupied Bandwidth Plot (LTE Band 25/2 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-28. Occupied Bandwidth Plot (LTE Band 25/2 - 1.4MHz 256-QAM - Full RB Configuration)

FCC ID: A3LSMG998U	PCTEST Proud to be part of the Samsung ecosystem	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 28 of 241

NR Band n25 – Ant A




Plot 7-29. Occupied Bandwidth Plot (NR Band n25 - 40.0MHz DFT-s-OFDM BPSK - Full RB)



Plot 7-30. Occupied Bandwidth Plot (NR Band n25 - 40.0MHz CP-OFDM QPSK - Full RB)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 29 of 241




Plot 7-31. Occupied Bandwidth Plot (NR Band n25 - 40.0MHz CP-OFDM 16QAM - Full RB)




Plot 7-32. Occupied Bandwidth Plot (NR Band n25 - 40.0MHz CP-OFDM 64QAM - Full RB)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 30 of 241




Plot 7-33. Occupied Bandwidth Plot (NR Band n25 - 40.0MHz CP-OFDM 256QAM - Full RB)



Plot 7-34. Occupied Bandwidth Plot (NR Band n25 - 30.0MHz DFT-s-OFDM BPSK - Full RB)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 31 of 241




Plot 7-35. Occupied Bandwidth Plot (NR Band n25 - 30.0MHz CP-OFDM QPSK - Full RB)




Plot 7-36. Occupied Bandwidth Plot (NR Band n25 - 30.0MHz CP-OFDM 16QAM - Full RB)

FCC ID: A3LSMG998U				Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 32 of 241	




Plot 7-37. Occupied Bandwidth Plot (NR Band n25 - 30.0MHz CP-OFDM 64QAM - Full RB)



Plot 7-38. Occupied Bandwidth Plot (NR Band n25 - 30.0MHz CP-OFDM 256QAM - Full RB)

FCC ID: A3LSMG998U				Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 33 of 241	



Plot 7-39. Occupied Bandwidth Plot (NR Band n25 - 25.0MHz DFT-s-OFDM BPSK - Full RB)



Plot 7-40. Occupied Bandwidth Plot (NR Band n25 - 25.0MHz CP-OFDM QPSK - Full RB)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 34 of 241




Plot 7-41. Occupied Bandwidth Plot (NR Band n25 - 25.0MHz CP-OFDM 16QAM - Full RB)



Plot 7-42. Occupied Bandwidth Plot (NR Band n25 - 25.0MHz CP-OFDM 64QAM - Full RB)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 35 of 241



Plot 7-43. Occupied Bandwidth Plot (NR Band n25 - 25.0MHz CP-OFDM 256QAM - Full RB)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 36 of 241

NR Band n25/2 – Ant A



Plot 7-44. Occupied Bandwidth Plot (NR Band n25/2 - 20.0MHz DFT-s-OFDM BPSK - Full RB)



Plot 7-45. Occupied Bandwidth Plot (NR Band n25/2 - 20.0MHz CP-OFDM QPSK - Full RB)

FCC ID: A3LSMG998U				Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	PART 24 MEASUREMENT REPORT		Page 37 of 241
		EUT Type: Portable Handset		



Plot 7-46. Occupied Bandwidth Plot (NR Band n25/2 - 20.0MHz CP-OFDM 16QAM - Full RB)



Plot 7-47. Occupied Bandwidth Plot (NR Band n25/2 - 20.0MHz CP-OFDM 64QAM - Full RB)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 38 of 241



Plot 7-48. Occupied Bandwidth Plot (NR Band n25/2 - 20.0MHz CP-OFDM 256QAM - Full RB)



Plot 7-49. Occupied Bandwidth Plot (NR Band n25/2 - 15.0MHz DFT-s-OFDM BPSK - Full RB)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 39 of 241



Plot 7-50. Occupied Bandwidth Plot (NR Band n25/2 - 15.0MHz CP-OFDM QPSK - Full RB)



Plot 7-51. Occupied Bandwidth Plot (NR Band n25/2 - 15.0MHz CP-OFDM 16QAM - Full RB)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 40 of 241




Plot 7-52. Occupied Bandwidth Plot (NR Band n25/2 - 15.0MHz CP-OFDM 64QAM - Full RB)



Plot 7-53. Occupied Bandwidth Plot (NR Band n25/2 - 15.0MHz CP-OFDM 256QAM - Full RB)

FCC ID: A3LSMG998U				Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset	Page 41 of 241	



Plot 7-54. Occupied Bandwidth Plot (NR Band n25/2 - 10.0MHz DFT-s-OFDM BPSK - Full RB)



Plot 7-55. Occupied Bandwidth Plot (NR Band n25/2 - 10.0MHz CP-OFDM QPSK - Full RB)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset	Page 42 of 241



Plot 7-56. Occupied Bandwidth Plot (NR Band n25/2 - 10.0MHz CP-OFDM 16QAM - Full RB)



Plot 7-57. Occupied Bandwidth Plot (NR Band n25/2 - 10.0MHz CP-OFDM 64QAM - Full RB)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 43 of 241




Plot 7-58. Occupied Bandwidth Plot (NR Band n25/2 - 10.0MHz CP-OFDM 256QAM - Full RB)



Plot 7-59. Occupied Bandwidth Plot (NR Band n25/2 - 5.0MHz DFT-s-OFDM BPSK - Full RB)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 44 of 241




Plot 7-60. Occupied Bandwidth Plot (NR Band n25/2 - 5.0MHz CP-OFDM QPSK - Full RB)



Plot 7-61. Occupied Bandwidth Plot (NR Band n25/2 - 5.0MHz CP-OFDM 16QAM - Full RB)

FCC ID: A3LSMG998U				Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 45 of 241




Plot 7-62. Occupied Bandwidth Plot (NR Band n25/2 - 5.0MHz CP-OFDM 64QAM - Full RB)



Plot 7-63. Occupied Bandwidth Plot (NR Band n25/2 - 5.0MHz CP-OFDM 256QAM - Full RB)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 46 of 241

NR Band n25 – Ant E




Plot 7-64. Occupied Bandwidth Plot (NR Band n25 - 40.0MHz DFT-s-OFDM BPSK - Full RB)



Plot 7-65. Occupied Bandwidth Plot (NR Band n25 - 40.0MHz CP-OFDM QPSK - Full RB)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 47 of 241




Plot 7-66. Occupied Bandwidth Plot (NR Band n25 - 40.0MHz CP-OFDM 16QAM - Full RB)



Plot 7-67. Occupied Bandwidth Plot (NR Band n25 - 40.0MHz CP-OFDM 64QAM - Full RB)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 48 of 241




Plot 7-68. Occupied Bandwidth Plot (NR Band n25 - 40.0MHz CP-OFDM 256QAM - Full RB)



Plot 7-69. Occupied Bandwidth Plot (NR Band n25 - 30.0MHz DFT-s-OFDM BPSK - Full RB)

FCC ID: A3LSMG998U				Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 49 of 241	




Plot 7-70. Occupied Bandwidth Plot (NR Band n25 - 30.0MHz CP-OFDM QPSK - Full RB)




Plot 7-71. Occupied Bandwidth Plot (NR Band n25 - 30.0MHz CP-OFDM 16QAM - Full RB)

FCC ID: A3LSMG998U				Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 50 of 241	




Plot 7-72. Occupied Bandwidth Plot (NR Band n25 - 30.0MHz CP-OFDM 64QAM - Full RB)



Plot 7-73. Occupied Bandwidth Plot (NR Band n25 - 30.0MHz CP-OFDM 256QAM - Full RB)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 51 of 241




Plot 7-74. Occupied Bandwidth Plot (NR Band n25 - 25.0MHz DFT-s-OFDM BPSK - Full RB)




Plot 7-75. Occupied Bandwidth Plot (NR Band n25 - 25.0MHz CP-OFDM QPSK - Full RB)

FCC ID: A3LSMG998U				Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 52 of 241	




Plot 7-76. Occupied Bandwidth Plot (NR Band n25 - 25.0MHz CP-OFDM 16QAM - Full RB)



Plot 7-77. Occupied Bandwidth Plot (NR Band n25 - 25.0MHz CP-OFDM 64QAM - Full RB)


FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 53 of 241



Plot 7-78. Occupied Bandwidth Plot (NR Band n25 - 25.0MHz CP-OFDM 256QAM - Full RB)

FCC ID: A3LSMG998U	 PART 24 MEASUREMENT REPORT 		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 54 of 241

NR Band n25/2 – Ant E




Plot 7-79. Occupied Bandwidth Plot (NR Band n25/2 - 20.0MHz DFT-s-OFDM BPSK - Full RB)




Plot 7-80. Occupied Bandwidth Plot (NR Band n25/2 - 20.0MHz CP-OFDM QPSK - Full RB)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 55 of 241




Plot 7-81. Occupied Bandwidth Plot (NR Band n25/2 - 20.0MHz CP-OFDM 16QAM - Full RB)




Plot 7-82. Occupied Bandwidth Plot (NR Band n25/2 - 20.0MHz CP-OFDM 64QAM - Full RB)

FCC ID: A3LSMG998U	PCTEST Proud to be part of the Samsung ecosystem	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 56 of 241




Plot 7-83. Occupied Bandwidth Plot (NR Band n25/2 - 20.0MHz CP-OFDM 256QAM - Full RB)



Plot 7-84. Occupied Bandwidth Plot (NR Band n25/2 - 15.0MHz DFT-s-OFDM BPSK - Full RB)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 57 of 241




Plot 7-85. Occupied Bandwidth Plot (NR Band n25/2 - 15.0MHz CP-OFDM QPSK - Full RB)




Plot 7-86. Occupied Bandwidth Plot (NR Band n25/2 - 15.0MHz CP-OFDM 16QAM - Full RB)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 58 of 241




Plot 7-87. Occupied Bandwidth Plot (NR Band n25/2 - 15.0MHz CP-OFDM 64QAM - Full RB)




Plot 7-88. Occupied Bandwidth Plot (NR Band n25/2 - 15.0MHz CP-OFDM 256QAM - Full RB)

FCC ID: A3LSMG998U	PCTEST Proud to be part of the Samsung family	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 59 of 241




Plot 7-89. Occupied Bandwidth Plot (NR Band n25/2 - 10.0MHz DFT-s-OFDM BPSK - Full RB)




Plot 7-90. Occupied Bandwidth Plot (NR Band n25/2 - 10.0MHz CP-OFDM QPSK - Full RB)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 60 of 241




Plot 7-91. Occupied Bandwidth Plot (NR Band n25/2 - 10.0MHz CP-OFDM 16QAM - Full RB)




Plot 7-92. Occupied Bandwidth Plot (NR Band n25/2 - 10.0MHz CP-OFDM 64QAM - Full RB)

FCC ID: A3LSMG998U				Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 61 of 241	




Plot 7-93. Occupied Bandwidth Plot (NR Band n25/2 - 10.0MHz CP-OFDM 256QAM - Full RB)




Plot 7-94. Occupied Bandwidth Plot (NR Band n25/2 - 5.0MHz DFT-s-OFDM BPSK - Full RB)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 62 of 241




Plot 7-95. Occupied Bandwidth Plot (NR Band n25/2 - 5.0MHz CP-OFDM QPSK - Full RB)




Plot 7-96. Occupied Bandwidth Plot (NR Band n25/2 - 5.0MHz CP-OFDM 16QAM - Full RB)

FCC ID: A3LSMG998U				Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 63 of 241	



Plot 7-97. Occupied Bandwidth Plot (NR Band n25/2 - 5.0MHz CP-OFDM 64QAM - Full RB)



Plot 7-98. Occupied Bandwidth Plot (NR Band n25/2 - 5.0MHz CP-OFDM 256QAM - Full RB)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 64 of 241

7.3 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{\text{Watts}})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6.0

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 20GHz (separated into at least two plots per channel)
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-2. Test Instrument & Measurement Setup

Test Notes


1. Per Part 24 and RSS-133, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth 100 kHz or greater for measurements below 1GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

FCC ID: A3LSMG998U	 PART 24 MEASUREMENT REPORT 		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 65 of 241

GSM/GPRS PCS




Plot 7-31. Conducted Spurious Plot (GPRS Ch. 512)




Plot 7-31. Conducted Spurious Plot (GPRS Ch. 512)

FCC ID: A3LSMG998U	PCTEST Proud to be part of	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 66 of 241




Plot 7-31. Conducted Spurious Plot (GPRS Ch. 512)




Plot 7-31. Conducted Spurious Plot (GPRS Ch. 661)

FCC ID: A3LSMG998U	 PART 24 MEASUREMENT REPORT 		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 67 of 241




Plot 7-31. Conducted Spurious Plot (GPRS Ch. 661)




Plot 7-31. Conducted Spurious Plot (GPRS Ch. 661)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 68 of 241




Plot 7-31. Conducted Spurious Plot (GPRS Ch. 810)



Plot 7-31. Conducted Spurious Plot (GPRS Ch. 810)

FCC ID: A3LSMG998U				Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 69 of 241




Plot 7-31. Conducted Spurious Plot (GPRS Ch. 810)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 70 of 241

WCDMA PCS



Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9262)




Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9262)

FCC ID: A3LSMG998U	PCTEST Proud to be part of	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 71 of 241




Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9262)



Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9400)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 72 of 241



Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9400)




Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9400)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 73 of 241



Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9538)



Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9538)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 74 of 241



Plot 7-31. Conducted Spurious Plot (WCDMA Ch. 9538)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 75 of 241

CDMA PCS



Plot 7-31. Conducted Spurious Plot (CDMA Ch. 25)




Plot 7-31. Conducted Spurious Plot (CDMA Ch. 25)

FCC ID: A3LSMG998U	PCTEST Proud to be part of	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 76 of 241




Plot 7-31. Conducted Spurious Plot (CDMA Ch. 25)




Plot 7-31. Conducted Spurious Plot (CDMA Ch. 600)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 77 of 241




Plot 7-31. Conducted Spurious Plot (CDMA Ch. 600)




Plot 7-31. Conducted Spurious Plot (CDMA Ch. 600)

FCC ID: A3LSMG998U	PART 24 MEASUREMENT REPORT		Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset	Page 78 of 241



Plot 7-31. Conducted Spurious Plot (CDMA Ch. 1175)



Plot 7-31. Conducted Spurious Plot (CDMA Ch. 1175)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 79 of 241




Plot 7-31. Conducted Spurious Plot (CDMA Ch. 1175)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 80 of 241

LTE Band 25/2



Plot 7-99. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-100. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: A3LSMG998U	PCTEST Proud to be part of the Samsung ecosystem	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 – 12/11/2020	EUT Type: Portable Handset		Page 81 of 241



Plot 7-101. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-102. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: A3LSMG998U	PCTEST Proud to be part of Samsung	PART 24 MEASUREMENT REPORT	SAMSUNG	Approved by: Quality Manager
Test Report S/N: 1M2009230152-19.A3L	Test Dates: 9/23/2020 - 12/11/2020	EUT Type: Portable Handset		Page 82 of 241