





Worst Case Mode: 802.11a
Worst Case Transfer Rate: 6M
Distance of Measurements: 3 Meters
Operating Frequency: 5845MHz
Channel: 169




**Plot 7-181. Radiated Lower Band Edge Plot MIMO
(Peak – UNII Band 4)**

Worst Case Mode: 802.11ax
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5885MHz
Channel: 177



**Plot 7-182. Radiated Upper Band Edge Plot MIMO
(Average – UNII Band 4)**



**Plot 7-183. Radiated Upper Band Edge Plot MIMO
(Peak – UNII Band 4)**

FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 129 of 146


© 2024 ELEMENT

V11.1 08/28/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without written permission from Element. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.6.3 MIMO Radiated Band Edge Measurements (40MHz BW)

Worst Case Mode:	802.11ac
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5190MHz
Channel:	38




Plot 7-184. Radiated Lower Band Edge Plot MIMO (Average – UNII Band 1)




Plot 7-185. Radiated Lower Band Edge Plot MIMO (Peak – UNII Band 1)

Worst Case Mode:	802.11ac
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5310MHz
Channel:	62



Plot 7-186. Radiated Upper Band Edge Plot MIMO (Average – UNII Band 2A)




Plot 7-187. Radiated Upper Band Edge Plot MIMO (Peak – UNII Band 2A)


FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 130 of 146



Worst Case Mode: 802.11ac
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5510MHz
Channel: 102




**Plot 7-188. Radiated Lower Band Edge Plot MIMO
(Average – UNII Band 2C)**



**Plot 7-189. Radiated Lower Band Edge Plot MIMO
(Peak – UNII Band 2C)**


Worst Case Mode: 802.11ax
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5795MHz
Channel: 159



**Plot 7-190. Radiated Upper Band Edge Plot MIMO
(Peak – UNII Band 3)**


FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 131 of 146

Worst Case Mode: 802.11ax
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5835MHz
Channel: 167




**Plot 7-191. Radiated Lower Band Edge Plot MIMO
(Peak – UNII Band 4)**

Worst Case Mode: 802.11ac
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5875MHz
Channel: 175



**Plot 7-192. Radiated Upper Band Edge Plot MIMO
(Average – UNII Band 4)**




**Plot 7-193. Radiated Upper Band Edge Plot MIMO
(Peak – UNII Band 4)**


FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 132 of 146

7.6.4 MIMO Radiated Band Edge Measurements (80MHz BW)

Worst Case Mode:	802.11ac
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5210MHz
Channel:	42




Plot 7-194. Radiated Lower Band Edge Plot MIMO (Average – UNII Band 1)




Plot 7-195. Radiated Lower Band Edge Plot MIMO (Peak – UNII Band 1)

Worst Case Mode:	802.11ac
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5290MHz
Channel:	58




Plot 7-196. Radiated Upper Band Edge Plot MIMO (Average – UNII Band 2A)




Plot 7-197. Radiated Upper Band Edge Plot MIMO (Peak – UNII Band 2A)

FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 133 of 146

Worst Case Mode: 802.11ac
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5530MHz
Channel: 106




**Plot 7-198. Radiated Lower Band Edge Plot MIMO
(Average – UNII Band 2C)**



**Plot 7-199. Radiated Lower Band Edge Plot MIMO
(Peak – UNII Band 2C)**


Worst Case Mode: 802.11ax
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5775MHz
Channel: 155



**Plot 7-200. Radiated Upper Band Edge Plot MIMO
(Peak – UNII Band 3)**


FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 134 of 146

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5855MHz
Channel:	171




**Plot 7-201. Radiated Lower Band Edge Plot MIMO
(Peak – UNII Band 4)**

Worst Case Mode:	802.11ac
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5855MHz
Channel:	171



**Plot 7-202. Radiated Upper Band Edge Plot MIMO
(Average – UNII Band 4)**




**Plot 7-203. Radiated Upper Band Edge Plot MIMO
(Peak – UNII Band 4)**


FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 135 of 146

7.6.5 MIMO Radiated Band Edge Measurements (160MHz BW)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5250MHz
Channel:	50




Plot 7-204. Radiated Lower Band Edge Plot MIMO (Average – UNII Band 1)




Plot 7-205. Radiated Lower Band Edge Plot MIMO (Peak – UNII Band 1)

Worst Case Mode:	802.11ac
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5250MHz
Channel:	50




Plot 7-206. Radiated Upper Band Edge Plot MIMO (Average – UNII Band 2A)




Plot 7-207. Radiated Upper Band Edge Plot MIMO (Peak – UNII Band 2A)

FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 136 of 146

Worst Case Mode: 802.11ac
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5570MHz
Channel: 114




Plot 7-208. Radiated Lower Band Edge Plot MIMO (Average – UNII Band 2C)



Plot 7-209. Radiated Lower Band Edge Plot MIMO (Peak – UNII Band 2C)

Worst Case Mode: 802.11ac
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5815MHz
Channel: 163




Plot 7-210. Radiated Lower Band Edge Plot MIMO (Peak – UNII Band 4)


FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 137 of 146



Worst Case Mode:	802.11ac
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5815MHz
Channel:	163



**Plot 7-211. Radiated Lower Band Edge Plot MIMO
(Average – UNII Band 4)**



**Plot 7-212. Radiated Lower Band Edge Plot MIMO
(Peak – UNII Band 4)**

FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 138 of 146

7.7 Line-Conducted Test Data

Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for conducted spurious emissions. Only the conducted emissions of the configuration that produced the worst-case emissions are reported in this section.

All conducted emissions must not exceed the limits shown in the table below per FCC §15.207 and RSS-Gen (8.8).

Frequency of emission (MHz)	Conducted Limit (dBμV)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

Table 7-28. Conducted Limits

*Decreases with the logarithm of the frequency.

Test Procedures Used

ANSI C63.10-2013, Section 6.2

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 139 of 146

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-8. Test Instrument & Measurement Setup


Test Notes

1. All modes of operation were investigated, and the worst-case emissions are reported using mid channel. The emissions found were not affected by the choice of channel used during testing.
2. The limit for an intentional radiator from 150kHz to 30MHz is specified in §15.207 and RSS-Gen (8.8).
3. $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
4. $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Corr. (dB)}$
5. $\text{Margin (dB)} = \text{QP/AV Limit (dB}\mu\text{V)} - \text{QP/AV Level (dB}\mu\text{V)}$
6. Traces shown in plot are made using a peak detector.
7. Deviations to the Specifications: None.

FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 140 of 146




Plot 7-213. Line Conducted Plot with 802.11a UNII Band 1 (L1)




Plot 7-214. Line Conducted Plot with 802.11a UNII Band 1 (N)

FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 141 of 146




Plot 7-215. Line Conducted Plot with 802.11a UNII Band 2A (L1)




Plot 7-216. Line Conducted Plot with 802.11a UNII Band 2A (N)

FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 142 of 146




Plot 7-217. Line Conducted Plot with 802.11a UNII Band 2C (L1)




Plot 7-218. Line Conducted Plot with 802.11a UNII Band 2C (N)

FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 143 of 146




Plot 7-219. Line Conducted Plot with 802.11a UNII Band 3 (L1)




Plot 7-220. Line Conducted Plot with 802.11a UNII Band 3 (N)

FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 144 of 146



Plot 7-221. Line Conducted Plot with 802.11a UNII Band 4 (L1)



Plot 7-222. Line Conducted Plot with 802.11a UNII Band 4 (N)

FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 145 of 146

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Samsung Portable Tablet FCC ID: A3LSMX820** is in compliance with Part 15 Subpart E (15.407) of the FCC Rules.

FCC ID: A3LSMX820	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2405140040-04-R1.A3L	Test Dates: 6/5/2024 – 7/10/2024	EUT Type: Portable Tablet	Page 146 of 146