







| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .260        | 39.33           | 61.44        | -22.11      | 21.95          | 51.13        | -29.18      |
| 2   | .273        | 39.98           | 61.04        | -21.06      | 22.18          | 50.74        | -28.56      |
| 3   | .580        | 29.78           | 56.00        | -26.22      | 19.32          | 46.00        | -26.68      |
| 4   | .202        | 39.23           | 63.51        | -24.28      | 26.29          | 53.12        | -26.83      |
| 5   | .549        | 31.35           | 56.00        | -24.65      | 19.55          | 46.00        | -26.45      |
| 6   | .230        | 39.46           | 62.44        | -22.98      | 21.93          | 52.10        | -30.17      |
| 7   | .193        | 40.77           | 63.90        | -23.13      | 25.13          | 53.49        | -28.36      |
| 8   | .541        | 30.99           | 56.00        | -25.01      | 20.31          | 46.00        | -25.69      |
| 9   | .160        | 43.10           | 65.47        | -22.37      | 24.68          | 54.98        | -30.30      |
| 10  | .548        | 32.15           | 56.00        | -23.85      | 20.06          | 46.00        | -25.94      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .546        | 34.84           | 56.00        | -21.16      | 21.07          | 46.00        | -24.93      |
| 2   | .578        | 33.75           | 56.00        | -22.25      | 20.27          | 46.00        | -25.73      |
| 3   | .526        | 32.11           | 56.00        | -23.89      | 20.89          | 46.00        | -25.11      |
| 4   | .275        | 42.80           | 60.98        | -18.18      | 23.05          | 50.69        | -27.64      |
| 5   | .239        | 42.25           | 62.12        | -19.87      | 22.94          | 51.43        | -28.49      |
| 6   | .508        | 31.67           | 56.00        | -24.33      | 19.46          | 46.00        | -26.54      |
| 7   | .480        | 31.89           | 56.34        | -24.45      | 19.28          | 46.17        | -26.89      |
| 8   | .513        | 30.97           | 56.00        | -25.03      | 19.94          | 46.00        | -26.06      |
| 9   | .173        | 44.84           | 64.83        | -19.99      | 24.15          | 54.45        | -30.30      |
| 10  | .317        | 34.48           | 59.78        | -25.30      | 22.80          | 49.53        | -26.73      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .273        | 40.39           | 61.04        | -20.65      | 21.54          | 50.74        | -29.20      |
| 2   | .241        | 39.81           | 62.05        | -22.24      | 21.05          | 51.72        | -30.67      |
| 3   | .565        | 29.15           | 56.00        | -26.85      | 19.62          | 46.00        | -26.38      |
| 4   | .551        | 30.33           | 56.00        | -25.67      | 19.58          | 46.00        | -26.42      |
| 5   | .214        | 39.79           | 63.07        | -23.28      | 22.96          | 52.69        | -29.73      |
| 6   | .189        | 40.40           | 64.06        | -23.66      | 24.44          | 53.64        | -29.20      |
| 7   | .221        | 40.03           | 62.78        | -22.75      | 22.14          | 52.43        | -30.29      |
| 8   | .330        | 31.50           | 59.45        | -27.95      | 22.91          | 49.58        | -26.67      |
| 9   | .158        | 37.44           | 65.57        | -28.13      | 25.77          | 55.07        | -29.30      |
| 10  | .584        | 30.61           | 56.00        | -25.39      | 18.92          | 46.00        | -27.08      |



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .582        | 33.72           | 56.00        | -22.28      | 20.37          | 46.00        | -25.63      |
| 2   | .269        | 43.15           | 61.15        | -18.00      | 24.56          | 50.85        | -26.29      |
| 3   | .241        | 42.68           | 62.05        | -19.37      | 23.57          | 51.09        | -27.52      |
| 4   | .288        | 41.29           | 60.57        | -19.28      | 21.75          | 50.58        | -28.83      |
| 5   | .548        | 34.53           | 56.00        | -21.47      | 20.98          | 46.00        | -25.02      |
| 6   | .226        | 42.59           | 62.58        | -19.99      | 22.57          | 52.23        | -29.66      |
| 7   | .201        | 46.98           | 63.58        | -16.60      | 27.00          | 53.19        | -26.19      |
| 8   | .210        | 43.12           | 63.21        | -20.09      | 25.54          | 52.83        | -27.29      |
| 9   | .489        | 30.69           | 56.18        | -25.49      | 19.59          | 46.02        | -26.43      |
| 10  | .500        | 30.63           | 56.00        | -25.37      | 20.21          | 46.00        | -25.79      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .239        | 36.53           | 62.12        | -25.59      | 20.35          | 51.79        | -31.44      |
| 2   | .260        | 36.48           | 61.44        | -24.96      | 20.39          | 51.13        | -30.74      |
| 3   | .289        | 37.45           | 60.54        | -23.09      | 21.56          | 50.27        | -28.71      |
| 4   | .204        | 37.77           | 63.43        | -25.66      | 24.68          | 53.05        | -28.37      |
| 5   | .186        | 41.17           | 64.22        | -23.05      | 22.66          | 53.80        | -31.14      |
| 6   | .221        | 38.00           | 62.78        | -24.78      | 21.41          | 52.43        | -31.02      |
| 7   | .150        | 36.28           | 65.99        | -29.71      | 25.16          | 55.31        | -30.15      |
| 8   | .552        | 26.31           | 56.00        | -29.69      | 18.77          | 46.00        | -27.23      |
| 9   | .177        | 38.85           | 64.65        | -25.80      | 21.62          | 54.20        | -32.58      |
| 10  | .589        | 26.47           | 56.00        | -29.53      | 18.35          | 46.00        | -27.65      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .273        | 42.22           | 61.03        | -18.81      | 23.07          | 50.74        | -27.67      |
| 2   | .547        | 33.19           | 56.00        | -22.81      | 21.03          | 46.00        | -24.97      |
| 3   | .267        | 41.33           | 61.21        | -19.88      | 24.39          | 50.91        | -26.52      |
| 4   | .201        | 42.39           | 63.59        | -21.20      | 26.46          | 53.19        | -26.73      |
| 5   | .578        | 32.57           | 56.00        | -23.43      | 19.78          | 46.00        | -26.22      |
| 6   | .221        | 42.87           | 62.78        | -19.91      | 22.85          | 52.43        | -29.58      |
| 7   | .189        | 41.36           | 64.06        | -22.70      | 24.85          | 53.64        | -28.79      |
| 8   | .329        | 33.01           | 59.48        | -26.47      | 22.14          | 49.72        | -27.58      |
| 9   | .484        | 29.70           | 56.28        | -26.58      | 19.27          | 46.11        | -26.84      |
| 10  | .515        | 29.65           | 56.00        | -26.35      | 20.71          | 46.00        | -25.29      |


※ Agilent




※ Agilent




※ Agilent




※ Agilent




※ Agilent




※ Agilent




※ Agilent




※ Agilent




✱ Agilent




✱ Agilent




✱ Agilent



✱ Agilent




✱ Agilent




| Freq/Channel                          |
|---------------------------------------|
| Center Freq<br>2.43800000 GHz         |
| Start Freq<br>2.42300000 GHz          |
| Stop Freq<br>2.45300000 GHz           |
| CF Step<br>3.00000000 MHz<br>Auto Man |
| Freq Offset<br>0.00000000 Hz          |
| Signal Track<br>On Off                |
| Scale Type<br>Log Lin                 |

✱ Agilent




| Freq/Channel                          |
|---------------------------------------|
| Center Freq<br>2.46201000 GHz         |
| Start Freq<br>2.44701000 GHz          |
| Stop Freq<br>2.47701000 GHz           |
| CF Step<br>3.00000000 MHz<br>Auto Man |
| Freq Offset<br>0.00000000 Hz          |
| Signal Track<br>On Off                |
| Scale Type<br>Log Lin                 |


Agilent



Agilent




✱ Agilent



|                     |                            |
|---------------------|----------------------------|
| <b>Freq/Channel</b> |                            |
| <b>Center Freq</b>  | 2.40130000 GHz             |
| <b>Start Freq</b>   | 2.39130000 GHz             |
| <b>Stop Freq</b>    | 2.41130000 GHz             |
| <b>CF Step</b>      | 2.00000000 MHz<br>Auto Man |
| <b>Freq Offset</b>  | 0.00000000 Hz              |
| <b>Signal Track</b> | On Off                     |
| <b>Scale Type</b>   | Log Lin                    |

✱ Agilent



|                     |                            |
|---------------------|----------------------------|
| <b>Freq/Channel</b> |                            |
| <b>Center Freq</b>  | 2.47270000 GHz             |
| <b>Start Freq</b>   | 2.46270000 GHz             |
| <b>Stop Freq</b>    | 2.48270000 GHz             |
| <b>CF Step</b>      | 2.00000000 MHz<br>Auto Man |
| <b>Freq Offset</b>  | 0.00000000 Hz              |
| <b>Signal Track</b> | On Off                     |
| <b>Scale Type</b>   | Log Lin                    |




PCTEST Engineering Lab.

Samsung FCC ID:A3LSP10WL

— Sensor 1

A: \BEST



EMC Engineer: AL CIRWITHIAN

90°

Frequency GHz

04-09-2002




PCTEST Engineering Lab.

Samsung FCC ID:A3LSP10WL

——— Sensor 1

A: \BEST



EMC Engineer: AL CIRWITHIAN

Frequency GHz

04-09-2002

270°




PCTEST Engineering Lab.

Samsung FCC ID:A3LSP10WL

\_\_\_\_ Sensor 1

A: \BEST



EMC Engineer: AL CIRWITHIAN

180°

Frequency GHz

04-09-2002