

Peak SAR Location

800 MHz Head SAR



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042312_ZOOM.VLT
Start : 23-Apr-101 03:00:55 pm End : 23-Apr-101 03:10:06 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 824.04 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
SAMSUNG TRI-MODE PHONE - AMPS MODE
CHAN 0991 Conducted 26.0 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 1.500, Y = -1.750, Z = 0.000 (cm) Value = 18.339

Measured Values (volts) =
1.827E-002 1.219E-002 9.649E-003 8.071E-003 6.743E-003 5.864E-003
4.992E-003 4.511E-003 4.088E-003 3.763E-003 3.475E-003 3.234E-003
2.871E-003 2.519E-003 2.079E-003 1.703E-003 1.342E-003 1.017E-003
8.963E-004 8.501E-004 9.263E-004


Calc. Voltage @ Surface (Vs) = 0.0252

Voltage @ 1.00 cm (Vt) = 0.0081


Ave. Voltage (Vs+Vt)/2 = 0.0167

Ave. SAR over 1 g (mW/g) = 1.2151


SAR Scan
File : 01042312_ZOOM
Start : 23-Apr-101 03:00:55 pm End : 23-Apr-101 03:10:06 pm
SAMSUNG/SPH-A330/2;824.04MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : 01042312_ZOOM
Start : 23-Apr-101 03:00:55 pm End : 23-Apr-101 03:10:06 pm
SAMSUNG/SPH-A330/2;824.04MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : 01042312_ZOOM
Start : 23-Apr-101 03:00:55 pm End : 23-Apr-101 03:10:06 pm
SAMSUNG/SPH-A330/2;824.04MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042315_ZOOM.VLT
Start : 23-Apr-101 03:44:34 pm End : 23-Apr-101 03:55:25 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 824.04 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
SAMSUNG TRI-MODE PHONE - AMPS MODE
CHAN 0991 Conducted 26.0 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 1.750, Y = -1.750, Z = 0.000 (cm) Value = 18.052

Measured Values (volts) =
1.809E-002 1.239E-002 1.001E-002 8.090E-003 7.028E-003 5.999E-003
5.316E-003 4.667E-003 4.312E-003 3.874E-003 3.615E-003 3.251E-003
2.899E-003 2.477E-003 1.982E-003 1.634E-003 1.313E-003 1.069E-003
9.418E-004 8.639E-004 8.974E-004


Calc. Voltage @ Surface (Vs) = 0.0244

Voltage @ 1.00 cm (Vt) = 0.0081


Ave. Voltage (Vs+Vt)/2 = 0.0162

Ave. SAR over 1 g (mW/g) = 1.1853


SAR Scan
File : 01042315_ZOOM
Start : 23-Apr-101 03:44:34 pm End : 23-Apr-101 03:55:25 pm
SAMSUNG/SPH-A330/2;824.04MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : 01042315_ZOOM
Start : 23-Apr-101 03:44:34 pm End : 23-Apr-101 03:55:25 pm
SAMSUNG/SPH-A330/2;824.04MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : 01042315_ZOOM
Start : 23-Apr-101 03:44:34 pm End : 23-Apr-101 03:55:25 pm
SAMSUNG/SPH-A330/2;824.04MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042303_ZOOM.VLT
Start : 23-Apr-101 12:06:06 pm End : 23-Apr-101 12:15:14 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 836.49 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
SAMSUNG TRI-MODE PHONE - AMPS MODE
CHAN 0383 Conducted 26.0 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 1.750, Y = -1.750, Z = 0.000 (cm) Value = 19.349

Measured Values (volts) =
1.960E-002 1.323E-002 1.071E-002 8.723E-003 7.638E-003 6.522E-003
5.752E-003 5.147E-003 4.630E-003 4.251E-003 3.785E-003 3.471E-003
3.037E-003 2.609E-003 2.210E-003 1.801E-003 1.466E-003 1.230E-003
1.071E-003 1.005E-003 9.956E-004


Calc. Voltage @ Surface (Vs) = 0.0266

Voltage @ 1.00 cm (Vt) = 0.0087


Ave. Voltage (Vs+Vt)/2 = 0.0177

Ave. SAR over 1 g (mW/g) = 1.2894


SAR Scan
File : 01042303_ZOOM
Start : 23-Apr-101 12:06:06 pm End : 23-Apr-101 12:15:14 pm
SAMSUNG/SPH-A330/2;836.49MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : 01042303_ZOOM
Start : 23-Apr-101 12:06:06 pm End : 23-Apr-101 12:15:14 pm
SAMSUNG/SPH-A330/2;836.49MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : 01042303_ZOOM
Start : 23-Apr-101 12:06:06 pm End : 23-Apr-101 12:15:14 pm
SAMSUNG/SPH-A330/2;836.49MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042302_ZOOM.VLT
Start : 23-Apr-101 11:49:10 am End : 23-Apr-101 11:58:47 am

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 836.49 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
SAMSUNG TRI-MODE PHONE - AMPS MODE
CHAN 0383 Conducted 26.0 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 1.750, Y = -1.750, Z = 0.000 (cm) Value = 19.190

Measured Values (volts) =
1.873E-002 1.281E-002 1.045E-002 8.623E-003 7.355E-003 6.441E-003
5.672E-003 5.006E-003 4.536E-003 4.165E-003 3.803E-003 3.431E-003
2.999E-003 2.627E-003 2.140E-003 1.754E-003 1.411E-003 1.197E-003
1.030E-003 9.944E-004 1.013E-003


Calc. Voltage @ Surface (Vs) = 0.0252

Voltage @ 1.00 cm (Vt) = 0.0086


Ave. Voltage (Vs+Vt)/2 = 0.0169

Ave. SAR over 1 g (mW/g) = 1.2331


SAR Scan
File : 01042302_ZOOM
Start : 23-Apr-101 11:49:10 am End : 23-Apr-101 11:58:47 am
SAMSUNG/SPH-A330/2;836.49MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : 01042302_ZOOM
Start : 23-Apr-101 11:49:10 am End : 23-Apr-101 11:58:47 am
SAMSUNG/SPH-A330/2;836.49MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : 01042302_ZOOM
Start : 23-Apr-101 11:49:10 am End : 23-Apr-101 11:58:47 am
SAMSUNG/SPH-A330/2;836.49MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042307_ZOOM.VLT
Start : 23-Apr-101 12:49:20 pm End : 23-Apr-101 12:58:29 pm

Radio Type : SAMSUNG
Model Number : SCH-A330
Serial Number : 2
Frequency : 848.97 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
SAMSUNG TRI-MODE PHONE - AMPS MODE
CHAN 0799 Conducted 26.0 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 1.750, Y = -1.750, Z = 0.000 (cm) Value = 19.034

Measured Values (volts) =
1.868E-002 1.383E-002 1.100E-002 8.960E-003 7.818E-003 6.639E-003
5.809E-003 5.175E-003 4.628E-003 4.220E-003 3.814E-003 3.459E-003
3.113E-003 2.679E-003 2.264E-003 1.858E-003 1.507E-003 1.212E-003
1.057E-003 9.236E-004 9.678E-004


Calc. Voltage @ Surface (Vs) = 0.0244

Voltage @ 1.00 cm (Vt) = 0.0090


Ave. Voltage (Vs+Vt)/2 = 0.0167

Ave. SAR over 1 g (mW/g) = 1.2154


SAR Scan
File : 01042307_ZOOM
Start : 23-Apr-101 12:49:20 pm End : 23-Apr-101 12:58:29 pm
SAMSUNG/SPH-A330/2;848.97MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : 01042307_ZOOM
Start : 23-Apr-101 12:49:20 pm End : 23-Apr-101 12:58:29 pm
SAMSUNG/SPH-A330/2;848.97MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : 01042307_ZOOM
Start : 23-Apr-101 12:49:20 pm End : 23-Apr-101 12:58:29 pm
SAMSUNG/SPH-A330/2;848.97MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042308_ZOOM.VLT
Start : 23-Apr-101 01:03:44 pm End : 23-Apr-101 01:12:52 pm

Radio Type : SAMSUNG
Model Number : SCH-A330
Serial Number : 2
Frequency : 848.97 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr : 0.400 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
SAMSUNG TRI-MODE PHONE - AMPS MODE
CHAN 0799 Conducted 26.0 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 1.750, Y = -1.750, Z = 0.000 (cm) Value = 15.323

Measured Values (volts) =
1.502E-002 1.104E-002 8.781E-003 7.053E-003 6.158E-003 5.294E-003
4.658E-003 4.081E-003 3.698E-003 3.327E-003 3.035E-003 2.717E-003
2.342E-003 2.093E-003 1.740E-003 1.418E-003 1.175E-003 9.625E-004
8.033E-004 7.377E-004 7.262E-004


Calc. Voltage @ Surface (Vs) = 0.0197

Voltage @ 1.00 cm (Vt) = 0.0071

Ave. Voltage (Vs+Vt)/2 = 0.0134

Ave. SAR over 1 g (mW/g) = 0.9746

SAR Scan
File : 01042308_ZOOM
Start : 23-Apr-101 01:03:44 pm End : 23-Apr-101 01:12:52 pm
SAMSUNG/SPH-A330/2;848.97MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900





File : 01042308_ZOOM

Start : 23-Apr-101 01:03:44 pm End : 23-Apr-101 01:12:52 pm

SAMSUNG/SPH-A330/2;848.97MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01042308_ZOOM

Start : 23-Apr-101 01:03:44 pm End : 23-Apr-101 01:12:52 pm

SAMSUNG/SPH-A330/2;848.97MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042316_ZOOM.VLT
Start : 23-Apr-101 04:09:57 pm End : 23-Apr-101 04:20:46 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 835.89 MHz
Peak Trans. Pwr : 0.320 W
Start Trans. Pwr: 0.320 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
SAMSUNG TRI-MODE PHONE - CDMA MODE
CHAN 0363 Conducted 25.0 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 2.000, Y = -2.000, Z = 0.000 (cm) Value = 16.921

Measured Values (volts) =
1.679E-002 1.193E-002 9.845E-003 8.145E-003 6.868E-003 5.958E-003
5.343E-003 4.724E-003 4.334E-003 3.940E-003 3.538E-003 3.136E-003
2.778E-003 2.322E-003 1.951E-003 1.530E-003 1.238E-003 1.039E-003
9.552E-004 9.117E-004 9.621E-004


Calc. Voltage @ Surface (Vs) = 0.0220

Voltage @ 1.00 cm (Vt) = 0.0081

Ave. Voltage (Vs+Vt)/2 = 0.0151

Ave. SAR over 1 g (mW/g) = 1.0989

SAR Scan
File : 01042316_ZOOM
Start : 23-Apr-101 04:09:57 pm End : 23-Apr-101 04:20:46 pm
SAMSUNG/SPH-A330/2;835.89MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01042316_ZOOM

Start : 23-Apr-101 04:09:57 pm End : 23-Apr-101 04:20:46 pm

SAMSUNG/SPH-A330/2;835.89MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01042316_ZOOM

Start : 23-Apr-101 04:09:57 pm End : 23-Apr-101 04:20:46 pm

SAMSUNG/SPH-A330/2;835.89MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042317_ZOOM.VLT
Start : 23-Apr-101 04:23:02 pm End : 23-Apr-101 04:42:46 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 835.89 MHz
Peak Trans. Pwr : 0.320 W
Start Trans. Pwr: 0.320 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
SAMSUNG TRI-MODE PHONE - CDMA MODE
CHAN 0363 Conducted 25.0 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 1.750, Y = -1.750, Z = 0.000 (cm) Value = 14.968

Measured Values (volts) =
1.478E-002 1.010E-002 8.068E-003 6.662E-003 5.579E-003 4.867E-003
4.274E-003 3.891E-003 3.432E-003 3.220E-003 2.911E-003 2.653E-003
2.314E-003 1.973E-003 1.587E-003 1.343E-003 1.070E-003 8.954E-004
8.074E-004 8.015E-004 8.248E-004


Calc. Voltage @ Surface (Vs) = 0.0201

Voltage @ 1.00 cm (Vt) = 0.0067


Ave. Voltage (Vs+Vt)/2 = 0.0134

Ave. SAR over 1 g (mW/g) = 0.9751


SAR Scan
File : 01042317_ZOOM
Start : 23-Apr-101 04:23:02 pm End : 23-Apr-101 04:42:46 pm
SAMSUNG/SPH-A330/2;835.89MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : 01042317_ZOOM
Start : 23-Apr-101 04:23:02 pm End : 23-Apr-101 04:42:46 pm
SAMSUNG/SPH-A330/2;835.89MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : 01042317_ZOOM
Start : 23-Apr-101 04:23:02 pm End : 23-Apr-101 04:42:46 pm
SAMSUNG/SPH-A330/2;835.89MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



Peak SAR Location

1800 MHz Head SAR



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042403_ZOOM.VLT
Start : 24-Apr-101 10:00:19 am End : 24-Apr-101 10:11:41 am

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 1851.25 MHz
Peak Trans. Pwr : 0.280 W
Start Trans. Pwr: 0.280 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 40.400
Mixture Conductivity = 1.820

Comment :
SAMSUNG TRI-MODE PHONE - PCS MODE
CHAN 0025 Conducted 24.5 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.201

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = 1.500, Y = -1.500, Z = 0.000 (cm) Value = 11.105

Measured Values (volts) =
1.057E-002 7.286E-003 5.900E-003 4.689E-003 4.058E-003 3.621E-003
3.182E-003 2.912E-003 2.698E-003 2.571E-003 2.480E-003 2.407E-003
2.375E-003 2.330E-003 2.202E-003 2.199E-003 2.197E-003 2.132E-003
2.159E-003 2.146E-003 2.179E-003


Calc. Voltage @ Surface (Vs) = 0.0142

Voltage @ 1.00 cm (Vt) = 0.0047

Ave. Voltage (Vs+Vt)/2 = 0.0094

Ave. SAR over 1 g (mW/g) = 1.0502

SAR Scan
File : 01042403_ZOOM
Start : 24-Apr-101 10:00:19 am End : 24-Apr-101 10:11:41 am
SAMSUNG/SPH-A330/2;1851.25MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01042403_ZOOM

Start : 24-Apr-101 10:00:19 am End : 24-Apr-101 10:11:41 am

SAMSUNG/SPH-A330/2;1851.25MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01042403_ZOOM

Start : 24-Apr-101 10:00:19 am End : 24-Apr-101 10:11:41 am

SAMSUNG/SPH-A330/2;1851.25MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042405_ZOOM.VLT
Start : 24-Apr-101 10:53:00 am End : 24-Apr-101 11:02:08 am

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 1851.25 MHz
Peak Trans. Pwr : 0.280 W
Start Trans. Pwr: 0.280 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 40.400
Mixture Conductivity = 1.820

Comment :
SAMSUNG TRI-MODE PHONE - PCS MODE
CHAN 0025 Conducted 24.5 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.201

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = 1.750, Y = -2.000, Z = 0.000 (cm) Value = 7.141

Measured Values (volts) =
7.034E-003 4.866E-003 4.004E-003 3.529E-003 3.242E-003 2.998E-003
2.807E-003 2.646E-003 2.519E-003 2.522E-003 2.506E-003 2.447E-003
2.479E-003 2.400E-003 2.350E-003 2.347E-003 2.362E-003 2.401E-003
2.329E-003 2.378E-003 2.447E-003


Calc. Voltage @ Surface (Vs) = 0.0094

Voltage @ 1.00 cm (Vt) = 0.0035

Ave. Voltage (Vs+Vt)/2 = 0.0064

Ave. SAR over 1 g (mW/g) = 0.7166

SAR Scan
File : 01042405_ZOOM
Start : 24-Apr-101 10:53:00 am End : 24-Apr-101 11:02:08 am
SAMSUNG/SPH-A330/2;1851.25MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820





File : 01042405_ZOOM

Start : 24-Apr-101 10:53:00 am End : 24-Apr-101 11:02:08 am

SAMSUNG/SPH-A330/2;1851.25MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01042405_ZOOM

Start : 24-Apr-101 10:53:00 am End : 24-Apr-101 11:02:08 am

SAMSUNG/SPH-A330/2;1851.25MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042320_ZOOM.VLT
Start : 23-Apr-101 05:18:42 pm End : 23-Apr-101 05:29:38 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 1880.00 MHz
Peak Trans. Pwr : 0.280 W
Start Trans. Pwr: 0.280 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 40.400
Mixture Conductivity = 1.820

Comment :
SAMSUNG TRI-MODE PHONE - PCS MODE
CHAN 0600 Conducted 24.5 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.201

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = 1.750, Y = -1.750, Z = 0.000 (cm) Value = 10.528

Measured Values (volts) =
9.447E-003 6.637E-003 4.848E-003 3.596E-003 2.774E-003 2.178E-003
1.715E-003 1.337E-003 1.031E-003 8.382E-004 6.882E-004 5.277E-004
4.819E-004 4.044E-004 2.756E-004 1.958E-004 1.578E-004 1.405E-004
7.516E-005 4.240E-005 5.172E-005


Calc. Voltage @ Surface (Vs) = 0.0132

Voltage @ 1.00 cm (Vt) = 0.0036

Ave. Voltage (Vs+Vt)/2 = 0.0084

Ave. SAR over 1 g (mW/g) = 0.9334

SAR Scan
File : 01042320_ZOOM
Start : 23-Apr-101 05:18:42 pm End : 23-Apr-101 05:29:38 pm
SAMSUNG/SPH-A330/2;1880.00MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01042320_ZOOM


Start : 23-Apr-101 05:18:42 pm End : 23-Apr-101 05:29:38 pm

SAMSUNG/SPH-A330/2;1880.00MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820



File : 01042320_ZOOM
Start : 23-Apr-101 05:18:42 pm End : 23-Apr-101 05:29:38 pm
SAMSUNG/SPH-A330/2;1880.00MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042322_ZOOM.VLT
Start : 23-Apr-101 05:32:14 pm End : 23-Apr-101 05:43:28 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 1880.00 MHz
Peak Trans. Pwr : 0.280 W
Start Trans. Pwr: 0.280 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 40.400
Mixture Conductivity = 1.820

Comment :
SAMSUNG TRI-MODE PHONE - PCS MODE
CHAN 0600 Conducted 24.5 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.201

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = 2.000, Y = -1.750, Z = 0.000 (cm) Value = 7.829

Measured Values (volts) =
7.719E-003 3.676E-003 2.435E-003 1.880E-003 1.442E-003 1.087E-003
9.125E-004 7.042E-004 5.306E-004 3.756E-004 3.249E-004 3.081E-004
1.845E-004 1.717E-004 1.160E-004 7.971E-005 7.010E-005 1.006E-004
5.565E-005 5.138E-005 6.633E-005


Calc. Voltage @ Surface (Vs) = 0.0139

Voltage @ 1.00 cm (Vt) = 0.0019

Ave. Voltage (Vs+Vt)/2 = 0.0079

Ave. SAR over 1 g (mW/g) = 0.8790

SAR Scan
File : 01042322_ZOOM
Start : 23-Apr-101 05:32:14 pm End : 23-Apr-101 05:43:28 pm
SAMSUNG/SPH-A330/2;1880.00MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01042322_ZOOM

Start : 23-Apr-101 05:32:14 pm End : 23-Apr-101 05:43:28 pm

SAMSUNG/SPH-A330/2;1880.00MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01042322_ZOOM

Start : 23-Apr-101 05:32:14 pm End : 23-Apr-101 05:43:28 pm

SAMSUNG/SPH-A330/2;1880.00MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042407_ZOOM.VLT
Start : 24-Apr-101 11:05:20 am End : 24-Apr-101 11:16:24 am

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 1908.75 MHz
Peak Trans. Pwr : 0.280 W
Start Trans. Pwr: 0.280 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 40.400
Mixture Conductivity = 1.820

Comment :
SAMSUNG TRI-MODE PHONE - PCS MODE
CHAN 1175 Conducted 24.5 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.201

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = 1.750, Y = -1.750, Z = 0.000 (cm) Value = 10.346

Measured Values (volts) =
1.015E-002 6.868E-003 5.518E-003 4.624E-003 3.920E-003 3.504E-003
3.189E-003 2.953E-003 2.757E-003 2.630E-003 2.884E-003 2.977E-003
2.899E-003 2.805E-003 2.834E-003 2.749E-003 2.753E-003 2.800E-003
2.822E-003 2.849E-003 2.885E-003


Calc. Voltage @ Surface (Vs) = 0.0138

Voltage @ 1.00 cm (Vt) = 0.0046

Ave. Voltage (Vs+Vt)/2 = 0.0092

Ave. SAR over 1 g (mW/g) = 1.0251

SAR Scan
File : 01042407_ZOOM
Start : 24-Apr-101 11:05:20 am End : 24-Apr-101 11:16:24 am
SAMSUNG/SPH-A330/2;1908.75MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820





File : 01042407_ZOOM

Start : 24-Apr-101 11:05:20 am End : 24-Apr-101 11:16:24 am

SAMSUNG/SPH-A330/2;1908.75MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01042407_ZOOM

Start : 24-Apr-101 11:05:20 am End : 24-Apr-101 11:16:24 am

SAMSUNG/SPH-A330/2;1908.75MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042409_ZOOM.VLT
Start : 24-Apr-101 11:24:25 am End : 24-Apr-101 11:33:44 am

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 1908.75 MHz
Peak Trans. Pwr : 0.280 W
Start Trans. Pwr: 0.280 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 40.400
Mixture Conductivity = 1.820

Comment :
SAMSUNG TRI-MODE PHONE - PCS MODE
CHAN 1175 Conducted 24.5 dBm
SAMSUNG TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.201

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = 1.750, Y = -2.000, Z = 0.000 (cm) Value = 7.757

Measured Values (volts) =
5.922E-003 3.551E-003 2.545E-003 1.959E-003 1.602E-003 1.311E-003
1.043E-003 8.836E-004 7.907E-004 6.993E-004 6.323E-004 5.381E-004
5.085E-004 4.702E-004 4.246E-004 3.745E-004 4.048E-004 3.927E-004
3.762E-004 3.801E-004 3.146E-004


Calc. Voltage @ Surface (Vs) = 0.0091

Voltage @ 1.00 cm (Vt) = 0.0020

Ave. Voltage (Vs+Vt)/2 = 0.0055

Ave. SAR over 1 g (mW/g) = 0.6133

SAR Scan
File : 01042409_ZOOM
Start : 24-Apr-101 11:24:25 am End : 24-Apr-101 11:33:44 am
SAMSUNG/SPH-A330/2;1908.75MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820





File : 01042409_ZOOM

Start : 24-Apr-101 11:24:25 am End : 24-Apr-101 11:33:44 am

SAMSUNG/SPH-A330/2;1908.75MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01042409_ZOOM

Start : 24-Apr-101 11:24:25 am End : 24-Apr-101 11:33:44 am


SAMSUNG/SPH-A330/2;1908.75MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820



Peak SAR Location

800 MHz Body SAR



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042415_ZOOM.VLT
Start : 24-Apr-101 03:07:55 pm End : 24-Apr-101 03:16:31 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 824.04 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
SAMSUNG TRI-MODE PHONE - AMPS MODE
CHAN 0991 Conducted 26.0 dBm
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -1.000, Y = -2.000, Z = 0.000 (cm) Value = 4.284

Measured Values (volts) =
4.266E-003 3.367E-003 2.801E-003 2.340E-003 1.962E-003 1.708E-003
1.549E-003 1.451E-003 1.344E-003 1.282E-003 1.141E-003 9.364E-004
7.213E-004 5.232E-004 3.354E-004 2.393E-004 2.078E-004 2.279E-004
3.393E-004 3.992E-004 4.190E-004


Calc. Voltage @ Surface (Vs) = 0.0053

Voltage @ 1.00 cm (Vt) = 0.0023

Ave. Voltage (Vs+Vt)/2 = 0.0038

Ave. SAR over 1 g (mW/g) = 0.3149

SAR Scan
File : 01042415_ZOOM
Start : 24-Apr-101 03:07:55 pm End : 24-Apr-101 03:16:31 pm
SAMSUNG/SPH-A330/2;824.04MHz;W;Helical/In;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042415_ZOOM

Start : 24-Apr-101 03:07:55 pm End : 24-Apr-101 03:16:31 pm

SAMSUNG/SPH-A330/2;824.04MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042415_ZOOM

Start : 24-Apr-101 03:07:55 pm End : 24-Apr-101 03:16:31 pm

SAMSUNG/SPH-A330/2;824.04MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042413_ZOOM.VLT
Start : 24-Apr-101 02:35:43 pm End : 24-Apr-101 02:46:17 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 824.04 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
SAMSUNG TRI-MODE PHONE - AMPS MODE
CHAN 0991 Conducted 26.0 dBm
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -1.500, Y = -2.000, Z = 0.000 (cm) Value = 6.051

Measured Values (volts) =
5.048E-003 4.027E-003 3.233E-003 2.691E-003 2.263E-003 2.010E-003
1.838E-003 1.729E-003 1.650E-003 1.492E-003 1.323E-003 1.076E-003
7.786E-004 5.141E-004 3.743E-004 2.523E-004 2.715E-004 3.539E-004
5.103E-004 5.227E-004 5.370E-004


Calc. Voltage @ Surface (Vs) = 0.0063

Voltage @ 1.00 cm (Vt) = 0.0027

Ave. Voltage (Vs+Vt)/2 = 0.0045

Ave. SAR over 1 g (mW/g) = 0.3724

SAR Scan
File : 01042413_ZOOM
Start : 24-Apr-101 02:35:43 pm End : 24-Apr-101 02:46:17 pm
SAMSUNG/SPH-A330/2;824.04MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042413_ZOOM

Start : 24-Apr-101 02:35:43 pm End : 24-Apr-101 02:46:17 pm

SAMSUNG/SPH-A330/2;824.04MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042413_ZOOM

Start : 24-Apr-101 02:35:43 pm End : 24-Apr-101 02:46:17 pm

SAMSUNG/SPH-A330/2;824.04MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042412_ZOOM.VLT
Start : 24-Apr-101 01:42:36 pm End : 24-Apr-101 01:50:03 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 836.49 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
SAMSUNG TRI-MODE PHONE - AMPS MODE
CHAN 0383 Conducted 26.0 dBm
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -1.250, Y = -2.000, Z = 0.000 (cm) Value = 5.363

Measured Values (volts) =
4.951E-003 3.992E-003 3.297E-003 2.713E-003 2.328E-003 2.016E-003
1.811E-003 1.669E-003 1.542E-003 1.447E-003 1.302E-003 1.056E-003
7.920E-004 5.973E-004 3.782E-004 2.613E-004 2.576E-004 3.021E-004
3.966E-004 5.163E-004 4.667E-004


Calc. Voltage @ Surface (Vs) = 0.0061

Voltage @ 1.00 cm (Vt) = 0.0027

Ave. Voltage (Vs+Vt)/2 = 0.0044

Ave. SAR over 1 g (mW/g) = 0.3634

SAR Scan
File : 01042412_ZOOM
Start : 24-Apr-101 01:42:36 pm End : 24-Apr-101 01:50:03 pm
SAMSUNG/SPH-A330/2;836.49MHz;W;Helical/In;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042412_ZOOM

Start : 24-Apr-101 01:42:36 pm End : 24-Apr-101 01:50:03 pm

SAMSUNG/SPH-A330/2;836.49MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042412_ZOOM

Start : 24-Apr-101 01:42:36 pm End : 24-Apr-101 01:50:03 pm

SAMSUNG/SPH-A330/2;836.49MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042411_ZOOM.VLT
Start : 24-Apr-101 12:30:02 pm End : 24-Apr-101 12:40:21 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 836.49 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
SAMSUNG TRI-MODE PHONE - AMPS MODE
CHAN 0383 Conducted 26.0 dBm
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -1.750, Y = -2.250, Z = 0.000 (cm) Value = 6.166

Measured Values (volts) =
5.678E-003 4.681E-003 3.794E-003 3.184E-003 2.683E-003 2.340E-003
2.157E-003 2.015E-003 1.850E-003 1.713E-003 1.502E-003 1.225E-003
8.819E-004 6.109E-004 4.138E-004 3.155E-004 3.336E-004 4.520E-004
5.754E-004 6.332E-004 5.780E-004


Calc. Voltage @ Surface (Vs) = 0.0069

Voltage @ 1.00 cm (Vt) = 0.0032

Ave. Voltage (Vs+Vt)/2 = 0.0051

Ave. SAR over 1 g (mW/g) = 0.4193

SAR Scan
File : 01042411_ZOOM
Start : 24-Apr-101 12:30:02 pm End : 24-Apr-101 12:40:21 pm
SAMSUNG/SPH-A330/2;836.49MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042411_ZOOM

Start : 24-Apr-101 12:30:02 pm End : 24-Apr-101 12:40:21 pm

SAMSUNG/SPH-A330/2;836.49MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042411_ZOOM

Start : 24-Apr-101 12:30:02 pm End : 24-Apr-101 12:40:21 pm

SAMSUNG/SPH-A330/2;836.49MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042417_ZOOM.VLT
Start : 24-Apr-101 03:29:18 pm End : 24-Apr-101 03:39:30 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 848.97 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
SAMSUNG TRI-MODE PHONE - AMPS MODE
CHAN 0799 Conducted 26.0 dBm
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -1.250, Y = -2.000, Z = 0.000 (cm) Value = 6.079

Measured Values (volts) =
6.026E-003 4.764E-003 3.965E-003 3.208E-003 2.703E-003 2.331E-003
2.036E-003 1.880E-003 1.787E-003 1.663E-003 1.495E-003 1.242E-003
9.797E-004 7.126E-004 4.803E-004 3.367E-004 2.832E-004 3.302E-004
4.139E-004 5.256E-004 5.530E-004


Calc. Voltage @ Surface (Vs) = 0.0074

Voltage @ 1.00 cm (Vt) = 0.0032

Ave. Voltage (Vs+Vt)/2 = 0.0053

Ave. SAR over 1 g (mW/g) = 0.4404

SAR Scan
File : 01042417_ZOOM
Start : 24-Apr-101 03:29:18 pm End : 24-Apr-101 03:39:30 pm
SAMSUNG/SPH-A330/2;848.97MHz;W;Helical/In;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042417_ZOOM

Start : 24-Apr-101 03:29:18 pm End : 24-Apr-101 03:39:30 pm

SAMSUNG/SPH-A330/2;848.97MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042417_ZOOM

Start : 24-Apr-101 03:29:18 pm End : 24-Apr-101 03:39:30 pm

SAMSUNG/SPH-A330/2;848.97MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042416_ZOOM.VLT
Start : 24-Apr-101 03:17:57 pm End : 24-Apr-101 03:28:25 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 848.97 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
SAMSUNG TRI-MODE PHONE - AMPS MODE
CHAN 0799 Conducted 26.0 dBm
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -2.000, Y = -2.500, Z = 0.000 (cm) Value = 7.787

Measured Values (volts) =
7.527E-003 6.034E-003 4.831E-003 3.970E-003 3.347E-003 2.878E-003
2.592E-003 2.415E-003 2.245E-003 2.001E-003 1.680E-003 1.323E-003
9.422E-004 6.161E-004 4.020E-004 3.655E-004 4.614E-004 5.683E-004
6.992E-004 7.133E-004 5.196E-004


Calc. Voltage @ Surface (Vs) = 0.0094

Voltage @ 1.00 cm (Vt) = 0.0040

Ave. Voltage (Vs+Vt)/2 = 0.0067

Ave. SAR over 1 g (mW/g) = 0.5532

SAR Scan
File : 01042416_ZOOM
Start : 24-Apr-101 03:17:57 pm End : 24-Apr-101 03:28:25 pm
SAMSUNG/SPH-A330/2;848.97MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042416_ZOOM

Start : 24-Apr-101 03:17:57 pm End : 24-Apr-101 03:28:25 pm

SAMSUNG/SPH-A330/2;848.97MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042416_ZOOM

Start : 24-Apr-101 03:17:57 pm End : 24-Apr-101 03:28:25 pm

SAMSUNG/SPH-A330/2;848.97MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042419_ZOOM.VLT
Start : 24-Apr-101 04:06:28 pm End : 24-Apr-101 04:17:00 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 848.31 MHz
Peak Trans. Pwr : 0.320 W
Start Trans. Pwr: 0.320 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
SAMSUNG TRI-MODE PHONE - CDMA MODE
CHAN 0777 Conducted 25.0 dBm
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -1.750, Y = -2.500, Z = 0.000 (cm) Value = 4.214

Measured Values (volts) =
4.057E-003 3.158E-003 2.510E-003 2.066E-003 1.725E-003 1.424E-003
1.366E-003 1.257E-003 1.139E-003 1.046E-003 8.676E-004 6.600E-004
4.740E-004 3.410E-004 2.269E-004 1.815E-004 2.075E-004 3.042E-004
3.126E-004 3.314E-004 2.471E-004


Calc. Voltage @ Surface (Vs) = 0.0052

Voltage @ 1.00 cm (Vt) = 0.0021

Ave. Voltage (Vs+Vt)/2 = 0.0036

Ave. SAR over 1 g (mW/g) = 0.2990

SAR Scan
File : 01042419_ZOOM
Start : 24-Apr-101 04:06:28 pm End : 24-Apr-101 04:17:00 pm
SAMSUNG/SPH-A330/2;848.31MHz;W;Helical/In;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042419_ZOOM

Start : 24-Apr-101 04:06:28 pm End : 24-Apr-101 04:17:00 pm

SAMSUNG/SPH-A330/2;848.31MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042419_ZOOM

Start : 24-Apr-101 04:06:28 pm End : 24-Apr-101 04:17:00 pm

SAMSUNG/SPH-A330/2;848.31MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042418_ZOOM.VLT
Start : 24-Apr-101 03:48:11 pm End : 24-Apr-101 03:58:45 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 848.31 MHz
Peak Trans. Pwr : 0.320 W
Start Trans. Pwr: 0.320 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
SAMSUNG TRI-MODE PHONE - CDMA MODE
CHAN 0777 Conducted 25.0 dBm
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -1.250, Y = -2.250, Z = 0.000 (cm) Value = 5.128

Measured Values (volts) =
4.854E-003 3.815E-003 3.081E-003 2.508E-003 2.081E-003 1.773E-003
1.585E-003 1.502E-003 1.420E-003 1.352E-003 1.199E-003 9.782E-004
7.639E-004 5.331E-004 3.343E-004 2.572E-004 2.338E-004 3.211E-004
3.896E-004 4.505E-004 4.486E-004

Calc. Voltage @ Surface (Vs) = 0.0061

Voltage @ 1.00 cm (Vt) = 0.0025

Ave. Voltage (Vs+Vt)/2 = 0.0043

Ave. SAR over 1 g (mW/g) = 0.3560


SAR Scan

File : 01042418_ZOOM

Start : 24-Apr-101 03:48:11 pm End : 24-Apr-101 03:58:45 pm

SAMSUNG/SPH-A330/2;848.31MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042418_ZOOM

Start : 24-Apr-101 03:48:11 pm End : 24-Apr-101 03:58:45 pm

SAMSUNG/SPH-A330/2;848.31MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01042418_ZOOM

Start : 24-Apr-101 03:48:11 pm End : 24-Apr-101 03:58:45 pm


SAMSUNG/SPH-A330/2;848.31MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



Peak SAR Location

1800 MHz Body SAR



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042507_ZOOM.VLT
Start : 25-Apr-101 10:26:49 am End : 25-Apr-101 10:35:57 am

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 1851.25 MHz
Peak Trans. Pwr : 0.280 W
Start Trans. Pwr: 0.280 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity = 1.850

Comment :
SAMSUNG TRI-MODE PHONE - PCS MODE
CHAN 0025 24.5 dBm Conducted
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.378

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -4.000, Y = -3.500, Z = 0.000 (cm) Value = 7.584

Measured Values (volts) =
7.476E-003 6.152E-003 4.329E-003 2.954E-003 2.186E-003 1.603E-003
1.302E-003 1.049E-003 8.626E-004 5.519E-004 3.415E-004 2.046E-004
2.661E-004 3.169E-004 2.230E-004 7.983E-005 1.269E-005 0.000E+000
0.000E+000 0.000E+000 0.000E+000


Calc. Voltage @ Surface (Vs) = 0.0099

Voltage @ 1.00 cm (Vt) = 0.0030

Ave. Voltage (Vs+Vt)/2 = 0.0064

Ave. SAR over 1 g (mW/g) = 0.8172

SAR Scan
File : 01042507_ZOOM
Start : 25-Apr-101 10:26:49 am End : 25-Apr-101 10:35:57 am
SAMSUNG/SPH-A330/2;1851.25MHz;W;Helical/In;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01042507_ZOOM

Start : 25-Apr-101 10:26:49 am End : 25-Apr-101 10:35:57 am

SAMSUNG/SPH-A330/2;1851.25MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01042507_ZOOM

Start : 25-Apr-101 10:26:49 am End : 25-Apr-101 10:35:57 am

SAMSUNG/SPH-A330/2;1851.25MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042508_ZOOM.VLT
Start : 25-Apr-101 10:37:48 am End : 25-Apr-101 10:47:03 am

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 1851.25 MHz
Peak Trans. Pwr : 0.280 W
Start Trans. Pwr: 0.280 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity = 1.850

Comment :
SAMSUNG TRI-MODE PHONE - PCS MODE
CHAN 0025 24.5 dBm Conducted
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.378

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -4.000, Y = -3.500, Z = 0.000 (cm) Value = 8.733

Measured Values (volts) =
8.555E-003 6.657E-003 4.729E-003 3.288E-003 2.364E-003 1.761E-003
1.439E-003 1.214E-003 9.289E-004 5.581E-004 3.196E-004 2.672E-004
2.897E-004 3.470E-004 2.322E-004 1.390E-004 1.713E-005 1.213E-005
2.467E-006 0.000E+000 0.000E+000


Calc. Voltage @ Surface (Vs) = 0.0115

Voltage @ 1.00 cm (Vt) = 0.0033

Ave. Voltage (Vs+Vt)/2 = 0.0074

Ave. SAR over 1 g (mW/g) = 0.9446

SAR Scan
File : 01042508_ZOOM
Start : 25-Apr-101 10:37:48 am End : 25-Apr-101 10:47:03 am
SAMSUNG/SPH-A330/2;1851.25MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01042508_ZOOM

Start : 25-Apr-101 10:37:48 am End : 25-Apr-101 10:47:03 am

SAMSUNG/SPH-A330/2;1851.25MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01042508_ZOOM

Start : 25-Apr-101 10:37:48 am End : 25-Apr-101 10:47:03 am

SAMSUNG/SPH-A330/2;1851.25MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042425_ZOOM.VLT
Start : 24-Apr-101 05:59:37 pm End : 24-Apr-101 06:09:31 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 1880.00 MHz
Peak Trans. Pwr : 0.280 W
Start Trans. Pwr: 0.280 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity = 1.850

Comment :
SAMSUNG TRI-MODE PHONE - PCS MODE
CHAN 0600 Conducted 24.5 dBm
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.378

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -2.500, Y = -3.250, Z = 0.000 (cm) Value = 8.040

Measured Values (volts) =
7.714E-003 5.857E-003 4.084E-003 2.979E-003 2.108E-003 1.619E-003
1.151E-003 8.381E-004 6.502E-004 4.630E-004 4.111E-004 2.639E-004
1.374E-004 8.304E-005 1.247E-004 1.410E-004 6.062E-005 6.881E-005
1.903E-006 0.000E+000 0.000E+000


Calc. Voltage @ Surface (Vs) = 0.0106

Voltage @ 1.00 cm (Vt) = 0.0030

Ave. Voltage (Vs+Vt)/2 = 0.0068

Ave. SAR over 1 g (mW/g) = 0.8670

SAR Scan
File : 01042425_ZOOM
Start : 24-Apr-101 05:59:37 pm End : 24-Apr-101 06:09:31 pm
SAMSUNG/SPH-A330/2;1880.00MHz;W;Helical/In;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01042425_ZOOM

Start : 24-Apr-101 05:59:37 pm End : 24-Apr-101 06:09:31 pm

SAMSUNG/SPH-A330/2;1880.00MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01042425_ZOOM

Start : 24-Apr-101 05:59:37 pm End : 24-Apr-101 06:09:31 pm

SAMSUNG/SPH-A330/2;1880.00MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042421_ZOOM.VLT
Start : 24-Apr-101 05:08:59 pm End : 24-Apr-101 05:18:28 pm

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 1880.00 MHz
Peak Trans. Pwr : 0.280 W
Start Trans. Pwr: 0.280 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity = 1.850

Comment :
SAMSUNG TRI-MODE PHONE - PCS MODE
CHAN 0600 Conducted 24.5 dBm
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.378

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -4.000, Y = -3.500, Z = 0.000 (cm) Value = 9.309

Measured Values (volts) =
9.034E-003 8.087E-003 5.735E-003 4.156E-003 2.994E-003 2.078E-003
1.493E-003 1.253E-003 1.071E-003 7.919E-004 3.716E-004 2.114E-004
2.401E-004 3.381E-004 3.249E-004 1.683E-004 1.193E-004 0.000E+000
0.000E+000 0.000E+000 0.000E+000

Calc. Voltage @ Surface (Vs) = 0.0114

Voltage @ 1.00 cm (Vt) = 0.0042

Ave. Voltage (Vs+Vt)/2 = 0.0078



Ave. SAR over 1 g (mW/g) = 0.9934

File : 01042421_ZOOM


Start : 24-Apr-101 05:08:59 pm End : 24-Apr-101 05:18:28 pm

SAMSUNG/SPH-A330/2;1880.00MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



SAR Scan
File : 01042421_ZOOM
Start : 24-Apr-101 05:08:59 pm End : 24-Apr-101 05:18:28 pm
SAMSUNG/SPH-A330/2;1880.00MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01042421_ZOOM

Start : 24-Apr-101 05:08:59 pm End : 24-Apr-101 05:18:28 pm

SAMSUNG/SPH-A330/2;1880.00MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042511_ZOOM.VLT
Start : 25-Apr-101 11:28:10 am End : 25-Apr-101 11:38:04 am

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 1908.75 MHz
Peak Trans. Pwr : 0.280 W
Start Trans. Pwr: 0.280 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity = 1.850

Comment :
SAMSUNG TRI-MODE PHONE - PCS MODE
CHAN 1175 24.5 dBm Conducted
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.378

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -2.500, Y = -3.250, Z = 0.000 (cm) Value = 7.739

Measured Values (volts) =
7.731E-003 5.843E-003 4.097E-003 2.876E-003 2.093E-003 1.596E-003
1.139E-003 7.882E-004 6.264E-004 4.859E-004 4.177E-004 2.504E-004
1.065E-004 1.368E-004 1.167E-004 1.095E-004 6.658E-005 4.075E-005
0.000E+000 0.000E+000 0.000E+000


Calc. Voltage @ Surface (Vs) = 0.0106

Voltage @ 1.00 cm (Vt) = 0.0029

Ave. Voltage (Vs+Vt)/2 = 0.0068

Ave. SAR over 1 g (mW/g) = 0.8616

SAR Scan
File : 01042511_ZOOM
Start : 25-Apr-101 11:28:10 am End : 25-Apr-101 11:38:04 am
SAMSUNG/SPH-A330/2;1908.75MHz;W;Helical/In;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850





File : 01042511_ZOOM

Start : 25-Apr-101 11:28:10 am End : 25-Apr-101 11:38:04 am

SAMSUNG/SPH-A330/2;1908.75MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01042511_ZOOM

Start : 25-Apr-101 11:28:10 am End : 25-Apr-101 11:38:04 am

SAMSUNG/SPH-A330/2;1908.75MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01042509_ZOOM.VLT
Start : 25-Apr-101 10:54:55 am End : 25-Apr-101 11:02:36 am

Radio Type : SAMSUNG
Model Number : SPH-A330
Serial Number : 2
Frequency : 1908.75 MHz
Peak Trans. Pwr : 0.280 W
Start Trans. Pwr: 0.280 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity = 1.850

Comment :
SAMSUNG TRI-MODE PHONE - PCS MODE
CHAN 1175 24.5 dBm Conducted
SAMSUNG TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.378

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -4.250, Y = -3.500, Z = 0.000 (cm) Value = 9.845

Measured Values (volts) =
9.469E-003 7.374E-003 5.284E-003 3.684E-003 2.493E-003 1.861E-003
1.503E-003 1.192E-003 9.313E-004 5.637E-004 2.830E-004 2.690E-004
3.434E-004 3.714E-004 2.256E-004 8.267E-005 1.227E-005 0.000E+000
0.000E+000 0.000E+000 0.000E+000


Calc. Voltage @ Surface (Vs) = 0.0127

Voltage @ 1.00 cm (Vt) = 0.0037

Ave. Voltage (Vs+Vt)/2 = 0.0082

Ave. SAR over 1 g (mW/g) = 1.0444

SAR Scan
File : 01042509_ZOOM
Start : 25-Apr-101 10:54:55 am End : 25-Apr-101 11:02:36 am
SAMSUNG/SPH-A330/2;1908.75MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01042509_ZOOM

Start : 25-Apr-101 10:54:55 am End : 25-Apr-101 11:02:36 am

SAMSUNG/SPH-A330/2;1908.75MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



File : 01042509_ZOOM

Start : 25-Apr-101 10:54:55 am End : 25-Apr-101 11:02:36 am

SAMSUNG/SPH-A330/2;1908.75MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850

