


(16QAM Low Channel)




(16QAM High Channel)




HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 91 of 166

(64QAM Low Channel)




(64QAM High Channel)




HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 92 of 166

7.4.10. Combined Plot Data at Output

(QPSK Low Channel)



(QPSK High Channel)



HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 93 of 166

(16QAM Low Channel)



(16QAM High Channel)




HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 94 of 166

(64QAM Low Channel)




(64QAM High Channel)




HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 95 of 166

7.4.11. Plot Data at Output Gamma 0

(QPSK Low Channel)




(QPSK High Channel)




HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 96 of 166

(16QAM Low Channel)




(16QAM High Channel)




HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 97 of 166

(64QAM Low Channel)




(64QAM High Channel)



HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 98 of 166

(QPSK Low Channel)



HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002ER21	Test Dates: February 18 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A31 SPI-2210022502	Page 99 of 166

(QPSK High Channel)




(QPSK High Channel)



HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 100 of 166

(16QAM Low Channel)




(16QAM High Channel)



HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 101 of 166

(64QAM Low Channel)



(64QAM High Channel)



HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 102 of 166

8. SPURIOUS EMISSION AT ANTENNA TERMINAL

8.1. Applicable Standard: CFR 47§2.1051, §27.53


The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in §2.1051

8.2. Test Equipment List and Details

Manufacturer	Model / Equipment	Serial No.	Calibration Due
Agilent	87302C / Power Divider	3239A01051	03/16/2010
Agilent	6674A / DC Power Supply	3501A00901	05/14/2010
WEINSCHEL	67-30-33 / Attenuator	BU5347	01/06/2011
WEINSCHEL	67-30-33 / Attenuator	BR0530	01/14/2011
WEINSCHEL	AF117A-69-43 / STEP ATTENUATOR	20623	01/14/2011
WEINSCHEL	AF117A-69-43 / STEP ATTENUATOR	21207	01/06/2011
Agilent	N9020A / MXA Signal Analyzer	US46220219	02/19/2010

8.3. Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.



HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18,2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 103 of 166

The resolution bandwidth of the spectrum analyzer was set at 1MHz. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.

The EUT provides the MIMO function which is able to transmit on the same channel with same data simultaneously therefore a combiner is used to sum the individual transmitter output power.

The test data is shown as a combined output in the report.

8.3.1 Environmental Conditions:

Temperature:	28 °C
Relative Humidity:	51 %

8.4. Test Result

: Pass

8.4.1. Plot Data at Output Alpha 0


HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18,2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 104 of 166

(QPSK Low Channel)



(30 MHz ~ 1 GHz)


(QPSK Middle Channel)



(30 MHz ~ 1 GHz)


HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 105 of 166

(QPSK High Channel)



(30 MHz ~ 1 GHz)

(QPSK Low Channel)



(1 GHz ~ 26.5 GHz)

HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 106 of 166

(QPSK Middle Channel)



(1 GHz ~ 26.5 GHz)


(QPSK High Channel)



(1 GHz ~ 26.5 GHz)


HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 107 of 166

(16QAM LOW Channel)



(30 MHz ~ 1 GHz)


(16QAM Middle Channel)



(30 MHz ~ 1 GHz)

HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 108 of 166

(16QAM High Channel)



(30 MHz ~ 1 GHz)

(16QAM LOW Channel)



(1 GHz ~ 26.5 GHz)

HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 109 of 166

(16QAM Middle Channel)



(1 GHz ~ 26.5 GHz)


(16QAM High Channel)



(1 GHz ~ 26.5 GHz)


HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 110 of 166

(64QAM Low Channel)



(30 MHz ~ 1 GHz)


(64QAM Middle Channel)



(30 MHz ~ 1 GHz)

HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 111 of 166

(64QAM High Channel)



(30 MHz ~ 1 GHz)

(64QAM Low Channel)



(1 GHz ~ 26.5 GHz)

HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 112 of 166

(64QAM Middle Channel)



(1 GHz ~ 26.5 GHz)


(64QAM High Channel)



(1 GHz ~ 26.5 GHz)

HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 113 of 166

8.4.2. Combined Plot Data at Output (QPSK Low Channel)



(30 MHz ~ 1 GHz)


(QPSK Middle Channel)



(30 MHz ~ 1 GHz)

HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 114 of 166

(QPSK High Channel)



(30 MHz ~ 1 GHz)

(QPSK Low Channel)



(1 GHz ~ 26.5 GHz)

HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 115 of 166

(QPSK Middle Channel)



(1 GHz ~ 26.5 GHz)


(QPSK High Channel)



(1 GHz ~ 26.5 GHz)


HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 116 of 166

(16QAM LOW Channel)



(30 MHz ~ 1 GHz)

(16QAM Middle Channel)



(30 MHz ~ 1 GHz)

HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 117 of 166

(16QAM High Channel)



(30 MHz ~ 1 GHz)

(16QAM LOW Channel)



(1 GHz ~ 26.5 GHz)

HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 118 of 166

(16QAM Middle Channel)



(1 GHz ~ 26.5 GHz)


(16QAM High Channel)



(1 GHz ~ 26.5 GHz)


HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 119 of 166

(64QAM Low Channel)



(30 MHz ~ 1 GHz)

(64QAM Middle Channel)



(30 MHz ~ 1 GHz)

HCT PT.27 TEST REPORT	FCC CERTIFICATION REPORT			www.hct.co.kr
Test Report No. HCTR1002FR21	Test Dates: February 18, 2010	EUT Type: Mobile WiMAX Outdoor RAS	FCC ID: A3LSPI-2210022502	Page 120 of 166