






No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	23.248	38.00	-	-	38.00	48.00	-10.00
2	15.463	40.71	-	-	40.71	48.00	-7.29
3	25.002	38.02	-	-	38.02	48.00	-9.98
4	23.249	39.07	-	-	39.07	48.00	-8.93
5	22.969	31.83	-	-	31.83	48.00	-16.17
6	23.158	31.54	-	-	31.54	48.00	-16.46
7	19.329	33.56	-	-	33.56	48.00	-14.44
8	13.817	29.97	-	-	29.97	48.00	-18.03
9	13.605	31.17	-	-	31.17	48.00	-16.83
10	13.392	30.62	-	-	30.62	48.00	-17.38




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-RV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	1.091	26.35	-	-	26.35	48.00	-21.65
2	15.465	42.83	-	-	42.83	48.00	-5.17
3	.583	25.52	-	-	25.52	48.00	-22.48
4	.662	25.48	-	-	25.48	48.00	-22.52
5	.485	27.23	-	-	27.23	48.00	-20.77
6	23.251	38.90	-	-	38.90	48.00	-9.10
7	.620	26.44	-	-	26.44	48.00	-21.56
8	23.250	38.97	-	-	38.97	48.00	-9.03
9	25.003	39.15	-	-	39.15	48.00	-8.85
10	23.196	38.13	-	-	38.13	48.00	-9.87

With D-Sub Cable




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	25.003	39.95	-	-	39.95	48.00	-8.05
2	15.473	38.39	-	-	38.39	48.00	-9.61
3	.450	29.16	-	-	29.16	48.00	-18.84
4	23.263	36.09	-	-	36.09	48.00	-11.91
5	23.209	35.51	-	-	35.51	48.00	-12.49
6	23.154	28.56	-	-	28.56	48.00	-19.44
7	19.386	31.23	-	-	31.23	48.00	-16.77
8	14.316	30.94	-	-	30.94	48.00	-17.06
9	23.209	35.66	-	-	35.66	48.00	-12.34
10	13.586	30.04	-	-	30.04	48.00	-17.96




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	25.003	39.46	-	-	39.46	48.00	-8.54
2	15.476	39.03	-	-	39.03	48.00	-8.97
3	23.268	35.63	-	-	35.63	48.00	-12.37
4	23.268	35.67	-	-	35.67	48.00	-12.33
5	23.155	28.06	-	-	28.06	48.00	-19.94
6	.450	29.50	-	-	29.50	48.00	-18.50
7	19.344	30.53	-	-	30.53	48.00	-17.47
8	15.761	26.96	-	-	26.96	48.00	-21.04
9	22.994	25.14	-	-	25.14	48.00	-22.86
10	10.305	25.99	-	-	25.99	48.00	-22.01

With 13W3C Cable




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	25.003	40.95	-	-	40.95	48.00	-7.05
2	18.891	43.29	-	-	43.29	48.00	-4.71
3	15.473	39.73	-	-	39.73	48.00	-8.27
4	18.960	38.61	-	-	38.61	48.00	-9.39
5	23.264	36.37	-	-	36.37	48.00	-11.63
6	23.264	36.31	-	-	36.31	48.00	-11.69
7	19.029	36.73	-	-	36.73	48.00	-11.27
8	18.754	32.89	-	-	32.89	48.00	-15.11
9	19.342	30.90	-	-	30.90	48.00	-17.10
10	18.685	31.27	-	-	31.27	48.00	-16.73




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	25.003	37.12	-	-	37.12	48.00	-10.88
2	15.471	40.58	-	-	40.58	48.00	-7.42
3	18.960	38.64	-	-	38.64	48.00	-9.36
4	23.259	36.18	-	-	36.18	48.00	-11.82
5	18.892	43.69	-	-	43.69	48.00	-4.31
6	23.259	36.45	-	-	36.45	48.00	-11.55
7	19.029	36.56	-	-	36.56	48.00	-11.44
8	18.822	33.66	-	-	33.66	48.00	-14.34
9	23.195	31.11	-	-	31.11	48.00	-16.89
10	18.754	32.73	-	-	32.73	48.00	-15.27

With D-Sub Cable




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	25.003	40.55	-	-	40.55	48.00	-7.45
2	15.470	39.67	-	-	39.67	48.00	-8.33
3	23.258	36.59	-	-	36.59	48.00	-11.41
4	23.258	36.71	-	-	36.71	48.00	-11.29
5	16.858	35.89	-	-	35.89	48.00	-12.11
6	.450	29.61	-	-	29.61	48.00	-18.39
7	11.275	32.64	-	-	32.64	48.00	-15.36
8	19.337	31.64	-	-	31.64	48.00	-16.36
9	23.205	36.16	-	-	36.16	48.00	-11.84
10	14.320	30.45	-	-	30.45	48.00	-17.55




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	15.471	40.30	-	-	40.30	48.00	-7.70
2	25.003	39.90	-	-	39.90	48.00	-8.10
3	23.260	36.41	-	-	36.41	48.00	-11.59
4	16.858	35.54	-	-	35.54	48.00	-12.46
5	11.275	31.59	-	-	31.59	48.00	-16.41
6	19.384	31.49	-	-	31.49	48.00	-16.51
7	14.320	30.15	-	-	30.15	48.00	-17.85
8	.450	26.38	-	-	26.38	48.00	-21.62
9	22.497	26.36	-	-	26.36	48.00	-21.64
10	10.038	27.16	-	-	27.16	48.00	-20.84

With 13W3C Cable



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	25.003	40.16	-	-	40.16	48.00	-7.84
2	23.255	37.07	-	-	37.07	48.00	-10.93
3	15.469	38.84	-	-	38.84	48.00	-9.16
4	23.201	36.55	-	-	36.55	48.00	-11.45
5	23.631	33.79	-	-	33.79	48.00	-14.21
6	19.381	30.26	-	-	30.26	48.00	-17.74
7	14.319	28.50	-	-	28.50	48.00	-19.50
8	.450	27.27	-	-	27.27	48.00	-20.73
9	10.023	25.28	-	-	25.28	48.00	-22.72
10	24.583	27.20	-	-	27.20	48.00	-20.80



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	.451	37.00	-	-	37.00	48.00	-11.00
2	.451	38.48	-	-	38.48	48.00	-9.52
3	.451	37.50	-	-	37.50	48.00	-10.50
4	25.003	42.01	-	-	42.01	48.00	-5.99
5	.467	38.27	-	-	38.27	48.00	-9.73
6	.484	37.45	-	-	37.45	48.00	-10.55
7	.500	37.51	-	-	37.51	48.00	-10.49
8	.614	33.60	-	-	33.60	48.00	-14.40
9	.551	36.27	-	-	36.27	48.00	-11.73
10	.561	36.43	-	-	36.43	48.00	-11.57

With D-Sub Cable