



ATTACHMENT I – INTERNAL PHOTOGRAPHS








© 2000 PCTEST Lab


Studio Works 15" CRT Color Monitor
LG Electronics Inc. FCC ID: BEICB563C


NVLAP Lab Code: 100431-0













© 2000 PCTEST Lab

Studio Works 15" CRT Color Monitor
LG Electronics Inc. FCC ID: BEICB563C

NVLAP Lab Code: 100431-0







© 2000 PCTEST Lab

Studio Works 15" CRT Color Monitor
LG Electronics Inc. FCC ID: BEICB563C

NVLAP Lab Code: 100431-0






© 2000 PCTEST Lab

Studio Works 15" CRT Color Monitor
LG Electronics Inc. FCC ID: BEICB563C

NVLAP Lab Code: 100431-0





WARNING : THIS CATHODE RAY TUBE EMPLOYS INTEGRAL IMPLOSION PROTECTION. REPLACEMENT WITH A CATHODE RAY TUBE OF THE SAME TYPE NUMBER FOR CONTINUED SAFETY.

AVERTISSEMENT : CE TUBE CATHODIQUE EST ÉQUIPÉ D'UN DISPOSITIF INTÉGRÉ DE PROTECTION CONTRE L'IMPLOSION. REMPLACER PAR UN TUBE DE MÊME MODÈLE POUR NE PAS COMPROMETTRE LA SÉCURITÉ.

Eigensichere Kathodenstrahlröhre nach Anlage III der Röntgenverordnung.



M36LBL803X31(L)

NO

C: 0009300016 N



E 119083



G07010



LR84063



Made by LG Electronics, Korea

WARNING-HANDLE WITH CARE

Breakage of this tube, which contains a high vacuum, may result in injury from flying glass. Remove tube carefully from container. Do not strike or scratch the tube or subject it to more than moderate pressure when inserting into or removing from its socket in electronic equipment.

X-RAY WARNING

When picture tubes are operated above the design maximum anode voltage, and when personal exposure is prolonged at close range, special shielding precautions against x-radiation may be needed.

