



LG ELECTRONICS 1280x1024 @ 60 Hz. PCTEST Engineering Lab.
FCC ID: BEJCB575G LINE A




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	4.835	42.30	56.00	-13.70	31.35	46.00	-14.65
2	4.575	41.91	56.00	-14.09	30.67	46.00	-15.33
3	4.125	41.25	56.00	-14.75	29.87	46.00	-16.13
4	.191	49.90	63.98	-14.08	40.68	53.98	-13.30
5	4.897	42.69	56.00	-13.31	31.41	46.00	-14.59
6	4.253	40.74	56.00	-15.26	30.34	46.00	-15.66
7	4.770	41.85	56.00	-14.15	30.79	46.00	-15.21
8	3.804	39.05	56.00	-16.95	28.98	46.00	-17.02
9	4.576	42.69	56.00	-13.31	30.83	46.00	-15.17
10	4.640	41.75	56.00	-14.25	30.81	46.00	-15.19

LG ELECTRONICS 1280x1024 @ 60 Hz. PCTEST Engineering Lab.
FCC ID: BEJCB575G LINE B




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.191	50.67	63.99	-13.32	44.89	53.99	-9.10
2	.449	41.58	56.90	-15.32	40.84	46.92	-6.08
3	.256	46.76	61.56	-14.80	44.86	51.59	-6.73
4	.707	40.58	56.00	-15.42	39.79	46.00	-6.21
5	.514	39.50	56.00	-16.50	37.22	46.00	-8.78
6	.578	39.21	56.00	-16.79	36.70	46.00	-9.30
7	4.768	34.96	56.00	-21.04	28.03	46.00	-17.97
8	.771	38.29	56.00	-17.71	36.76	46.00	-9.24
9	4.576	34.97	56.00	-21.03	29.38	46.00	-16.62
10	4.899	36.05	56.00	-19.95	30.10	46.00	-15.90

LG ELECTRONICS 1024x768 @ 60 Hz. PCTEST Engineering Lab.
FCC ID: BEJCB575G LINE A




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	4.517	39.72	56.00	-16.28	29.68	46.00	-16.32
2	.192	47.56	63.95	-16.39	40.60	53.98	-13.38
3	3.935	38.17	56.00	-17.83	28.40	46.00	-17.60
4	.151	44.87	65.96	-21.09	35.70	56.00	-20.30
5	4.178	38.97	56.00	-17.03	29.10	46.00	-16.90
6	.532	38.38	56.00	-17.62	34.94	46.00	-11.06
7	5.780	39.87	60.00	-20.13	28.38	50.00	-21.62
8	.483	34.73	56.28	-21.55	32.20	46.30	-14.10
9	6.265	37.87	60.00	-22.13	28.83	50.00	-21.17
10	.337	37.68	59.27	-21.59	35.27	49.27	-14.00

LG ELECTRONICS 1024x768 @ 60 Hz. PCTEST Engineering Lab.
FCC ID: BEJCB575G LINE B




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	50.48	65.95	-15.47	45.23	56.00	-10.77
2	.192	47.63	63.95	-16.32	43.13	53.95	-10.82
3	.678	36.18	56.00	-19.82	34.68	46.00	-11.32
4	4.712	34.68	56.00	-21.32	26.71	46.00	-19.29
5	.483	36.39	56.28	-19.89	34.73	46.30	-11.57
6	.338	39.74	59.26	-19.52	38.42	49.26	-10.84
7	4.857	35.01	56.00	-20.99	27.92	46.00	-18.08
8	.289	40.75	60.54	-19.79	39.30	50.57	-11.27
9	5.829	38.00	60.00	-22.00	26.66	50.00	-23.34
10	3.013	33.67	56.00	-22.33	29.66	46.00	-16.34

LG ELECTRONICS 800x600 @ 61 Hz. PCTEST Engineering Lab.
FCC ID: BEJCB575G LINE A




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	51.00	65.95	-14.15	43.60	55.99	-12.39
2	4.916	37.61	56.00	-18.39	27.38	46.00	-18.62
3	4.612	37.68	56.00	-18.32	27.48	46.00	-18.52
4	.189	45.49	64.00	-18.59	38.59	54.13	-15.54
5	.569	36.25	56.00	-19.75	32.16	46.00	-13.84
6	3.049	33.89	56.00	-22.11	25.44	46.00	-20.56
7	3.507	35.56	56.00	-20.44	26.09	46.00	-19.91
8	5.676	36.02	60.00	-23.98	26.29	50.00	-23.71
9	5.944	36.03	60.00	-23.97	26.19	50.00	-23.81
10	.607	32.48	56.00	-23.52	28.86	46.00	-17.14


LG ELECTRONICS 800x600 @ 61 Hz. PCTEST Engineering Lab.
FCC ID: BEJCB575G LINE B



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	52.18	65.94	-13.76	48.19	55.92	-7.73
2	.175	46.61	64.71	-18.10	41.23	54.28	-13.05
3	.574	34.52	56.00	-21.48	29.80	46.00	-16.20
4	.341	36.93	59.19	-22.26	35.02	49.21	-14.19
5	.531	34.42	56.00	-21.58	32.27	46.00	-13.73
6	4.725	32.94	56.00	-23.06	26.20	46.00	-19.80
7	.455	33.76	56.78	-23.02	31.40	46.80	-15.40
8	.215	41.77	62.99	-21.22	38.05	52.65	-14.60
9	.303	37.56	60.15	-22.59	35.13	50.19	-15.06
10	3.315	32.34	56.00	-23.66	27.78	46.00	-18.22



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.156	50.04	65.65	-15.61	41.95	55.64	-13.69
2	.188	45.09	64.12	-19.03	38.30	54.15	-15.85
3	3.862	35.97	56.00	-20.03	25.59	46.00	-20.41
4	4.812	35.67	56.00	-20.33	26.34	46.00	-19.66
5	3.261	33.81	56.00	-22.19	24.90	46.00	-21.10
6	4.685	34.83	56.00	-21.17	25.86	46.00	-20.14
7	.567	35.21	56.00	-20.79	32.79	46.00	-13.21
8	3.452	34.40	56.00	-21.60	24.62	46.00	-21.38
9	.601	33.95	56.00	-22.05	28.24	46.00	-17.76
10	3.419	34.80	56.00	-21.20	25.02	46.00	-20.98



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	50.47	65.96	-15.49	45.06	55.94	-10.88
2	.177	46.74	64.60	-17.86	41.56	54.29	-12.73
3	.599	34.39	56.00	-21.61	31.34	46.00	-14.66
4	.205	43.40	63.40	-20.00	37.06	53.05	-15.99
5	4.876	30.39	56.00	-25.61	22.88	46.00	-23.12
6	.567	32.65	56.00	-23.35	26.90	46.00	-19.10
7	4.718	30.29	56.00	-25.71	23.16	46.00	-22.84
8	.631	30.93	56.00	-25.07	27.41	46.00	-18.59
9	5.698	34.71	60.00	-25.29	25.60	50.00	-24.40
10	5.635	33.88	60.00	-26.12	25.59	50.00	-24.41