


LGE FCC ID: BEJFB775F CRT Monitor  
640 x 480 54KHz./85Hz. LINE A


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .474        | 33.65           | 56.44        | -22.79      | 24.94          | 46.46        | -21.52      |
| 2   | .171        | 42.32           | 64.91        | -22.59      | 34.59          | 54.94        | -20.35      |
| 3   | .690        | 32.97           | 56.00        | -23.03      | 24.32          | 46.00        | -21.68      |
| 4   | 4.936       | 30.72           | 56.00        | -25.28      | 20.29          | 46.00        | -25.71      |
| 5   | 1.729       | 29.78           | 56.00        | -26.22      | 20.60          | 46.00        | -25.40      |
| 6   | 27.006      | 35.19           | 60.00        | -24.81      | 29.95          | 50.00        | -20.05      |
| 7   | 4.330       | 29.66           | 56.00        | -26.34      | 20.21          | 46.00        | -25.79      |
| 8   | 1.687       | 29.88           | 56.00        | -26.12      | 20.30          | 46.00        | -25.70      |
| 9   | 1.773       | 29.55           | 56.00        | -26.45      | 20.69          | 46.00        | -25.31      |
| 10  | 1.859       | 28.37           | 56.00        | -27.63      | 19.89          | 46.00        | -26.11      |

LGE FCC ID: BEJFB775F CRT Monitor  
640 x 480 54KHz./85Hz. LINE B


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .387        | 28.90           | 58.12        | -29.22      | 22.18          | 48.15        | -25.97      |
| 2   | .474        | 32.89           | 56.44        | -23.55      | 24.62          | 46.46        | -21.84      |
| 3   | .162        | 42.43           | 65.35        | -22.92      | 36.50          | 54.98        | -18.48      |
| 4   | .387        | 28.85           | 58.12        | -29.27      | 22.41          | 48.14        | -25.73      |
| 5   | .690        | 31.71           | 56.00        | -24.29      | 23.36          | 46.00        | -22.64      |
| 6   | 27.006      | 34.28           | 60.00        | -25.72      | 29.03          | 50.00        | -20.97      |
| 7   | .203        | 37.13           | 63.49        | -26.36      | 31.22          | 53.12        | -21.90      |
| 8   | .820        | 29.47           | 56.00        | -26.53      | 21.74          | 46.00        | -24.26      |
| 9   | 1.643       | 27.08           | 56.00        | -28.92      | 19.00          | 46.00        | -27.00      |
| 10  | 4.546       | 26.16           | 56.00        | -29.84      | 17.93          | 46.00        | -28.07      |

LGE FCC ID: BEJFB775F CRT Monitor  
800 x 600 54KHz./85Hz. LINE A


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .696        | 36.82           | 56.00        | -19.18      | 27.80          | 46.00        | -18.20      |
| 2   | .481        | 35.30           | 56.32        | -21.02      | 26.54          | 46.33        | -19.79      |
| 3   | 1.716       | 32.71           | 56.00        | -23.29      | 21.05          | 46.00        | -24.95      |
| 4   | .159        | 43.68           | 65.51        | -21.83      | 35.14          | 55.57        | -20.43      |
| 5   | .750        | 34.13           | 56.00        | -21.87      | 24.86          | 46.00        | -21.14      |
| 6   | 1.770       | 30.65           | 56.00        | -25.35      | 20.75          | 46.00        | -25.25      |
| 7   | 14.066      | 37.36           | 60.00        | -22.64      | 32.31          | 50.00        | -17.69      |
| 8   | .857        | 33.47           | 56.00        | -22.53      | 24.53          | 46.00        | -21.47      |
| 9   | 1.662       | 30.94           | 56.00        | -25.06      | 20.52          | 46.00        | -25.48      |
| 10  | .535        | 33.15           | 56.00        | -22.85      | 24.41          | 46.00        | -21.59      |

LGE FCC ID: BEJFB775F CRT Monitor  
800 x 600 54KHz./85Hz. LINE B


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .696        | 35.87           | 56.00        | -20.13      | 26.39          | 46.00        | -19.61      |
| 2   | .535        | 33.07           | 56.00        | -22.93      | 24.53          | 46.00        | -21.47      |
| 3   | .481        | 34.44           | 56.32        | -21.88      | 25.35          | 46.35        | -21.00      |
| 4   | .151        | 43.30           | 65.97        | -22.67      | 37.73          | 55.49        | -17.76      |
| 5   | .857        | 33.31           | 56.00        | -22.69      | 24.38          | 46.00        | -21.62      |
| 6   | .749        | 33.38           | 56.00        | -22.62      | 24.20          | 46.00        | -21.80      |
| 7   | 14.066      | 36.75           | 60.00        | -23.25      | 24.00          | 50.00        | -26.00      |
| 8   | 1.716       | 30.88           | 56.00        | -25.12      | 20.18          | 46.00        | -25.82      |
| 9   | .266        | 36.84           | 61.23        | -24.39      | 29.81          | 51.26        | -21.45      |
| 10  | 1.769       | 29.98           | 56.00        | -26.02      | 19.97          | 46.00        | -26.03      |

LGE FCC ID: BEJFB775F CRT Monitor  
1024 x 768 69KHz./85Hz. LINE A


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 23.631      | 45.92           | 60.00        | -14.08      | 42.04          | 50.00        | -7.96       |
| 2   | .479        | 42.23           | 56.36        | -14.13      | 32.46          | 46.37        | -13.91      |
| 3   | .685        | 41.34           | 56.00        | -14.66      | 31.85          | 46.00        | -14.15      |
| 4   | .753        | 39.33           | 56.00        | -16.67      | 29.45          | 46.00        | -16.55      |
| 5   | .547        | 37.32           | 56.00        | -18.68      | 27.99          | 46.00        | -18.01      |
| 6   | .204        | 45.03           | 63.45        | -18.42      | 35.69          | 53.46        | -17.77      |
| 7   | 4.673       | 34.87           | 56.00        | -21.13      | 22.43          | 46.00        | -23.57      |
| 8   | 4.879       | 34.86           | 56.00        | -21.14      | 22.38          | 46.00        | -23.62      |
| 9   | 4.673       | 34.86           | 56.00        | -21.14      | 22.49          | 46.00        | -23.51      |
| 10  | .410        | 37.46           | 57.65        | -20.19      | 28.61          | 47.66        | -19.05      |


LGE FCC ID: BEJFB775F CRT Monitor  
1024 x 768 69KHz./85Hz. LINE B

PCTEST Engineering Lab.




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 23.631      | 45.82           | 60.00        | -14.18      | 42.04          | 50.00        | -7.96       |
| 2   | .479        | 41.31           | 56.36        | -15.05      | 31.47          | 46.37        | -14.90      |
| 3   | .685        | 40.17           | 56.00        | -15.83      | 30.03          | 46.00        | -15.97      |
| 4   | .753        | 39.01           | 56.00        | -16.99      | 29.10          | 46.00        | -16.90      |
| 5   | .204        | 44.02           | 63.45        | -19.43      | 35.98          | 53.46        | -17.48      |
| 6   | .547        | 36.01           | 56.00        | -19.99      | 26.55          | 46.00        | -19.45      |
| 7   | 23.631      | 45.82           | 60.00        | -14.18      | 42.09          | 50.00        | -7.91       |
| 8   | 1.715       | 33.83           | 56.00        | -22.17      | 20.95          | 46.00        | -25.05      |
| 9   | .410        | 35.45           | 57.65        | -22.20      | 26.49          | 47.67        | -21.18      |
| 10  | 23.699      | 37.72           | 60.00        | -22.28      | 34.45          | 50.00        | -15.55      |

LGE FCC ID: BEJFB775F CRT Monitor  
1280 x 1024 64KHz./60Hz. LINE A PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 27.007      | 43.95           | 60.00        | -16.05      | 40.52          | 50.00        | -9.48       |
| 2   | .702        | 39.72           | 56.00        | -16.28      | 29.87          | 46.00        | -16.13      |
| 3   | .446        | 41.15           | 56.95        | -15.80      | 31.58          | 46.97        | -15.39      |
| 4   | .638        | 38.13           | 56.00        | -17.87      | 29.00          | 46.00        | -17.00      |
| 5   | .190        | 44.32           | 64.04        | -19.72      | 35.15          | 54.08        | -18.93      |
| 6   | .766        | 35.56           | 56.00        | -20.44      | 26.24          | 46.00        | -19.76      |
| 7   | 1.791       | 31.58           | 56.00        | -24.42      | 20.72          | 46.00        | -25.28      |
| 8   | .510        | 35.05           | 56.00        | -20.95      | 25.34          | 46.00        | -20.66      |
| 9   | 4.610       | 30.89           | 56.00        | -25.11      | 21.32          | 46.00        | -24.68      |
| 10  | 4.802       | 31.19           | 56.00        | -24.81      | 21.26          | 46.00        | -24.74      |

LGE FCC ID: BEJFB775F CRT Monitor  
1280 x 1024 64KHz./60Hz. LINE B PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .446        | 40.66           | 56.95        | -16.29      | 30.80          | 46.96        | -16.16      |
| 2   | 27.007      | 42.39           | 60.00        | -17.61      | 38.98          | 50.00        | -11.02      |
| 3   | .702        | 38.84           | 56.00        | -17.16      | 29.07          | 46.00        | -16.93      |
| 4   | .638        | 37.74           | 56.00        | -18.26      | 28.17          | 46.00        | -17.83      |
| 5   | .190        | 43.18           | 64.05        | -20.87      | 35.90          | 54.05        | -18.15      |
| 6   | .766        | 35.62           | 56.00        | -20.38      | 25.75          | 46.00        | -20.25      |
| 7   | .510        | 34.33           | 56.00        | -21.67      | 25.30          | 46.00        | -20.70      |
| 8   | .830        | 32.60           | 56.00        | -23.40      | 24.17          | 46.00        | -21.83      |
| 9   | 1.726       | 31.20           | 56.00        | -24.80      | 21.55          | 46.00        | -24.45      |
| 10  | 4.930       | 30.38           | 56.00        | -25.62      | 20.07          | 46.00        | -25.93      |