


LG FCC ID: BEJFB915B LINE A  
1600x1200 NI 106KHz./85Hz. BNC ca.


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-AV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 23.223      | 37.45           | -              | -          | 37.45           | 48.00        | -10.55      |
| 2   | 16.155      | 36.91           | -              | -          | 36.91           | 48.00        | -11.09      |
| 3   | 23.222      | 37.52           | -              | -          | 37.52           | 48.00        | -10.48      |
| 4   | 16.262      | 37.37           | -              | -          | 37.37           | 48.00        | -10.63      |
| 5   | 16.049      | 36.08           | -              | -          | 36.08           | 48.00        | -11.92      |
| 6   | 16.474      | 35.66           | -              | -          | 35.66           | 48.00        | -12.34      |
| 7   | 16.580      | 35.50           | -              | -          | 35.50           | 48.00        | -12.50      |
| 8   | 16.368      | 36.72           | -              | -          | 36.72           | 48.00        | -11.28      |
| 9   | 15.518      | 34.13           | -              | -          | 34.13           | 48.00        | -13.87      |
| 10  | 15.624      | 34.61           | -              | -          | 34.61           | 48.00        | -13.39      |

LG FCC ID: BEJFB915B LINE B  
1600x1200 NI 106KHz./85Hz. BNC ca.


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-AV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 23.225      | 37.92           | -              | -          | 37.92           | 48.00        | -10.08      |
| 2   | 23.166      | 36.74           | -              | -          | 36.74           | 48.00        | -11.26      |
| 3   | 16.262      | 36.21           | -              | -          | 36.21           | 48.00        | -11.79      |
| 4   | 16.262      | 36.27           | -              | -          | 36.27           | 48.00        | -11.73      |
| 5   | 16.581      | 34.04           | -              | -          | 34.04           | 48.00        | -13.96      |
| 6   | 16.474      | 34.51           | -              | -          | 34.51           | 48.00        | -13.49      |
| 7   | 13.499      | 33.52           | -              | -          | 33.52           | 48.00        | -14.48      |
| 8   | 15.518      | 33.83           | -              | -          | 33.83           | 48.00        | -14.17      |
| 9   | 16.049      | 35.34           | -              | -          | 35.34           | 48.00        | -12.66      |
| 10  | 15.730      | 34.06           | -              | -          | 34.06           | 48.00        | -13.94      |

LG FCC ID: BEJFB915B LINE A  
1280x1024 NI 91KHz./85Hz. D-Sub ca.


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-RV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 23.233      | 36.90           | -              | -          | 36.90           | 48.00        | -11.10      |
| 2   | 23.233      | 36.95           | -              | -          | 36.95           | 48.00        | -11.05      |
| 3   | .454        | 35.91           | -              | -          | 35.91           | 48.00        | -12.09      |
| 4   | 15.774      | 34.22           | -              | -          | 34.22           | 48.00        | -13.78      |
| 5   | 15.497      | 32.36           | -              | -          | 32.36           | 48.00        | -15.64      |
| 6   | 16.229      | 33.73           | -              | -          | 33.73           | 48.00        | -14.27      |
| 7   | 16.230      | 33.81           | -              | -          | 33.81           | 48.00        | -14.19      |
| 8   | 16.412      | 34.14           | -              | -          | 34.14           | 48.00        | -13.86      |
| 9   | 23.174      | 36.14           | -              | -          | 36.14           | 48.00        | -11.86      |
| 10  | 13.313      | 33.24           | -              | -          | 33.24           | 48.00        | -14.76      |

LG FCC ID: BEJFB915B LINE B  
1280x1024 NI 91KHz./85Hz. D-Sub ca.


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-RV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | .454        | 40.59           | -              | -          | 40.59           | 48.00        | -7.41       |
| 2   | 23.232      | 37.51           | -              | -          | 37.51           | 48.00        | -10.49      |
| 3   | 23.173      | 36.43           | -              | -          | 36.43           | 48.00        | -11.57      |
| 4   | 15.774      | 34.46           | -              | -          | 34.46           | 48.00        | -13.54      |
| 5   | 13.218      | 33.87           | -              | -          | 33.87           | 48.00        | -14.13      |
| 6   | .545        | 35.01           | -              | -          | 35.01           | 48.00        | -12.99      |
| 7   | 16.138      | 33.91           | -              | -          | 33.91           | 48.00        | -14.09      |
| 8   | 16.412      | 33.59           | -              | -          | 33.59           | 48.00        | -14.41      |
| 9   | 15.489      | 32.81           | -              | -          | 32.81           | 48.00        | -15.19      |
| 10  | 13.677      | 30.88           | -              | -          | 30.88           | 48.00        | -17.12      |

LG FCC ID: BEJFB915B LINE A  
1024x768 NI 69KHz./85Hz. D-Sub ca.


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-RV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 23.226      | 37.57           | -              | -          | 37.57           | 48.00        | -10.43      |
| 2   | 23.226      | 37.57           | -              | -          | 37.57           | 48.00        | -10.43      |
| 3   | 23.167      | 36.41           | -              | -          | 36.41           | 48.00        | -11.59      |
| 4   | 23.167      | 36.39           | -              | -          | 36.39           | 48.00        | -11.61      |
| 5   | 16.282      | 32.39           | -              | -          | 32.39           | 48.00        | -15.61      |
| 6   | 15.487      | 32.94           | -              | -          | 32.94           | 48.00        | -15.06      |
| 7   | 18.960      | 28.25           | -              | -          | 28.25           | 48.00        | -19.75      |
| 8   | 16.076      | 32.35           | -              | -          | 32.35           | 48.00        | -15.65      |
| 9   | 16.076      | 32.40           | -              | -          | 32.40           | 48.00        | -15.60      |
| 10  | 16.488      | 31.84           | -              | -          | 31.84           | 48.00        | -16.16      |

LG FCC ID: BEJFB915B LINE B  
1024x768 NI 69KHz./85Hz. D-Sub ca.


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-RV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 23.228      | 37.76           | -              | -          | 37.76           | 48.00        | -10.24      |
| 2   | 23.228      | 37.79           | -              | -          | 37.79           | 48.00        | -10.21      |
| 3   | 15.486      | 33.12           | -              | -          | 33.12           | 48.00        | -14.88      |
| 4   | .479        | 34.35           | -              | -          | 34.35           | 48.00        | -13.65      |
| 5   | 23.169      | 36.69           | -              | -          | 36.69           | 48.00        | -11.31      |
| 6   | 18.891      | 33.28           | -              | -          | 33.28           | 48.00        | -14.72      |
| 7   | .510        | 29.20           | -              | -          | 29.20           | 48.00        | -18.80      |
| 8   | 16.076      | 31.93           | -              | -          | 31.93           | 48.00        | -16.07      |
| 9   | .548        | 30.35           | -              | -          | 30.35           | 48.00        | -17.65      |
| 10  | 15.870      | 31.40           | -              | -          | 31.40           | 48.00        | -16.60      |

LG FCC ID: BEJFB915B LINE A  
800x600 NI 54KHz./85Hz. BNC ca.


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-AV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 23.226      | 37.05           | -              | -          | 37.05           | 48.00        | -10.95      |
| 2   | .481        | 36.58           | -              | -          | 36.58           | 48.00        | -11.42      |
| 3   | 23.228      | 37.00           | -              | -          | 37.00           | 48.00        | -11.00      |
| 4   | 15.486      | 32.53           | -              | -          | 32.53           | 48.00        | -15.47      |
| 5   | .482        | 36.53           | -              | -          | 36.53           | 48.00        | -11.47      |
| 6   | 13.210      | 32.37           | -              | -          | 32.37           | 48.00        | -15.63      |
| 7   | 16.912      | 32.53           | -              | -          | 32.53           | 48.00        | -15.47      |
| 8   | 15.893      | 29.84           | -              | -          | 29.84           | 48.00        | -18.16      |
| 9   | 13.419      | 31.57           | -              | -          | 31.57           | 48.00        | -16.43      |
| 10  | 13.520      | 29.81           | -              | -          | 29.81           | 48.00        | -18.19      |

LG FCC ID: BEJFB915B LINE B  
800x600 NI 54KHz./85Hz. BNC ca.


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-AV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 23.228      | 36.67           | -              | -          | 36.67           | 48.00        | -11.33      |
| 2   | 23.169      | 35.55           | -              | -          | 35.55           | 48.00        | -12.45      |
| 3   | 16.912      | 32.94           | -              | -          | 32.94           | 48.00        | -15.06      |
| 4   | 15.486      | 32.16           | -              | -          | 32.16           | 48.00        | -15.84      |
| 5   | 13.109      | 29.99           | -              | -          | 29.99           | 48.00        | -18.01      |
| 6   | 23.162      | 33.54           | -              | -          | 33.54           | 48.00        | -14.46      |
| 7   | 13.210      | 31.51           | -              | -          | 31.51           | 48.00        | -16.49      |
| 8   | 13.316      | 31.67           | -              | -          | 31.67           | 48.00        | -16.33      |
| 9   | 16.430      | 30.21           | -              | -          | 30.21           | 48.00        | -17.79      |
| 10  | 16.215      | 30.45           | -              | -          | 30.45           | 48.00        | -17.55      |

LG FCC ID: BEJFB915B LINE A  
640x480 NI 43KHz./85Hz. D-Sub ca.


PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-AV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | 23.228      | 36.70           | -              | -          | 36.70           | 48.00        | -11.30      |
| 2   | 23.170      | 35.69           | -              | -          | 35.69           | 48.00        | -12.31      |
| 3   | 15.487      | 32.32           | -              | -          | 32.32           | 48.00        | -15.68      |
| 4   | 13.314      | 30.50           | -              | -          | 30.50           | 48.00        | -17.50      |
| 5   | 13.619      | 28.81           | -              | -          | 28.81           | 48.00        | -19.19      |
| 6   | 13.210      | 30.17           | -              | -          | 30.17           | 48.00        | -17.83      |
| 7   | 16.130      | 28.60           | -              | -          | 28.60           | 48.00        | -19.40      |
| 8   | .452        | 28.38           | -              | -          | 28.38           | 48.00        | -19.62      |
| 9   | 16.580      | 28.25           | -              | -          | 28.25           | 48.00        | -19.75      |
| 10  | 12.905      | 29.49           | -              | -          | 29.49           | 48.00        | -18.51      |

LG FCC ID: BEJFB915B LINE B  
640x480 NI 43KHz./85Hz. D-Sub ca.

PCTEST Engineering Lab.



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Average [dBuV] | QP-AV [dB] | Emission [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|----------------|------------|-----------------|--------------|-------------|
| 1   | .452        | 36.81           | -              | -          | 36.81           | 48.00        | -11.19      |
| 2   | 23.227      | 37.04           | -              | -          | 37.04           | 48.00        | -10.96      |
| 3   | .523        | 30.76           | -              | -          | 30.76           | 48.00        | -17.24      |
| 4   | 15.486      | 32.66           | -              | -          | 32.66           | 48.00        | -15.34      |
| 5   | .561        | 28.49           | -              | -          | 28.49           | 48.00        | -19.51      |
| 6   | .486        | 32.53           | -              | -          | 32.53           | 48.00        | -15.47      |
| 7   | .523        | 30.69           | -              | -          | 30.69           | 48.00        | -17.31      |
| 8   | 12.903      | 30.38           | -              | -          | 30.38           | 48.00        | -17.62      |
| 9   | 13.313      | 31.15           | -              | -          | 31.15           | 48.00        | -16.85      |
| 10  | .561        | 28.32           | -              | -          | 28.32           | 48.00        | -19.68      |