



LG Electronics 1024 x 768 LINE A
FCC ID: BEJLB500J with LGPL Module PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	19.687	50.60	60.00	-9.40	37.56	50.00	-12.44
2	.197	53.47	63.75	-10.28	39.63	53.59	-13.96
3	.152	44.63	65.91	-21.28	31.03	56.00	-24.97
4	.151	44.36	65.95	-21.59	32.85	55.71	-22.86
5	4.615	33.31	56.00	-22.69	19.55	46.00	-26.45
6	.266	42.05	61.25	-19.20	26.69	51.32	-24.63
7	.155	42.35	65.74	-23.39	31.52	55.22	-23.70
8	4.169	30.33	56.00	-25.67	19.25	46.00	-26.75
9	.200	52.67	63.60	-10.93	30.67	53.97	-23.30
10	3.956	28.79	56.00	-27.21	18.94	46.00	-27.06


LG Electronics 1024 x 768 LINE B
FCC ID: BEJLB500J with LGPL Module PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	19.687	49.80	60.00	-10.20	36.12	50.00	-13.88
2	.151	49.83	65.94	-16.11	44.84	56.00	-11.16
3	.201	50.31	63.57	-13.26	42.85	53.58	-10.73
4	4.688	31.82	56.00	-24.18	20.60	46.00	-25.40
5	.267	39.43	61.22	-21.79	33.04	51.36	-18.32
6	5.810	33.96	60.00	-26.04	19.82	50.00	-30.18
7	.164	48.06	65.25	-17.19	41.52	54.72	-13.20
8	.155	49.18	65.71	-16.53	42.84	55.22	-12.38
9	3.932	26.97	56.00	-29.03	18.92	46.00	-27.08
10	.399	29.19	57.87	-28.68	23.61	47.94	-24.33




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	12.351	53.48	60.00	-6.52	48.36	50.00	-1.64
2	.197	48.82	63.72	-14.90	36.57	53.56	-16.99
3	.151	41.56	65.92	-24.36	33.03	56.00	-22.97
4	4.418	32.91	56.00	-23.09	19.32	46.00	-26.68
5	4.244	32.06	56.00	-23.94	18.93	46.00	-27.07
6	4.337	32.26	56.00	-23.74	19.31	46.00	-26.69
7	4.632	33.71	56.00	-22.29	19.82	46.00	-26.18
8	4.631	33.46	56.00	-22.54	19.63	46.00	-26.37
9	.267	38.03	61.20	-23.17	23.97	51.37	-27.40
10	3.716	27.92	56.00	-28.08	19.51	46.00	-26.49




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	12.351	53.13	60.00	-6.87	47.88	50.00	-2.12
2	.201	48.69	63.58	-14.89	41.11	53.75	-12.64
3	.151	49.73	65.96	-16.23	44.68	56.00	-11.32
4	4.634	32.78	56.00	-23.22	20.71	46.00	-25.29
5	.151	49.71	65.95	-16.24	44.07	55.74	-11.67
6	1.184	25.10	56.00	-30.90	18.58	46.00	-27.42
7	5.697	34.14	60.00	-25.86	20.25	50.00	-29.75
8	4.279	30.33	56.00	-25.67	19.93	46.00	-26.07
9	5.766	34.88	60.00	-25.12	19.99	50.00	-30.01
10	3.999	28.26	56.00	-27.74	19.48	46.00	-26.52

LG Electronics 640 x 480 LINE A
FCC ID: BEJLB500J with LGPL Module PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.717	46.01	60.00	-13.99	40.77	50.00	-9.23
2	.201	48.57	63.57	-15.00	32.65	53.77	-21.12
3	.151	41.06	65.93	-24.87	33.19	56.00	-22.81
4	4.631	33.52	56.00	-22.48	19.54	46.00	-26.46
5	4.660	32.28	56.00	-23.72	19.49	46.00	-26.51
6	4.059	30.43	56.00	-25.57	19.07	46.00	-26.93
7	4.237	31.68	56.00	-24.32	19.04	46.00	-26.96
8	3.918	29.34	56.00	-26.66	18.98	46.00	-27.02
9	.267	37.81	61.22	-23.41	26.31	51.17	-24.86
10	.334	33.11	59.36	-26.25	26.15	49.38	-23.23

LG Electronics 640 x 480 LINE B
FCC ID: BEJLB500J with LGPL Module PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.717	45.05	60.00	-14.95	39.91	50.00	-10.09
2	.201	48.77	63.56	-14.79	41.49	53.71	-12.22
3	4.632	32.73	56.00	-23.27	20.62	46.00	-25.38
4	.151	50.02	65.95	-15.93	44.78	56.00	-11.22
5	4.897	28.44	56.00	-27.56	19.37	46.00	-26.63
6	4.388	31.13	56.00	-24.87	20.24	46.00	-25.76
7	5.777	34.90	60.00	-25.10	19.89	50.00	-30.11
8	4.212	30.16	56.00	-25.84	19.93	46.00	-26.07
9	4.709	31.74	56.00	-24.26	20.49	46.00	-25.51
10	5.683	34.43	60.00	-25.57	20.13	50.00	-29.87

LG Electronics 1024 x 768 LINE A
FCC ID: BEJLB500J with AU Module PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	19.687	51.80	60.00	-8.20	38.85	50.00	-11.15
2	.197	47.58	63.74	-16.16	35.45	53.66	-18.21
3	4.405	32.13	56.00	-23.87	19.69	46.00	-26.31
4	4.208	31.50	56.00	-24.50	19.28	46.00	-26.72
5	4.603	31.78	56.00	-24.22	19.54	46.00	-26.46
6	3.846	28.97	56.00	-27.03	19.44	46.00	-26.56
7	.151	40.35	65.95	-25.60	32.85	56.00	-23.15
8	.258	36.70	61.51	-24.81	25.26	51.42	-26.16
9	3.242	27.34	56.00	-28.66	19.64	46.00	-26.36
10	3.497	27.23	56.00	-28.77	19.53	46.00	-26.47


LG Electronics 1024 x 768 LINE B
FCC ID: BEJLB500J with AU Module PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	19.687	51.10	60.00	-8.90	37.87	50.00	-12.13
2	.197	47.90	63.75	-15.85	41.24	53.66	-12.64
3	3.594	27.96	56.00	-28.04	18.83	46.00	-27.17
4	4.750	28.39	56.00	-27.61	19.43	46.00	-26.57
5	3.960	28.00	56.00	-28.00	19.08	46.00	-26.92
6	5.673	33.87	60.00	-26.13	20.54	50.00	-29.46
7	4.398	29.60	56.00	-26.40	20.21	46.00	-25.79
8	.151	49.64	65.96	-16.32	44.52	56.00	-11.48
9	3.971	27.86	56.00	-28.14	19.60	46.00	-26.40
10	4.546	29.63	56.00	-26.37	20.33	46.00	-25.67




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	12.351	52.39	60.00	-7.61	46.81	50.00	-3.19
2	.197	47.07	63.75	-16.68	32.47	53.92	-21.45
3	4.600	31.93	56.00	-24.07	19.46	46.00	-26.54
4	4.093	31.11	56.00	-24.89	19.18	46.00	-26.82
5	4.211	31.59	56.00	-24.41	19.35	46.00	-26.65
6	4.138	31.19	56.00	-24.81	19.27	46.00	-26.73
7	.151	40.21	65.95	-25.74	33.08	56.00	-22.92
8	3.442	27.33	56.00	-28.67	19.53	46.00	-26.47
9	.262	36.29	61.37	-25.08	24.49	51.48	-26.99
10	.720	29.85	56.00	-26.15	26.99	46.00	-19.01



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	12.351	51.88	60.00	-8.12	46.43	50.00	-3.57
2	.197	47.19	63.74	-16.55	41.97	53.75	-11.78
3	3.591	29.88	56.00	-26.12	18.90	46.00	-27.10
4	3.757	29.49	56.00	-26.51	19.17	46.00	-26.83
5	3.827	29.24	56.00	-26.76	19.34	46.00	-26.66
6	5.704	34.28	60.00	-25.72	20.57	50.00	-29.43
7	4.564	29.76	56.00	-26.24	20.33	46.00	-25.67
8	.151	50.19	65.95	-15.76	44.86	56.00	-11.14
9	4.057	27.96	56.00	-28.04	19.72	46.00	-26.28
10	4.289	29.09	56.00	-26.91	19.98	46.00	-26.02



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	5.246	24.31	60.00	-35.69	18.75	50.00	-31.25
2	23.717	47.06	60.00	-12.94	41.73	50.00	-8.27
3	.197	46.55	63.73	-17.18	31.87	53.95	-22.08
4	4.202	31.60	56.00	-24.40	19.24	46.00	-26.76
5	4.546	32.07	56.00	-23.93	19.49	46.00	-26.51
6	4.069	31.23	56.00	-24.77	19.11	46.00	-26.89
7	27.670	37.59	60.00	-22.41	29.27	50.00	-20.73
8	3.627	28.33	56.00	-27.67	19.55	46.00	-26.45
9	.151	39.90	65.93	-26.03	33.04	56.00	-22.96
10	1.092	30.15	56.00	-25.85	27.51	46.00	-18.49



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.717	46.18	60.00	-13.82	40.93	50.00	-9.07
2	.197	47.16	63.73	-16.57	41.14	53.94	-12.80
3	4.692	28.65	56.00	-27.35	19.64	46.00	-26.36
4	3.523	27.27	56.00	-28.73	18.68	46.00	-27.32
5	4.611	29.67	56.00	-26.33	20.11	46.00	-25.89
6	5.722	34.52	60.00	-25.48	20.43	50.00	-29.57
7	3.909	28.02	56.00	-27.98	19.68	46.00	-26.32
8	5.720	34.41	60.00	-25.59	20.40	50.00	-29.60
9	4.215	28.76	56.00	-27.24	19.99	46.00	-26.01
10	27.670	37.17	60.00	-22.83	29.71	50.00	-20.29