


LGE FCC ID:BEJLB885D (ADP-60WB P.S)
1280x1024 80KHz/75Hz.(Analog) LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	50.60	65.95	-15.35	34.37	56.00	-21.63
2	.151	50.59	65.95	-15.36	34.43	56.00	-21.57
3	3.395	34.39	56.00	-21.61	25.96	46.00	-20.04
4	3.466	34.86	56.00	-21.14	26.00	46.00	-20.00
5	3.041	31.84	56.00	-24.16	24.65	46.00	-21.35
6	.199	44.12	63.64	-19.52	34.85	53.27	-18.42
7	3.324	34.39	56.00	-21.61	25.50	46.00	-20.50
8	3.892	34.30	56.00	-21.70	26.08	46.00	-19.92
9	.493	32.36	56.12	-23.76	28.48	46.14	-17.66
10	3.536	35.06	56.00	-20.94	24.69	46.00	-21.31


LGE FCC ID:BEJLB885D (ADP-60WB P.S)
1280x1024 80KHz/75Hz.(Analog) LINE B

PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	53.47	65.94	-12.47	45.93	56.00	-10.07
2	3.820	38.56	56.00	-17.44	31.11	46.00	-14.89
3	3.537	37.31	56.00	-18.69	30.07	46.00	-15.93
4	3.891	38.44	56.00	-17.56	30.66	46.00	-15.34
5	3.537	37.52	56.00	-18.48	29.84	46.00	-16.16
6	3.325	36.75	56.00	-19.25	29.21	46.00	-16.79
7	.151	53.43	65.94	-12.51	45.29	55.74	-10.45
8	3.962	37.70	56.00	-18.30	30.02	46.00	-15.98
9	3.112	35.13	56.00	-20.87	26.61	46.00	-19.39
10	3.253	35.39	56.00	-20.61	29.29	46.00	-16.71

LGE FCC ID:BEJLB885D (ADP-60WB P.S) PCTEST Engineering Lab.
1024x768 69KHz/85Hz.(Analog) LINE A




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	50.54	65.94	-15.40	34.30	56.00	-21.70
2	3.324	34.22	56.00	-21.78	25.08	46.00	-20.92
3	.157	49.69	65.63	-15.94	32.26	55.15	-22.89
4	.181	46.63	64.45	-17.82	29.99	53.93	-23.94
5	3.749	34.23	56.00	-21.77	26.15	46.00	-19.85
6	3.395	34.53	56.00	-21.47	25.60	46.00	-20.40
7	2.970	30.69	56.00	-25.31	23.85	46.00	-22.15
8	3.536	34.67	56.00	-21.33	25.48	46.00	-20.52
9	3.678	34.58	56.00	-21.42	26.04	46.00	-19.96
10	3.891	34.06	56.00	-21.94	25.23	46.00	-20.77


LGE FCC ID:BEJLB885D (ADP-60WB P.S) PCTEST Engineering Lab.
1024x768 69KHz/85Hz.(Analog) LINE B




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	3.324	36.32	56.00	-19.68	28.69	46.00	-17.31
2	3.749	38.05	56.00	-17.95	30.09	46.00	-15.91
3	3.679	38.11	56.00	-17.89	30.34	46.00	-15.66
4	.196	47.63	63.79	-16.16	39.49	53.41	-13.92
5	3.396	36.78	56.00	-19.22	28.41	46.00	-17.59
6	3.891	38.47	56.00	-17.53	28.94	46.00	-17.06
7	3.962	38.16	56.00	-17.84	29.97	46.00	-16.03
8	3.254	35.53	56.00	-20.47	29.09	46.00	-16.91
9	3.537	37.17	56.00	-18.83	29.77	46.00	-16.23
10	3.608	37.84	56.00	-18.16	28.94	46.00	-17.06




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	50.38	65.95	-15.57	34.30	56.00	-21.70
2	3.464	35.02	56.00	-20.98	25.04	46.00	-20.96
3	3.322	34.38	56.00	-21.62	26.14	46.00	-19.86
4	3.394	34.17	56.00	-21.83	25.41	46.00	-20.59
5	3.252	34.05	56.00	-21.95	25.76	46.00	-20.24
6	3.182	33.11	56.00	-22.89	25.24	46.00	-20.76
7	3.040	32.25	56.00	-23.75	25.05	46.00	-20.95
8	3.535	35.13	56.00	-20.87	26.23	46.00	-19.77
9	3.819	34.62	56.00	-21.38	27.09	46.00	-18.91
10	.197	44.20	63.72	-19.52	31.82	53.34	-21.52



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	3.819	38.86	56.00	-17.14	31.85	46.00	-14.15
2	.151	53.27	65.95	-12.68	45.99	56.00	-10.01
3	3.748	38.81	56.00	-17.19	31.74	46.00	-14.26
4	3.465	36.65	56.00	-19.35	30.50	46.00	-15.50
5	3.253	35.74	56.00	-20.26	29.31	46.00	-16.69
6	3.890	38.31	56.00	-17.69	31.63	46.00	-14.37
7	3.961	38.39	56.00	-17.61	30.82	46.00	-15.18
8	4.031	37.68	56.00	-18.32	30.74	46.00	-15.26
9	3.536	38.07	56.00	-17.93	30.84	46.00	-15.16
10	3.042	34.44	56.00	-21.56	28.37	46.00	-17.63




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	49.92	65.95	-16.03	33.89	56.00	-22.11
2	.210	43.20	63.19	-19.99	29.74	53.37	-23.63
3	3.539	35.93	56.00	-20.07	25.36	46.00	-20.64
4	3.752	35.45	56.00	-20.55	26.35	46.00	-19.65
5	3.326	34.44	56.00	-21.56	26.52	46.00	-19.48
6	3.397	34.84	56.00	-21.16	24.64	46.00	-21.36
7	3.610	35.12	56.00	-20.88	27.49	46.00	-18.51
8	3.895	34.50	56.00	-21.50	27.54	46.00	-18.46
9	3.468	36.06	56.00	-19.94	25.90	46.00	-20.10
10	.162	48.54	65.34	-16.80	31.10	54.89	-23.79



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	52.73	65.93	-13.20	45.57	56.00	-10.43
2	3.255	36.74	56.00	-19.26	29.75	46.00	-16.25
3	3.810	37.60	56.00	-18.40	31.98	46.00	-14.02
4	3.962	38.72	56.00	-17.28	31.87	46.00	-14.13
5	3.893	38.99	56.00	-17.01	32.16	46.00	-13.84
6	3.396	36.32	56.00	-19.68	30.56	46.00	-15.44
7	3.609	37.71	56.00	-18.29	31.53	46.00	-14.47
8	4.104	36.39	56.00	-19.61	30.45	46.00	-15.55
9	3.680	38.67	56.00	-17.33	31.80	46.00	-14.20
10	.207	46.27	63.33	-17.06	38.10	52.97	-14.87

LGE FCC ID:BEJLB885D (ADP-60WB P.S)
640x480 43KHz/85Hz (Digital) LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	53.54	65.94	-12.40	45.83	55.87	-10.04
2	3.820	38.90	56.00	-17.10	31.57	46.00	-14.43
3	3.961	38.12	56.00	-17.88	31.29	46.00	-14.71
4	3.537	37.88	56.00	-18.12	30.94	46.00	-15.06
5	3.324	36.85	56.00	-19.15	30.11	46.00	-15.89
6	4.032	37.70	56.00	-18.30	30.82	46.00	-15.18
7	.192	48.22	63.95	-15.73	39.76	53.57	-13.81
8	3.820	38.79	56.00	-17.21	31.73	46.00	-14.27
9	3.112	35.01	56.00	-20.99	28.69	46.00	-17.31
10	3.466	36.69	56.00	-19.31	30.09	46.00	-15.91

LGE FCC ID:BEJLB885D (ADP-60WB P.S)
640x480 43KHz/85Hz (Digital) LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	50.81	65.94	-15.13	34.59	56.00	-21.41
2	3.465	34.76	56.00	-21.24	26.39	46.00	-19.61
3	.206	43.48	63.37	-19.89	35.48	53.05	-17.57
4	3.253	33.79	56.00	-22.21	24.65	46.00	-21.35
5	.167	48.61	65.11	-16.50	31.82	54.89	-23.07
6	.175	47.60	64.70	-17.10	30.33	54.28	-23.95
7	3.324	34.53	56.00	-21.47	25.67	46.00	-20.33
8	3.678	34.20	56.00	-21.80	26.76	46.00	-19.24
9	3.891	34.20	56.00	-21.80	26.60	46.00	-19.40
10	3.041	31.80	56.00	-24.20	24.37	46.00	-21.63

LGE FCC ID:BEJLB885D (ADP-60WB P.S)
800x600 54KHz/85Hz (Digital) LINE A


PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	50.82	65.95	-15.13	34.40	56.00	-21.60
2	.197	44.27	63.72	-19.45	32.39	53.33	-20.94
3	.170	48.45	64.97	-16.52	30.43	54.45	-24.02
4	3.323	34.62	56.00	-21.38	23.07	46.00	-22.93
5	3.606	34.82	56.00	-21.18	26.63	46.00	-19.37
6	3.819	34.55	56.00	-21.45	27.26	46.00	-18.74
7	3.465	35.14	56.00	-20.86	26.65	46.00	-19.35
8	4.032	32.94	56.00	-23.06	26.16	46.00	-19.84
9	.268	36.63	61.17	-24.54	24.67	50.91	-26.24
10	3.677	34.36	56.00	-21.64	27.26	46.00	-18.74

LGE FCC ID:BEJLB885D (ADP-60WB P.S)
800x600 54KHz/85Hz (Digital) LINE B


PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	53.25	65.96	-12.71	45.93	56.00	-10.07
2	3.537	38.29	56.00	-17.71	29.58	46.00	-16.42
3	3.819	38.59	56.00	-17.41	31.74	46.00	-14.26
4	3.465	37.61	56.00	-18.39	30.75	46.00	-15.25
5	3.607	37.54	56.00	-18.46	31.31	46.00	-14.69
6	3.961	38.55	56.00	-17.45	30.08	46.00	-15.92
7	3.254	36.17	56.00	-19.83	29.93	46.00	-16.07
8	3.324	37.00	56.00	-19.00	29.93	46.00	-16.07
9	3.891	38.42	56.00	-17.58	31.78	46.00	-14.22
10	4.032	37.75	56.00	-18.25	30.90	46.00	-15.10




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	51.59	65.97	-14.38	34.26	56.00	-21.74
2	.155	49.86	65.73	-15.87	32.54	55.29	-22.75
3	.164	48.73	65.24	-16.51	31.16	54.77	-23.61
4	3.182	33.19	56.00	-22.81	25.01	46.00	-20.99
5	3.394	34.43	56.00	-21.57	24.96	46.00	-21.04
6	.198	44.16	63.71	-19.55	31.59	53.34	-21.75
7	3.606	34.76	56.00	-21.24	26.28	46.00	-19.72
8	.172	47.81	64.88	-17.07	30.21	54.42	-24.21
9	.186	46.24	64.23	-17.99	28.70	53.81	-25.11
10	23.195	37.42	60.00	-22.58	28.08	50.00	-21.92



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	53.12	65.94	-12.82	45.77	56.00	-10.23
2	3.678	38.50	56.00	-17.50	31.79	46.00	-14.21
3	3.465	37.47	56.00	-18.53	30.51	46.00	-15.49
4	3.536	38.13	56.00	-17.87	31.20	46.00	-14.80
5	3.890	38.68	56.00	-17.32	32.04	46.00	-13.96
6	3.748	39.07	56.00	-16.93	31.66	46.00	-14.34
7	3.961	38.50	56.00	-17.50	31.78	46.00	-14.22
8	3.819	38.66	56.00	-17.34	31.99	46.00	-14.01
9	3.112	34.94	56.00	-21.06	28.97	46.00	-17.03
10	2.971	33.50	56.00	-22.50	28.30	46.00	-17.70




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.203	43.39	63.49	-20.10	34.12	53.12	-19.00
2	23.167	39.54	60.00	-20.46	32.45	50.00	-17.55
3	3.040	31.70	56.00	-24.30	24.53	46.00	-21.47
4	23.164	39.66	60.00	-20.34	29.59	50.00	-20.41
5	3.890	34.41	56.00	-21.59	27.29	46.00	-18.71
6	3.536	35.31	56.00	-20.69	27.06	46.00	-18.94
7	.173	47.41	64.79	-17.38	30.13	54.36	-24.23
8	3.748	35.05	56.00	-20.95	27.40	46.00	-18.60
9	3.464	35.70	56.00	-20.30	26.80	46.00	-19.20
10	3.394	34.86	56.00	-21.14	26.07	46.00	-19.93



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	52.84	65.94	-13.10	45.69	56.00	-10.31
2	3.748	39.21	56.00	-16.79	32.11	46.00	-13.89
3	3.395	36.37	56.00	-19.63	31.16	46.00	-14.84
4	3.323	36.99	56.00	-19.01	30.20	46.00	-15.80
5	3.536	38.31	56.00	-17.69	31.18	46.00	-14.82
6	3.819	38.60	56.00	-17.40	32.01	46.00	-13.99
7	3.890	38.42	56.00	-17.58	32.28	46.00	-13.72
8	3.961	38.62	56.00	-17.38	31.87	46.00	-14.13
9	3.607	37.59	56.00	-18.41	31.76	46.00	-14.24
10	3.465	37.77	56.00	-18.23	17.88	46.00	-28.12

LGE FCC ID: BEJLB885D (AD-6012 P.S)
1280x1024 80KHz/75Hz (Analog)LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.178	47.58	64.56	-16.98	34.25	54.28	-20.03
2	23.156	38.85	60.00	-21.15	31.54	50.00	-18.46
3	23.156	38.85	60.00	-21.15	26.64	50.00	-23.36
4	4.581	33.48	56.00	-22.52	30.02	46.00	-15.98
5	4.390	33.79	56.00	-22.21	30.82	46.00	-15.18
6	.952	32.91	56.00	-23.09	31.39	46.00	-14.61
7	4.772	32.51	56.00	-23.49	28.73	46.00	-17.27
8	1.333	33.10	56.00	-22.90	30.85	46.00	-15.15
9	4.581	33.51	56.00	-22.49	30.16	46.00	-15.84
10	.570	31.79	56.00	-24.21	29.54	46.00	-16.46

LGE FCC ID: BEJLB885D (AD-6012 P.S)
1280x1024 80KHz/75Hz (Analog)LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.175	50.02	64.71	-14.69	42.93	54.26	-11.33
2	23.154	38.57	60.00	-21.43	27.34	50.00	-22.66
3	.234	42.53	62.29	-19.76	34.74	51.87	-17.13
4	.460	29.58	56.70	-27.12	21.33	46.44	-25.11
5	23.154	38.55	60.00	-21.45	20.24	50.00	-29.76
6	.440	29.46	57.06	-27.60	22.20	46.89	-24.69
7	8.716	36.27	60.00	-23.73	32.75	50.00	-17.25
8	.216	44.67	62.97	-18.30	37.26	52.69	-15.43
9	8.717	36.24	60.00	-23.76	32.34	50.00	-17.66
10	8.590	35.75	60.00	-24.25	32.01	50.00	-17.99

LGE FCC ID:BEJLB885D (AD-6012 P.S)
1024x768 69KHz./85Hz.(Analog) LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.189	48.65	64.09	-15.44	34.12	54.29	-20.17
2	.443	32.10	57.00	-24.90	30.31	47.02	-16.71
3	.151	50.87	65.95	-15.08	34.12	56.00	-21.88
4	4.648	33.88	56.00	-22.12	30.81	46.00	-15.19
5	4.648	33.85	56.00	-22.15	30.53	46.00	-15.47
6	23.203	36.13	60.00	-23.87	26.52	50.00	-23.48
7	4.520	33.97	56.00	-22.03	31.46	46.00	-14.54
8	5.029	32.24	60.00	-27.76	28.40	46.00	-17.60
9	1.780	32.62	56.00	-23.38	29.42	46.00	-16.58
10	4.774	32.92	56.00	-23.08	29.12	46.00	-16.88

LGE FCC ID:BEJLB885D (AD-6012 P.S)
1024x768 69KHz./85Hz.(Analog) LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.175	50.23	64.71	-14.48	42.31	54.29	-11.98
2	.245	41.77	61.93	-20.16	36.09	51.67	-15.58
3	.153	52.96	65.82	-12.86	44.17	55.35	-11.18
4	.151	53.31	65.95	-12.64	45.76	56.00	-10.24
5	23.200	35.94	60.00	-24.06	26.46	50.00	-23.54
6	.328	34.70	59.50	-24.80	26.58	49.30	-22.72
7	24.584	35.69	60.00	-24.31	35.24	50.00	-14.76
8	8.717	36.12	60.00	-23.88	32.82	50.00	-17.18
9	.451	28.92	56.86	-27.94	21.68	46.64	-24.96
10	8.717	36.12	60.00	-23.88	32.50	50.00	-17.50

LGE FCC ID:BEJLB885D (AD-6012 P.S)
640x480 43KHz./85Hz.(Analog) LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.175	50.43	64.70	-14.27	44.23	54.08	-9.85
2	23.201	38.33	60.00	-21.67	32.26	50.00	-17.74
3	.434	30.56	57.17	-26.61	23.60	47.00	-23.40
4	.151	53.54	65.95	-12.41	45.83	56.00	-10.17
.	.240	42.47	62.10	-19.63	35.07	51.79	-16.72
C	4.522	30.29	56.00	-25.71	27.43	46.00	-18.57
7	1.971	26.83	56.00	-29.17	21.77	46.00	-24.23
8	3.122	28.05	56.00	-27.95	24.35	46.00	-21.65
-	2.358	27.41	56.00	-28.59	23.47	46.00	-22.53
10	.634	27.28	56.00	-28.72	22.10	46.00	-23.90

LGE FCC ID:BEJLB885D (AD-6012 P.S)
640x480 43KHz./85Hz.(Analog) LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.175	50.39	64.71	-14.32	42.56	54.26	-11.70
2	23.200	38.57	60.00	-21.43	32.99	50.00	-17.01
3	.244	42.11	61.97	-19.86	36.29	51.66	-15.37
.	.151	53.48	65.95	-12.47	45.89	55.99	-10.10
.	.306	36.16	60.07	-23.91	30.24	49.80	-19.56
.	.277	38.71	60.89	-22.18	30.85	50.63	-19.78
.	.458	29.54	56.73	-27.19	21.64	46.61	-24.97
8	.438	29.67	57.10	-27.43	23.65	47.01	-23.36
9	8.724	36.09	60.00	-23.91	32.66	50.00	-17.34
10	8.789	35.90	60.00	-24.10	32.41	50.00	-17.59

LGE FCC ID:BEJLB885D (AD-6012 P.S)
800x600 54KHz./85Hz.(Analog) LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.178	47.71	64.57	-16.86	33.61	54.28	-20.67
2	.151	51.10	65.94	-14.84	34.12	56.00	-21.88
3	.634	32.80	56.00	-23.20	30.93	46.00	-15.07
4	23.199	37.05	60.00	-22.95	27.38	50.00	-22.62
5	4.330	32.99	56.00	-23.01	28.79	46.00	-17.21
6	4.521	33.72	56.00	-22.28	31.33	46.00	-14.67
7	1.653	33.01	56.00	-22.99	31.05	46.00	-14.95
8	2.103	31.96	56.00	-24.04	30.62	46.00	-15.38
9	1.716	32.89	56.00	-23.11	29.14	46.00	-16.86
10	1.844	32.99	56.00	-23.01	30.81	46.00	-15.19

LGE FCC ID:BEJLB885D (AD-6012 P.S)
800x600 54KHz./85Hz.(Analog) LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.175	50.38	64.70	-14.32	42.40	54.28	-11.88
2	.438	29.71	57.10	-27.39	23.60	47.02	-23.42
3	.242	42.15	62.04	-19.89	36.01	51.64	-15.63
4	.632	25.85	56.00	-30.15	19.47	46.00	-26.53
5	.464	29.56	56.62	-27.06	21.37	46.40	-25.03
C	23.199	36.55	60.00	-23.45	25.24	50.00	-24.76
7	.151	54.11	65.95	-11.84	45.86	56.00	-10.14
8	.279	38.62	60.85	-22.23	30.82	50.64	-19.82
9	.507	29.43	56.00	-26.57	24.63	46.00	-21.37
10	8.722	36.14	60.00	-23.86	32.92	50.00	-17.08

LGE FCC ID:BEJLB885D (AD-6012 P.S)
1280x1024 64KHz/60Hz (Digital)LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.189	50.22	64.10	-13.88	41.50	54.12	-12.62
2	23.180	39.84	60.00	-20.16	33.65	50.00	-16.35
3	4.644	34.30	56.00	-21.70	31.36	46.00	-14.64
4	4.707	34.06	56.00	-21.94	30.84	46.00	-15.16
5	.952	32.44	56.00	-23.56	30.88	46.00	-15.12
6	2.291	32.26	56.00	-23.74	29.22	46.00	-16.78
7	4.961	32.53	56.00	-23.47	28.52	46.00	-17.48
8	4.579	33.96	56.00	-22.04	31.23	46.00	-14.77
9	2.545	32.08	56.00	-23.92	29.49	46.00	-16.51
10	1.841	32.61	56.00	-23.39	30.16	46.00	-15.84


LGE FCC ID:BEJLB885D (AD-6012 P.S)
1280x1024 64KHz/60Hz (Digital)LINE B

PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.176	50.06	64.67	-14.61	43.55	54.24	-10.69
2	23.183	39.08	60.00	-20.92	33.56	50.00	-16.44
3	.434	30.15	57.18	-27.03	23.21	47.07	-23.86
4	.229	43.42	62.48	-19.06	35.55	52.16	-16.61
5	.281	38.07	60.80	-22.73	30.52	50.53	-20.01
6	.697	28.83	56.00	-27.17	24.61	46.00	-21.39
7	.515	27.96	56.00	-28.04	20.18	46.00	-25.82
8	.465	29.35	56.61	-27.26	21.54	46.41	-24.87
9	4.639	30.25	56.00	-25.75	27.46	46.00	-18.54
10	8.705	34.79	60.00	-25.21	31.39	50.00	-18.61

LGE FCC ID:BEJLB885D (AD-6012 P.S)
1024x768 69KHz/85Hz(Digital) LINE A PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.177	48.21	64.62	-16.41	37.87	54.19	-16.32
2	23.191	41.12	60.00	-18.88	32.47	50.00	-17.53
3	.639	32.70	56.00	-23.30	30.78	46.00	-15.22
4	.406	33.26	57.73	-24.47	18.82	47.84	-29.02
5	4.524	33.74	56.00	-22.26	31.53	46.00	-14.47
6	1.272	32.71	56.00	-23.29	29.98	46.00	-16.02
7	1.335	32.99	56.00	-23.01	30.78	46.00	-15.22
8	4.652	33.49	56.00	-22.51	30.02	46.00	-15.98
9	2.296	32.48	56.00	-23.52	29.47	46.00	-16.53
10	4.715	33.29	56.00	-22.71	30.18	46.00	-15.82


LGE FCC ID:BEJLB885D (AD-6012 P.S)
1024x768 69KHz/85Hz(Digital) LINE B PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.176	50.30	64.66	-14.36	42.37	54.28	-11.91
2	23.192	39.22	60.00	-20.78	32.90	50.00	-17.10
3	.448	29.05	56.91	-27.86	21.67	46.64	-24.97
4	23.193	39.20	60.00	-20.80	29.38	50.00	-20.62
5	.486	28.95	56.24	-27.29	21.30	46.30	-25.00
6	.240	42.54	62.09	-19.55	35.14	51.77	-16.63
7	8.919	36.90	60.00	-23.10	34.02	50.00	-15.98
8	.371	31.35	58.49	-27.14	24.76	48.20	-23.44
9	8.664	37.08	60.00	-22.92	33.28	50.00	-16.72
10	8.791	37.07	60.00	-22.93	34.03	50.00	-15.97

LGE FCC ID:BEJLB885D (AD-6012 P.S)
800x600 54KHz./85Hz.(Digital)LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.178	48.03	64.60	-16.57	39.72	54.11	-14.39
2	23.192	40.65	60.00	-19.35	32.55	50.00	-17.45
3	.405	29.39	57.76	-28.37	19.14	47.81	-28.67
4	.151	51.30	65.94	-14.64	34.29	56.00	-21.71
5	4.524	33.65	56.00	-22.35	30.87	46.00	-15.13
6	.444	32.17	56.99	-24.82	29.85	47.02	-17.17
7	4.588	33.13	56.00	-22.87	30.40	46.00	-15.60
8	1.972	32.88	56.00	-23.12	30.43	46.00	-15.57
9	4.333	33.12	56.00	-22.88	30.40	46.00	-15.60
10	4.715	32.93	56.00	-23.07	28.88	46.00	-17.12

LGE FCC ID:BEJLB885D (AD-6012 P.S)
800x600 54KHz./85Hz.(Digital)LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.157	40.72	60.00	-19.28	30.73	50.00	-19.27
2	.177	50.26	64.61	-14.35	42.79	54.28	-11.49
3	.651	37.81	56.00	-18.19	20.37	46.00	-25.63
4	.445	36.98	56.96	-19.98	25.22	46.92	-21.70
5	24.584	35.25	60.00	-24.75	35.02	50.00	-14.98
6	.375	43.82	58.39	-14.57	32.18	48.48	-16.30
7	.250	42.73	61.77	-19.04	36.24	51.62	-15.38
8	.317	37.53	59.80	-22.27	30.56	49.91	-19.35
9	8.854	35.72	60.00	-24.28	32.91	50.00	-17.09
10	.157	52.92	65.63	-12.71	43.95	55.16	-11.21

LGE FCC ID:BEJLB885D (AD-6012 P.S)
640x480 43KHz./85Hz.(Digital)LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.179	47.53	64.54	-17.01	33.49	54.28	-20.79
2	23.199	40.76	60.00	-19.24	31.37	50.00	-18.63
3	.443	32.00	57.00	-25.00	30.14	47.02	-16.88
4	4.523	33.60	56.00	-22.40	31.20	46.00	-14.80
5	1.972	32.82	56.00	-23.18	29.85	46.00	-16.15
6	1.526	32.60	56.00	-23.40	29.48	46.00	-16.52
7	4.714	32.87	56.00	-23.13	29.97	46.00	-16.03
8	.762	32.73	56.00	-23.27	30.99	46.00	-15.01
9	1.653	32.95	56.00	-23.05	31.32	46.00	-14.68
10	.384	30.23	58.19	-27.96	18.97	48.03	-29.06

LGE FCC ID:BEJLB885D (AD-6012 P.S)
640x480 43KHz./85Hz.(Digital)LINE B

PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.399	35.39	57.88	-22.49	27.82	47.95	-20.13
2	.388	37.00	58.11	-21.11	28.02	47.86	-19.84
3	.178	50.35	64.60	-14.25	45.06	54.17	-9.11
4	23.199	40.01	60.00	-19.99	33.81	50.00	-16.19
5	.151	53.73	65.95	-12.22	46.19	56.00	-9.81
6	.643	34.29	56.00	-21.71	33.93	46.00	-12.07
7	.693	32.52	56.00	-23.48	24.51	46.00	-21.49
8	.699	32.54	56.00	-23.46	28.91	46.00	-17.09
9	.510	33.40	56.00	-22.60	37.97	46.00	-8.03
10	.698	32.14	56.00	-23.86	26.85	46.00	-19.15