



## **ATTACHMENT D – TEST PLOT(S)**


---




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 1.199       | 47.34           | 63.66        | -16.32      | 46.14          | 53.65        | -7.51       |
| 2   | 1.907       | 37.47           | 56.00        | -18.53      | 28.04          | 46.00        | -17.96      |
| 3   | 2.113       | 37.79           | 56.00        | -18.21      | 31.03          | 46.00        | -14.97      |
| 4   | 2.012       | 38.95           | 56.00        | -17.05      | 31.50          | 46.00        | -14.50      |
| 5   | 1.700       | 35.77           | 56.00        | -20.23      | 30.61          | 46.00        | -15.39      |
| 6   | 1.807       | 35.10           | 56.00        | -20.90      | 28.57          | 46.00        | -17.43      |
| 7   | 2.414       | 35.30           | 56.00        | -20.70      | 30.63          | 46.00        | -15.37      |
| 8   | 2.314       | 35.48           | 56.00        | -20.52      | 29.15          | 46.00        | -16.85      |
| 9   | 2.716       | 33.51           | 56.00        | -22.49      | 29.24          | 46.00        | -16.76      |
| 10  | 2.299       | 36.80           | 60.26        | -23.46      | 33.85          | 50.14        | -16.29      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 2.313       | 40.77           | 56.00        | -15.23      | 32.55          | 46.00        | -13.45      |
| 2   | 1.907       | 40.54           | 56.00        | -15.46      | 32.72          | 46.00        | -13.28      |
| 3   | 2.112       | 41.62           | 56.00        | -14.38      | 32.10          | 46.00        | -13.90      |
| 4   | 2.012       | 42.96           | 56.00        | -13.04      | 35.05          | 46.00        | -10.95      |
| 5   | 2.414       | 40.30           | 56.00        | -15.70      | 33.03          | 46.00        | -12.97      |
| 6   | 1.605       | 38.69           | 56.00        | -17.31      | 34.40          | 46.00        | -11.60      |
| 7   | 1.186       | 48.89           | 64.20        | -15.31      | 43.54          | 53.64        | -10.10      |
| 8   | 1.700       | 38.27           | 56.00        | -17.73      | 33.83          | 46.00        | -12.17      |
| 9   | 2.815       | 38.12           | 56.00        | -17.88      | 29.91          | 46.00        | -16.09      |
| 10  | 4.825       | 37.15           | 56.00        | -18.85      | 31.32          | 46.00        | -14.68      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .199        | 47.27           | 63.66        | -16.39      | 41.01          | 53.80        | -12.79      |
| 2   | 1.907       | 37.32           | 56.00        | -18.68      | 28.14          | 46.00        | -17.86      |
| 3   | 2.112       | 37.58           | 56.00        | -18.42      | 31.03          | 46.00        | -14.97      |
| 4   | 2.012       | 38.77           | 56.00        | -17.23      | 31.54          | 46.00        | -14.46      |
| 5   | 1.706       | 35.63           | 56.00        | -20.37      | 30.85          | 46.00        | -15.15      |
| 6   | 2.414       | 35.16           | 56.00        | -20.84      | 30.74          | 46.00        | -15.26      |
| 7   | 2.313       | 35.19           | 56.00        | -20.81      | 29.25          | 46.00        | -16.75      |
| 8   | 1.906       | 34.79           | 56.00        | -21.21      | 28.09          | 46.00        | -17.91      |
| 9   | .500        | 34.11           | 56.00        | -21.89      | 32.76          | 46.02        | -13.26      |
| 10  | .601        | 34.42           | 56.00        | -21.58      | 33.15          | 46.00        | -12.85      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 2.112       | 41.35           | 56.00        | -14.65      | 31.62          | 46.00        | -14.38      |
| 2   | 2.414       | 40.20           | 56.00        | -15.80      | 32.76          | 46.00        | -13.24      |
| 3   | 1.907       | 40.34           | 56.00        | -15.66      | 33.20          | 46.00        | -12.80      |
| 4   | 2.313       | 40.57           | 56.00        | -15.43      | 33.04          | 46.00        | -12.96      |
| 5   | 2.715       | 38.11           | 56.00        | -17.89      | 31.83          | 46.00        | -14.17      |
| 6   | 1.605       | 38.52           | 56.00        | -17.48      | 34.36          | 46.00        | -11.64      |
| 7   | 2.012       | 42.77           | 56.00        | -13.23      | 35.13          | 46.00        | -10.87      |
| 8   | .186        | 49.06           | 64.20        | -15.14      | 41.91          | 53.80        | -11.89      |
| 9   | 4.724       | 37.77           | 56.00        | -18.23      | 31.63          | 46.00        | -14.37      |
| 10  | 4.925       | 37.13           | 56.00        | -18.87      | 31.54          | 46.00        | -14.46      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .199        | 47.16           | 63.66        | -16.50      | 46.07          | 53.68        | -7.61       |
| 2   | 2.011       | 38.79           | 56.00        | -17.21      | 31.68          | 46.00        | -14.32      |
| 3   | 2.112       | 37.44           | 56.00        | -18.56      | 30.58          | 46.00        | -15.42      |
| 4   | 1.907       | 37.46           | 56.00        | -18.54      | 28.46          | 46.00        | -17.54      |
| 5   | 2.413       | 35.14           | 56.00        | -20.86      | 30.50          | 46.00        | -15.50      |
| 6   | 1.706       | 35.67           | 56.00        | -20.33      | 30.53          | 46.00        | -15.47      |
| 7   | .601        | 34.28           | 56.00        | -21.72      | 33.04          | 46.00        | -12.96      |
| 8   | 2.514       | 33.90           | 56.00        | -22.10      | 28.43          | 46.00        | -17.57      |
| 9   | .500        | 34.25           | 56.00        | -21.75      | 32.96          | 46.02        | -13.06      |
| 10  | 2.313       | 35.22           | 56.00        | -20.78      | 29.67          | 46.00        | -16.33      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 2.112       | 41.49           | 56.00        | -14.51      | 31.54          | 46.00        | -14.46      |
| 2   | 2.413       | 40.20           | 56.00        | -15.80      | 32.64          | 46.00        | -13.36      |
| 3   | 2.011       | 42.69           | 56.00        | -13.31      | 35.07          | 46.00        | -10.93      |
| 4   | 4.724       | 37.78           | 56.00        | -18.22      | 31.82          | 46.00        | -14.18      |
| 5   | 2.313       | 40.50           | 56.00        | -15.50      | 33.03          | 46.00        | -12.97      |
| 6   | 2.715       | 38.07           | 56.00        | -17.93      | 31.93          | 46.00        | -14.07      |
| 7   | 4.925       | 37.27           | 56.00        | -18.73      | 32.17          | 46.00        | -13.83      |
| 8   | 1.605       | 38.58           | 56.00        | -17.42      | 34.29          | 46.00        | -11.71      |
| 9   | .188        | 49.20           | 64.12        | -14.92      | 42.04          | 53.80        | -11.76      |
| 10  | 1.706       | 38.17           | 56.00        | -17.83      | 33.42          | 46.00        | -12.58      |




| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .199        | 47.03           | 63.67        | -16.64      | 45.94          | 53.70        | -7.76       |
| 2   | 1.907       | 37.37           | 56.00        | -18.63      | 28.62          | 46.00        | -17.38      |
| 3   | 2.011       | 38.65           | 56.00        | -17.35      | 31.63          | 46.00        | -14.37      |
| 4   | 2.112       | 37.03           | 56.00        | -18.97      | 30.42          | 46.00        | -15.58      |
| 5   | 2.313       | 35.25           | 56.00        | -20.75      | 29.63          | 46.00        | -16.37      |
| 6   | .601        | 34.32           | 56.00        | -21.68      | 33.11          | 46.00        | -12.89      |
| 7   | 2.413       | 35.06           | 56.00        | -20.94      | 30.49          | 46.00        | -15.51      |
| 8   | .500        | 34.27           | 56.00        | -21.73      | 32.91          | 46.00        | -13.11      |
| 9   | 1.705       | 35.57           | 56.00        | -20.43      | 30.30          | 46.00        | -15.70      |
| 10  | 1.806       | 34.27           | 56.00        | -21.73      | 27.11          | 46.00        | -18.89      |



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 2.112       | 41.30           | 56.00        | -14.70      | 31.65          | 46.00        | -14.35      |
| 2   | 2.012       | 42.51           | 56.00        | -13.49      | 35.07          | 46.00        | -10.93      |
| 3   | 1.907       | 39.67           | 56.00        | -16.33      | 32.41          | 46.00        | -13.59      |
| 4   | 2.413       | 40.03           | 56.00        | -15.97      | 33.14          | 46.00        | -12.86      |
| 5   | 2.313       | 40.29           | 56.00        | -15.71      | 32.52          | 46.00        | -13.48      |
| 6   | 2.614       | 36.48           | 56.00        | -19.52      | 27.76          | 46.00        | -18.24      |
| 7   | 1.705       | 39.13           | 56.00        | -17.87      | 33.79          | 46.00        | -12.21      |
| 8   | 1.605       | 38.45           | 56.00        | -17.55      | 34.34          | 46.00        | -11.66      |
| 9   | 2.715       | 37.96           | 56.00        | -18.04      | 32.01          | 46.00        | -13.99      |
| 10  | 4.723       | 37.87           | 56.00        | -18.13      | 31.97          | 46.00        | -14.03      |



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | .199        | 47.32           | 63.66        | -16.34      | 46.33          | 53.70        | -7.37       |
| 2   | 2.112       | 37.56           | 56.00        | -18.44      | 31.37          | 46.00        | -14.63      |
| 3   | 1.906       | 37.00           | 56.00        | -19.00      | 27.70          | 46.00        | -18.30      |
| 4   | 1.705       | 35.48           | 56.00        | -20.52      | 31.31          | 46.00        | -14.69      |
| 5   | 2.413       | 35.22           | 56.00        | -20.78      | 30.78          | 46.00        | -15.22      |
| 6   | 2.011       | 38.69           | 56.00        | -17.31      | 31.21          | 46.00        | -14.79      |
| 7   | 2.212       | 33.61           | 56.00        | -22.39      | 28.37          | 46.00        | -17.63      |
| 8   | 1.806       | 34.96           | 56.00        | -21.04      | 28.59          | 46.00        | -17.41      |
| 9   | .601        | 34.61           | 56.00        | -21.39      | 33.26          | 46.00        | -12.74      |
| 10  | 2.715       | 33.41           | 56.00        | -22.59      | 28.72          | 46.00        | -17.28      |



| No. | Freq. [MHz] | Quasi-Pk [dBuV] | Limit [dBuV] | Margin [dB] | Average [dBuV] | Limit [dBuV] | Margin [dB] |
|-----|-------------|-----------------|--------------|-------------|----------------|--------------|-------------|
| 1   | 1.907       | 40.03           | 56.00        | -15.97      | 32.32          | 46.00        | -13.68      |
| 2   | 2.112       | 41.59           | 56.00        | -14.41      | 31.43          | 46.00        | -14.57      |
| 3   | 2.011       | 42.74           | 56.00        | -13.26      | 34.53          | 46.00        | -11.47      |
| 4   | 2.413       | 40.15           | 56.00        | -15.85      | 32.55          | 46.00        | -13.45      |
| 5   | 2.312       | 40.37           | 56.00        | -15.63      | 32.46          | 46.00        | -13.54      |
| 6   | 2.212       | 37.37           | 56.00        | -18.63      | 28.13          | 46.00        | -17.87      |
| 7   | 1.605       | 38.29           | 56.00        | -17.71      | 34.14          | 46.00        | -11.86      |
| 8   | 4.924       | 36.97           | 56.00        | -19.03      | 31.20          | 46.00        | -14.80      |
| 9   | 2.714       | 37.97           | 56.00        | -18.03      | 31.35          | 46.00        | -14.65      |
| 10  | .186        | 49.38           | 64.19        | -14.81      | 43.89          | 53.65        | -9.76       |