


ATTACHMENT D – TEST PLOT(S)

PCTEST Engineering Lab.


LGE FCC ID: BEJLI561G (6656-HW2)
640 x 480 38KHz./75Hz. LINE A



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.205	47.79	63.39	-15.60	47.80	53.40	-5.60
2	.254	37.48	61.61	-24.13	35.10	51.64	-16.54
3	.383	30.81	58.21	-27.40	28.91	48.23	-19.32
4	.576	29.95	56.00	-26.05	27.85	46.00	-18.15
5	6.291	32.61	60.00	-27.39	25.90	50.00	-24.10
6	15.491	24.49	60.00	-35.51	17.98	50.00	-32.02
7	.704	28.02	56.00	-27.98	24.81	46.00	-21.19
8	6.227	32.38	60.00	-27.62	25.28	50.00	-24.72
9	.447	29.65	56.93	-27.28	26.17	46.85	-20.68
10	.768	28.13	56.00	-27.87	24.89	46.00	-21.11

PCTEST Engineering Lab.


LGE FCC ID: BEJLI561G (6656-HW2)
640 x 480 38KHz./75Hz. LINE B



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.210	47.46	63.20	-15.74	46.51	53.40	-6.89
2	.387	31.88	58.12	-26.24	27.95	48.25	-20.30
3	.452	30.80	56.85	-26.05	27.44	46.94	-19.50
4	.575	29.91	56.00	-26.09	25.82	46.00	-20.18
5	.640	29.11	56.00	-26.89	25.94	46.00	-20.06
6	.255	39.70	61.59	-21.89	31.60	51.26	-19.66
7	.244	40.21	61.98	-21.77	36.33	51.62	-15.29
8	.481	26.70	56.33	-29.63	20.61	46.27	-25.66
9	6.227	31.44	60.00	-28.56	21.82	50.00	-28.18
10	.511	30.17	56.00	-25.83	26.96	46.00	-19.04

LGE FCC ID: BEJLI561G (6656-HW2)
800 x 600 47KHz. 75Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.205	48.48	63.39	-14.91	48.36	53.41	-5.05
2	.254	37.67	61.63	-23.96	29.68	51.72	-22.04
3	.447	29.75	56.93	-27.18	27.53	46.93	-19.40
4	.395	25.11	57.95	-32.84	18.28	47.68	-29.40
5	.576	30.04	56.00	-25.96	27.95	46.00	-18.05
6	.383	30.97	58.22	-27.25	28.91	48.24	-19.33
7	.768	27.94	56.00	-28.06	24.59	46.00	-21.41
8	.292	32.06	60.48	-28.42	20.55	50.22	-29.67
9	.640	28.61	56.00	-27.39	25.89	46.00	-20.11
10	.641	28.52	56.00	-27.48	17.53	46.00	-28.47

LGE FCC ID: BEJLI561G (6656-HW2)
800 x 600 47KHz. 75Hz. LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.210	47.70	63.21	-15.51	46.54	53.41	-6.87
2	.447	30.87	56.93	-26.06	27.37	46.94	-19.57
3	.254	40.06	61.62	-21.56	36.32	51.64	-15.32
4	.405	29.11	57.76	-28.65	22.17	47.61	-25.44
5	.393	28.88	57.99	-29.11	22.78	47.99	-25.21
6	.387	31.66	58.12	-26.46	28.01	48.25	-20.24
7	.704	28.56	56.00	-27.44	24.59	46.00	-21.41
8	.511	30.23	56.00	-25.77	27.03	46.00	-18.97
9	.151	51.37	65.94	-14.57	43.66	55.62	-11.96
10	.576	30.07	56.00	-25.93	26.81	46.00	-19.19

LGE FCC ID: BEJLI561G (6656-HW2)
1024 x 768 50KHz./75Hz. LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]
1	.204	47.63	63.46	-15.83
2	.383	32.11	58.22	-26.11
3	.254	37.05	61.62	-24.57
4	.151	48.33	65.93	-17.60
5	.319	30.03	59.74	-29.71
6	23.275	32.41	60.00	-27.59
7	.447	29.63	56.93	-27.30
8	.640	28.09	56.00	-27.91
9	.575	29.80	56.00	-26.20
10	.299	31.40	60.27	-28.87

LGE FCC ID: BEJLI561G (6656-HW2)
1024 x 768 50KHz./75Hz. LINE B

PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]
1	.209	47.83	63.25	-15.42
2	.575	30.02	56.00	-25.98
3	.162	49.95	65.35	-15.40
4	.243	40.07	61.98	-21.91
5	.447	31.00	56.94	-25.94
6	.511	30.05	56.00	-25.95
7	.387	32.28	58.12	-25.84
8	.639	29.01	56.00	-26.99
9	.343	31.40	59.13	-27.73
10	.447	31.16	56.93	-25.77