



ATTACHMENT D – TEST PLOT(S)

LGE FCC ID: BEJM568E FCC-B LINE A
1024 x 768 75Hz. ADP-36UB (P.S) PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	45.96	63.66	-17.70	39.93	53.69	-13.76
2	23.333	39.17	60.00	-20.83	28.18	50.00	-21.82
3	23.160	32.56	60.00	-27.44	19.14	50.00	-30.86
4	.266	39.42	61.25	-21.83	33.58	51.26	-17.68
5	.534	31.31	56.00	-24.69	25.65	46.00	-20.35
6	.467	30.29	56.57	-26.28	24.61	46.59	-21.98
7	1.204	28.77	56.00	-27.23	23.35	46.00	-22.65
8	1.606	29.13	56.00	-26.87	24.27	46.00	-21.73
9	.333	34.20	59.38	-25.18	28.38	49.41	-21.03
10	.404	31.94	57.76	-25.82	26.44	47.87	-21.43

LGE FCC ID: BEJM568E FCC-B LINE B
1024 x 768 75Hz. ADP-36UB (P.S) PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	47.67	63.67	-16.00	42.15	53.67	-11.52
2	.266	41.07	61.25	-20.18	35.38	51.28	-15.90
3	23.338	37.81	60.00	-22.19	26.83	50.00	-23.17
4	.400	32.28	57.86	-25.58	27.06	47.77	-20.71
5	.404	32.28	57.76	-25.48	24.41	47.74	-23.33
6	23.212	31.45	60.00	-28.55	19.29	50.00	-30.71
7	.333	35.61	59.38	-23.77	30.03	49.40	-19.37
8	.333	35.61	59.38	-23.77	27.19	49.86	-22.67
9	.151	51.72	65.95	-14.23	44.41	56.00	-11.59
10	.333	35.65	59.38	-23.73	25.26	49.12	-23.86

LGE FCC ID: BEJM568E FCC-B LINE A PCTEST Engineering Lab.
800 x 600 75Hz. ADP-36UB (P.S)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	48.33	63.65	-15.32	40.15	53.68	-13.53
2	23.337	38.85	60.00	-21.15	28.63	50.00	-21.37
3	.266	41.35	61.24	-19.89	34.50	51.26	-16.76
4	23.338	39.36	60.00	-20.64	28.11	50.00	-21.89
5	.151	48.17	65.96	-17.79	36.93	56.00	-19.07
6	.333	35.57	59.37	-23.80	28.50	49.40	-20.90
7	1.272	29.34	56.00	-26.66	24.68	46.00	-21.32
8	2.019	28.33	56.00	-27.67	22.32	46.00	-23.68
9	1.339	29.18	56.00	-26.82	24.56	46.00	-21.44
10	1.612	28.90	56.00	-27.10	21.93	46.00	-24.07

LGE FCC ID: BEJM568E FCC-B LINE B PCTEST Engineering Lab.
800 x 600 75Hz. ADP-36UB (P.S)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	48.03	63.66	-15.63	42.41	53.69	-11.28
2	.266	41.40	61.24	-19.84	35.72	51.26	-15.54
3	23.296	39.01	60.00	-20.99	33.44	50.00	-16.56
4	.293	35.60	60.43	-24.83	27.85	50.16	-22.31
5	.271	40.92	61.10	-20.18	29.89	50.84	-20.95
6	.333	35.95	59.38	-23.43	30.22	49.39	-19.17
7	.471	30.24	56.49	-26.25	24.81	46.58	-21.77
8	.151	51.70	65.95	-14.25	44.37	56.00	-11.63
9	.400	32.26	57.85	-25.59	23.42	48.38	-24.96
10	.492	27.43	56.14	-28.71	19.90	46.08	-26.18

LGE FCC ID: BEJM568E FCC-B LINE A PCTEST Engineering Lab.
640 x 480 75Hz. ADP-36UB (P.S)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	46.06	63.66	-17.60	39.96	53.68	-13.72
2	23.335	38.41	60.00	-21.59	27.92	50.00	-22.08
3	.266	39.55	61.25	-21.70	33.46	51.28	-17.82
4	23.185	28.39	60.00	-31.61	18.94	50.00	-31.06
5	.404	32.08	57.76	-25.68	25.85	47.76	-21.91
6	.151	48.87	65.93	-17.06	35.78	56.00	-20.22
7	1.673	29.49	56.00	-26.51	24.34	46.00	-21.66
8	.333	34.08	59.38	-25.30	28.28	49.40	-21.12
9	.534	31.01	56.00	-24.99	25.20	46.00	-20.80
10	1.740	29.06	56.00	-26.94	23.46	46.00	-22.54

LGE FCC ID: BEJM568E FCC-B LINE B PCTEST Engineering Lab.
640 x 480 75Hz. ADP-36UB (P.S)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.199	47.62	63.66	-16.04	42.18	53.68	-11.50
2	.266	41.20	61.25	-20.05	35.57	51.27	-15.70
3	23.340	38.85	60.00	-21.15	26.06	50.00	-23.94
4	23.211	32.48	60.00	-27.52	18.63	50.00	-31.37
5	.400	32.72	57.86	-25.14	26.93	47.80	-20.87
6	.333	35.38	59.38	-24.00	29.80	49.41	-19.61
7	.533	30.30	56.00	-25.70	24.50	46.00	-21.50
8	.151	51.76	65.96	-14.20	44.49	56.00	-11.51
9	.220	43.05	62.81	-19.76	34.60	52.45	-17.85
10	.467	30.36	56.56	-26.20	24.70	46.49	-21.79

LGE FCC ID: BEJM568E FCC-B LINE A PCTEST Engineering Lab.
1024 x 768 75Hz. (PSCV360104R P.S)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.326	41.03	60.00	-18.97	33.94	50.00	-16.06
2	23.162	35.04	60.00	-24.96	22.25	50.00	-27.75
3	.181	44.88	64.43	-19.55	34.66	54.11	-19.45
4	23.160	34.08	60.00	-25.92	21.35	50.00	-28.65
5	6.728	36.92	60.00	-23.08	35.21	50.00	-14.79
6	6.728	36.92	60.00	-23.08	35.09	50.00	-14.91
7	6.792	36.46	60.00	-23.54	34.46	50.00	-15.54
8	6.665	37.09	60.00	-22.91	35.67	50.00	-14.33
9	.510	32.15	56.00	-23.85	30.86	46.00	-15.14
10	.639	32.37	56.00	-23.63	30.83	46.00	-15.17

LGE FCC ID: BEJM568E FCC-B LINE B PCTEST Engineering Lab.
1024 x 768 75Hz. (PSCV360104R P.S)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.387	35.52	58.12	-22.60	23.83	48.06	-24.23
2	23.324	40.18	60.00	-19.82	34.34	50.00	-15.66
3	.177	48.43	64.62	-16.19	41.02	54.12	-13.10
4	23.169	32.41	60.00	-27.59	22.60	50.00	-27.40
5	.575	32.35	56.00	-23.65	30.34	46.00	-15.66
6	.446	31.06	56.94	-25.88	26.56	46.96	-20.40
7	.456	28.67	56.76	-28.09	20.63	46.52	-25.89
8	6.740	36.79	60.00	-23.21	35.58	50.00	-14.42
9	.511	30.35	56.00	-25.65	27.07	46.00	-18.93
10	.639	31.39	56.00	-24.61	28.68	46.00	-17.32

LGE FCC ID: BEJM568E FCC-B LINE A PCTEST Engineering Lab.
800 x 600 75Hz. (PSCV360104R P.S)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.388	34.33	58.10	-23.77	19.57	48.03	-28.46
2	23.329	40.89	60.00	-19.11	28.48	50.00	-21.52
3	.177	45.73	64.62	-18.89	31.70	54.20	-22.50
4	23.228	32.20	60.00	-27.80	23.15	50.00	-26.85
5	.575	32.01	56.00	-23.99	30.45	46.00	-15.55
6	.447	30.65	56.93	-26.28	28.35	46.95	-18.60
7	.465	24.34	56.61	-32.27	17.83	46.35	-28.52
8	6.677	36.57	60.00	-23.43	34.83	50.00	-15.17
9	.511	32.46	56.00	-23.54	30.80	46.00	-15.20
10	.639	32.59	56.00	-23.41	30.94	46.00	-15.06

LGE FCC ID: BEJM568E FCC-B LINE B PCTEST Engineering Lab.
800 x 600 75Hz. (PSCV360104R P.S)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.390	34.50	58.07	-23.57	23.38	48.04	-24.66
2	23.332	37.37	60.00	-22.63	26.71	50.00	-23.29
3	23.163	24.75	60.00	-35.25	21.08	50.00	-28.92
4	.387	34.24	58.12	-23.88	23.58	48.05	-24.47
5	.179	48.59	64.52	-15.93	41.39	54.01	-12.62
6	.446	31.08	56.94	-25.86	27.70	46.93	-19.23
7	.576	32.41	56.00	-23.59	30.16	46.00	-15.84
8	6.806	35.92	60.00	-24.08	34.77	50.00	-15.23
9	6.742	36.52	60.00	-23.48	35.49	50.00	-14.51
10	.511	30.44	56.00	-25.56	27.23	46.00	-18.77

LGE FCC ID: BEJM568E FCC-B LINE A PCTEST Engineering Lab.
640 x 480 75Hz. (PSCV360104R P.S)



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.162	37.59	60.00	-22.41	21.30	50.00	-28.70
2	23.332	41.55	60.00	-18.45	29.05	50.00	-20.95
3	23.331	41.54	60.00	-18.46	35.83	50.00	-14.17
4	23.204	37.61	60.00	-22.39	21.33	50.00	-28.67
5	23.294	40.55	60.00	-19.45	20.83	50.00	-29.17
6	.388	32.53	58.10	-25.57	19.11	48.00	-28.89
7	.388	32.68	58.10	-25.42	19.91	48.00	-28.17
8	.179	45.70	64.52	-18.82	31.50	54.20	-22.70
9	.387	32.74	58.13	-25.39	24.20	48.22	-24.02
10	5.010	32.58	60.00	-27.42	30.14	50.00	-19.86

LGE FCC ID: BEJM568E FCC-B LINE B PCTEST Engineering Lab.
640 x 480 75Hz. (PSCV360104R P.S)



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	23.330	41.86	60.00	-18.14	34.99	50.00	-15.01
2	23.226	32.22	60.00	-27.78	20.49	50.00	-29.51
3	.387	32.98	58.13	-25.15	25.58	48.12	-22.54
4	23.294	40.75	60.00	-19.25	24.57	50.00	-25.43
5	23.330	41.62	60.00	-18.38	35.54	50.00	-14.46
6	.388	33.32	58.11	-24.79	25.66	48.19	-22.53
7	.447	31.11	56.93	-25.82	27.92	46.85	-18.93
8	.181	48.05	64.43	-16.38	41.16	54.12	-12.96
9	23.172	36.55	60.00	-23.45	20.15	50.00	-29.85
10	.451	31.15	56.85	-25.70	26.56	46.96	-20.40