



LGE/SGI FCC ID: BEJLS882C (CMN014) PCTEST Engineering Lab.
1280x1024 80KHz./75Hz.Analog LINE A



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.385	34.57	58.16	-23.59	34.45	48.13	-13.68
2	.151	50.05	65.93	-15.88	46.68	55.46	-8.78
3	27.038	36.14	60.00	-23.86	26.51	50.00	-23.49
4	.437	29.24	57.13	-27.89	37.24	47.14	-9.90
5	.509	28.80	56.00	-27.20	40.43	46.00	-5.57
6	.460	27.31	56.70	-29.39	27.58	46.56	-18.98
7	.173	47.48	64.81	-17.33	45.72	54.19	-8.47
8	.694	27.15	56.00	-28.85	27.62	46.00	-18.38
9	26.789	35.69	60.00	-24.31	28.54	50.00	-21.46
10	.151	50.22	65.94	-15.72	47.47	55.78	-8.31


LGE/SGI FCC ID: BEJLS882C (CMN014) PCTEST Engineering Lab.
1280x1024 80KHz./75Hz.Analog LINE B



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.374	36.51	58.41	-21.90	24.71	48.12	-23.41
2	.436	32.11	57.13	-25.02	26.11	47.14	-21.03
3	.374	36.47	58.41	-21.94	24.64	48.20	-23.56
4	.454	30.95	56.79	-25.84	21.74	46.60	-24.86
5	.154	52.63	65.77	-13.14	45.12	55.52	-10.40
6	.681	29.90	56.00	-26.10	22.23	46.00	-23.77
7	.509	32.50	56.00	-23.50	25.72	46.00	-20.28
8	.151	53.05	65.94	-12.89	45.91	56.00	-10.09
9	26.793	35.56	60.00	-24.44	29.11	50.00	-20.89
10	.208	46.21	63.27	-17.06	37.77	52.83	-15.06

LGE/SGI FCC ID: BEJLS882C (CMN014)
1024x768 69Hz./85Hz. Analog LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	16.887	37.09	60.00	-22.91	29.98	50.00	-20.02
2	.159	49.26	65.52	-16.26	32.03	55.07	-23.04
3	.271	36.03	61.00	-25.05	22.40	50.05	-28.45
4	26.688	34.62	60.00	-25.38	28.99	50.00	-21.01
5	26.421	34.30	60.00	-25.70	28.56	50.00	-21.44
6	26.953	34.43	60.00	-25.57	28.77	50.00	-21.23
7	26.153	33.64	60.00	-26.36	28.19	50.00	-21.81
8	27.220	33.81	60.00	-26.19	27.31	50.00	-22.69
9	.458	25.55	56.74	-31.19	18.29	46.69	-28.40
10	.436	26.93	57.14	-30.21	19.28	47.35	-28.07

LGE/SGI FCC ID: BEJLS882C (CMN014)
1024x768 69Hz./85Hz. Analog LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	53.10	65.94	-12.84	45.79	56.00	-10.21
2	.151	53.03	65.95	-12.92	45.83	56.00	-10.17
3	.556	28.04	56.00	-27.96	23.06	46.00	-22.94
4	.183	49.11	64.36	-15.25	40.46	53.94	-13.48
5	.297	36.65	60.33	-23.68	29.91	50.04	-20.13
6	16.889	36.47	60.00	-23.53	29.38	50.00	-20.62
7	.436	29.88	57.14	-27.26	25.09	47.14	-22.05
8	.436	30.03	57.13	-27.10	24.66	47.13	-22.47
9	26.683	34.17	60.00	-25.83	28.76	50.00	-21.24
10	25.333	31.60	60.00	-28.40	24.32	50.00	-25.68

LGE/SGI FCC ID: BEJLS882C (CMN014)
800x600 54Hz./85Hz. Analog LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	50.53	65.95	-15.42	34.30	56.00	-21.70
2	16.892	37.24	60.00	-22.76	21.87	50.00	-28.13
3	.152	50.38	65.91	-15.53	33.73	55.72	-21.99
4	.359	28.67	58.76	-30.09	19.76	48.60	-28.84
5	26.680	34.11	60.00	-25.89	28.75	50.00	-21.25
6	25.335	32.81	60.00	-27.19	26.56	50.00	-23.44
7	26.413	33.83	60.00	-26.17	28.31	50.00	-21.69
8	26.947	34.03	60.00	-25.97	27.38	50.00	-22.62
9	27.214	33.35	60.00	-26.65	27.98	50.00	-22.02
10	.263	36.92	61.35	-24.43	22.30	51.07	-28.77

LGE/SGI FCC ID: BEJLS882C (CMN014)
800x600 54Hz./85Hz. Analog LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	53.12	65.96	-12.84	45.92	56.00	-10.08
2	.381	31.08	58.25	-27.17	23.51	47.71	-24.20
3	16.889	36.57	60.00	-23.43	31.02	50.00	-18.98
4	.240	42.18	62.10	-19.92	34.93	51.79	-16.86
5	.249	41.17	61.79	-20.62	33.27	51.45	-18.18
6	.276	38.67	60.93	-22.26	31.35	50.69	-19.34
7	.224	43.93	62.66	-18.73	36.09	52.36	-16.27
8	.305	36.00	60.11	-24.11	29.83	49.91	-20.08
9	.371	32.49	58.49	-26.00	24.42	48.27	-23.85
10	.436	29.90	57.13	-27.23	25.08	47.13	-22.05

LGE/SGI FCC ID: BEJLS882C (CMN014)
640x480 43Hz./85Hz. Analog LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	16.887	36.41	60.00	-23.59	30.81	50.00	-19.19
2	.231	42.93	62.42	-19.49	35.73	52.09	-16.36
3	26.739	35.60	60.00	-24.40	30.39	50.00	-19.61
4	.619	27.28	56.00	-28.72	22.26	46.00	-23.74
5	26.470	35.44	60.00	-24.56	29.99	50.00	-20.01
6	27.005	35.37	60.00	-24.63	30.28	50.00	-19.72
7	26.201	34.83	60.00	-25.17	29.47	50.00	-20.53
8	27.272	34.93	60.00	-25.07	29.44	50.00	-20.56
9	25.934	34.06	60.00	-25.94	28.69	50.00	-21.31
10	.172	50.35	64.89	-14.54	42.70	54.39	-11.69


LGE/SGI FCC ID: BEJLS882C (CMN014)
640x480 43Hz./85Hz. Analog LINE B

PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	16.892	36.97	60.00	-23.03	31.32	50.00	-18.68
2	.231	39.68	62.40	-22.72	26.94	52.10	-25.16
3	26.729	35.86	60.00	-24.14	28.34	50.00	-21.66
4	.618	24.63	56.00	-31.37	19.00	46.00	-27.00
5	26.459	35.49	60.00	-24.51	30.32	50.00	-19.68
6	26.993	35.65	60.00	-24.35	30.14	50.00	-19.86
7	26.193	34.96	60.00	-25.04	29.81	50.00	-20.19
8	27.262	35.17	60.00	-24.83	30.00	50.00	-20.00
9	25.922	34.16	60.00	-25.84	28.84	50.00	-21.16
10	.172	47.06	64.88	-17.82	31.80	54.45	-22.65

LGE/SGI FCC ID: BEJLS882C (CMN014) PCTEST Engineering Lab.
1280x1024 64KHz./60Hz.Digital LINE A



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	50.74	65.95	-15.21	34.12	56.00	-21.88
2	25.377	37.85	60.00	-22.15	24.79	50.00	-25.21
3	26.793	33.91	60.00	-26.09	27.53	50.00	-22.47
4	27.060	33.76	60.00	-26.24	27.34	50.00	-22.66
5	.432	26.90	57.21	-30.31	22.46	47.21	-24.75
6	2.301	30.82	56.00	-25.18	28.23	46.00	-17.77
7	27.330	33.22	60.00	-26.78	26.67	50.00	-23.33
8	27.597	32.30	60.00	-27.70	25.90	50.00	-24.10
9	.174	47.85	64.75	-16.90	33.35	54.37	-21.02
10	26.258	32.92	60.00	-27.08	26.18	50.00	-23.82

LGE/SGI FCC ID: BEJLS882C (CMN014) PCTEST Engineering Lab.
1280x1024 64KHz./60Hz.Digital LINE B



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	53.54	65.95	-12.41	45.86	56.00	-10.14
2	25.384	37.60	60.00	-22.40	31.68	50.00	-18.32
3	.360	32.13	58.73	-26.60	27.05	48.51	-21.46
4	25.385	37.56	60.00	-22.44	25.93	50.00	-24.07
5	.359	32.23	58.74	-26.51	25.54	48.81	-23.27
6	.421	31.12	57.44	-26.32	24.59	47.24	-22.65
7	26.522	33.56	60.00	-26.44	27.19	50.00	-22.81
8	26.790	33.90	60.00	-26.10	26.22	50.00	-23.78
9	.224	44.31	62.69	-18.38	35.85	52.36	-16.51
10	27.059	33.83	60.00	-26.17	27.18	50.00	-22.82