


LGE FCC ID: BEJMB700G
640 x 480 38KHz./85Hz. LINE A


PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.150	47.37	65.98	-18.61	31.29	55.94	-24.65
2	.150	46.46	65.98	-19.52	31.53	55.88	-24.35
3	2.044	38.17	56.00	-17.83	30.43	46.00	-15.57
4	3.269	36.06	56.00	-19.94	27.21	46.00	-18.79
5	3.528	37.54	56.00	-18.46	26.48	46.00	-19.52
6	2.098	39.90	56.00	-16.10	31.41	46.00	-14.59
7	2.610	36.01	56.00	-19.99	28.82	46.00	-17.18
8	3.018	37.06	56.00	-18.94	27.18	46.00	-18.82
9	2.456	35.94	56.00	-20.06	28.97	46.00	-17.03
10	4.088	35.55	56.00	-20.45	25.53	46.00	-20.47

LGE FCC ID: BEJMB700G
640 x 480 38KHz./85Hz. LINE B


PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.150	45.83	65.98	-20.15	29.66	56.00	-26.34
2	3.935	31.61	56.00	-24.39	22.30	46.00	-23.70
3	3.933	31.14	56.00	-24.86	22.37	46.00	-23.63
4	15.476	38.83	60.00	-21.17	32.82	50.00	-17.18
5	23.213	37.96	60.00	-22.04	29.61	50.00	-20.39
6	23.213	37.75	60.00	-22.25	29.23	50.00	-20.77
7	4.190	32.45	56.00	-23.55	22.62	46.00	-23.38
8	12.311	27.84	60.00	-32.16	24.06	50.00	-25.94
9	4.803	31.55	56.00	-24.45	21.76	46.00	-24.24
10	4.805	32.13	56.00	-23.87	21.63	46.00	-24.37




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.150	43.93	65.98	-22.05	32.00	55.51	-23.51
2	3.568	35.38	56.00	-20.62	27.34	46.00	-18.66
3	1.949	39.16	56.00	-16.84	32.38	46.00	-13.62
4	3.029	35.89	56.00	-20.11	28.41	46.00	-17.59
5	1.892	38.80	56.00	-17.20	32.36	46.00	-13.64
6	3.191	37.29	56.00	-18.71	27.24	46.00	-18.76
7	3.838	36.32	56.00	-19.68	28.16	46.00	-17.84
8	1.944	38.57	56.00	-17.43	31.19	46.00	-14.81
9	1.835	39.22	56.00	-16.78	32.29	46.00	-13.71
10	2.002	38.79	56.00	-17.21	31.01	46.00	-14.99




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.150	44.70	65.98	-21.28	32.00	55.51	-23.51
2	3.568	30.39	56.00	-25.61	27.34	46.00	-18.66
3	1.949	26.56	56.00	-29.44	32.38	46.00	-13.62
4	3.029	28.18	56.00	-27.82	28.41	46.00	-17.59
5	1.889	26.58	56.00	-29.42	32.36	46.00	-13.64
6	3.190	29.43	56.00	-26.57	27.24	46.00	-18.76
7	3.838	31.77	56.00	-24.23	28.16	46.00	-17.84
8	1.943	26.48	56.00	-29.52	31.19	46.00	-14.81
9	1.835	26.69	56.00	-29.31	32.29	46.00	-13.71
10	2.003	27.70	56.00	-28.30	31.01	46.00	-14.99




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.150	43.96	65.98	-22.02	24.09	56.00	-31.91
2	.150	44.19	65.98	-21.79	23.14	55.66	-32.52
3	2.010	39.70	56.00	-16.30	32.76	46.00	-13.24
4	2.633	36.93	56.00	-19.07	30.10	46.00	-15.90
5	2.771	36.61	56.00	-19.39	30.80	46.00	-15.20
6	2.079	39.41	56.00	-16.59	32.47	46.00	-13.53
7	2.148	38.90	56.00	-17.10	32.54	46.00	-13.46
8	1.936	40.42	56.00	-15.58	33.75	46.00	-12.25
9	1.728	39.07	56.00	-16.93	31.83	46.00	-14.17
10	3.462	37.49	56.00	-18.51	27.84	46.00	-18.16



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.150	44.61	65.98	-21.37	23.90	56.00	-32.10
2	.150	43.69	65.98	-22.29	23.86	55.84	-31.98
3	3.740	33.19	56.00	-22.81	23.12	46.00	-22.88
4	4.363	35.15	56.00	-20.85	23.35	46.00	-22.65
5	23.217	36.33	60.00	-23.67	26.19	50.00	-23.81
6	4.294	34.20	56.00	-21.80	23.08	46.00	-22.92
7	23.218	35.90	60.00	-24.10	26.82	50.00	-23.18
8	4.709	33.63	56.00	-22.37	22.35	46.00	-23.65
9	23.029	34.16	60.00	-25.84	23.96	50.00	-26.04
10	3.948	33.16	56.00	-22.84	23.52	46.00	-22.48



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.000	39.75	56.00	-16.25	33.10	46.00	-12.90
2	.150	40.63	65.98	-25.35	23.66	56.00	-32.34
3	2.064	38.65	56.00	-17.35	32.36	46.00	-13.64
4	2.193	37.37	56.00	-18.63	31.48	46.00	-14.52
5	2.773	35.48	56.00	-20.52	29.35	46.00	-16.65
6	2.836	34.83	56.00	-21.17	29.87	46.00	-16.13
7	2.257	36.45	56.00	-19.55	32.61	46.00	-13.39
8	2.579	34.29	56.00	-21.71	30.32	46.00	-15.68
9	1.931	39.27	56.00	-16.73	31.69	46.00	-14.31
10	3.158	37.20	56.00	-18.80	27.68	46.00	-18.32



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.150	41.76	65.98	-24.22	23.34	55.83	-32.49
2	.150	43.76	65.98	-22.22	23.61	56.00	-32.39
3	.150	40.32	65.98	-25.66	23.58	56.00	-32.42
4	3.738	34.17	56.00	-21.83	23.26	46.00	-22.74
5	4.319	35.63	56.00	-20.37	23.83	46.00	-22.17
6	3.223	30.47	56.00	-25.53	21.88	46.00	-24.12
7	4.511	34.17	56.00	-21.83	22.84	46.00	-23.16
8	23.227	38.35	60.00	-21.65	32.41	50.00	-17.59
9	5.608	36.52	60.00	-23.48	22.40	50.00	-27.60
10	4.254	34.91	56.00	-21.09	23.36	46.00	-22.64