

6. PHOTOGRAPHS

6.1. Photos of Powerline Conducted Measurement

Test Mode: D-Sub Input, “H” Pattern



FRONT VIEW OF CONDUCTED TEST



BACK VIEW OF CONDUCTED TEST

Test Mode: A/V 、 S-Video 、 Component Input (“DVD-Disk” Image)



FRONT VIEW OF CONDUCTED TEST



FRONT VIEW OF CONDUCTED TEST

6.2. Photos of Radiated Measurement at Open Field Test Site (30~1000MHz)
Test Mode: D-Sub Input, "H" Pattern



FRONT VIEW OF RADIATED TEST



FRONT VIEW OF RADIATED TEST

Test Mode : D-Sub Input, "H" Pattern (1280*1024/75Hz, 80kHz)



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION



SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

Test Mode: A/V 、 S-Video 、 Component Input (“DVD-Disk” Image)



FRONT VIEW OF RADIATED TEST



FRONT VIEW OF RADIATED TEST

Test Mode: Component Input (“DVD-Disk” Image)



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION




SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

6.3. Photos of Radiated Measurement at Open Field Test Site (1~2GHz)
Test Mode : D-Sub Input, "H" Pattern (1280*1024/75Hz, 80kHz)



FRONT VIEW OF RADIATED TEST



FRONT VIEW OF RADIATED TEST