

6. PHOTOGRAPHS

6.1. Photos of Powerline Conducted Measurement

Test Mode : RGB 1/ D-Sub or RGB 2/ DVI



Test Mode : AV 、 S-Video Input or DVD



FRONT VIEW OF CONDUCTED TEST

Test Mode : PIP



FRONT VIEW OF CONDUCTED TEST



BACK VIEW OF CONDUCTED TEST

6.2. Photos of Radiated Measurement at Open Field Test Site

Test Mode : RGB 2/ DVI (1024*768/85Hz, 69kHz)



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

Test Mode : RGB 2/ DVI (1024*768/85Hz, 69kHz)



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION



SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

6.3. Photos of Radiated Measurement at Semi-Anechoic Chamber

6.3.1. 30MHz to 1000MHz frequency and at 3 meters distance measurement.

Test Mode : RGB 1/ D-Sub or RGB 2/ DVI



Test Mode : AV 、 S-Video Input or DVD




FRONT VIEW OF RADIATED TEST

Test Mode : PIP



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

6.3.2. 1GHz to 2GHz frequency and at 3 meters distance measurement.

Test Mode : RGB 2/ DVI (1280*1024/75Hz, 80kHz)



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST