




TAIWANTOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 59 File#: D:\LG-G91807.BMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MP-60SZ12
POWER : 120V/60Hz
MEMO : 640*480/100Hz;53KHz(RGB IN1)



TAIWANTOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 60 File#: D:\LG-G91807.BMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MP-60SZ12
POWER : 120V/60Hz
MEMO : 640*480/100Hz;53KHz(RGB IN1)



TAIWANTOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 58 File#: D:\LG-G91807.BMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MP-60SZ12
POWER : 120V/60Hz
MEMO : 640*480/100Hz;53KHz(RGB IN1)



TAIWANTOKIN EMC ENG. CORP.
台灣東金科技股份有限公司

No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 57 File#: D:\LG-G91807.BMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MP-60SZ12
POWER : 120V/60Hz
MEMO : 640*480/100Hz;53KHz(RGB IN1)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 55 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1024*768/85Hz; 69KHz (RGB IN1)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 56 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1024*768/85Hz; 69KHz (RGB IN1)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 54 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1024*768/85Hz; 69KHz (RGB IN1)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 53 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1024*768/85Hz; 69KHz (RGB IN1)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 50 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1280*1024/60Hz;64KHz(RGB IM1)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 49 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1280*1024/60Hz;64KHz(RGB IM1)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 51 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1280*1024/60Hz;64KHz(RGB IM1)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 52 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1280*1024/60Hz;64KHz(RGB IM1)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 02 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : 640*480/100Hz; 53KHz (RGB IN2)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 01 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : 640*480/100Hz; 53KHz (RGB IN2)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 03 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : 640*480/100Hz; 53KHz (RGB IN2)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 04 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : 640*480/100Hz; 53KHz (RGB IN2)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 79 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1024*768/85Hz; 69KHz (RGB IN2)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 80 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1024*768/85Hz; 69KHz (RGB IN2)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 78 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1024*768/85Hz; 69KHz (RGB IN2)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 77 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1024*768/85Hz; 69KHz (RGB IN2)



TAIWANTOKIN EMC ENG. CORP.
台灣泰金科技股份有限公司

No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 74 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1280*1024/60Hz;64KHz(RGB IM2)



TAIWANTOKIN EMC ENG. CORP.
台灣泰金科技股份有限公司

No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 73 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1280*1024/60Hz;64KHz(RGB IM2)



TAIWANTOKIN EMC ENG. CORP.
台灣泰金科技股份有限公司

No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 75 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1280*1024/60Hz;64KHz(RGB IM2)



TAIWANTOKIN EMC ENG. CORP.
台灣泰金科技股份有限公司

No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 76 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1280*1024/60Hz;64KHz(RGB IM2)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 63 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : 640*480/100Hz; 53KHz (RGB IN3)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 64 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : 640*480/100Hz; 53KHz (RGB IN3)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 62 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : 640*480/100Hz; 53KHz (RGB IN3)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 61 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : 640*480/100Hz; 53KHz (RGB IN3)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 67 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1024*768/85Hz; 69KHz (RGB IN3)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 68 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1024*768/85Hz; 69KHz (RGB IN3)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 66 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1024*768/85Hz; 69KHz (RGB IN3)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 65 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1024*768/85Hz; 69KHz (RGB IN3)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 71 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1280*1024/60Hz;64KHz(RGB IN3)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 72 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1280*1024/60Hz;64KHz(RGB IN3)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 70 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1280*1024/60Hz;64KHz(RGB IN3)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 69 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : 1280*1024/60Hz;64KHz(RGB IN3)



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 90 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : AV IN



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 89 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : AV IN



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 91 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : AV IN



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 92 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : AV IN



TAIWANTOKIN EMC ENG. CORP.
台灣泰金科技股份有限公司

No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 87 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : S IN



TAIWANTOKIN EMC ENG. CORP.
台灣泰金科技股份有限公司

No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 88 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : S IN



TAIWANTOKIN EMC ENG. CORP.
台灣泰金科技股份有限公司

No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 86 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : S IN



TAIWANTOKIN EMC ENG. CORP.
台灣泰金科技股份有限公司

No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 85 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60S212
POWER : 120V/60Hz
MEMO : S IN



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 95 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : DVD IN



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 96 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106(A3L) VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : DVD IN



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 94 File#: D:\LG-G91807.DMI




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 HORIZONTAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : DVD IN



No.53-11, Tin-tu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttenc@ttenc.com.tw

Data#: 93 File#: D:\LG-G91807.DMI



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0138 VERTICAL
ENVIRONMENT : 21°C / 61%
EUT : LCD PROJECTION MONITOR M/N:MM-60Sz12
POWER : 120V/60Hz
MEMO : DVD IN