

## 6. PHOTOGRAPHS

### 6.1. Photos of Powerline Conducted Measurement

Test Mode : RGB IN (D-Sub or DVI-I)



FRONT VIEW OF CONDUCTED TEST




BACK VIEW OF CONDUCTED TEST

Test Mode : A/V、 S-Video、 Component Input



FRONT VIEW OF CONDUCTED TEST



BACK VIEW OF CONDUCTED TEST

## 6.2. Photos of Radiated Measurement at Open Field Test Site

Test Mode : RGB IN1 (D-Sub), 1280\*1024/60Hz, 64kHz



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

Test Mode : RGB IN1 (D-Sub), 1280\*1024/60Hz, 64kHz



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION



SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

Test Mode : Component Input, (Image “DVD Movie”)



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

Test Mode : Component Input, (Image “DVD Movie”)




SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION



SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

### 6.3. Photos of Radiated Measurement at Semi-Anechoic Chamber

Test Mode : RGB IN (D-Sub or DVI-I)



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

Test Mode : A/V、S-Video、Component Input



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST