


ATTACHMENT O – SAR TEST DATA

Peak SAR Location

800 MHz Body SAR



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011216_ZOOM.VLT
Start : 12-Jan-101 02:45:35 pm End : 12-Jan-101 02:55:43 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 824.04 MHz
Peak Trans. Pwr : 0.450 W
Start Trans. Pwr : 0.450 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
LGE TRI-MODE PHONE - AMPS MODE
CHAN 0991 Conducted 26.5 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -2.500, Y = -1.750, Z = 0.000 (cm) Value = 12.498

Measured Values (volts) =
1.208E-002 1.064E-002 9.382E-003 8.065E-003 6.636E-003 4.975E-003
3.506E-003 2.314E-003 1.696E-003 1.561E-003 1.943E-003 2.596E-003
3.127E-003 3.235E-003 2.622E-003 1.776E-003 1.520E-003 6.283E-004
4.864E-004 4.227E-004 3.516E-004


Calc. Voltage @ Surface (Vs) = 0.0137

Voltage @ 1.00 cm (Vt) = 0.0081

Ave. Voltage (Vs+Vt)/2 = 0.0109

Ave. SAR over 1 g (mW/g) = 0.9011

SAR Scan
File : 01011216_ZOOM
Start : 12-Jan-101 02:45:35 pm End : 12-Jan-101 02:55:43 pm
LGE/LG-TM220/2;824.04MHz;W;Helical/In;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100





File : 01011216_ZOOM

Start : 12-Jan-101 02:45:35 pm End : 12-Jan-101 02:55:43 pm

LGE/LG-TM220/2;824.04MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01011216_ZOOM

Start : 12-Jan-101 02:45:35 pm End : 12-Jan-101 02:55:43 pm

LGE/LG-TM220/2;824.04MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011213_ZOOM.VLT
Start : 12-Jan-101 02:33:12 pm End : 12-Jan-101 02:43:20 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 824.04 MHz
Peak Trans. Pwr : 0.450 W
Start Trans. Pwr: 0.450 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
LGE TRI-MODE PHONE - AMPS MODE
CHAN 0991 Conducted 26.5 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -3.000, Y = -1.750, Z = 0.000 (cm) Value = 15.553

Measured Values (volts) =
1.506E-002 1.298E-002 1.111E-002 9.275E-003 7.284E-003 5.343E-003
3.753E-003 2.589E-003 2.177E-003 2.392E-003 2.982E-003 3.659E-003
4.096E-003 3.811E-003 2.785E-003 2.466E-003 1.076E-003 8.356E-004
6.986E-004 5.862E-004 5.042E-004


Calc. Voltage @ Surface (Vs) = 0.0175

Voltage @ 1.00 cm (Vt) = 0.0093

Ave. Voltage (Vs+Vt)/2 = 0.0134

Ave. SAR over 1 g (mW/g) = 1.1094

SAR Scan
File : 01011213_ZOOM
Start : 12-Jan-101 02:33:12 pm End : 12-Jan-101 02:43:20 pm
LGE/LG-TM220/2;824.04MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01011213_ZOOM

Start : 12-Jan-101 02:33:12 pm End : 12-Jan-101 02:43:20 pm

LGE/LG-TM220/2;824.04MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01011213_ZOOM

Start : 12-Jan-101 02:33:12 pm End : 12-Jan-101 02:43:20 pm

LGE/LG-TM220/2;824.04MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011209_ZOOM.VLT
Start : 12-Jan-101 02:05:14 pm End : 12-Jan-101 02:15:38 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 836.49 MHz
Peak Trans. Pwr : 0.450 W
Start Trans. Pwr : 0.450 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
LGE TRI-MODE PHONE - AMPS MODE
CHAN 0383 Conducted 26.5 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -2.750, Y = -1.750, Z = 0.000 (cm) Value = 11.980

Measured Values (volts) =
1.127E-002 9.324E-003 7.984E-003 6.719E-003 5.411E-003 3.968E-003
2.747E-003 1.878E-003 1.385E-003 1.405E-003 1.767E-003 2.215E-003
2.540E-003 2.403E-003 1.758E-003 1.176E-003 5.325E-004 4.534E-004
3.533E-004 2.951E-004 2.625E-004


Calc. Voltage @ Surface (Vs) = 0.0134

Voltage @ 1.00 cm (Vt) = 0.0067

Ave. Voltage (Vs+Vt)/2 = 0.0101

Ave. SAR over 1 g (mW/g) = 0.8324

SAR Scan
File : 01011209_ZOOM
Start : 12-Jan-101 02:05:14 pm End : 12-Jan-101 02:15:38 pm
LGE/LG-TM220/2;836.49MHz;W;Helical/In;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100





File : 01011209_ZOOM

Start : 12-Jan-101 02:05:14 pm End : 12-Jan-101 02:15:38 pm

LGE/LG-TM220/2;836.49MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01011209_ZOOM

Start : 12-Jan-101 02:05:14 pm End : 12-Jan-101 02:15:38 pm

LGE/LG-TM220/2;836.49MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011211_ZOOM.VLT
Start : 12-Jan-101 02:17:02 pm End : 12-Jan-101 02:27:30 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 836.49 MHz
Peak Trans. Pwr : 0.450 W
Start Trans. Pwr: 0.450 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
LGE TRI-MODE PHONE - AMPS MODE
CHAN 0383 Conducted 26.5 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -2.750, Y = -1.500, Z = 0.000 (cm) Value = 11.992

Measured Values (volts) =
1.215E-002 1.109E-002 9.862E-003 8.615E-003 7.059E-003 5.527E-003
3.970E-003 2.785E-003 2.106E-003 2.004E-003 2.367E-003 3.075E-003
3.700E-003 3.823E-003 3.158E-003 2.280E-003 2.109E-003 7.925E-004
6.760E-004 5.418E-004 4.608E-004


Calc. Voltage @ Surface (Vs) = 0.0135

Voltage @ 1.00 cm (Vt) = 0.0086

Ave. Voltage (Vs+Vt)/2 = 0.0110

Ave. SAR over 1 g (mW/g) = 0.9145

SAR Scan
File : 01011211_ZOOM
Start : 12-Jan-101 02:17:02 pm End : 12-Jan-101 02:27:30 pm
LGE/LG-TM220/2;836.49MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100





File : 01011211_ZOOM

Start : 12-Jan-101 02:17:02 pm End : 12-Jan-101 02:27:30 pm

LGE/LG-TM220/2;836.49MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01011211_ZOOM

Start : 12-Jan-101 02:17:02 pm End : 12-Jan-101 02:27:30 pm

LGE/LG-TM220/2;836.49MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011205_ZOOM.VLT
Start : 12-Jan-101 12:25:41 pm End : 12-Jan-101 12:33:06 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 848.97 MHz
Peak Trans. Pwr : 0.450 W
Start Trans. Pwr : 0.450 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
LGE TRI-MODE PHONE - AMPS MODE
CHAN 0799 Conducted 26.5 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -2.750, Y = -1.750, Z = 0.000 (cm) Value = 8.424

Measured Values (volts) =
7.836E-003 6.675E-003 5.815E-003 4.779E-003 3.697E-003 2.733E-003
1.838E-003 1.350E-003 1.154E-003 1.365E-003 1.714E-003 2.095E-003
2.250E-003 1.883E-003 1.245E-003 1.060E-003 4.634E-004 3.746E-004
3.425E-004 2.711E-004 2.187E-004


Calc. Voltage @ Surface (Vs) = 0.0091

Voltage @ 1.00 cm (Vt) = 0.0048

Ave. Voltage (Vs+Vt)/2 = 0.0069

Ave. SAR over 1 g (mW/g) = 0.5743

SAR Scan
File : 01011205_ZOOM
Start : 12-Jan-101 12:25:41 pm End : 12-Jan-101 12:33:06 pm
LGE/LG-TM220/2;848.97MHz;W;Helical/In;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100





File : 01011205_ZOOM

Start : 12-Jan-101 12:25:41 pm End : 12-Jan-101 12:33:06 pm

LGE/LG-TM220/2;848.97MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01011205_ZOOM

Start : 12-Jan-101 12:25:41 pm End : 12-Jan-101 12:33:06 pm

LGE/LG-TM220/2;848.97MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011208_ZOOM.VLT
Start : 12-Jan-101 12:49:03 pm End : 12-Jan-101 01:00:00 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 848.97 MHz
Peak Trans. Pwr : 0.450 W
Start Trans. Pwr : 0.450 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
LGE TRI-MODE PHONE - AMPS MODE
CHAN 0799 Conducted 26.5 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -0.250, Y = -0.750, Z = 0.000 (cm) Value = 9.542

Measured Values (volts) =
9.302E-003 7.589E-003 6.905E-003 6.564E-003 6.343E-003 5.956E-003
5.218E-003 4.260E-003 3.185E-003 2.009E-003 1.386E-003 1.018E-003
1.161E-003 1.458E-003 2.077E-003 2.484E-003 2.397E-003 1.771E-003
1.329E-003 1.185E-003 4.610E-004


Calc. Voltage @ Surface (Vs) = 0.0108

Voltage @ 1.00 cm (Vt) = 0.0066

Ave. Voltage (Vs+Vt)/2 = 0.0087

Ave. SAR over 1 g (mW/g) = 0.7192

SAR Scan
File : 01011208_ZOOM
Start : 12-Jan-101 12:49:03 pm End : 12-Jan-101 01:00:00 pm
LGE/LG-TM220/2;848.97MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100





File : 01011208_ZOOM

Start : 12-Jan-101 12:49:03 pm End : 12-Jan-101 01:00:00 pm

LGE/LG-TM220/2;848.97MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01011208_ZOOM

Start : 12-Jan-101 12:49:03 pm End : 12-Jan-101 01:00:00 pm

LGE/LG-TM220/2;848.97MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011217_ZOOM.VLT
Start : 12-Jan-101 03:00:28 pm End : 12-Jan-101 03:11:11 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 848.37 MHz
Peak Trans. Pwr : 0.320 W
Start Trans. Pwr: 0.320 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
LGE TRI-MODE PHONE - CDMA MODE
CHAN 0779 Conducted 25.0 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -2.750, Y = -1.750, Z = 0.000 (cm) Value = 6.131

Measured Values (volts) =
5.825E-003 4.820E-003 4.219E-003 3.497E-003 2.789E-003 1.989E-003
1.384E-003 9.823E-004 8.089E-004 9.018E-004 1.143E-003 1.399E-003
1.550E-003 1.421E-003 9.937E-004 8.518E-004 3.622E-004 2.866E-004
2.262E-004 1.782E-004 1.740E-004


Calc. Voltage @ Surface (Vs) = 0.0068

Voltage @ 1.00 cm (Vt) = 0.0035

Ave. Voltage (Vs+Vt)/2 = 0.0052

Ave. SAR over 1 g (mW/g) = 0.4281

SAR Scan
File : 01011217_ZOOM
Start : 12-Jan-101 03:00:28 pm End : 12-Jan-101 03:11:11 pm
LGE/LG-TM220/2;848.37MHz;W;Helical/In;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01011217_ZOOM

Start : 12-Jan-101 03:00:28 pm End : 12-Jan-101 03:11:11 pm

LGE/LG-TM220/2;848.37MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01011217_ZOOM

Start : 12-Jan-101 03:00:28 pm End : 12-Jan-101 03:11:11 pm

LGE/LG-TM220/2;848.37MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011219_ZOOM.VLT
Start : 12-Jan-101 03:18:38 pm End : 12-Jan-101 03:29:03 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 848.37 MHz
Peak Trans. Pwr : 0.320 W
Start Trans. Pwr: 0.320 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 51.700
Mixture Conductivity = 1.100

Comment :
LGE TRI-MODE PHONE - CDMA MODE
CHAN 0779 Conducted 25.0 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.894

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = -1.250, Y = -1.000, Z = 0.000 (cm) Value = 6.372

Measured Values (volts) =
6.396E-003 5.471E-003 5.095E-003 4.795E-003 4.448E-003 3.858E-003
3.111E-003 2.279E-003 1.541E-003 1.026E-003 7.770E-004 8.375E-004
1.140E-003 1.522E-003 1.766E-003 1.718E-003 1.265E-003 9.381E-004
4.066E-004 3.092E-004 2.501E-004

Calc. Voltage @ Surface (Vs) = 0.0072

Voltage @ 1.00 cm (Vt) = 0.0048

Ave. Voltage (Vs+Vt)/2 = 0.0060

Ave. SAR over 1 g (mW/g) = 0.4953


SAR Scan

File : 01011219_ZOOM

Start : 12-Jan-101 03:18:38 pm End : 12-Jan-101 03:29:03 pm

LGE/LG-TM220/2;848.37MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01011219_ZOOM

Start : 12-Jan-101 03:18:38 pm End : 12-Jan-101 03:29:03 pm

LGE/LG-TM220/2;848.37MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100




File : 01011219_ZOOM

Start : 12-Jan-101 03:18:38 pm End : 12-Jan-101 03:29:03 pm

LGE/LG-TM220/2;848.37MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/51.700/1.100



Peak SAR Location

800 MHz Head SAR



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01010806_ZOOM.VLT
Start : 8-Jan-101 11:29:09 am End : 8-Jan-101 11:38:56 am

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 824.04 MHz
Peak Trans. Pwr : 0.450 W
Start Trans. Pwr : 0.450 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
LGE TRI-MODE PHONE - AMPS MODE
CHAN 0991 Conducted 26.5 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 2.750, Y = -5.000, Z = 0.000 (cm) Value = 14.118

Measured Values (volts) =
1.399E-002 1.192E-002 1.038E-002 8.906E-003 7.628E-003 6.067E-003
4.657E-003 3.539E-003 2.585E-003 2.056E-003 1.968E-003 2.181E-003
2.557E-003 2.941E-003 3.229E-003 3.065E-003 2.403E-003 1.547E-003
1.244E-003 5.135E-004 4.226E-004


Calc. Voltage @ Surface (Vs) = 0.0162

Voltage @ 1.00 cm (Vt) = 0.0089

Ave. Voltage (Vs+Vt)/2 = 0.0126

Ave. SAR over 1 g (mW/g) = 0.9173

SAR Scan
File : 01010806_ZOOM
Start : 8-Jan-101 11:29:09 am End : 8-Jan-101 11:38:56 am
LGE/LG-TM220/2;824.04MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900





File : 01010806_ZOOM

Start : 8-Jan-101 11:29:09 am End : 8-Jan-101 11:38:56 am

LGE/LG-TM220/2;824.04MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010806_ZOOM

Start : 8-Jan-101 11:29:09 am End : 8-Jan-101 11:38:56 am

LGE/LG-TM220/2;824.04MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01010805_ZOOM.VLT
Start : 8-Jan-101 11:09:34 am End : 8-Jan-101 11:19:33 am

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 824.04 MHz
Peak Trans. Pwr : 0.450 W
Start Trans. Pwr : 0.450 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
LGE TRI-MODE PHONE - AMPS MODE
CHAN 0991 Conducted 26.5 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 2.750, Y = -5.000, Z = 0.000 (cm) Value = 14.387

Measured Values (volts) =
1.425E-002 1.202E-002 1.053E-002 8.966E-003 7.573E-003 6.122E-003
4.801E-003 3.566E-003 2.635E-003 2.198E-003 2.152E-003 2.394E-003
2.743E-003 3.162E-003 3.397E-003 3.149E-003 2.448E-003 1.924E-003
1.753E-003 6.663E-004 5.624E-004


Calc. Voltage @ Surface (Vs) = 0.0166

Voltage @ 1.00 cm (Vt) = 0.0090

Ave. Voltage (Vs+Vt)/2 = 0.0128

Ave. SAR over 1 g (mW/g) = 0.9323

SAR Scan
File : 01010805_ZOOM
Start : 8-Jan-101 11:09:34 am End : 8-Jan-101 11:19:33 am
LGE/LG-TM220/2;824.04MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900





File : 01010805_ZOOM

Start : 8-Jan-101 11:09:34 am End : 8-Jan-101 11:19:33 am

LGE/LG-TM220/2;824.04MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010805_ZOOM

Start : 8-Jan-101 11:09:34 am End : 8-Jan-101 11:19:33 am

LGE/LG-TM220/2;824.04MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01010805_ZOOM.VLT
Start : 8-Jan-101 11:09:34 am End : 8-Jan-101 11:19:33 am

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 824.04 MHz
Peak Trans. Pwr : 0.450 W
Start Trans. Pwr : 0.450 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
LGE TRI-MODE PHONE - AMPS MODE
CHAN 0991 Conducted 26.5 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 2.750, Y = -5.000, Z = 0.000 (cm) Value = 14.387

Measured Values (volts) =
1.425E-002 1.202E-002 1.053E-002 8.966E-003 7.573E-003 6.122E-003
4.801E-003 3.566E-003 2.635E-003 2.198E-003 2.152E-003 2.394E-003
2.743E-003 3.162E-003 3.397E-003 3.149E-003 2.448E-003 1.924E-003
1.753E-003 6.663E-004 5.624E-004


Calc. Voltage @ Surface (Vs) = 0.0166

Voltage @ 1.00 cm (Vt) = 0.0090

Ave. Voltage (Vs+Vt)/2 = 0.0128

Ave. SAR over 1 g (mW/g) = 0.9323

SAR Scan
File : 01010805_ZOOM
Start : 8-Jan-101 11:09:34 am End : 8-Jan-101 11:19:33 am
LGE/LG-TM220/2;824.04MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900





File : 01010805_ZOOM

Start : 8-Jan-101 11:09:34 am End : 8-Jan-101 11:19:33 am

LGE/LG-TM220/2;824.04MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010805_ZOOM

Start : 8-Jan-101 11:09:34 am End : 8-Jan-101 11:19:33 am

LGE/LG-TM220/2;824.04MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01010801_ZOOM.VLT
Start : 8-Jan-101 09:47:59 am End : 8-Jan-101 09:57:32 am

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 836.49 MHz
Peak Trans. Pwr : 0.450 W
Start Trans. Pwr : 0.450 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
LGE TRI-MODE PHONE - AMPS MODE
CHAN 0383 Conducted 26.5 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 3.000, Y = -4.750, Z = 0.000 (cm) Value = 13.223

Measured Values (volts) =
1.321E-002 1.113E-002 9.672E-003 8.427E-003 7.117E-003 5.745E-003
4.418E-003 3.300E-003 2.607E-003 2.103E-003 1.933E-003 2.154E-003
2.494E-003 2.883E-003 3.123E-003 2.952E-003 2.162E-003 1.512E-003
1.267E-003 5.755E-004 5.019E-004


Calc. Voltage @ Surface (Vs) = 0.0154

Voltage @ 1.00 cm (Vt) = 0.0084


Ave. Voltage (Vs+Vt)/2 = 0.0119

Ave. SAR over 1 g (mW/g) = 0.8704

SAR Scan
File : 01010801_ZOOM
Start : 8-Jan-101 09:47:59 am End : 8-Jan-101 09:57:32 am
LGE/LG-TM220/2;836.49MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



SAR Scan
File : 01010801_ZOOM
Start : 8-Jan-101 09:47:59 am End : 8-Jan-101 09:57:32 am
LGE/LG-TM220/2;836.49MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010801_ZOOM

Start : 8-Jan-101 09:47:59 am End : 8-Jan-101 09:57:32 am

LGE/LG-TM220/2;836.49MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010801_ZOOM

Start : 8-Jan-101 09:47:59 am End : 8-Jan-101 09:57:32 am

LGE/LG-TM220/2;836.49MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01010802_ZOOM.VLT
Start : 8-Jan-101 10:07:28 am End : 8-Jan-101 10:17:01 am

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 836.49 MHz
Peak Trans. Pwr : 0.450 W
Start Trans. Pwr: 0.450 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
LGE TRI-MODE PHONE - AMPS MODE
CHAN 0383 Conducted 26.5 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 2.750, Y = -4.750, Z = 0.000 (cm) Value = 14.014

Measured Values (volts) =
1.417E-002 1.185E-002 1.060E-002 9.171E-003 7.831E-003 6.323E-003
5.001E-003 3.744E-003 2.899E-003 2.324E-003 2.174E-003 2.385E-003
2.776E-003 3.222E-003 3.459E-003 3.290E-003 2.581E-003 1.938E-003
1.789E-003 7.785E-004 6.513E-004


Calc. Voltage @ Surface (Vs) = 0.0164

Voltage @ 1.00 cm (Vt) = 0.0092

Ave. Voltage (Vs+Vt)/2 = 0.0128

Ave. SAR over 1 g (mW/g) = 0.9326

SAR Scan
File : 01010802_ZOOM
Start : 8-Jan-101 10:07:28 am End : 8-Jan-101 10:17:01 am
LGE/LG-TM220/2;836.49MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900





File : 01010802_ZOOM

Start : 8-Jan-101 10:07:28 am End : 8-Jan-101 10:17:01 am

LGE/LG-TM220/2;836.49MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010802_ZOOM

Start : 8-Jan-101 10:07:28 am End : 8-Jan-101 10:17:01 am

LGE/LG-TM220/2;836.49MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01010804_ZOOM.VLT
Start : 8-Jan-101 10:49:02 am End : 8-Jan-101 10:58:40 am

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 848.97 MHz
Peak Trans. Pwr : 0.450 W
Start Trans. Pwr: 0.450 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
LGE TRI-MODE PHONE - AMPS MODE
CHAN 0799 Conducted 26.5 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 2.750, Y = -5.000, Z = 0.000 (cm) Value = 18.631

Measured Values (volts) =
1.828E-002 1.573E-002 1.378E-002 1.221E-002 1.029E-002 8.356E-003
6.561E-003 4.870E-003 3.592E-003 2.891E-003 2.658E-003 2.970E-003
3.505E-003 4.067E-003 4.458E-003 4.271E-003 3.352E-003 2.222E-003
1.756E-003 8.700E-004 7.384E-004


Calc. Voltage @ Surface (Vs) = 0.0211

Voltage @ 1.00 cm (Vt) = 0.0122

Ave. Voltage (Vs+Vt)/2 = 0.0166

Ave. SAR over 1 g (mW/g) = 1.2140

SAR Scan
File : 01010804_ZOOM
Start : 8-Jan-101 10:49:02 am End : 8-Jan-101 10:58:40 am
LGE/LG-TM220/2;848.97MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900





File : 01010804_ZOOM

Start : 8-Jan-101 10:49:02 am End : 8-Jan-101 10:58:40 am

LGE/LG-TM220/2;848.97MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010804_ZOOM

Start : 8-Jan-101 10:49:02 am End : 8-Jan-101 10:58:40 am

LGE/LG-TM220/2;848.97MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01010808_ZOOM.VLT
Start : 8-Jan-101 12:13:05 pm End : 8-Jan-101 12:22:35 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 848.97 MHz
Peak Trans. Pwr : 0.450 W
Start Trans. Pwr : 0.450 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
LGE TRI-MODE PHONE - AMPS MODE
CHAN 0799 Conducted 26.5 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 2.750, Y = -5.000, Z = 0.000 (cm) Value = 20.261

Measured Values (volts) =
1.951E-002 1.667E-002 1.461E-002 1.281E-002 1.100E-002 8.912E-003
6.927E-003 5.177E-003 3.908E-003 3.186E-003 3.011E-003 3.323E-003
3.969E-003 4.469E-003 4.853E-003 4.581E-003 3.543E-003 2.700E-003
1.291E-003 1.099E-003 9.373E-004


Calc. Voltage @ Surface (Vs) = 0.0225

Voltage @ 1.00 cm (Vt) = 0.0128

Ave. Voltage (Vs+Vt)/2 = 0.0177

Ave. SAR over 1 g (mW/g) = 1.2896

SAR Scan
File : 01010808_ZOOM
Start : 8-Jan-101 12:13:05 pm End : 8-Jan-101 12:22:35 pm
LGE/LG-TM220/2;848.97MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010808_ZOOM

Start : 8-Jan-101 12:13:05 pm End : 8-Jan-101 12:22:35 pm

LGE/LG-TM220/2;848.97MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010808_ZOOM

Start : 8-Jan-101 12:13:05 pm End : 8-Jan-101 12:22:35 pm

LGE/LG-TM220/2;848.97MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01010815_ZOOM.VLT
Start : 8-Jan-101 03:41:52 pm End : 8-Jan-101 03:51:37 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 1
Frequency : 824.04 MHz
Peak Trans. Pwr : 0.320 W
Start Trans. Pwr : 0.320 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
LGE TRI-MODE PHONE - CDMA MODE
CHAN 1013 Conducted 25.0 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 3.000, Y = -4.500, Z = 0.000 (cm) Value = 11.361

Measured Values (volts) =
1.104E-002 9.261E-003 7.983E-003 6.777E-003 5.675E-003 4.512E-003
3.448E-003 2.543E-003 1.896E-003 1.587E-003 1.557E-003 1.728E-003
2.079E-003 2.404E-003 2.569E-003 2.387E-003 1.688E-003 1.140E-003
7.316E-004 4.326E-004 3.530E-004


Calc. Voltage @ Surface (Vs) = 0.0130

Voltage @ 1.00 cm (Vt) = 0.0068

Ave. Voltage (Vs+Vt)/2 = 0.0099

Ave. SAR over 1 g (mW/g) = 0.7212

SAR Scan
File : 01010815_ZOOM
Start : 8-Jan-101 03:41:52 pm End : 8-Jan-101 03:51:37 pm
LGE/LG-TM220/1;824.04MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010815_ZOOM

Start : 8-Jan-101 03:41:52 pm End : 8-Jan-101 03:51:37 pm

LGE/LG-TM220/1;824.04MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010815_ZOOM

Start : 8-Jan-101 03:41:52 pm End : 8-Jan-101 03:51:37 pm

LGE/LG-TM220/1;824.04MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01010814_ZOOM.VLT
Start : 8-Jan-101 03:16:34 pm End : 8-Jan-101 03:26:09 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 1
Frequency : 824.04 MHz
Peak Trans. Pwr : 0.320 W
Start Trans. Pwr: 0.320 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
LGE TRI-MODE PHONE - CDMA MODE
CHAN 1013 Conducted 25.0 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 2.750, Y = -5.000, Z = 0.000 (cm) Value = 13.333

Measured Values (volts) =
1.310E-002 1.119E-002 9.777E-003 8.337E-003 7.026E-003 5.587E-003
4.337E-003 3.189E-003 2.476E-003 2.004E-003 1.917E-003 2.147E-003
2.521E-003 2.863E-003 3.085E-003 2.851E-003 2.204E-003 1.723E-003
1.508E-003 5.989E-004 4.764E-004


Calc. Voltage @ Surface (Vs) = 0.0152

Voltage @ 1.00 cm (Vt) = 0.0083

Ave. Voltage (Vs+Vt)/2 = 0.0118

Ave. SAR over 1 g (mW/g) = 0.8576

SAR Scan
File : 01010814_ZOOM
Start : 8-Jan-101 03:16:34 pm End : 8-Jan-101 03:26:09 pm
LGE/LG-TM220/1;824.04MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010814_ZOOM

Start : 8-Jan-101 03:16:34 pm End : 8-Jan-101 03:26:09 pm

LGE/LG-TM220/1;824.04MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010814_ZOOM

Start : 8-Jan-101 03:16:34 pm End : 8-Jan-101 03:26:09 pm

LGE/LG-TM220/1;824.04MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01010811_ZOOM.VLT
Start : 8-Jan-101 02:14:29 pm End : 8-Jan-101 02:24:07 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 1
Frequency : 835.89 MHz
Peak Trans. Pwr : 0.320 W
Start Trans. Pwr : 0.320 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
LGE TRI-MODE PHONE -CDMA MODE
CHAN 0363 Conducted 25.0 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 3.000, Y = -5.000, Z = 0.000 (cm) Value = 9.319

Measured Values (volts) =
9.328E-003 7.821E-003 6.742E-003 5.783E-003 4.804E-003 3.727E-003
2.890E-003 2.130E-003 1.666E-003 1.399E-003 1.391E-003 1.591E-003
1.864E-003 2.091E-003 2.186E-003 1.973E-003 1.375E-003 1.045E-003
5.024E-004 4.044E-004 3.391E-004


Calc. Voltage @ Surface (Vs) = 0.0110

Voltage @ 1.00 cm (Vt) = 0.0058

Ave. Voltage (Vs+Vt)/2 = 0.0084

Ave. SAR over 1 g (mW/g) = 0.6112

SAR Scan
File : 01010811_ZOOM
Start : 8-Jan-101 02:14:29 pm End : 8-Jan-101 02:24:07 pm
LGE/LG-TM220/1;835.89MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010811_ZOOM

Start : 8-Jan-101 02:14:29 pm End : 8-Jan-101 02:24:07 pm

LGE/LG-TM220/1;835.89MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010811_ZOOM

Start : 8-Jan-101 02:14:29 pm End : 8-Jan-101 02:24:07 pm

LGE/LG-TM220/1;835.89MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01010810_ZOOM.VLT
Start : 8-Jan-101 01:54:59 pm End : 8-Jan-101 02:04:44 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 1
Frequency : 835.89 MHz
Peak Trans. Pwr : 0.320 W
Start Trans. Pwr: 0.320 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
LGE TRI-MODE PHONE -CDMA MODE
CHAN 0363 Conducted 25.0 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 3.000, Y = -4.750, Z = 0.000 (cm) Value = 10.190

Measured Values (volts) =
9.662E-003 7.944E-003 6.899E-003 6.063E-003 5.049E-003 3.985E-003
3.098E-003 2.295E-003 1.786E-003 1.533E-003 1.551E-003 1.691E-003
1.962E-003 2.237E-003 2.332E-003 2.073E-003 1.548E-003 1.239E-003
6.188E-004 4.830E-004 4.487E-004


Calc. Voltage @ Surface (Vs) = 0.0114

Voltage @ 1.00 cm (Vt) = 0.0061

Ave. Voltage (Vs+Vt)/2 = 0.0088

Ave. SAR over 1 g (mW/g) = 0.6385

SAR Scan
File : 01010810_ZOOM
Start : 8-Jan-101 01:54:59 pm End : 8-Jan-101 02:04:44 pm
LGE/LG-TM220/1;835.89MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900





File : 01010810_ZOOM

Start : 8-Jan-101 01:54:59 pm End : 8-Jan-101 02:04:44 pm

LGE/LG-TM220/1;835.89MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010810_ZOOM

Start : 8-Jan-101 01:54:59 pm End : 8-Jan-101 02:04:44 pm

LGE/LG-TM220/1;835.89MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01010812_ZOOM.VLT
Start : 8-Jan-101 02:37:06 pm End : 8-Jan-101 02:46:40 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 1
Frequency : 848.37 MHz
Peak Trans. Pwr : 0.320 W
Start Trans. Pwr : 0.320 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
LGE TRI-MODE PHONE - CDMA MODE
CHAN 0779 Conducted 25.0 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 2.750, Y = -5.000, Z = 0.000 (cm) Value = 16.350

Measured Values (volts) =
1.579E-002 1.300E-002 1.123E-002 9.980E-003 8.290E-003 6.547E-003
5.080E-003 3.749E-003 2.865E-003 2.342E-003 2.275E-003 2.650E-003
3.074E-003 3.557E-003 3.802E-003 3.438E-003 2.422E-003 1.775E-003
8.727E-004 6.917E-004 5.853E-004


Calc. Voltage @ Surface (Vs) = 0.0187

Voltage @ 1.00 cm (Vt) = 0.0100

Ave. Voltage (Vs+Vt)/2 = 0.0144

Ave. SAR over 1 g (mW/g) = 1.0475

SAR Scan
File : 01010812_ZOOM
Start : 8-Jan-101 02:37:06 pm End : 8-Jan-101 02:46:40 pm
LGE/LG-TM220/1;848.37MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900





File : 01010812_ZOOM

Start : 8-Jan-101 02:37:06 pm End : 8-Jan-101 02:46:40 pm

LGE/LG-TM220/1;848.37MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010812_ZOOM

Start : 8-Jan-101 02:37:06 pm End : 8-Jan-101 02:46:40 pm

LGE/LG-TM220/1;848.37MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01010813_ZOOM.VLT
Start : 8-Jan-101 02:56:18 pm End : 8-Jan-101 03:05:54 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 1
Frequency : 848.37 MHz
Peak Trans. Pwr : 0.320 W
Start Trans. Pwr : 0.320 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 41.500
Mixture Conductivity = 0.900

Comment :
LGE TRI-MODE PHONE - CDMA MODE
CHAN 0779 Conducted 25.0 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 0.788

PCTEST Amplifier Channel Settings : 0.166 0.135 0.132

Max Location : X = 2.750, Y = -5.250, Z = 0.000 (cm) Value = 16.390

Measured Values (volts) =
1.573E-002 1.304E-002 1.142E-002 9.839E-003 8.215E-003 6.551E-003
4.953E-003 3.715E-003 2.924E-003 2.508E-003 2.536E-003 2.878E-003
3.394E-003 3.810E-003 3.922E-003 3.337E-003 2.442E-003 2.073E-003
9.655E-004 7.971E-004 7.312E-004


Calc. Voltage @ Surface (Vs) = 0.0185

Voltage @ 1.00 cm (Vt) = 0.0098

Ave. Voltage (Vs+Vt)/2 = 0.0142

Ave. SAR over 1 g (mW/g) = 1.0326

SAR Scan
File : 01010813_ZOOM
Start : 8-Jan-101 02:56:18 pm End : 8-Jan-101 03:05:54 pm
LGE/LG-TM220/1;848.37MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010813_ZOOM

Start : 8-Jan-101 02:56:18 pm End : 8-Jan-101 03:05:54 pm

LGE/LG-TM220/1;848.37MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900




File : 01010813_ZOOM

Start : 8-Jan-101 02:56:18 pm End : 8-Jan-101 03:05:54 pm


LGE/LG-TM220/1;848.37MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/41.500/0.900



Peak SAR Location

PCS Body SAR



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011606_ZOOM.VLT
Start : 16-Jan-101 11:09:41 am End : 16-Jan-101 11:20:29 am

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 1851.25 MHz
Peak Trans. Pwr : 0.200 W
Start Trans. Pwr: 0.200 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity = 1.850

Comment :
LGE TRI-MODE PHONE - PCS MODE
CHAN 0025 Conducted 23.0 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.378

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -2.500, Y = -0.500, Z = 0.000 (cm) Value = 6.370

Measured Values (volts) =
5.680E-003 3.948E-003 2.817E-003 2.059E-003 1.550E-003 1.186E-003
9.065E-004 6.177E-004 4.707E-004 3.140E-004 2.839E-004 1.538E-004
9.039E-005 8.079E-005 7.562E-005 4.475E-005 3.910E-005 9.876E-005
7.715E-005 4.152E-005 2.112E-004

Calc. Voltage @ Surface (Vs) = 0.0081

Voltage @ 1.00 cm (Vt) = 0.0021

Ave. Voltage (Vs+Vt)/2 = 0.0051

Ave. SAR over 1 g (mW/g) = 0.6459


SAR Scan

File : 01011606_ZOOM

Start : 16-Jan-101 11:09:41 am End : 16-Jan-101 11:20:29 am

LGE/LG-TM220/2;1851.25MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01011606_ZOOM

Start : 16-Jan-101 11:09:41 am End : 16-Jan-101 11:20:29 am

LGE/LG-TM220/2;1851.25MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01011606_ZOOM

Start : 16-Jan-101 11:09:41 am End : 16-Jan-101 11:20:29 am

LGE/LG-TM220/2;1851.25MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011604_ZOOM.VLT
Start : 16-Jan-101 10:39:33 am End : 16-Jan-101 10:47:03 am

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 1851.25 MHz
Peak Trans. Pwr : 0.200 W
Start Trans. Pwr: 0.200 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity = 1.850

Comment :
LGE TRI-MODE PHONE - PCS MODE
CHAN 0025 Conducted 23.0 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.378

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -6.000, Y = -2.250, Z = 0.000 (cm) Value = 4.925

Measured Values (volts) =
4.638E-003 3.830E-003 2.649E-003 1.902E-003 1.388E-003 1.095E-003
8.372E-004 5.912E-004 4.015E-004 3.003E-004 2.490E-004 2.025E-004
1.270E-004 7.251E-005 5.576E-005 9.797E-005 9.578E-005 7.650E-005
5.474E-005 1.211E-005 2.157E-005


Calc. Voltage @ Surface (Vs) = 0.0062

Voltage @ 1.00 cm (Vt) = 0.0019

Ave. Voltage (Vs+Vt)/2 = 0.0040

Ave. SAR over 1 g (mW/g) = 0.5144

SAR Scan
File : 01011604_ZOOM
Start : 16-Jan-101 10:39:33 am End : 16-Jan-101 10:47:03 am
LGE/LG-TM220/2;1851.25MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01011604_ZOOM


Start : 16-Jan-101 10:39:33 am End : 16-Jan-101 10:47:03 am

LGE/LG-TM220/2;1851.25MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



File : 01011604_ZOOM
Start : 16-Jan-101 10:39:33 am End : 16-Jan-101 10:47:03 am
LGE/LG-TM220/2;1851.25MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011220_ZOOM.VLT
Start : 12-Jan-101 04:47:22 pm End : 12-Jan-101 04:58:20 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 1880.00 MHz
Peak Trans. Pwr : 0.200 W
Start Trans. Pwr: 0.200 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity = 1.850

Comment :
LGE TRI-MODE PHONE - PCS MODE
CHAN 0600 Conducted 23.0 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.378

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -2.500, Y = -0.500, Z = 0.000 (cm) Value = 5.290

Measured Values (volts) =
5.225E-003 3.448E-003 2.459E-003 1.775E-003 1.374E-003 1.053E-003
7.777E-004 5.599E-004 4.425E-004 3.294E-004 2.792E-004 2.043E-004
1.277E-004 9.499E-005 6.008E-005 5.901E-005 1.012E-005 3.694E-005
7.216E-006 3.744E-005 3.454E-006


Calc. Voltage @ Surface (Vs) = 0.0076

Voltage @ 1.00 cm (Vt) = 0.0018

Ave. Voltage (Vs+Vt)/2 = 0.0047

Ave. SAR over 1 g (mW/g) = 0.5996

SAR Scan
File : 01011220_ZOOM
Start : 12-Jan-101 04:47:22 pm End : 12-Jan-101 04:58:20 pm
LGE/LG-TM220/2;1880.00MHz;W;Helical/In;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01011220_ZOOM

Start : 12-Jan-101 04:47:22 pm End : 12-Jan-101 04:58:20 pm

LGE/LG-TM220/2;1880.00MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01011220_ZOOM

Start : 12-Jan-101 04:47:22 pm End : 12-Jan-101 04:58:20 pm

LGE/LG-TM220/2;1880.00MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011222_ZOOM.VLT
Start : 12-Jan-101 05:25:16 pm End : 12-Jan-101 05:34:25 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 1880.00 MHz
Peak Trans. Pwr : 0.200 W
Start Trans. Pwr : 0.200 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity = 1.850

Comment :
LGE TRI-MODE PHONE - PCS MODE
CHAN 0600 Conducted 23.0 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.378

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -6.000, Y = -2.750, Z = 0.000 (cm) Value = 6.333

Measured Values (volts) =
6.234E-003 4.984E-003 3.361E-003 2.175E-003 1.679E-003 1.312E-003
9.361E-004 6.733E-004 4.636E-004 4.249E-004 2.900E-004 2.293E-004
1.859E-004 8.777E-005 9.470E-005 1.197E-004 9.345E-005 4.961E-005
3.183E-005 3.950E-006 1.861E-005


Calc. Voltage @ Surface (Vs) = 0.0085

Voltage @ 1.00 cm (Vt) = 0.0022

Ave. Voltage (Vs+Vt)/2 = 0.0053

Ave. SAR over 1 g (mW/g) = 0.6823

SAR Scan
File : 01011222_ZOOM
Start : 12-Jan-101 05:25:16 pm End : 12-Jan-101 05:34:25 pm
LGE/LG-TM220/2;1880.00MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01011222_ZOOM

Start : 12-Jan-101 05:25:16 pm End : 12-Jan-101 05:34:25 pm

LGE/LG-TM220/2;1880.00MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01011222_ZOOM

Start : 12-Jan-101 05:25:16 pm End : 12-Jan-101 05:34:25 pm

LGE/LG-TM220/2;1880.00MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011602_ZOOM.VLT
Start : 16-Jan-101 09:56:45 am End : 16-Jan-101 10:04:02 am

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 1908.75 MHz
Peak Trans. Pwr : 0.200 W
Start Trans. Pwr: 0.200 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity = 1.850

Comment :
LGE TRI-MODE PHONE - PCS MODE
CHAN 1175 Conducted 23.0 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.378

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -2.250, Y = -0.250, Z = 0.000 (cm) Value = 8.528

Measured Values (volts) =
7.022E-003 4.430E-003 3.217E-003 2.426E-003 1.812E-003 1.450E-003
1.035E-003 6.802E-004 5.661E-004 4.247E-004 3.188E-004 2.271E-004
1.496E-004 1.249E-004 1.096E-004 8.156E-005 5.362E-005 6.511E-005
9.697E-005 2.066E-005 4.113E-005


Calc. Voltage @ Surface (Vs) = 0.0104

Voltage @ 1.00 cm (Vt) = 0.0024

Ave. Voltage (Vs+Vt)/2 = 0.0064

Ave. SAR over 1 g (mW/g) = 0.8183

SAR Scan
File : 01011602_ZOOM
Start : 16-Jan-101 09:56:45 am End : 16-Jan-101 10:04:02 am
LGE/LG-TM220/2;1908.75MHz;W;Helical/In;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01011602_ZOOM

Start : 16-Jan-101 09:56:45 am End : 16-Jan-101 10:04:02 am

LGE/LG-TM220/2;1908.75MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01011602_ZOOM

Start : 16-Jan-101 09:56:45 am End : 16-Jan-101 10:04:02 am

LGE/LG-TM220/2;1908.75MHz;W;Helical/In;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011603_ZOOM.VLT
Start : 16-Jan-101 10:13:15 am End : 16-Jan-101 10:22:20 am

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 2
Frequency : 1908.75 MHz
Peak Trans. Pwr : 0.200 W
Start Trans. Pwr: 0.200 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Body
Phantom Posn. : Abdomen
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity = 1.850

Comment :
LGE TRI-MODE PHONE - PCS MODE
CHAN 1175 Conducted 23.0 dBm
LGE TRI-MODE PHONE - BODY SAR

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.378

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -6.000, Y = -2.250, Z = 0.000 (cm) Value = 7.354

Measured Values (volts) =
7.264E-003 5.822E-003 3.931E-003 2.691E-003 1.994E-003 1.476E-003
1.137E-003 8.333E-004 5.515E-004 4.133E-004 2.859E-004 2.602E-004
1.769E-004 7.681E-005 6.782E-005 7.300E-005 9.630E-005 1.004E-004
8.232E-005 1.568E-005 1.159E-005


Calc. Voltage @ Surface (Vs) = 0.0099

Voltage @ 1.00 cm (Vt) = 0.0027

Ave. Voltage (Vs+Vt)/2 = 0.0063

Ave. SAR over 1 g (mW/g) = 0.8040

SAR Scan
File : 01011603_ZOOM
Start : 16-Jan-101 10:13:15 am End : 16-Jan-101 10:22:20 am
LGE/LG-TM220/2;1908.75MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850




File : 01011603_ZOOM


Start : 16-Jan-101 10:13:15 am End : 16-Jan-101 10:22:20 am

LGE/LG-TM220/2;1908.75MHz;W;Helical/Out;

Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



File : 01011603_ZOOM
Start : 16-Jan-101 10:13:15 am End : 16-Jan-101 10:22:20 am
LGE/LG-TM220/2;1908.75MHz;W;Helical/Out;
Body/Abdomen;ZOOM/SAR;PCTEST/E Field/0 DegreesMuscle/54.200/1.850



Peak SAR Location

PCS Head SAR



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011118_ZOOM.VLT
Start : 11-Jan-101 04:33:23 pm End : 11-Jan-101 04:42:30 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 1
Frequency : 1851.25 MHz
Peak Trans. Pwr : 0.200 W
Start Trans. Pwr : 0.200 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 40.400
Mixture Conductivity = 1.820

Comment :
LGE TRI-MODE PHONE - PCS MODE
CHAN 0025 Conducted 23.0 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.201

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -0.500, Y = -2.000, Z = 0.000 (cm) Value = 11.732

Measured Values (volts) =
1.121E-002 9.120E-003 6.699E-003 4.773E-003 3.611E-003 2.890E-003
2.161E-003 1.656E-003 1.231E-003 9.736E-004 7.855E-004 6.346E-004
5.136E-004 4.233E-004 3.018E-004 3.593E-004 2.916E-004 2.677E-004
2.108E-004 1.918E-004 2.116E-004


Calc. Voltage @ Surface (Vs) = 0.0145

Voltage @ 1.00 cm (Vt) = 0.0048

Ave. Voltage (Vs+Vt)/2 = 0.0096

Ave. SAR over 1 g (mW/g) = 1.0728

SAR Scan
File : 01011118_ZOOM
Start : 11-Jan-101 04:33:23 pm End : 11-Jan-101 04:42:30 pm
LGE/LG-TM220/1;1851.25MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01011118_ZOOM

Start : 11-Jan-101 04:33:23 pm End : 11-Jan-101 04:42:30 pm

LGE/LG-TM220/1;1851.25MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01011118_ZOOM

Start : 11-Jan-101 04:33:23 pm End : 11-Jan-101 04:42:30 pm

LGE/LG-TM220/1;1851.25MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011122_ZOOM.VLT
Start : 11-Jan-101 05:36:34 pm End : 11-Jan-101 05:47:49 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 1
Frequency : 1851.25 MHz
Peak Trans. Pwr : 0.200 W
Start Trans. Pwr: 0.200 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 40.400
Mixture Conductivity = 1.820

Comment :
LGE TRI-MODE PHONE - PCS MODE
CHAN 0025 Conducted 23.0 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.201

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -0.500, Y = -1.500, Z = 0.000 (cm) Value = 2.596

Measured Values (volts) =
2.534E-003 1.801E-003 1.231E-003 9.066E-004 7.120E-004 5.526E-004
4.551E-004 4.039E-004 3.450E-004 2.998E-004 3.112E-004 2.454E-004
2.287E-004 2.206E-004 2.118E-004 2.057E-004 2.235E-004 1.867E-004
1.924E-004 1.735E-004 1.920E-004


Calc. Voltage @ Surface (Vs) = 0.0036

Voltage @ 1.00 cm (Vt) = 0.0009

Ave. Voltage (Vs+Vt)/2 = 0.0023

Ave. SAR over 1 g (mW/g) = 0.2526

SAR Scan
File : 01011122_ZOOM
Start : 11-Jan-101 05:36:34 pm End : 11-Jan-101 05:47:49 pm
LGE/LG-TM220/1;1851.25MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01011122_ZOOM

Start : 11-Jan-101 05:36:34 pm End : 11-Jan-101 05:47:49 pm

LGE/LG-TM220/1;1851.25MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01011122_ZOOM

Start : 11-Jan-101 05:36:34 pm End : 11-Jan-101 05:47:49 pm

LGE/LG-TM220/1;1851.25MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011117_ZOOM.VLT
Start : 11-Jan-101 04:20:43 pm End : 11-Jan-101 04:31:47 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 1
Frequency : 1800.00 MHz
Peak Trans. Pwr : 0.200 W
Start Trans. Pwr: 0.200 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 40.400
Mixture Conductivity = 1.820

Comment :
LGE TRI-MODE PHONE - PCS MODE
CHAN 0600 Conducted 23.0 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.201

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -0.250, Y = -2.250, Z = 0.000 (cm) Value = 11.253

Measured Values (volts) =
1.074E-002 8.600E-003 6.183E-003 4.696E-003 3.641E-003 2.704E-003
2.029E-003 1.599E-003 1.233E-003 9.843E-004 7.683E-004 6.101E-004
4.398E-004 3.764E-004 3.499E-004 2.844E-004 2.802E-004 2.625E-004
2.007E-004 1.821E-004 2.208E-004


Calc. Voltage @ Surface (Vs) = 0.0142

Voltage @ 1.00 cm (Vt) = 0.0047

Ave. Voltage (Vs+Vt)/2 = 0.0094

Ave. SAR over 1 g (mW/g) = 1.0495

SAR Scan
File : 01011117_ZOOM
Start : 11-Jan-101 04:20:43 pm End : 11-Jan-101 04:31:47 pm
LGE/LG-TM220/1;1800.00MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01011117_ZOOM

Start : 11-Jan-101 04:20:43 pm End : 11-Jan-101 04:31:47 pm

LGE/LG-TM220/1;1800.00MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01011117_ZOOM

Start : 11-Jan-101 04:20:43 pm End : 11-Jan-101 04:31:47 pm

LGE/LG-TM220/1;1800.00MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011119_ZOOM.VLT
Start : 11-Jan-101 04:45:23 pm End : 11-Jan-101 04:56:29 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 1
Frequency : 1880.00 MHz
Peak Trans. Pwr : 0.200 W
Start Trans. Pwr: 0.200 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 40.400
Mixture Conductivity = 1.820

Comment :
LGE TRI-MODE PHONE - PCS MODE
CHAN 0600 Conducted 23.0 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.201

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -0.500, Y = -1.750, Z = 0.000 (cm) Value = 3.227

Measured Values (volts) =
2.957E-003 2.184E-003 1.567E-003 1.191E-003 9.376E-004 7.252E-004
5.835E-004 4.807E-004 4.207E-004 3.802E-004 3.113E-004 2.741E-004
2.495E-004 2.579E-004 1.856E-004 2.822E-004 2.258E-004 2.565E-004
1.795E-004 2.063E-004 1.658E-004


Calc. Voltage @ Surface (Vs) = 0.0041

Voltage @ 1.00 cm (Vt) = 0.0012

Ave. Voltage (Vs+Vt)/2 = 0.0026

Ave. SAR over 1 g (mW/g) = 0.2921

SAR Scan
File : 01011119_ZOOM
Start : 11-Jan-101 04:45:23 pm End : 11-Jan-101 04:56:29 pm
LGE/LG-TM220/1;1880.00MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01011119_ZOOM

Start : 11-Jan-101 04:45:23 pm End : 11-Jan-101 04:56:29 pm

LGE/LG-TM220/1;1880.00MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01011119_ZOOM

Start : 11-Jan-101 04:45:23 pm End : 11-Jan-101 04:56:29 pm

LGE/LG-TM220/1;1880.00MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011011_ZOOM.VLT
Start : 10-Jan-101 04:23:27 pm End : 10-Jan-101 04:35:47 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 1
Frequency : 1908.75 MHz
Peak Trans. Pwr : 0.200 W
Start Trans. Pwr: 0.200 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 40.400
Mixture Conductivity = 1.820

Comment :
LGE TRI-MODE PHONE - PCS MODE
CHAN 1175 Conducted 23.0 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.201

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = 0.000, Y = -2.250, Z = 0.000 (cm) Value = 13.687

Measured Values (volts) =
1.345E-002 1.125E-002 8.145E-003 5.841E-003 4.387E-003 3.367E-003
2.588E-003 1.932E-003 1.504E-003 1.161E-003 9.221E-004 7.673E-004
5.489E-004 4.894E-004 4.331E-004 4.213E-004 3.370E-004 2.560E-004
2.343E-004 2.036E-004 2.404E-004


Calc. Voltage @ Surface (Vs) = 0.0173

Voltage @ 1.00 cm (Vt) = 0.0058

Ave. Voltage (Vs+Vt)/2 = 0.0116

Ave. SAR over 1 g (mW/g) = 1.2882

SAR Scan
File : 01011011_ZOOM
Start : 10-Jan-101 04:23:27 pm End : 10-Jan-101 04:35:47 pm
LGE/LG-TM220/1;1908.75MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820





File : 01011011_ZOOM

Start : 10-Jan-101 04:23:27 pm End : 10-Jan-101 04:35:47 pm

LGE/LG-TM220/1;1908.75MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01011011_ZOOM

Start : 10-Jan-101 04:23:27 pm End : 10-Jan-101 04:35:47 pm

LGE/LG-TM220/1;1908.75MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/01011121_ZOOM.VLT
Start : 11-Jan-101 05:23:27 pm End : 11-Jan-101 05:34:43 pm

Radio Type : LGE
Model Number : LG-TM220
Serial Number : 1
Frequency : 1908.75 MHz
Peak Trans. Pwr : 0.200 W
Start Trans. Pwr: 0.200 W
Antenna Type : Helical
Antenna Posn. : Out
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 40.400
Mixture Conductivity = 1.820

Comment :
LGE TRI-MODE PHONE - PCS MODE
CHAN 1175 Conducted 23.0 dBm
LGE TRI-MODE PHONE

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.201

PCTEST Amplifier Channel Settings : 0.245 0.231 0.224

Max Location : X = -0.500, Y = -1.500, Z = 0.000 (cm) Value = 4.258

Measured Values (volts) =
4.314E-003 3.123E-003 2.102E-003 1.534E-003 1.228E-003 9.402E-004
7.274E-004 5.458E-004 4.741E-004 4.188E-004 3.806E-004 2.937E-004
2.691E-004 2.444E-004 2.119E-004 2.248E-004 2.252E-004 2.067E-004
1.925E-004 2.063E-004 2.209E-004


Calc. Voltage @ Surface (Vs) = 0.0062

Voltage @ 1.00 cm (Vt) = 0.0015

Ave. Voltage (Vs+Vt)/2 = 0.0039

Ave. SAR over 1 g (mW/g) = 0.4292

SAR Scan
File : 01011121_ZOOM
Start : 11-Jan-101 05:23:27 pm End : 11-Jan-101 05:34:43 pm
LGE/LG-TM220/1;1908.75MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820




File : 01011121_ZOOM

Start : 11-Jan-101 05:23:27 pm End : 11-Jan-101 05:34:43 pm

LGE/LG-TM220/1;1908.75MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820



File : 01011121_ZOOM

Start : 11-Jan-101 05:23:27 pm End : 11-Jan-101 05:34:43 pm

LGE/LG-TM220/1;1908.75MHz;W;Helical/Out;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/40.400/1.820

