



Test Mode	TX A Mode_Ant. 3
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.26	0.22	9.48	16.12	Complies
40	5200	9.62	0.22	9.84	16.12	Complies
48	5240	10.62	0.22	10.84	16.12	Complies


CH36



CH40




CH48




Test Mode	TX A Mode_Ant. 4
-----------	------------------

	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.25	0.22	9.48	16.12	Complies
40	5200	9.25	0.22	9.47	16.12	Complies
48	5240	9.37	0.22	9.59	16.12	Complies


CH36



CH40



CH48




Test Mode	TX A Mode_Total
-----------	-----------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.38	16.12	Complies
40	5200	15.52	16.12	Complies
48	5240	15.60	16.12	Complies


Test Mode	TX N (HT20) Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.60	0.17	9.77	16.12	Complies
40	5200	10.08	0.17	10.25	16.12	Complies
48	5240	8.52	0.17	8.69	16.12	Complies




Test Mode	TX N (HT20) Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.77	0.17	8.94	16.12	Complies
40	5200	8.90	0.17	9.07	16.12	Complies
48	5240	8.89	0.17	9.06	16.12	Complies




Test Mode	TX N (HT20) Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.86	0.17	10.03	16.12	Complies
40	5200	9.16	0.17	9.33	16.12	Complies
48	5240	9.69	0.17	9.86	16.12	Complies



Test Mode	TX N (HT20) Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.23	0.17	9.40	16.12	Complies
40	5200	9.78	0.17	9.95	16.12	Complies
48	5240	9.82	0.17	9.99	16.12	Complies




Test Mode	TX N (HT20) Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.58	16.12	Complies
40	5200	15.70	16.12	Complies
48	5240	15.46	16.12	Complies


Test Mode	TX N (HT40) Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.86	0.25	6.11	16.12	Complies
46	5230	8.09	0.25	8.34	16.12	Complies

CH38




CH46




Test Mode	TX N (HT40) Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.66	0.25	5.91	16.12	Complies
46	5230	8.28	0.25	8.53	16.12	Complies

CH38




CH46




Test Mode	TX N (HT40) Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.26	0.25	6.51	16.12	Complies
46	5230	9.96	0.25	10.21	16.12	Complies



Test Mode	TX N (HT40) Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.75	0.25	6.00	16.12	Complies
46	5230	9.04	0.25	9.29	16.12	Complies




Test Mode	TX N (HT40) Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.16	16.12	Complies
46	5230	15.18	16.12	Complies


Test Mode	TX AC (VHT20) Mode_Ant. 1
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.99	0.16	10.15	16.12	Complies
40	5200	9.60	0.16	9.76	16.12	Complies
48	5240	9.03	0.16	9.19	16.12	Complies


CH36



CH40




CH48




Test Mode	TX AC (VHT20) Mode_Ant. 2
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.25	0.16	9.41	16.12	Complies
40	5200	9.39	0.16	9.55	16.12	Complies
48	5240	9.13	0.16	9.29	16.12	Complies


CH36



CH40




CH48




Test Mode TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.99	0.16	9.15	16.12	Complies
40	5200	10.02	0.16	10.18	16.12	Complies
48	5240	10.13	0.16	10.29	16.12	Complies


CH36



CH40




CH48




Test Mode TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.62	0.16	9.78	16.12	Complies
40	5200	9.10	0.16	9.26	16.12	Complies
48	5240	10.01	0.16	10.17	16.12	Complies


CH36



CH40



CH48




Test Mode TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.66	16.12	Complies
40	5200	15.72	16.12	Complies
48	5240	15.78	16.12	Complies


Test Mode	TX AC (VHT40) Mode_Ant. 1
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.98	0.00	4.98	16.12	Complies
46	5230	8.28	0.00	8.28	16.12	Complies

CH38




CH46




Test Mode	TX AC (VHT40) Mode_Ant. 2
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.49	0.00	4.49	16.12	Complies
46	5230	7.97	0.00	7.97	16.12	Complies

CH38




CH46




Test Mode	TX AC (VHT40) Mode_Ant. 3
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.83	0.00	5.83	16.12	Complies
46	5230	9.80	0.00	9.80	16.12	Complies

CH38




CH46




Test Mode	TX AC (VHT40) Mode_Ant. 4
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.10	0.00	5.10	16.12	Complies
46	5230	8.97	0.00	8.97	16.12	Complies

CH38



CH46




Test Mode	TX AC (VHT40) Mode_Total
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.15	16.12	Complies
46	5230	14.83	16.12	Complies

Test Mode	TX AC (VHT80) Mode_Ant. 1
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.94	0.00	1.94	16.12	Complies


CH42



Test Mode	TX AC (VHT80) Mode_Ant. 2
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.69	0.00	1.69	16.12	Complies


CH42



Test Mode	TX AC (VHT80) Mode_Ant. 3
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.19	0.00	3.19	16.12	Complies


CH42



Test Mode	TX AC (VHT80) Mode_Ant. 4
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.28	0.00	2.28	16.12	Complies

CH42




Test Mode	TX AC (VHT80) Mode_Total
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.33	16.12	Complies


Test Mode	TX AX (HEW20) Mode_Ant. 1
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.22	0.00	9.22	16.12	Complies
40	5200	9.54	0.00	9.54	16.12	Complies
48	5240	8.35	0.00	8.35	16.12	Complies


CH36



CH40




CH48




Test Mode	TX AX (HEW20) Mode_Ant. 2
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.21	0.00	9.21	16.12	Complies
40	5200	9.31	0.00	9.31	16.12	Complies
48	5240	8.67	0.00	8.67	16.12	Complies


CH36



CH40




CH48




Test Mode	TX AX (HEW20) Mode_Ant. 3
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.61	0.00	9.61	16.12	Complies
40	5200	10.43	0.00	10.43	16.12	Complies
48	5240	10.43	0.00	10.43	16.12	Complies



Test Mode	TX AX (HEW20) Mode_Ant. 4
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.37	0.00	9.37	16.12	Complies
40	5200	9.78	0.00	9.78	16.12	Complies
48	5240	9.87	0.00	9.87	16.12	Complies




Test Mode	TX AX (HEW20) Mode_Total
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.38	16.12	Complies
40	5200	15.81	16.12	Complies
48	5240	15.43	16.12	Complies


Test Mode	TX AX (HEW40) Mode_Ant. 1
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.56	0.00	4.56	16.12	Complies
46	5230	7.49	0.00	7.49	16.12	Complies

CH38




CH46




Test Mode	TX AX (HEW40) Mode_Ant. 2
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.93	0.00	3.93	16.12	Complies
46	5230	8.24	0.00	8.24	16.12	Complies

CH38




CH46




Test Mode	TX AX (HEW40) Mode_Ant. 3
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.22	0.00	5.22	16.12	Complies
46	5230	9.70	0.00	9.70	16.12	Complies

CH38




CH46




Test Mode	TX AX (HEW40) Mode_Ant. 4
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.41	0.00	4.41	16.12	Complies
46	5230	8.70	0.00	8.70	16.12	Complies

CH38



CH46




Test Mode	TX AX (HEW40) Mode_Total
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.58	16.12	Complies
46	5230	14.63	16.12	Complies

Test Mode	TX AX (HEW80) Mode_Ant. 1
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.73	0.00	1.73	16.12	Complies


CH42



Test Mode	TX AX (HEW80) Mode_Ant. 2
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.37	0.00	1.37	16.12	Complies


CH42



Test Mode	TX AX (HEW80) Mode_Ant. 3
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.56	0.00	2.56	16.12	Complies


CH42



Test Mode	TX AX (HEW80) Mode_Ant. 4
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.96	0.00	1.96	16.12	Complies

CH42



Test Mode	TX AX (HEW80) Mode_Total
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.95	16.12	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9652
120	5179.9664
108	5179.9664
Maximum Deviation (MHz)	0.0348
Maximum Deviation (ppm)	6.7181

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9668
10	5179.9664
20	5179.9652
30	5179.9668
40	5179.9668
Maximum Deviation (MHz)	0.0348
Maximum Deviation (ppm)	6.7181

End of Test Report