


CQASZ20260701373E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.66	2401.69	2402.36	0.5	PASS
	2440	0.67	2439.69	2440.36	0.5	PASS
	2480	0.67	2479.68	2480.36	0.5	PASS

Test Graphs






Date: 7 JUL 2026 20:20:49


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.083	2401.4765	2402.5594	---	---
		2440	1.067	2439.4845	2440.5514	---	---
		2480	1.051	2479.4925	2480.5435	---	---

Test Graphs






Date: 7 JUL 2026 20:20:55


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	EIRP[dBm]	EIRP Limit[dBm]	Verdict
BLE_1M	2402	-1.53	≤30	-1.53	≤36	PASS
	2440	0.16	≤30	0.16	≤36	PASS
	2480	-0.27	≤30	-0.27	≤36	PASS

Test Graphs Peak






Date: 7 JUL 2026 20:21:00


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-18.02	≤8.00	PASS
	2440	-16.40	≤8.00	PASS
	2480	-17.30	≤8.00	PASS

Test Graphs






Date: 7 JUL 2026 20:21:05

Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	-2.59	-43.37	≤-22.59	PASS
	High	2480	-1.54	-43.2	≤-21.54	PASS

Test Graphs





Appendix G: Conducted Spurious Emission

Test Result

TestMode	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	2402	Reference	-2.79	-2.79	---	PASS
		30~1000	-2.79	-51.68	≤ -22.79	PASS
		1000~26500	-2.79	-48.69	≤ -22.79	PASS
	2440	Reference	-0.37	-0.37	---	PASS
		30~1000	-0.37	-50.07	≤ -20.37	PASS
		1000~26500	-0.37	-47.82	≤ -20.37	PASS
	2480	Reference	-1.10	-1.10	---	PASS
		30~1000	-1.10	-52.02	≤ -21.1	PASS
		1000~26500	-1.10	-47.19	≤ -21.1	PASS


Test Graphs






Date: 7 JUL 2026 20:19:02

BLE_1M_Ant1_2440_0~Reference




Date: 7 JUL 2026 20:20:13

BLE_1M_Ant1_2440_30~1000




Date: 7 JUL 2026 20:20:17

BLE_1M_Ant1_2440_1000~26500




Date: 7 JUL 2026 20:20:27

BLE_1M_Ant1_2480_0~Reference




Date: 7 JUL 2026 20:22:39

BLE_1M_Ant1_2480_30~1000



Date: 7 JUL 2026 20:22:43

BLE_1M_Ant1_2480_1000~26500



Date: 7 JUL 2026 20:22:54


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	2.14	2.50	0.8560	85.60	0.68	---	---
	2440	2.14	2.50	0.8560	85.60	0.68	---	---
	2480	2.14	2.50	0.8560	85.60	0.68	---	---

Test Graphs





Date: 7 JUL 2026 20:26:38