

















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-57.06	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-57.35	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-52.8	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-54.57	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-54.82	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-55.58	<=-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-45.64	<=-20	Pass
NVNT	1-DH5	2441	-42.28	<=-20	Pass
NVNT	1-DH5	2480	-44.9	<=-20	Pass
NVNT	2-DH5	2402	-41.83	<=-20	Pass
NVNT	2-DH5	2441	-42.92	<=-20	Pass
NVNT	2-DH5	2480	-43.59	<=-20	Pass
NVNT	3-DH5	2402	-43.49	<=-20	Pass
NVNT	3-DH5	2441	-43.85	<=-20	Pass
NVNT	3-DH5	2480	-43.03	<=-20	Pass






























Right Dwell Time



Condition	Mode	Frequency (MHz)	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	0.383	13.022	34	31600	<=400	Pass
NVNT	1-DH3	2441	1.639	86.867	53	31600	<=400	Pass
NVNT	1-DH5	2441	2.887	86.61	30	31600	<=400	Pass
NVNT	2-DH1	2441	0.39	16.77	43	31600	<=400	Pass
NVNT	2-DH3	2441	1.643	57.505	35	31600	<=400	Pass
NVNT	2-DH5	2441	2.89	92.48	32	31600	<=400	Pass
NVNT	3-DH1	2441	0.392	18.032	46	31600	<=400	Pass
NVNT	3-DH3	2441	1.634	58.824	36	31600	<=397	Pass
NVNT	3-DH5	2441	2.893	115.72	40	31600	<=400	Pass































Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	2.09	<=30	Pass
NVNT	1-DH5	2441	2.63	<=30	Pass
NVNT	1-DH5	2480	1.98	<=30	Pass
NVNT	2-DH5	2402	2.34	<=21	Pass
NVNT	2-DH5	2441	2.84	<=21	Pass
NVNT	2-DH5	2480	2.24	<=21	Pass
NVNT	3-DH5	2402	0.88	<=21	Pass
NVNT	3-DH5	2441	1.4	<=21	Pass
NVNT	3-DH5	2480	0.84	<=21	Pass















**-20dB Bandwidth**


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9663	Pass
NVNT	1-DH5	2441	0.9934	Pass
NVNT	1-DH5	2480	0.9729	Pass
NVNT	2-DH5	2402	1.306	Pass
NVNT	2-DH5	2441	1.317	Pass
NVNT	2-DH5	2480	1.327	Pass
NVNT	3-DH5	2402	1.278	Pass
NVNT	3-DH5	2441	1.286	Pass
NVNT	3-DH5	2480	1.253	Pass
















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2402.182	2403.154	0.972	≥ 0.9663	Pass
NVNT	1-DH5	2440.858	2442.202	1.344	≥ 0.9934	Pass
NVNT	1-DH5	2479.167	2480.193	1.026	≥ 0.9729	Pass
NVNT	2-DH5	2401.849	2402.851	1.002	≥ 0.871	Pass
NVNT	2-DH5	2440.912	2442.142	1.23	≥ 0.878	Pass
NVNT	2-DH5	2478.828	2479.926	1.098	≥ 0.885	Pass
NVNT	3-DH5	2401.897	2403.028	1.131	≥ 0.852	Pass
NVNT	3-DH5	2441.191	2442.265	1.074	≥ 0.857	Pass
NVNT	3-DH5	2478.72	2480.175	1.455	≥ 0.835	Pass















Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass











Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-57.11	<=-20	Pass
NVNT	1-DH5	2480	No-Hopping	-57.26	<=-20	Pass
NVNT	2-DH5	2402	No-Hopping	-54.38	<=-20	Pass
NVNT	2-DH5	2480	No-Hopping	-54.99	<=-20	Pass
NVNT	3-DH5	2402	No-Hopping	-55.11	<=-20	Pass
NVNT	3-DH5	2480	No-Hopping	-55.38	<=-20	Pass




















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-56.59	≤ -20	Pass
NVNT	1-DH5	2480	Hopping	-56.58	≤ -20	Pass
NVNT	2-DH5	2402	Hopping	-52.39	≤ -20	Pass
NVNT	2-DH5	2480	Hopping	-52.55	≤ -20	Pass
NVNT	3-DH5	2402	Hopping	-54.33	≤ -20	Pass
NVNT	3-DH5	2480	Hopping	-51.84	≤ -20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-45.1	<=-20	Pass
NVNT	1-DH5	2441	-46.04	<=-20	Pass
NVNT	1-DH5	2480	-45.13	<=-20	Pass
NVNT	2-DH5	2402	-42.53	<=-20	Pass
NVNT	2-DH5	2441	-42.93	<=-20	Pass
NVNT	2-DH5	2480	-41.84	<=-20	Pass
NVNT	3-DH5	2402	-42.98	<=-20	Pass
NVNT	3-DH5	2441	-43.69	<=-20	Pass
NVNT	3-DH5	2480	-42.25	<=-20	Pass

























APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****