



APPROVAL SHEET

Part Description	Vendor: Zhejiang Haitong Communication Electronics Co., Ltd		Description: A0	
	Product Name: WIFI2		Project: Write handheld laser slam	
	Part No.		Specification and model: BJ0392_WIFI2_Asm	
Attachments	☒ catalogue ☒ Engineering drawing surface ☒ Electrical Performance Report			
	* The RoHS restricted substance composition survey form must be provided for all materials			
Supplier approval	Design <i>Lin Fang</i>	Check <i>Lin Hai Fang</i>	Approval: <i>Yang peng Cheng</i>	
Technology Check	Mechanical	Hardware	Industrial/Packaging Design:	Sourcing
	Software	Keypart		
	Project Manager	Product Manager	Customer	SQE
Final Check	Quality Planning			
	RoHS Status determination: ☐ RoHS material ☐ Non RoHS materials			
Approval condition	☐ Approved ☐ Refusal to acknowledge ☐ Condition Approved Must meet the conditions: ☐ Temporary Approved _____ limit _____ Pcs purchase			
Approval by	RD Leader (Technology Director)		Quality Director	
	* Approval from the Chief Engineer (Technical Director) and Quality Director is only required for special approval and recognition conditions			
Distribute	☐ IQC ☐ hardware ☐ Structure ☐ software ☐ Components ☐ Industrial Design ☐ supplier ☐ custom ☐ Outsourced factories ☐ SQE ☐ other _____ er ☐ engineering			
Address: Zhejiang Haitong Communication Electronics Co., Ltd ADD: No.1607, Binhai first Avenue, Wenzhou, Zhejiang				

catalogue

one, cover

two, catalogue



therr, SPEC/Engineering Drawings

four, Electrical Performance Report (Active, Passive)



LAB ☒ QE ☐ OQC ☒ IPQC ☒ IQC ☐ 注塑 ☐ 冲压 ☒ 组装 ☒

NO.	DESCRIPTION	DESIGE	DATE
A0	Quotation drawing file	zxt	2022.09.23



Technical requirements:

- Reference drawing file of unknown size
- The solder joint is clean, and the height does not exceed 1.4mm
- To pass the FPC tests required by HAITONG quality department; The salt water spray test requires no oxidation on the surface of the product after 48 hours
- Size requirements: * Size is the key control size
- First batch of items: Randomly select 5 PCS for full size measurement, report and item delivery HAITONG Quality Department
- Any modification of materials must be approved in writing by HT Engineering Department
- The products meet the requirements of RoHS 2.0/HF/REACH
- Ink: matte black

2	BJ0392_Wifi2_Cable	G. 1. 22. Y. 0173	1	
1	BJ0392_Wifi2_FPC	G. 1. 11. Y. 0318	1	
NO.	Part name	Haitong material number	quantity	remark

NHAIT 浙江海通通讯电子股份有限公司
ZHEJIANG HAITONG COMMUNICATION ELECTRONICS CO., LTD.

PROJECT NAME: Hand laser slam


PRODUCT NAME: BJ0392_WIFI2_ASM

NO TOLERANCE NOTED		
ONE PLSC	X.X	±0.15
TWO PLACE	X.XX	±0.10
ANGULAR DIM	X.°	±1.0°
HOLE DIA	X.X	±0.10

THIS DOCUMENT IS PROPERTY OF HAITONG PRECISION TECHNOLOGY.LT IS CAN NOT BE COPIED,UPDATED AND TAKEN OUT COMPANY, UNLESS BE ALLOWED.

APPD:				HT成品码:	B.1.05.Y.0184		
CHKD:				HT半成品码:	NA		
DWN:	ZXT			客户编码:	NA		
SCALE:	1:1	PAGE:	1/1	REV:	A0		
UNIT:	mm	SIZE:	A4	DRWING NO:		NA	

2400	27%	-5.71
2410	26%	-5.88
2420	25%	-5.94
2430	25%	-5.97
2440	26%	-5.87
2450	26%	-5.77
2460	26%	-5.82
2470	27%	-5.71
2480	27%	-5.66
2490	28%	-5.55
2500	27%	-5.61
5000	24%	-6.17
5010	24%	-6.12
5020	25%	-6.02
5030	24%	-6.18
5040	24%	-6.14
5050	25%	-6.04
5060	26%	-5.87
5070	26%	-5.82
5080	26%	-5.91
5090	26%	-5.87
5100	26%	-5.79
5110	27%	-5.73
5120	26%	-5.79
5130	26%	-5.87
5140	25%	-5.97
5150	26%	-5.91
5160	26%	-5.9
5170	27%	-5.75
5180	26%	-5.88
5190	26%	-5.87
5200	27%	-5.74
5210	27%	-5.64
5220	28%	-5.49
5230	28%	-5.52
5240	28%	-5.59
5250	28%	-5.53
5260	28%	-5.5
5270	28%	-5.51
5280	26%	-5.86
5290	26%	-5.77
5300	26%	-5.81
5310	27%	-5.62
5320	28%	-5.49
5330	28%	-5.48
5340	29%	-5.37
5350	28%	-5.56
5360	28%	-5.56
5370	28%	-5.49
5380	28%	-5.52
5390	28%	-5.51
5400	29%	-5.38
5410	29%	-5.33



Original antenna modification

WiFi B	1	12.6	-63.79
	6	13.01	-67.23
	11	12.55	-70.17
WiFi A	36	16.23	-62.01
	149	16.48	-59.96
	165	16.55	-57.44

5420	29%	-5.43
5430	29%	-5.35
5440	29%	-5.45
5450	30%	-5.3
5460	29%	-5.33
5470	30%	-5.23
5480	30%	-5.2
5490	30%	-5.17
5500	31%	-5.15
5510	30%	-5.17
5520	31%	-5.12
5530	31%	-5.1
5540	31%	-5.14
5550	31%	-5.06
5560	31%	-5.13
5570	28%	-5.52
5580	28%	-5.55
5590	29%	-5.35
5600	28%	-5.46
5610	29%	-5.43
5620	28%	-5.5
5630	29%	-5.45
5640	29%	-5.38
5650	30%	-5.21
5660	30%	-5.22
5670	31%	-5.15
5680	30%	-5.16
5690	31%	-5.13
5700	32%	-5.01
5710	31%	-5.08
5720	31%	-5.11
5730	31%	-5.14
5740	29%	-5.37
5750	29%	-5.42
5760	29%	-5.41
5770	28%	-5.57
5780	27%	-5.63
5790	27%	-5.76
5800	26%	-5.82
5810	26%	-5.8
5820	27%	-5.63
5830	27%	-5.67
5840	27%	-5.68
5850	26%	-5.79
5860	26%	-5.89
5870	26%	-5.91
5880	25%	-6.07
5890	24%	-6.22
5900	21%	-6.7
5910	19%	-7.14
5920	19%	-7.14
5930	19%	-7.23
5940	18%	-7.37
5950	17%	-7.59

5960	17%	-7.81
5970	17%	-7.76
5980	16%	-7.93
5990	16%	-8.03
6000	15%	-8.17

