





Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	75.8833	-40.86	-62.87	-22.0	-25.0	37.9	Vertical	PK	PASS
2	87.5724	-39.84	-60.59	-20.8	-25.0	35.6	Vertical	PK	PASS
3	146.3573	-52.44	-72.28	-19.8	-25.0	47.3	Vertical	PK	PASS
4	207.5189	-48.74	-68.08	-19.3	-25.0	43.1	Vertical	PK	PASS
5	262.1326	-45.60	-64.10	-18.5	-25.0	39.1	Vertical	PK	PASS
6	320.093	-55.76	-69.95	-14.2	-25.0	45.0	Vertical	PK	PASS


V_LTE_B38_HIGH 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1202.8406	-58.04	-56.58	1.5	-25.0	31.6	Vertical	PK	PASS
2	2685.9372	-58.06	-50.42	7.6	-25.0	25.4	Vertical	PK	PASS
3	5158.572	-51.80	-51.10	0.7	-25.0	26.1	Vertical	PK	PASS
4	7303.6435	-55.60	-47.55	8.1	-25.0	22.6	Vertical	PK	PASS
5	10753.2584	-55.36	-43.77	11.6	-25.0	18.8	Vertical	PK	PASS
6	16998.4666	-60.47	-38.75	21.7	-25.0	13.8	Vertical	PK	PASS


V_LTE_B38_LOW 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.0244	-53.79	-69.67	-15.9	-25.0	44.7	Vertical	PK	PASS
2	75.0588	-40.63	-62.72	-22.1	-25.0	37.7	Vertical	PK	PASS
3	87.0874	-43.86	-64.66	-20.8	-25.0	39.7	Vertical	PK	PASS
4	209.653	-48.78	-68.07	-19.3	-25.0	43.1	Vertical	PK	PASS
5	262.1326	-45.66	-64.16	-18.5	-25.0	39.2	Vertical	PK	PASS
6	322.7121	-56.51	-70.52	-14.0	-25.0	45.5	Vertical	PK	PASS


V_LTE_B38_LOW 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1202.8406	-57.22	-55.76	1.5	-25.0	30.8	Vertical	PK	PASS
2	2663.5327	-58.17	-50.71	7.5	-25.0	25.7	Vertical	PK	PASS
3	5189.073	-50.04	-49.80	0.2	-25.0	24.8	Vertical	PK	PASS
4	7329.1443	-55.66	-47.99	7.7	-25.0	23.0	Vertical	PK	PASS
5	12376.8126	-57.00	-43.23	13.8	-25.0	18.2	Vertical	PK	PASS
6	16998.9666	-59.91	-38.19	21.7	-25.0	13.2	Vertical	PK	PASS


V_LTE_B38_MID 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	73.9432	-40.13	-62.32	-22.2	-25.0	37.3	Vertical	PK	PASS
2	88.7364	-43.23	-63.85	-20.6	-25.0	38.9	Vertical	PK	PASS
3	150.1405	-52.20	-71.94	-19.7	-25.0	46.9	Vertical	PK	PASS
4	209.8955	-49.58	-68.86	-19.3	-25.0	43.9	Vertical	PK	PASS
5	262.1326	-45.58	-64.08	-18.5	-25.0	39.1	Vertical	PK	PASS
6	320.9175	-56.00	-70.13	-14.1	-25.0	45.1	Vertical	PK	PASS


V_LTE_B38_MID 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1210.042	-55.10	-53.90	1.2	-13.0	40.9	Horizontal	PK	PASS
2	2425.8852	-51.74	-47.86	3.9	-13.0	34.9	Horizontal	PK	PASS
3	4203.6883	-50.16	-51.21	-1.1	-13.0	38.2	Horizontal	PK	PASS
4	7297.89	-52.96	-44.93	8.0	-13.0	31.9	Horizontal	PK	PASS
5	12488.4532	-54.04	-39.51	14.5	-13.0	26.5	Horizontal	PK	PASS
6	16975.2451	-55.46	-36.74	18.7	-13.0	23.7	Horizontal	PK	PASS


H_LTE_B40-1_HIGH 5M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.1214	-63.57	-72.40	-8.8	-13.0	59.4	Horizontal	PK	PASS
2	95.4298	-47.23	-69.90	-22.7	-13.0	56.9	Horizontal	PK	PASS
3	150.286	-48.82	-75.43	-26.6	-13.0	62.4	Horizontal	PK	PASS
4	201.3591	-46.60	-64.52	-17.9	-13.0	51.5	Horizontal	PK	PASS
5	229.927	-60.21	-67.25	-7.0	-13.0	54.3	Horizontal	PK	PASS
6	774.9972	-64.78	-69.79	-5.0	-13.0	56.8	Horizontal	PK	PASS


H_LTE_B40-1_HIGH 5M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1499.2999	-53.57	-53.25	0.3	-13.0	40.3	Horizontal	PK	PASS
2	2599.1198	-54.91	-48.27	6.6	-13.0	35.3	Horizontal	PK	PASS
3	5096.8599	-52.68	-50.18	2.5	-13.0	37.2	Horizontal	PK	PASS
4	7899.485	-50.79	-43.32	7.5	-13.0	30.3	Horizontal	PK	PASS
5	12386.7752	-55.88	-41.05	14.8	-13.0	28.1	Horizontal	PK	PASS
6	16989.2009	-55.14	-36.39	18.8	-13.0	23.4	Horizontal	PK	PASS


H_LTE_B40-1_LOW 5M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	48.2854	-64.75	-73.39	-8.6	-13.0	60.4	Horizontal	PK	PASS
2	94.1687	-49.20	-71.78	-22.6	-13.0	58.8	Horizontal	PK	PASS
3	148.0549	-47.32	-74.04	-26.7	-13.0	61.0	Horizontal	PK	PASS
4	205.9668	-49.76	-66.52	-16.8	-13.0	53.5	Horizontal	PK	PASS
5	262.1326	-53.80	-69.00	-15.2	-13.0	56.0	Horizontal	PK	PASS
6	770.147	-65.16	-70.07	-4.9	-13.0	57.1	Horizontal	PK	PASS


H_LTE_B40-1_LOW 5M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1428.8858	-55.34	-53.60	1.7	-13.0	40.6	Horizontal	PK	PASS
2	2601.9204	-54.79	-48.14	6.7	-13.0	35.1	Horizontal	PK	PASS
3	5094.8663	-52.95	-50.47	2.5	-13.0	37.5	Horizontal	PK	PASS
4	7915.9329	-50.77	-43.35	7.4	-13.0	30.4	Horizontal	PK	PASS
5	12532.8128	-54.78	-40.33	14.5	-13.0	27.3	Horizontal	PK	PASS
6	16994.1851	-55.42	-36.65	18.8	-13.0	23.7	Horizontal	PK	PASS


H_LTE_B40-1_MID 5M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.0729	-62.60	-71.44	-8.8	-13.0	58.4	Horizontal	PK	PASS
2	90.4825	-45.38	-67.68	-22.3	-13.0	54.7	Horizontal	PK	PASS
3	149.898	-46.88	-73.52	-26.6	-13.0	60.5	Horizontal	PK	PASS
4	206.8883	-47.88	-64.41	-16.5	-13.0	51.4	Horizontal	PK	PASS
5	262.1326	-54.03	-69.23	-15.2	-13.0	56.2	Horizontal	PK	PASS
6	965.4663	-66.14	-70.14	-4.0	-13.0	57.1	Horizontal	PK	PASS


H_LTE_B40-1_MID 5M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1200.4401	-55.67	-54.02	1.7	-13.0	41.0	Vertical	PK	PASS
2	2563.1126	-53.14	-48.39	4.8	-13.0	35.4	Vertical	PK	PASS
3	4621.8641	-49.75	-50.32	-0.6	-13.0	37.3	Vertical	PK	PASS
4	7325.3032	-52.99	-45.26	7.7	-13.0	32.3	Vertical	PK	PASS
5	12526.8317	-54.19	-40.42	13.8	-13.0	27.4	Vertical	PK	PASS
6	16995.1819	-55.41	-33.72	21.7	-13.0	20.7	Vertical	PK	PASS


V_LTE_B40-1_HIGH 5M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.1214	-53.31	-69.16	-15.9	-13.0	56.2	Vertical	PK	PASS
2	75.2043	-40.10	-62.18	-22.1	-13.0	49.2	Vertical	PK	PASS
3	86.6993	-41.66	-62.51	-20.9	-13.0	49.5	Vertical	PK	PASS
4	207.5674	-49.19	-68.53	-19.3	-13.0	55.5	Vertical	PK	PASS
5	262.1326	-45.42	-63.92	-18.5	-13.0	50.9	Vertical	PK	PASS
6	325.3798	-56.04	-69.88	-13.8	-13.0	56.9	Vertical	PK	PASS


V_LTE_B40-1_HIGH 5M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1236.4473	-54.61	-53.77	0.8	-13.0	40.8	Vertical	PK	PASS
2	2566.3133	-53.62	-48.83	4.8	-13.0	35.8	Vertical	PK	PASS
3	6675.3614	-53.70	-47.20	6.5	-13.0	34.2	Vertical	PK	PASS
4	7838.1791	-49.94	-43.62	6.3	-13.0	30.6	Vertical	PK	PASS
5	12059.8106	-53.98	-40.89	13.1	-13.0	27.9	Vertical	PK	PASS
6	16977.2387	-55.78	-34.23	21.6	-13.0	21.2	Vertical	PK	PASS


V_LTE_B40-1_LOW 5M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	75.6893	-42.86	-64.89	-22.0	-13.0	51.9	Vertical	PK	PASS
2	94.1687	-48.51	-68.30	-19.8	-13.0	55.3	Vertical	PK	PASS
3	149.025	-51.99	-71.76	-19.8	-13.0	58.8	Vertical	PK	PASS
4	207.3249	-51.59	-70.93	-19.3	-13.0	57.9	Vertical	PK	PASS
5	262.1326	-45.77	-64.27	-18.5	-13.0	51.3	Vertical	PK	PASS
6	322.0816	-55.69	-69.75	-14.1	-13.0	56.8	Vertical	PK	PASS


V_LTE_B40-1_LOW 5M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1194.839	-55.37	-54.02	1.4	-13.0	41.0	Vertical	PK	PASS
2	2079.4159	-53.73	-50.97	2.8	-13.0	38.0	Vertical	PK	PASS
3	4619.8704	-50.35	-50.91	-0.6	-13.0	37.9	Vertical	PK	PASS
4	7886.0276	-50.41	-43.84	6.6	-13.0	30.8	Vertical	PK	PASS
5	10789.8322	-53.18	-41.28	11.9	-13.0	28.3	Vertical	PK	PASS
6	17002.1598	-55.14	-33.47	21.7	-13.0	20.5	Vertical	PK	PASS


V_LTE_B40-1_MID 5M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	46.9758	-53.74	-69.63	-15.9	-13.0	56.6	Vertical	PK	PASS
2	73.7977	-40.34	-62.56	-22.2	-13.0	49.6	Vertical	PK	PASS
3	88.2029	-39.44	-60.12	-20.7	-13.0	47.1	Vertical	PK	PASS
4	207.1794	-48.75	-68.09	-19.3	-13.0	55.1	Vertical	PK	PASS
5	262.1326	-46.00	-64.50	-18.5	-13.0	51.5	Vertical	PK	PASS
6	321.0631	-56.48	-70.60	-14.1	-13.0	57.6	Vertical	PK	PASS


V_LTE_B40-1_MID 5M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1400.8802	-55.43	-53.35	2.1	-13.0	40.4	Horizontal	PK	PASS
2	2620.3241	-54.16	-47.66	6.5	-13.0	34.7	Horizontal	PK	PASS
3	5080.412	-52.85	-50.49	2.4	-13.0	37.5	Horizontal	PK	PASS
4	7915.4345	-49.63	-42.21	7.4	-13.0	29.2	Horizontal	PK	PASS
5	12416.1821	-55.86	-40.96	14.9	-13.0	28.0	Horizontal	PK	PASS
6	16993.1882	-55.71	-36.94	18.8	-13.0	23.9	Horizontal	PK	PASS


H_LTE_B40-2_HIGH 5M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.2669	-63.75	-72.56	-8.8	-13.0	59.6	Horizontal	PK	PASS
2	90.4825	-45.33	-67.63	-22.3	-13.0	54.6	Horizontal	PK	PASS
3	152.1291	-47.70	-74.06	-26.4	-13.0	61.1	Horizontal	PK	PASS
4	199.71	-45.91	-64.23	-18.3	-13.0	51.2	Horizontal	PK	PASS
5	262.1326	-52.95	-68.15	-15.2	-13.0	55.2	Horizontal	PK	PASS
6	779.3625	-65.30	-70.36	-5.1	-13.0	57.4	Horizontal	PK	PASS


H_LTE_B40-2_HIGH 5M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1451.6903	-55.49	-54.00	1.5	-13.0	41.0	Horizontal	PK	PASS
2	2612.3225	-54.34	-47.78	6.6	-13.0	34.8	Horizontal	PK	PASS
3	5171.6232	-51.41	-50.33	1.1	-13.0	37.3	Horizontal	PK	PASS
4	7946.3366	-50.60	-43.30	7.3	-13.0	30.3	Horizontal	PK	PASS
5	12444.5921	-55.19	-40.44	14.8	-13.0	27.4	Horizontal	PK	PASS
6	16906.4629	-54.65	-36.09	18.6	-13.0	23.1	Horizontal	PK	PASS


H_LTE_B40-2_LOW 5M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.0244	-63.79	-72.63	-8.8	-13.0	59.6	Horizontal	PK	PASS
2	90.3855	-43.90	-66.19	-22.3	-13.0	53.2	Horizontal	PK	PASS
3	148.5884	-46.51	-73.20	-26.7	-13.0	60.2	Horizontal	PK	PASS
4	206.0638	-47.02	-63.75	-16.7	-13.0	50.8	Horizontal	PK	PASS
5	262.1326	-53.90	-69.10	-15.2	-13.0	56.1	Horizontal	PK	PASS
6	766.4123	-65.14	-70.51	-5.4	-13.0	57.5	Horizontal	PK	PASS


H_LTE_B40-2_LOW 5M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1398.0796	-55.54	-53.51	2.0	-13.0	40.5	Horizontal	PK	PASS
2	2599.1198	-54.50	-47.86	6.6	-13.0	34.9	Horizontal	PK	PASS
3	5097.8568	-53.35	-50.84	2.5	-13.0	37.8	Horizontal	PK	PASS
4	7940.854	-48.52	-41.19	7.3	-13.0	28.2	Horizontal	PK	PASS
5	12462.5353	-55.56	-40.90	14.7	-13.0	27.9	Horizontal	PK	PASS
6	17033.5604	-55.01	-36.76	18.3	-13.0	23.8	Horizontal	PK	PASS


H_LTE_B40-2_MID 5M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.3154	-63.65	-72.45	-8.8	-13.0	59.5	Horizontal	PK	PASS
2	90.822	-45.90	-68.22	-22.3	-13.0	55.2	Horizontal	PK	PASS
3	148.9764	-47.36	-74.04	-26.7	-13.0	61.0	Horizontal	PK	PASS
4	202.5231	-46.51	-64.13	-17.6	-13.0	51.1	Horizontal	PK	PASS
5	262.1326	-54.07	-69.27	-15.2	-13.0	56.3	Horizontal	PK	PASS
6	784.6977	-65.05	-70.17	-5.1	-13.0	57.2	Horizontal	PK	PASS


H_LTE_B40-2_MID 5M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1436.8874	-54.59	-53.66	0.9	-13.0	40.7	Vertical	PK	PASS
2	2638.7277	-53.83	-48.21	5.6	-13.0	35.2	Vertical	PK	PASS
3	7287.4232	-53.15	-45.47	7.7	-13.0	32.5	Vertical	PK	PASS
4	7892.0086	-50.70	-44.07	6.6	-13.0	31.1	Vertical	PK	PASS
5	10803.2896	-53.29	-41.33	12.0	-13.0	28.3	Vertical	PK	PASS
6	17005.1504	-54.90	-33.29	21.6	-13.0	20.3	Vertical	PK	PASS


V_LTE_B40-2_HIGH 5M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.0729	-53.05	-68.92	-15.9	-13.0	55.9	Vertical	PK	PASS
2	74.4767	-40.23	-62.37	-22.1	-13.0	49.4	Vertical	PK	PASS
3	87.3299	-39.37	-60.15	-20.8	-13.0	47.2	Vertical	PK	PASS
4	209.8955	-48.68	-67.96	-19.3	-13.0	55.0	Vertical	PK	PASS
5	262.0841	-44.90	-63.40	-18.5	-13.0	50.4	Vertical	PK	PASS
6	324.8947	-56.03	-69.90	-13.9	-13.0	56.9	Vertical	PK	PASS


V_LTE_B40-2_HIGH 5M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1197.6395	-55.25	-53.74	1.5	-13.0	40.7	Vertical	PK	PASS
2	2626.7253	-54.52	-49.06	5.5	-13.0	36.1	Vertical	PK	PASS
3	5003.1567	-52.19	-51.06	1.1	-13.0	38.1	Vertical	PK	PASS
4	7916.4313	-50.03	-43.40	6.6	-13.0	30.4	Vertical	PK	PASS
5	12539.2922	-54.65	-40.94	13.7	-13.0	27.9	Vertical	PK	PASS
6	16966.2735	-55.34	-33.86	21.5	-13.0	20.9	Vertical	PK	PASS


V_LTE_B40-2_LOW 5M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.0729	-53.19	-69.06	-15.9	-13.0	56.1	Vertical	PK	PASS
2	75.7863	-40.65	-62.67	-22.0	-13.0	49.7	Vertical	PK	PASS
3	88.7364	-40.74	-61.36	-20.6	-13.0	48.4	Vertical	PK	PASS
4	211.5931	-48.38	-67.67	-19.3	-13.0	54.7	Vertical	PK	PASS
5	262.1326	-45.66	-64.16	-18.5	-13.0	51.2	Vertical	PK	PASS
6	324.9432	-56.29	-70.16	-13.9	-13.0	57.2	Vertical	PK	PASS


V_LTE_B40-2_LOW 5M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1207.2414	-55.12	-53.63	1.5	-13.0	40.6	Vertical	PK	PASS
2	2573.1146	-54.71	-49.86	4.9	-13.0	36.9	Vertical	PK	PASS
3	4996.1788	-51.48	-50.42	1.1	-13.0	37.4	Vertical	PK	PASS
4	7893.0055	-50.24	-43.60	6.6	-13.0	30.6	Vertical	PK	PASS
5	12151.0218	-53.85	-40.66	13.2	-13.0	27.7	Vertical	PK	PASS
6	16999.6677	-55.42	-33.70	21.7	-13.0	20.7	Vertical	PK	PASS


V_LTE_B40-2_MID 5M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	74.7192	-41.17	-63.29	-22.1	-13.0	50.3	Vertical	PK	PASS
2	88.1544	-40.00	-60.69	-20.7	-13.0	47.7	Vertical	PK	PASS
3	148.5884	-51.36	-71.14	-19.8	-13.0	58.1	Vertical	PK	PASS
4	207.9069	-48.31	-67.63	-19.3	-13.0	54.6	Vertical	PK	PASS
5	262.1326	-46.10	-64.60	-18.5	-13.0	51.6	Vertical	PK	PASS
6	325.3313	-55.72	-69.56	-13.8	-13.0	56.6	Vertical	PK	PASS


V_LTE_B40-2_MID 5M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1419.536	-58.04	-56.13	1.9	-25.0	31.1	Horizontal	PK	PASS
2	2635.6532	-57.36	-49.46	7.9	-25.0	24.5	Horizontal	PK	PASS
3	5934.7068	-54.33	-50.01	4.3	-25.0	25.0	Horizontal	PK	PASS
4	9549.2607	-55.12	-45.23	9.9	-25.0	20.2	Horizontal	PK	PASS
5	14885.8614	-58.32	-41.75	16.6	-25.0	16.8	Horizontal	PK	PASS
6	16925.9013	-59.49	-40.89	18.6	-25.0	15.9	Horizontal	PK	PASS


H_LTE_B41_HIGH 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	36.8388	-64.90	-75.37	-10.5	-25.0	50.4	Horizontal	PK	PASS
2	95.8178	-48.76	-71.47	-22.7	-25.0	46.5	Horizontal	PK	PASS
3	146.9878	-48.35	-75.11	-26.8	-25.0	50.1	Horizontal	PK	PASS
4	203.7357	-47.63	-64.95	-17.3	-25.0	40.0	Horizontal	PK	PASS
5	262.1326	-54.50	-69.70	-15.2	-25.0	44.7	Horizontal	PK	PASS
6	978.9984	-68.31	-72.12	-3.8	-25.0	47.1	Horizontal	PK	PASS


H_LTE_B41_HIGH 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1457.1429	-58.18	-56.77	1.4	-25.0	31.8	Horizontal	PK	PASS
2	2607.8144	-57.91	-49.94	8.0	-25.0	24.9	Horizontal	PK	PASS
3	5000.1661	-52.68	-50.98	1.7	-25.0	26.0	Horizontal	PK	PASS
4	7934.8729	-54.94	-47.59	7.4	-25.0	22.6	Horizontal	PK	PASS
5	12423.16	-58.42	-43.55	14.9	-25.0	18.6	Horizontal	PK	PASS
6	15915.6006	-58.56	-41.12	17.4	-25.0	16.1	Horizontal	PK	PASS


H_LTE_B41_LOW 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	46.6363	-64.77	-73.68	-8.9	-25.0	48.7	Horizontal	PK	PASS
2	97.8549	-46.38	-69.25	-22.9	-25.0	44.3	Horizontal	PK	PASS
3	147.1334	-47.23	-73.99	-26.8	-25.0	49.0	Horizontal	PK	PASS
4	203.7357	-46.45	-63.77	-17.3	-25.0	38.8	Horizontal	PK	PASS
5	262.1326	-54.03	-69.23	-15.2	-25.0	44.2	Horizontal	PK	PASS
6	776.1128	-67.78	-72.80	-5.0	-25.0	47.8	Horizontal	PK	PASS


H_LTE_B41_LOW 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1420.0244	-57.25	-55.35	1.9	-25.0	30.4	Horizontal	PK	PASS
2	2605.8608	-57.26	-49.29	8.0	-25.0	24.3	Horizontal	PK	PASS
3	5035.0557	-53.93	-51.94	2.0	-25.0	26.9	Horizontal	PK	PASS
4	7194.7167	-53.88	-47.86	6.0	-25.0	22.9	Horizontal	PK	PASS
5	11128.2605	-57.06	-44.92	12.1	-25.0	19.9	Horizontal	PK	PASS
6	15889.1842	-59.28	-41.58	17.7	-25.0	16.6	Horizontal	PK	PASS


H_LTE_B41_MID 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	46.6363	-64.41	-73.32	-8.9	-25.0	48.3	Horizontal	PK	PASS
2	96.4968	-47.16	-69.92	-22.8	-25.0	44.9	Horizontal	PK	PASS
3	148.1034	-47.38	-74.10	-26.7	-25.0	49.1	Horizontal	PK	PASS
4	206.8883	-48.01	-64.54	-16.5	-25.0	39.5	Horizontal	PK	PASS
5	262.1326	-53.87	-69.07	-15.2	-25.0	44.1	Horizontal	PK	PASS
6	792.3126	-66.70	-71.97	-5.3	-25.0	47.0	Horizontal	PK	PASS


H_LTE_B41_MID 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1508.9133	-57.34	-56.43	0.9	-25.0	31.4	Vertical	PK	PASS
2	2638.0952	-57.40	-50.26	7.1	-25.0	25.3	Vertical	PK	PASS
3	5991.5268	-54.55	-50.36	4.2	-25.0	25.4	Vertical	PK	PASS
4	9539.7907	-55.62	-46.58	9.0	-25.0	21.6	Vertical	PK	PASS
5	14579.3321	-58.19	-42.62	15.6	-25.0	17.6	Vertical	PK	PASS
6	16993.6867	-59.25	-37.57	21.7	-25.0	12.6	Vertical	PK	PASS


V_LTE_B41_HIGH 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	46.9758	-53.89	-69.78	-15.9	-25.0	44.8	Vertical	PK	PASS
2	74.1372	-40.49	-62.67	-22.2	-25.0	37.7	Vertical	PK	PASS
3	94.6537	-47.85	-67.55	-19.7	-25.0	42.6	Vertical	PK	PASS
4	209.7985	-48.45	-67.73	-19.3	-25.0	42.7	Vertical	PK	PASS
5	262.1326	-45.68	-64.18	-18.5	-25.0	39.2	Vertical	PK	PASS
6	324.6037	-56.76	-70.65	-13.9	-25.0	45.7	Vertical	PK	PASS


V_LTE_B41_HIGH 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1213.431	-57.86	-56.55	1.3	-25.0	31.6	Vertical	PK	PASS
2	2687.4237	-57.30	-49.66	7.6	-25.0	24.7	Vertical	PK	PASS
3	5000.1661	-52.38	-51.27	1.1	-25.0	26.3	Vertical	PK	PASS
4	7047.1839	-54.35	-48.67	5.7	-25.0	23.7	Vertical	PK	PASS
5	12041.8674	-57.15	-44.18	13.0	-25.0	19.2	Vertical	PK	PASS
6	16908.4566	-59.36	-38.32	21.0	-25.0	13.3	Vertical	PK	PASS


V_LTE_B41_LOW 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.0244	-53.40	-69.28	-15.9	-25.0	44.3	Vertical	PK	PASS
2	87.3299	-40.78	-61.56	-20.8	-25.0	36.6	Vertical	PK	PASS
3	146.6483	-52.45	-72.28	-19.8	-25.0	47.3	Vertical	PK	PASS
4	209.944	-49.26	-68.54	-19.3	-25.0	43.5	Vertical	PK	PASS
5	262.1326	-45.62	-64.12	-18.5	-25.0	39.1	Vertical	PK	PASS
6	324.4582	-56.62	-70.52	-13.9	-25.0	45.5	Vertical	PK	PASS


V_LTE_B41_LOW 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1211.9658	-58.03	-56.70	1.3	-25.0	31.7	Vertical	PK	PASS
2	2664.4689	-57.61	-50.15	7.5	-25.0	25.2	Vertical	PK	PASS
3	5186.5758	-50.08	-49.81	0.3	-25.0	24.8	Vertical	PK	PASS
4	7320.8174	-54.99	-47.20	7.8	-25.0	22.2	Vertical	PK	PASS
5	10815.2517	-55.93	-44.11	11.8	-25.0	19.1	Vertical	PK	PASS
6	16906.9613	-58.36	-37.34	21.0	-25.0	12.3	Vertical	PK	PASS


V_LTE_B41_MID 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.0244	-54.59	-70.47	-15.9	-25.0	45.5	Vertical	PK	PASS
2	75.3983	-40.60	-62.65	-22.1	-25.0	37.7	Vertical	PK	PASS
3	85.8748	-44.20	-65.13	-20.9	-25.0	40.1	Vertical	PK	PASS
4	211.3991	-48.77	-68.06	-19.3	-25.0	43.1	Vertical	PK	PASS
5	262.1326	-45.14	-63.64	-18.5	-25.0	38.6	Vertical	PK	PASS
6	321.7906	-56.98	-71.06	-14.1	-25.0	46.1	Vertical	PK	PASS


V_LTE_B41_MID 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1880.5861	-57.58	-56.10	1.5	-13.0	43.1	Horizontal	PK	PASS
2	2941.3919	-58.14	-49.49	8.7	-13.0	36.5	Horizontal	PK	PASS
3	5098.3552	-53.30	-50.80	2.5	-13.0	37.8	Horizontal	PK	PASS
4	7224.1236	-54.22	-47.94	6.3	-13.0	34.9	Horizontal	PK	PASS
5	10826.7154	-56.41	-44.11	12.3	-13.0	31.1	Horizontal	PK	PASS
6	16974.7466	-59.43	-40.72	18.7	-13.0	27.7	Horizontal	PK	PASS


H_LTE_B66_HIGH 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.9459	-65.65	-74.35	-8.7	-13.0	61.4	Horizontal	PK	PASS
2	94.0232	-49.44	-72.01	-22.6	-13.0	59.0	Horizontal	PK	PASS
3	199.613	-47.11	-65.46	-18.4	-13.0	52.5	Horizontal	PK	PASS
4	224.3492	-56.87	-66.35	-9.5	-13.0	53.4	Horizontal	PK	PASS
5	262.1326	-53.91	-69.11	-15.2	-13.0	56.1	Horizontal	PK	PASS
6	784.0187	-66.69	-71.80	-5.1	-13.0	58.8	Horizontal	PK	PASS


H_LTE_B66_HIGH 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1694.0171	-57.57	-56.46	1.1	-13.0	43.5	Horizontal	PK	PASS
2	2980.9524	-58.13	-49.14	9.0	-13.0	36.1	Horizontal	PK	PASS
3	3439.6079	-50.00	-53.63	-3.6	-13.0	40.6	Horizontal	PK	PASS
4	5066.9546	-54.10	-51.85	2.3	-13.0	38.9	Horizontal	PK	PASS
5	9590.1313	-54.81	-45.15	9.7	-13.0	32.2	Horizontal	PK	PASS
6	16994.1851	-59.81	-41.04	18.8	-13.0	28.0	Horizontal	PK	PASS


H_LTE_B66_LOW 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.4609	-65.94	-74.72	-8.8	-13.0	61.7	Horizontal	PK	PASS
2	97.3214	-47.29	-70.11	-22.8	-13.0	57.1	Horizontal	PK	PASS
3	203.1537	-48.47	-65.94	-17.5	-13.0	52.9	Horizontal	PK	PASS
4	225.7558	-56.87	-65.73	-8.9	-13.0	52.7	Horizontal	PK	PASS
5	262.0841	-54.16	-69.36	-15.2	-13.0	56.4	Horizontal	PK	PASS
6	769.1285	-67.64	-72.66	-5.0	-13.0	59.7	Horizontal	PK	PASS


H_LTE_B66_LOW 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1700.8547	-58.33	-57.15	1.2	-13.0	44.2	Horizontal	PK	PASS
2	2904.2735	-57.07	-48.92	8.2	-13.0	35.9	Horizontal	PK	PASS
3	5102.3426	-53.72	-51.25	2.5	-13.0	38.3	Horizontal	PK	PASS
4	7296.3948	-56.25	-48.26	8.0	-13.0	35.3	Horizontal	PK	PASS
5	10007.8086	-55.46	-45.21	10.3	-13.0	32.2	Horizontal	PK	PASS
6	14891.8425	-57.55	-40.97	16.6	-13.0	28.0	Horizontal	PK	PASS


H_LTE_B66_MID 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.1699	-65.28	-74.10	-8.8	-13.0	61.1	Horizontal	PK	PASS
2	94.2657	-49.19	-71.77	-22.6	-13.0	58.8	Horizontal	PK	PASS
3	207.1794	-48.11	-64.56	-16.5	-13.0	51.6	Horizontal	PK	PASS
4	224.2037	-56.24	-65.78	-9.5	-13.0	52.8	Horizontal	PK	PASS
5	262.1326	-53.84	-69.04	-15.2	-13.0	56.0	Horizontal	PK	PASS
6	773.5907	-67.88	-72.86	-5.0	-13.0	59.9	Horizontal	PK	PASS


H_LTE_B66_MID 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1694.9939	-57.95	-56.86	1.1	-13.0	43.9	Vertical	PK	PASS
2	2957.0208	-58.67	-49.79	8.9	-13.0	36.8	Vertical	PK	PASS
3	3533.3112	-48.06	-52.78	-4.7	-13.0	39.8	Vertical	PK	PASS
4	7293.9026	-55.48	-47.59	7.9	-13.0	34.6	Vertical	PK	PASS
5	11075.4278	-55.56	-43.79	11.8	-13.0	30.8	Vertical	PK	PASS
6	17007.144	-60.81	-39.26	21.6	-13.0	26.3	Vertical	PK	PASS


V_LTE_B66_HIGH 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.1214	-55.41	-71.26	-15.9	-13.0	58.3	Vertical	PK	PASS
2	74.6222	-39.87	-62.00	-22.1	-13.0	49.0	Vertical	PK	PASS
3	86.1173	-44.12	-65.03	-20.9	-13.0	52.0	Vertical	PK	PASS
4	210.817	-49.45	-68.73	-19.3	-13.0	55.7	Vertical	PK	PASS
5	262.1326	-45.87	-64.37	-18.5	-13.0	51.4	Vertical	PK	PASS
6	320.869	-56.20	-70.33	-14.1	-13.0	57.3	Vertical	PK	PASS


V_LTE_B66_HIGH 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1717.4603	-57.34	-56.51	0.8	-13.0	43.5	Vertical	PK	PASS
2	2401.7094	-53.04	-49.79	3.3	-13.0	36.8	Vertical	PK	PASS
3	3439.6079	-49.53	-53.48	-4.0	-13.0	40.5	Vertical	PK	PASS
4	5104.3363	-53.13	-51.27	1.9	-13.0	38.3	Vertical	PK	PASS
5	7293.4042	-55.31	-47.43	7.9	-13.0	34.4	Vertical	PK	PASS
6	17013.1251	-60.23	-38.81	21.4	-13.0	25.8	Vertical	PK	PASS


V_LTE_B66_LOW 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.0729	-55.45	-71.32	-15.9	-13.0	58.3	Vertical	PK	PASS
2	73.6522	-40.31	-62.54	-22.2	-13.0	49.5	Vertical	PK	PASS
3	86.4083	-43.97	-64.85	-20.9	-13.0	51.9	Vertical	PK	PASS
4	207.0824	-49.88	-69.22	-19.3	-13.0	56.2	Vertical	PK	PASS
5	262.1326	-45.94	-64.44	-18.5	-13.0	51.4	Vertical	PK	PASS
6	327.4654	-56.97	-70.66	-13.7	-13.0	57.7	Vertical	PK	PASS


V_LTE_B66_LOW 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1907.4481	-56.51	-55.19	1.3	-13.0	42.2	Vertical	PK	PASS
2	2995.116	-58.18	-48.61	9.6	-13.0	35.6	Vertical	PK	PASS
3	5078.4183	-53.58	-51.81	1.8	-13.0	38.8	Vertical	PK	PASS
4	7321.8143	-55.65	-47.88	7.8	-13.0	34.9	Vertical	PK	PASS
5	10798.3054	-56.46	-44.49	12.0	-13.0	31.5	Vertical	PK	PASS
6	16884.0339	-59.43	-38.72	20.7	-13.0	25.7	Vertical	PK	PASS


V_LTE_B66_MID 20M 1G-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	47.0729	-56.19	-72.06	-15.9	-13.0	59.1	Vertical	PK	PASS
2	75.3013	-40.63	-62.70	-22.1	-13.0	49.7	Vertical	PK	PASS
3	83.1587	-42.66	-63.89	-21.2	-13.0	50.9	Vertical	PK	PASS
4	210.4775	-50.49	-69.78	-19.3	-13.0	56.8	Vertical	PK	PASS
5	262.1326	-45.79	-64.29	-18.5	-13.0	51.3	Vertical	PK	PASS
6	325.8163	-57.17	-70.97	-13.8	-13.0	58.0	Vertical	PK	PASS

V_LTE_B66_MID 20M 30M-1G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1	1388.2784	-56.95	-54.68	2.3	-13.0	41.7	Horizontal	PK	PASS
2	2479.8535	-49.31	-44.64	4.7	-13.0	31.6	Horizontal	PK	PASS
3	5092.3772	-54.16	-51.70	2.5	-13.0	38.7	Horizontal	PK	PASS
4	6892.2394	-55.26	-49.21	6.1	-13.0	36.2	Horizontal	PK	PASS
5	10468.5826	-55.62	-45.52	10.1	-13.0	32.5	Horizontal	PK	PASS
6	12474.8967	-58.46	-43.86	14.6	-13.0	30.9	Horizontal	PK	PASS

H_LTE_B71_HIGH 20M 1G-12.75G