



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.91066G	37.42	54.00	-16.58	3	Horizontal	12	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.38748G	37.57	54.00	-16.43	3	Horizontal	90	1.96
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.94092G	37.67	54.00	-16.33	3	Horizontal	184	1.91
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	11.97177G	37.74	54.00	-16.26	3	Vertical	314	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	52.89	68.20	-15.31	3	Vertical	13	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.925G	63.29	68.20	-4.91	3	Vertical	12	1.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.93812G	39.13	68.20	-29.07	3	Vertical	137	2.91
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.94745G	38.86	68.20	-29.34	3	Horizontal	334	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.91244G	38.93	68.20	-29.27	3	Vertical	258	2.89
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.93156G	39.10	68.20	-29.10	3	Vertical	153	1.69
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.00804G	38.74	68.20	-29.46	3	Vertical	313	1.93
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	13.15556G	39.84	68.20	-28.36	3	Vertical	353	2.49
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.39171G	38.68	54.00	-15.32	3	Horizontal	209	1.82
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.39102G	38.63	54.00	-15.37	3	Vertical	237	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.3604G	38.97	54.00	-15.03	3	Horizontal	242	2.25
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.56813G	38.95	68.20	-29.25	3	Vertical	29	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.33111G	39.32	54.00	-14.68	3	Horizontal	360	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.253G	53.73	54.00	-0.27	3	Vertical	38	1.50
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	7.125G	68.01	68.20	-0.19	3	Vertical	31	1.26
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	65.08	68.20	-3.12	3	Horizontal	36	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	49.62	68.20	-18.58	3	Vertical	28	1.29
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	7.1651G	49.52	68.20	-18.68	3	Vertical	27	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	49.96	68.20	-18.24	3	Vertical	27	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz_TX	Pass	AV	5.9037G	45.37	68.20	-22.83	3	Vertical	10	1.50
5955MHz_TX	Pass	AV	5.9556G	96.93	Inf	-Inf	3	Vertical	10	1.50
5955MHz_TX	Pass	PK	5.8275G	59.36	88.20	-28.84	3	Vertical	10	1.50
5955MHz_TX	Pass	PK	5.9559G	106.75	Inf	-Inf	3	Vertical	10	1.50
5955MHz_TX	Pass	AV	5.8056G	45.30	68.20	-22.90	3	Horizontal	325	2.20
5955MHz_TX	Pass	AV	5.9556G	93.76	Inf	-Inf	3	Horizontal	325	2.20
5955MHz_TX	Pass	PK	5.8998G	59.42	88.20	-28.78	3	Horizontal	325	2.20
5955MHz_TX	Pass	PK	5.9556G	103.30	Inf	-Inf	3	Horizontal	325	2.20
5955MHz_TX	Pass	AV	11.91093G	37.39	54.00	-16.61	3	Vertical	321	2.95
5955MHz_TX	Pass	PK	11.90049G	50.67	74.00	-23.33	3	Vertical	321	2.95
5955MHz_TX	Pass	AV	11.91066G	37.42	54.00	-16.58	3	Horizontal	12	1.50
5955MHz_TX	Pass	PK	11.9196G	50.71	74.00	-23.29	3	Horizontal	12	1.50
6195MHz_TX	Pass	AV	12.3927G	37.29	54.00	-16.71	3	Vertical	341	1.50
6195MHz_TX	Pass	PK	12.40137G	50.87	74.00	-23.13	3	Vertical	341	1.50
6195MHz_TX	Pass	AV	12.39048G	37.29	54.00	-16.71	3	Horizontal	0	1.50
6195MHz_TX	Pass	PK	12.38667G	51.24	74.00	-22.76	3	Horizontal	0	1.50
6415MHz_TX	Pass	AV	12.83261G	38.62	68.20	-29.58	3	Vertical	50	1.50
6415MHz_TX	Pass	PK	12.83636G	51.19	88.20	-37.01	3	Vertical	50	1.50
6415MHz_TX	Pass	AV	12.83231G	38.62	68.20	-29.58	3	Horizontal	240	1.50
6415MHz_TX	Pass	PK	12.8303G	52.10	88.20	-36.10	3	Horizontal	240	1.50
6435MHz_TX	Pass	AV	12.87153G	38.79	68.20	-29.41	3	Vertical	360	1.92
6435MHz_TX	Pass	PK	12.86352G	52.12	88.20	-36.08	3	Vertical	360	1.92
6435MHz_TX	Pass	AV	12.864G	38.78	68.20	-29.42	3	Horizontal	87	2.94
6435MHz_TX	Pass	PK	12.8598G	52.27	88.20	-35.93	3	Horizontal	87	2.94
6475MHz_TX	Pass	AV	12.93812G	39.13	68.20	-29.07	3	Vertical	137	2.91
6475MHz_TX	Pass	PK	12.93947G	52.41	88.20	-35.79	3	Vertical	137	2.91
6475MHz_TX	Pass	AV	12.95012G	39.12	68.20	-29.08	3	Horizontal	0	1.50
6475MHz_TX	Pass	PK	12.94388G	52.57	88.20	-35.63	3	Horizontal	0	1.50
6515MHz_TX	Pass	AV	13.02498G	38.91	68.20	-29.29	3	Vertical	87	2.53
6515MHz_TX	Pass	PK	13.03334G	52.20	88.20	-36.00	3	Vertical	87	2.53
6515MHz_TX	Pass	AV	13.02454G	38.92	68.20	-29.28	3	Horizontal	235	2.37
6515MHz_TX	Pass	PK	13.02402G	53.15	88.20	-35.05	3	Horizontal	235	2.37
6535MHz_TX	Pass	AV	13.07165G	38.87	68.20	-29.33	3	Vertical	317	1.50
6535MHz_TX	Pass	PK	13.06352G	52.28	88.20	-35.92	3	Vertical	317	1.50
6535MHz_TX	Pass	AV	13.07423G	38.82	68.20	-29.38	3	Horizontal	52	1.50
6535MHz_TX	Pass	PK	13.06652G	51.97	88.20	-36.23	3	Horizontal	52	1.50
6695MHz_TX	Pass	AV	13.38643G	38.64	54.00	-15.36	3	Vertical	118	1.18
6695MHz_TX	Pass	PK	13.39492G	52.38	74.00	-21.62	3	Vertical	118	1.18
6695MHz_TX	Pass	AV	13.39171G	38.68	54.00	-15.32	3	Horizontal	209	1.82
6695MHz_TX	Pass	PK	13.38946G	52.64	74.00	-21.36	3	Horizontal	209	1.82
6875MHz_TX	Pass	AV	13.74991G	38.57	68.20	-29.63	3	Vertical	172	1.50
6875MHz_TX	Pass	PK	13.74547G	52.00	88.20	-36.20	3	Vertical	172	1.50
6875MHz_TX	Pass	AV	13.74106G	38.53	68.20	-29.67	3	Horizontal	100	1.50
6875MHz_TX	Pass	PK	13.75777G	52.55	88.20	-35.65	3	Horizontal	100	1.50
6895MHz_TX	Pass	AV	13.7849G	38.72	68.20	-29.48	3	Vertical	211	2.18
6895MHz_TX	Pass	PK	13.79006G	52.02	88.20	-36.18	3	Vertical	211	2.18
6895MHz_TX	Pass	AV	13.78574G	38.69	68.20	-29.51	3	Horizontal	180	1.50
6895MHz_TX	Pass	PK	13.80032G	52.08	88.20	-36.12	3	Horizontal	180	1.50
6995MHz_TX	Pass	AV	13.99123G	38.71	68.20	-29.49	3	Vertical	250	1.19
6995MHz_TX	Pass	PK	14.00128G	51.63	88.20	-36.57	3	Vertical	250	1.19
6995MHz_TX	Pass	AV	13.993G	38.61	68.20	-29.59	3	Horizontal	56	1.50
6995MHz_TX	Pass	PK	13.9954G	51.83	88.20	-36.37	3	Horizontal	56	1.50
7095MHz_TX	Pass	AV	7.0944G	97.13	Inf	-Inf	3	Vertical	30	1.29
7095MHz_TX	Pass	AV	7.2225G	49.32	68.20	-18.88	3	Vertical	30	1.29
7095MHz_TX	Pass	PK	7.0941G	107.16	Inf	-Inf	3	Vertical	30	1.29
7095MHz_TX	Pass	PK	7.2411G	63.68	88.20	-24.52	3	Vertical	30	1.29
7095MHz_TX	Pass	AV	7.0944G	91.41	Inf	-Inf	3	Horizontal	38	1.50
7095MHz_TX	Pass	AV	7.236G	49.09	68.20	-19.11	3	Horizontal	38	1.50
7095MHz_TX	Pass	PK	7.0941G	101.36	Inf	-Inf	3	Horizontal	38	1.50
7095MHz_TX	Pass	PK	7.2051G	63.15	88.20	-25.05	3	Horizontal	38	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz_TX	Pass	AV	14.1804G	38.54	68.20	-29.66	3	Vertical	189	1.50
7095MHz_TX	Pass	PK	14.1873G	51.52	88.20	-36.68	3	Vertical	189	1.50
7095MHz_TX	Pass	AV	14.17983G	38.54	68.20	-29.66	3	Horizontal	191	1.50
7095MHz_TX	Pass	PK	14.18406G	52.81	88.20	-35.39	3	Horizontal	191	1.50
7115MHz_TX	Pass	AV	7.1143G	93.06	Inf	-Inf	3	Vertical	31	1.26
7115MHz_TX	Pass	AV	7.125G	68.01	68.20	-0.19	3	Vertical	31	1.26
7115MHz_TX	Pass	PK	7.1143G	103.03	Inf	-Inf	3	Vertical	31	1.26
7115MHz_TX	Pass	PK	7.125G	83.05	88.20	-5.15	3	Vertical	31	1.26
7115MHz_TX	Pass	AV	7.1145G	87.48	Inf	-Inf	3	Horizontal	36	1.50
7115MHz_TX	Pass	AV	7.125G	63.52	68.20	-4.68	3	Horizontal	36	1.50
7115MHz_TX	Pass	PK	7.1144G	97.98	Inf	-Inf	3	Horizontal	36	1.50
7115MHz_TX	Pass	PK	7.1251G	78.56	88.20	-9.64	3	Horizontal	36	1.50
7115MHz_TX	Pass	AV	14.22658G	38.58	68.20	-29.62	3	Vertical	63	1.50
7115MHz_TX	Pass	PK	14.22316G	52.21	88.20	-35.99	3	Vertical	63	1.50
7115MHz_TX	Pass	AV	14.23009G	38.57	68.20	-29.63	3	Horizontal	356	1.50
7115MHz_TX	Pass	PK	14.24113G	52.39	88.20	-35.81	3	Horizontal	356	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz_TX	Pass	AV	5.9043G	45.25	68.20	-22.95	3	Vertical	10	1.50
5955MHz_TX	Pass	AV	5.9556G	97.59	Inf	-Inf	3	Vertical	10	1.50
5955MHz_TX	Pass	PK	5.9193G	59.25	88.20	-28.95	3	Vertical	10	1.50
5955MHz_TX	Pass	PK	5.9556G	109.27	Inf	-Inf	3	Vertical	10	1.50
5955MHz_TX	Pass	AV	5.9238G	45.23	68.20	-22.97	3	Horizontal	300	1.00
5955MHz_TX	Pass	AV	5.9559G	95.82	Inf	-Inf	3	Horizontal	300	1.00
5955MHz_TX	Pass	PK	5.8671G	59.32	88.20	-28.88	3	Horizontal	300	1.00
5955MHz_TX	Pass	PK	5.9544G	108.14	Inf	-Inf	3	Horizontal	300	1.00
5955MHz_TX	Pass	AV	11.90886G	37.41	54.00	-16.59	3	Vertical	78	1.50
5955MHz_TX	Pass	PK	11.90985G	51.25	74.00	-22.75	3	Vertical	78	1.50
5955MHz_TX	Pass	AV	11.90856G	37.40	54.00	-16.60	3	Horizontal	269	2.68
5955MHz_TX	Pass	PK	11.89725G	51.08	74.00	-22.92	3	Horizontal	269	2.68
6195MHz_TX	Pass	AV	12.3882G	37.56	54.00	-16.44	3	Vertical	137	1.48
6195MHz_TX	Pass	PK	12.38001G	51.79	74.00	-22.21	3	Vertical	137	1.48
6195MHz_TX	Pass	AV	12.38748G	37.57	54.00	-16.43	3	Horizontal	90	1.96
6195MHz_TX	Pass	PK	12.38676G	51.32	74.00	-22.68	3	Horizontal	90	1.96
6415MHz_TX	Pass	AV	12.83135G	38.38	68.20	-29.82	3	Vertical	135	3.00
6415MHz_TX	Pass	PK	12.82247G	52.04	88.20	-36.16	3	Vertical	135	3.00
6415MHz_TX	Pass	AV	12.83246G	38.35	68.20	-29.85	3	Horizontal	334	1.50
6415MHz_TX	Pass	PK	12.82121G	52.40	88.20	-35.80	3	Horizontal	334	1.50
6435MHz_TX	Pass	AV	12.8703G	38.68	68.20	-29.52	3	Vertical	57	1.50
6435MHz_TX	Pass	PK	12.86361G	51.45	88.20	-36.75	3	Vertical	57	1.50
6435MHz_TX	Pass	AV	12.87147G	38.69	68.20	-29.51	3	Horizontal	209	1.46
6435MHz_TX	Pass	PK	12.87276G	51.91	88.20	-36.29	3	Horizontal	209	1.46
6475MHz_TX	Pass	AV	12.94562G	38.84	68.20	-29.36	3	Vertical	25	2.90
6475MHz_TX	Pass	PK	12.94607G	52.80	88.20	-35.40	3	Vertical	25	2.90
6475MHz_TX	Pass	AV	12.94745G	38.86	68.20	-29.34	3	Horizontal	334	1.50
6475MHz_TX	Pass	PK	12.9515G	52.41	88.20	-35.79	3	Horizontal	334	1.50
6515MHz_TX	Pass	AV	13.02685G	38.51	68.20	-29.69	3	Vertical	340	1.15
6515MHz_TX	Pass	PK	13.03102G	52.01	88.20	-36.19	3	Vertical	340	1.15
6515MHz_TX	Pass	AV	13.01527G	38.51	68.20	-29.69	3	Horizontal	141	1.97
6515MHz_TX	Pass	PK	13.03939G	52.51	88.20	-35.69	3	Horizontal	141	1.97
6535MHz_TX	Pass	AV	13.07108G	38.82	68.20	-29.38	3	Vertical	244	1.50
6535MHz_TX	Pass	PK	13.06838G	52.62	88.20	-35.58	3	Vertical	244	1.50
6535MHz_TX	Pass	AV	13.07261G	38.79	68.20	-29.41	3	Horizontal	237	2.71
6535MHz_TX	Pass	PK	13.06085G	52.46	88.20	-35.74	3	Horizontal	237	2.71
6695MHz_TX	Pass	AV	13.39102G	38.63	54.00	-15.37	3	Vertical	237	1.50
6695MHz_TX	Pass	PK	13.39525G	52.02	74.00	-21.98	3	Vertical	237	1.50
6695MHz_TX	Pass	AV	13.38634G	38.63	54.00	-15.37	3	Horizontal	194	2.84
6695MHz_TX	Pass	PK	13.38253G	51.94	74.00	-22.06	3	Horizontal	194	2.84
6875MHz_TX	Pass	AV	13.74445G	38.68	68.20	-29.52	3	Vertical	334	1.50
6875MHz_TX	Pass	PK	13.74094G	52.07	88.20	-36.13	3	Vertical	334	1.50
6875MHz_TX	Pass	AV	13.74382G	38.70	68.20	-29.50	3	Horizontal	272	1.50
6875MHz_TX	Pass	PK	13.74766G	51.61	88.20	-36.59	3	Horizontal	272	1.50
6895MHz_TX	Pass	AV	13.78304G	38.52	68.20	-29.68	3	Vertical	105	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6895MHz_TX	Pass	PK	13.77644G	51.94	88.20	-36.26	3	Vertical	105	1.50
6895MHz_TX	Pass	AV	13.78037G	38.57	68.20	-29.63	3	Horizontal	235	1.42
6895MHz_TX	Pass	PK	13.78013G	51.74	88.20	-36.46	3	Horizontal	235	1.42
6995MHz_TX	Pass	AV	13.99036G	38.24	68.20	-29.96	3	Vertical	14	2.83
6995MHz_TX	Pass	PK	13.9963G	51.64	88.20	-36.56	3	Vertical	14	2.83
6995MHz_TX	Pass	AV	13.99051G	38.28	68.20	-29.92	3	Horizontal	172	1.50
6995MHz_TX	Pass	PK	13.9957G	52.11	88.20	-36.09	3	Horizontal	172	1.50
7095MHz_TX	Pass	AV	7.0956G	97.20	Inf	-Inf	3	Vertical	30	1.05
7095MHz_TX	Pass	AV	7.2369G	49.49	68.20	-18.71	3	Vertical	30	1.05
7095MHz_TX	Pass	PK	7.0962G	109.14	Inf	-Inf	3	Vertical	30	1.05
7095MHz_TX	Pass	PK	7.1781G	63.91	88.20	-24.29	3	Vertical	30	1.05
7095MHz_TX	Pass	AV	7.0941G	91.64	Inf	-Inf	3	Horizontal	37	1.50
7095MHz_TX	Pass	AV	7.2309G	49.49	68.20	-18.71	3	Horizontal	37	1.50
7095MHz_TX	Pass	PK	7.0938G	103.25	Inf	-Inf	3	Horizontal	37	1.50
7095MHz_TX	Pass	PK	7.2198G	63.51	88.20	-24.69	3	Horizontal	37	1.50
7095MHz_TX	Pass	AV	14.17935G	38.71	68.20	-29.49	3	Vertical	172	1.50
7095MHz_TX	Pass	PK	14.17959G	52.31	88.20	-35.89	3	Vertical	172	1.50
7095MHz_TX	Pass	AV	14.18112G	38.73	68.20	-29.47	3	Horizontal	0	1.50
7095MHz_TX	Pass	PK	14.19282G	52.41	88.20	-35.79	3	Horizontal	0	1.50
7115MHz_TX	Pass	AV	7.1145G	100.97	Inf	-Inf	3	Vertical	29	1.19
7115MHz_TX	Pass	AV	7.1255G	63.95	68.20	-4.25	3	Vertical	29	1.19
7115MHz_TX	Pass	PK	7.1145G	107.20	Inf	-Inf	3	Vertical	29	1.19
7115MHz_TX	Pass	PK	7.1255G	77.14	88.20	-11.06	3	Vertical	29	1.19
7115MHz_TX	Pass	AV	7.1145G	96.18	Inf	-Inf	3	Horizontal	36	1.50
7115MHz_TX	Pass	AV	7.1255G	65.08	68.20	-3.12	3	Horizontal	36	1.50
7115MHz_TX	Pass	PK	7.1135G	102.12	Inf	-Inf	3	Horizontal	36	1.50
7115MHz_TX	Pass	PK	7.1255G	73.96	88.20	-14.24	3	Horizontal	36	1.50
7115MHz_TX	Pass	AV	14.22517G	38.56	68.20	-29.64	3	Vertical	91	2.69
7115MHz_TX	Pass	PK	14.22505G	52.09	88.20	-36.11	3	Vertical	91	2.69
7115MHz_TX	Pass	AV	14.23033G	38.57	68.20	-29.63	3	Horizontal	279	1.44
7115MHz_TX	Pass	PK	14.22268G	52.68	88.20	-35.52	3	Horizontal	279	1.44
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz_TX	Pass	AV	5.9248G	49.03	68.20	-19.17	3	Vertical	10	1.50
5965MHz_TX	Pass	AV	5.9662G	97.72	Inf	-Inf	3	Vertical	10	1.50
5965MHz_TX	Pass	PK	5.9239G	62.40	88.20	-25.80	3	Vertical	10	1.50
5965MHz_TX	Pass	PK	5.9662G	110.48	Inf	-Inf	3	Vertical	10	1.50
5965MHz_TX	Pass	AV	5.9248G	48.25	68.20	-19.95	3	Horizontal	324	2.45
5965MHz_TX	Pass	AV	5.9659G	95.67	Inf	-Inf	3	Horizontal	324	2.45
5965MHz_TX	Pass	PK	5.9227G	62.26	88.20	-25.94	3	Horizontal	324	2.45
5965MHz_TX	Pass	PK	5.9632G	108.20	Inf	-Inf	3	Horizontal	324	2.45
5965MHz_TX	Pass	AV	11.9444G	37.63	54.00	-16.37	3	Vertical	360	1.51
5965MHz_TX	Pass	PK	11.92898G	51.28	74.00	-22.72	3	Vertical	360	1.51
5965MHz_TX	Pass	AV	11.94092G	37.67	54.00	-16.33	3	Horizontal	184	1.91
5965MHz_TX	Pass	PK	11.92934G	51.23	74.00	-22.77	3	Horizontal	184	1.91
6205MHz_TX	Pass	AV	12.39248G	37.28	54.00	-16.72	3	Vertical	66	1.24
6205MHz_TX	Pass	PK	12.42806G	50.87	74.00	-23.13	3	Vertical	66	1.24
6205MHz_TX	Pass	AV	12.39104G	37.30	54.00	-16.70	3	Horizontal	45	1.50
6205MHz_TX	Pass	PK	12.3911G	51.61	74.00	-22.39	3	Horizontal	45	1.50
6405MHz_TX	Pass	AV	12.83208G	38.72	68.20	-29.48	3	Vertical	226	1.50
6405MHz_TX	Pass	PK	12.83562G	51.79	88.20	-36.41	3	Vertical	226	1.50
6405MHz_TX	Pass	AV	12.83166G	38.65	68.20	-29.55	3	Horizontal	102	2.80
6405MHz_TX	Pass	PK	12.83634G	52.59	88.20	-35.61	3	Horizontal	102	2.80
6445MHz_TX	Pass	AV	12.91244G	38.93	68.20	-29.27	3	Vertical	258	2.89
6445MHz_TX	Pass	PK	12.91658G	52.28	88.20	-35.92	3	Vertical	258	2.89
6445MHz_TX	Pass	AV	12.91184G	38.91	68.20	-29.29	3	Horizontal	312	1.19
6445MHz_TX	Pass	PK	12.86282G	52.61	88.20	-35.59	3	Horizontal	312	1.19
6485MHz_TX	Pass	AV	12.94306G	38.91	68.20	-29.29	3	Vertical	211	1.83
6485MHz_TX	Pass	PK	12.94306G	52.77	88.20	-35.43	3	Vertical	211	1.83
6485MHz_TX	Pass	AV	12.94708G	38.90	68.20	-29.30	3	Horizontal	167	1.50
6485MHz_TX	Pass	PK	12.95224G	53.17	88.20	-35.03	3	Horizontal	167	1.50
6525MHz_TX	Pass	AV	13.07316G	38.82	68.20	-29.38	3	Vertical	0	1.50
6525MHz_TX	Pass	PK	13.0797G	52.02	88.20	-36.18	3	Vertical	0	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6525MHz_TX	Pass	AV	13.02516G	38.83	68.20	-29.37	3	Horizontal	205	2.26
6525MHz_TX	Pass	PK	13.0443G	52.19	88.20	-36.01	3	Horizontal	205	2.26
6565MHz_TX	Pass	AV	13.11188G	38.64	68.20	-29.56	3	Vertical	360	1.50
6565MHz_TX	Pass	PK	13.11176G	52.43	88.20	-35.77	3	Vertical	360	1.50
6565MHz_TX	Pass	AV	13.13G	38.86	68.20	-29.34	3	Horizontal	80	2.69
6565MHz_TX	Pass	PK	13.11638G	52.82	88.20	-35.38	3	Horizontal	80	2.69
6685MHz_TX	Pass	AV	13.35668G	38.89	54.00	-15.11	3	Vertical	313	1.50
6685MHz_TX	Pass	PK	13.38266G	52.71	74.00	-21.29	3	Vertical	313	1.50
6685MHz_TX	Pass	AV	13.3604G	38.97	54.00	-15.03	3	Horizontal	242	2.25
6685MHz_TX	Pass	PK	13.35614G	52.44	74.00	-21.56	3	Horizontal	242	2.25
6885MHz_TX	Pass	AV	13.77191G	38.52	68.20	-29.68	3	Vertical	88	2.56
6885MHz_TX	Pass	PK	13.76882G	52.96	88.20	-35.24	3	Vertical	88	2.56
6885MHz_TX	Pass	AV	13.77224G	38.52	68.20	-29.68	3	Horizontal	249	2.26
6885MHz_TX	Pass	PK	13.77186G	53.19	88.20	-35.01	3	Horizontal	249	2.26
6925MHz_TX	Pass	AV	13.84901G	38.69	68.20	-29.51	3	Vertical	271	1.50
6925MHz_TX	Pass	PK	13.8485G	52.82	88.20	-35.38	3	Vertical	271	1.50
6925MHz_TX	Pass	AV	13.85159G	38.70	68.20	-29.50	3	Horizontal	262	1.50
6925MHz_TX	Pass	PK	13.852G	53.31	88.20	-34.89	3	Horizontal	262	1.50
7005MHz_TX	Pass	AV	14.01232G	38.25	68.20	-29.95	3	Vertical	192	1.84
7005MHz_TX	Pass	PK	14.00809G	52.59	88.20	-35.61	3	Vertical	192	1.84
7005MHz_TX	Pass	AV	14.01196G	38.26	68.20	-29.94	3	Horizontal	280	2.41
7005MHz_TX	Pass	PK	14.0111G	53.16	88.20	-35.04	3	Horizontal	280	2.41
7085MHz_TX	Pass	AV	7.0841G	97.55	Inf	-Inf	3	Vertical	28	1.29
7085MHz_TX	Pass	AV	7.1252G	49.62	68.20	-18.58	3	Vertical	28	1.29
7085MHz_TX	Pass	PK	7.0838G	110.10	Inf	-Inf	3	Vertical	28	1.29
7085MHz_TX	Pass	PK	7.2029G	63.56	88.20	-24.64	3	Vertical	28	1.29
7085MHz_TX	Pass	AV	7.0859G	93.64	Inf	-Inf	3	Horizontal	324	2.45
7085MHz_TX	Pass	AV	7.2275G	49.37	68.20	-18.83	3	Horizontal	324	2.45
7085MHz_TX	Pass	PK	7.0844G	106.02	Inf	-Inf	3	Horizontal	324	2.45
7085MHz_TX	Pass	PK	7.2068G	63.84	88.20	-24.36	3	Horizontal	324	2.45
7085MHz_TX	Pass	AV	14.17169G	38.81	68.20	-29.39	3	Vertical	18	2.91
7085MHz_TX	Pass	PK	14.16778G	53.06	88.20	-35.14	3	Vertical	18	2.91
7085MHz_TX	Pass	AV	14.17173G	38.84	68.20	-29.36	3	Horizontal	118	1.50
7085MHz_TX	Pass	PK	14.17029G	53.04	88.20	-35.16	3	Horizontal	118	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz_TX	Pass	AV	5.9245G	51.11	68.20	-17.09	3	Vertical	14	1.50
5985MHz_TX	Pass	AV	5.986G	97.47	Inf	-Inf	3	Vertical	14	1.50
5985MHz_TX	Pass	PK	5.9225G	63.80	88.20	-24.40	3	Vertical	14	1.50
5985MHz_TX	Pass	PK	5.9865G	110.54	Inf	-Inf	3	Vertical	14	1.50
5985MHz_TX	Pass	AV	5.925G	50.20	68.20	-18.00	3	Horizontal	324	2.41
5985MHz_TX	Pass	AV	5.986G	95.73	Inf	-Inf	3	Horizontal	324	2.41
5985MHz_TX	Pass	PK	5.9225G	63.19	88.20	-25.01	3	Horizontal	324	2.41
5985MHz_TX	Pass	PK	5.986G	108.93	Inf	-Inf	3	Horizontal	324	2.41
5985MHz_TX	Pass	AV	11.97177G	37.74	54.00	-16.26	3	Vertical	314	1.50
5985MHz_TX	Pass	PK	11.96805G	52.49	74.00	-21.51	3	Vertical	314	1.50
5985MHz_TX	Pass	AV	11.97078G	37.71	54.00	-16.29	3	Horizontal	153	1.50
5985MHz_TX	Pass	PK	11.97136G	52.04	74.00	-21.96	3	Horizontal	153	1.50
6225MHz_TX	Pass	AV	12.44828G	37.33	54.00	-16.67	3	Vertical	210	1.50
6225MHz_TX	Pass	PK	12.45202G	52.00	74.00	-22.00	3	Vertical	210	1.50
6225MHz_TX	Pass	AV	12.4481G	37.28	54.00	-16.72	3	Horizontal	334	1.50
6225MHz_TX	Pass	PK	12.44915G	51.63	74.00	-22.37	3	Horizontal	334	1.50
6385MHz_TX	Pass	AV	12.76928G	38.38	68.20	-29.82	3	Vertical	220	1.50
6385MHz_TX	Pass	PK	12.77035G	53.20	88.20	-35.00	3	Vertical	220	1.50
6385MHz_TX	Pass	AV	12.76927G	38.36	68.20	-29.84	3	Horizontal	237	1.50
6385MHz_TX	Pass	PK	12.77104G	52.79	88.20	-35.41	3	Horizontal	237	1.50
6465MHz_TX	Pass	AV	12.93156G	39.10	68.20	-29.10	3	Vertical	153	1.69
6465MHz_TX	Pass	PK	12.93092G	53.79	88.20	-34.41	3	Vertical	153	1.69
6465MHz_TX	Pass	AV	12.92915G	39.07	68.20	-29.13	3	Horizontal	197	1.50
6465MHz_TX	Pass	PK	12.93068G	54.50	88.20	-33.70	3	Horizontal	197	1.50
6545MHz_TX	Pass	AV	13.08783G	38.63	68.20	-29.57	3	Vertical	2	1.50
6545MHz_TX	Pass	PK	13.08917G	54.18	88.20	-34.02	3	Vertical	2	1.50
6545MHz_TX	Pass	AV	13.08767G	38.64	68.20	-29.56	3	Horizontal	323	1.96

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6545MHz_TX	Pass	PK	13.09147G	53.68	88.20	-34.52	3	Horizontal	323	1.96
6625MHz_TX	Pass	AV	13.24768G	38.50	68.20	-29.70	3	Vertical	71	1.90
6625MHz_TX	Pass	PK	13.24967G	52.97	88.20	-35.23	3	Vertical	71	1.90
6625MHz_TX	Pass	AV	13.24853G	38.52	68.20	-29.68	3	Horizontal	24	1.75
6625MHz_TX	Pass	PK	13.24871G	53.23	88.20	-34.97	3	Horizontal	24	1.75
6705MHz_TX	Pass	AV	13.40823G	38.17	68.20	-30.03	3	Vertical	259	2.99
6705MHz_TX	Pass	PK	13.40757G	53.10	88.20	-35.10	3	Vertical	259	2.99
6705MHz_TX	Pass	AV	13.40865G	38.14	68.20	-30.06	3	Horizontal	214	1.50
6705MHz_TX	Pass	PK	13.41096G	52.83	88.20	-35.37	3	Horizontal	214	1.50
6785MHz_TX	Pass	AV	13.56813G	38.95	68.20	-29.25	3	Vertical	29	1.50
6785MHz_TX	Pass	PK	13.57206G	54.46	88.20	-33.74	3	Vertical	29	1.50
6785MHz_TX	Pass	AV	13.56758G	38.95	68.20	-29.25	3	Horizontal	350	1.31
6785MHz_TX	Pass	PK	13.5709G	53.15	88.20	-35.05	3	Horizontal	350	1.31
6865MHz_TX	Pass	AV	13.73176G	38.60	68.20	-29.60	3	Vertical	295	1.50
6865MHz_TX	Pass	PK	13.7311G	53.08	88.20	-35.12	3	Vertical	295	1.50
6865MHz_TX	Pass	AV	13.73233G	38.59	68.20	-29.61	3	Horizontal	211	2.67
6865MHz_TX	Pass	PK	13.73233G	53.24	88.20	-34.96	3	Horizontal	211	2.67
6945MHz_TX	Pass	AV	13.89072G	38.51	68.20	-29.69	3	Vertical	43	1.50
6945MHz_TX	Pass	PK	13.89031G	53.93	88.20	-34.27	3	Vertical	43	1.50
6945MHz_TX	Pass	AV	13.88928G	38.52	68.20	-29.68	3	Horizontal	271	1.50
6945MHz_TX	Pass	PK	13.89087G	53.17	88.20	-35.03	3	Horizontal	271	1.50
7025MHz_TX	Pass	AV	7.0238G	97.94	Inf	-Inf	3	Vertical	27	1.50
7025MHz_TX	Pass	AV	7.1651G	49.52	68.20	-18.68	3	Vertical	27	1.50
7025MHz_TX	Pass	PK	7.0259G	110.58	Inf	-Inf	3	Vertical	27	1.50
7025MHz_TX	Pass	PK	7.1609G	63.28	88.20	-24.92	3	Vertical	27	1.50
7025MHz_TX	Pass	AV	7.0238G	94.19	Inf	-Inf	3	Horizontal	34	1.54
7025MHz_TX	Pass	AV	7.175G	49.02	68.20	-19.18	3	Horizontal	34	1.54
7025MHz_TX	Pass	PK	7.0241G	106.23	Inf	-Inf	3	Horizontal	34	1.54
7025MHz_TX	Pass	PK	7.1378G	63.98	88.20	-24.22	3	Horizontal	34	1.54
7025MHz_TX	Pass	AV	14.05G	38.40	68.20	-29.80	3	Vertical	206	2.43
7025MHz_TX	Pass	PK	14.04937G	52.58	88.20	-35.62	3	Vertical	206	2.43
7025MHz_TX	Pass	AV	14.04906G	38.37	68.20	-29.83	3	Horizontal	349	1.12
7025MHz_TX	Pass	PK	14.05226G	53.34	88.20	-34.86	3	Horizontal	349	1.12
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz_TX	Pass	AV	5.9245G	52.89	68.20	-15.31	3	Vertical	13	1.50
6025MHz_TX	Pass	AV	6.027G	97.01	Inf	-Inf	3	Vertical	13	1.50
6025MHz_TX	Pass	PK	5.9165G	66.06	88.20	-22.14	3	Vertical	13	1.50
6025MHz_TX	Pass	PK	6.0275G	110.21	Inf	-Inf	3	Vertical	13	1.50
6025MHz_TX	Pass	AV	5.925G	51.79	68.20	-16.41	3	Horizontal	300	1.01
6025MHz_TX	Pass	AV	6.029G	93.33	Inf	-Inf	3	Horizontal	300	1.01
6025MHz_TX	Pass	PK	5.9245G	64.70	88.20	-23.50	3	Horizontal	300	1.01
6025MHz_TX	Pass	PK	5.988G	106.40	Inf	-Inf	3	Horizontal	300	1.01
6025MHz_TX	Pass	AV	12.05227G	38.30	54.00	-15.70	3	Vertical	108	3.00
6025MHz_TX	Pass	PK	12.04883G	52.56	74.00	-21.44	3	Vertical	108	3.00
6025MHz_TX	Pass	AV	12.05188G	38.25	54.00	-15.75	3	Horizontal	31	1.50
6025MHz_TX	Pass	PK	12.05033G	52.65	74.00	-21.35	3	Horizontal	31	1.50
6185MHz_TX	Pass	AV	12.36937G	38.44	54.00	-15.56	3	Vertical	198	1.50
6185MHz_TX	Pass	PK	12.37155G	52.56	74.00	-21.44	3	Vertical	198	1.50
6185MHz_TX	Pass	AV	12.36907G	38.35	54.00	-15.65	3	Horizontal	127	1.74
6185MHz_TX	Pass	PK	12.37061G	52.19	74.00	-21.81	3	Horizontal	127	1.74
6345MHz_TX	Pass	AV	12.69077G	38.24	54.00	-15.76	3	Vertical	335	1.50
6345MHz_TX	Pass	PK	12.68981G	53.15	74.00	-20.85	3	Vertical	335	1.50
6345MHz_TX	Pass	AV	12.6918G	38.15	54.00	-15.85	3	Horizontal	178	1.50
6345MHz_TX	Pass	PK	12.68809G	53.07	74.00	-20.93	3	Horizontal	178	1.50
6505MHz_TX	Pass	AV	13.00804G	38.74	68.20	-29.46	3	Vertical	313	1.93
6505MHz_TX	Pass	PK	13.01203G	53.34	88.20	-34.86	3	Vertical	313	1.93
6505MHz_TX	Pass	AV	13.00812G	38.73	68.20	-29.47	3	Horizontal	53	1.50
6505MHz_TX	Pass	PK	13.01017G	54.23	88.20	-33.97	3	Horizontal	53	1.50
6665MHz_TX	Pass	AV	13.32941G	39.27	54.00	-14.73	3	Vertical	269	1.80
6665MHz_TX	Pass	PK	13.32763G	53.78	74.00	-20.22	3	Vertical	269	1.80
6665MHz_TX	Pass	AV	13.33111G	39.32	54.00	-14.68	3	Horizontal	360	1.50
6665MHz_TX	Pass	PK	13.32987G	53.61	74.00	-20.39	3	Horizontal	360	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6825MHz_TX	Pass	AV	13.65189G	38.60	68.20	-29.60	3	Vertical	229	1.50
6825MHz_TX	Pass	PK	13.65107G	52.65	88.20	-35.55	3	Vertical	229	1.50
6825MHz_TX	Pass	AV	13.65234G	38.52	68.20	-29.68	3	Horizontal	151	1.50
6825MHz_TX	Pass	PK	13.65248G	53.08	88.20	-35.12	3	Horizontal	151	1.50
6985MHz_TX	Pass	AV	6.9825G	96.31	Inf	-Inf	3	Vertical	27	1.50
6985MHz_TX	Pass	AV	7.1255G	49.96	68.20	-18.24	3	Vertical	27	1.50
6985MHz_TX	Pass	PK	6.9815G	108.95	Inf	-Inf	3	Vertical	27	1.50
6985MHz_TX	Pass	PK	7.1955G	63.57	88.20	-24.63	3	Vertical	27	1.50
6985MHz_TX	Pass	AV	6.994G	92.95	Inf	-Inf	3	Horizontal	48	1.50
6985MHz_TX	Pass	AV	7.23G	49.49	68.20	-18.71	3	Horizontal	48	1.50
6985MHz_TX	Pass	PK	6.976G	106.60	Inf	-Inf	3	Horizontal	48	1.50
6985MHz_TX	Pass	PK	7.1775G	63.63	88.20	-24.57	3	Horizontal	48	1.50
6985MHz_TX	Pass	AV	13.96826G	38.23	68.20	-29.97	3	Vertical	182	2.90
6985MHz_TX	Pass	PK	13.97122G	52.70	88.20	-35.50	3	Vertical	182	2.90
6985MHz_TX	Pass	AV	13.96999G	38.25	68.20	-29.95	3	Horizontal	300	1.62
6985MHz_TX	Pass	PK	13.96755G	52.28	88.20	-35.92	3	Horizontal	300	1.62
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz_TX	Pass	AV	5.925G	63.29	68.20	-4.91	3	Vertical	12	1.50
6105MHz_TX	Pass	AV	6.108G	99.10	Inf	-Inf	3	Vertical	12	1.50
6105MHz_TX	Pass	PK	5.907G	74.14	88.20	-14.06	3	Vertical	12	1.50
6105MHz_TX	Pass	PK	6.109G	109.31	Inf	-Inf	3	Vertical	12	1.50
6105MHz_TX	Pass	AV	5.922G	59.66	68.20	-8.54	3	Horizontal	37	1.00
6105MHz_TX	Pass	AV	6.103G	96.50	Inf	-Inf	3	Horizontal	37	1.00
6105MHz_TX	Pass	PK	5.919G	70.81	88.20	-17.39	3	Horizontal	37	1.00
6105MHz_TX	Pass	PK	6.103G	107.75	Inf	-Inf	3	Horizontal	37	1.00
6105MHz_TX	Pass	AV	12.19864G	39.28	54.00	-14.72	3	Vertical	191	2.30
6105MHz_TX	Pass	PK	12.21036G	51.66	74.00	-22.34	3	Vertical	191	2.30
6105MHz_TX	Pass	AV	12.19804G	39.32	54.00	-14.68	3	Horizontal	171	2.45
6105MHz_TX	Pass	PK	12.22832G	51.68	74.00	-22.32	3	Horizontal	171	2.45
6265MHz_TX	Pass	AV	12.5144G	38.71	54.00	-15.29	3	Vertical	88	2.31
6265MHz_TX	Pass	PK	12.51236G	51.02	74.00	-22.98	3	Vertical	88	2.31
6265MHz_TX	Pass	AV	12.5404G	38.80	54.00	-15.20	3	Horizontal	53	2.37
6265MHz_TX	Pass	PK	12.54032G	51.05	74.00	-22.95	3	Horizontal	53	2.37
6425MHz_TX	Pass	AV	12.86128G	39.97	68.20	-28.23	3	Vertical	7	1.54
6425MHz_TX	Pass	PK	12.85312G	53.04	88.20	-35.16	3	Vertical	7	1.54
6425MHz_TX	Pass	AV	12.83556G	40.00	68.20	-28.20	3	Horizontal	141	1.20
6425MHz_TX	Pass	PK	12.83104G	51.92	88.20	-36.28	3	Horizontal	141	1.20
6585MHz_TX	Pass	AV	13.15556G	39.84	68.20	-28.36	3	Vertical	353	2.49
6585MHz_TX	Pass	PK	13.17492G	51.83	88.20	-36.37	3	Vertical	353	2.49
6585MHz_TX	Pass	AV	13.15716G	39.76	68.20	-28.44	3	Horizontal	81	1.90
6585MHz_TX	Pass	PK	13.18444G	51.83	88.20	-36.37	3	Horizontal	81	1.90
6745MHz_TX	Pass	AV	13.50384G	39.82	68.20	-28.38	3	Vertical	347	1.63
6745MHz_TX	Pass	PK	13.49724G	52.92	88.20	-35.28	3	Vertical	347	1.63
6745MHz_TX	Pass	AV	13.49996G	40.41	68.20	-27.79	3	Horizontal	340	1.50
6745MHz_TX	Pass	PK	13.50428G	53.31	88.20	-34.89	3	Horizontal	340	1.50
6905MHz_TX	Pass	AV	6.912G	96.13	Inf	-Inf	3	Vertical	38	1.50
6905MHz_TX	Pass	AV	7.253G	53.73	54.00	-0.27	3	Vertical	38	1.50
6905MHz_TX	Pass	PK	6.751G	107.11	Inf	-Inf	3	Vertical	38	1.50
6905MHz_TX	Pass	PK	7.255G	65.48	74.00	-8.52	3	Vertical	38	1.50
6905MHz_TX	Pass	AV	6.748G	93.70	Inf	-Inf	3	Horizontal	324	1.00
6905MHz_TX	Pass	AV	7.256G	51.88	54.00	-2.12	3	Horizontal	324	1.00
6905MHz_TX	Pass	PK	6.747G	104.46	Inf	-Inf	3	Horizontal	324	1.00
6905MHz_TX	Pass	PK	7.251G	63.22	74.00	-10.78	3	Horizontal	324	1.00
6905MHz_TX	Pass	AV	13.82144G	40.15	68.20	-28.05	3	Vertical	22	1.50
6905MHz_TX	Pass	PK	13.81284G	52.63	88.20	-35.57	3	Vertical	22	1.50
6905MHz_TX	Pass	AV	13.81868G	40.25	68.20	-27.95	3	Horizontal	357	1.50
6905MHz_TX	Pass	PK	13.82128G	52.55	88.20	-35.65	3	Horizontal	357	1.50


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	63.29	68.20	-4.91	3.74	3	Vertical	12	1.50	59.55	34.45	6.69	37.40
AV	6.108G	99.10	Inf	-Inf	3.45	3	Vertical	12	1.50	95.65	34.42	6.39	37.36
PK	5.907G	74.14	88.20	-14.06	3.87	3	Vertical	12	1.50	70.27	34.49	6.78	37.40
PK	6.109G	109.31	Inf	-Inf	3.46	3	Vertical	12	1.50	105.85	34.42	6.40	37.36

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.922G	59.66	68.20	-8.54	3.76	3	Horizontal	37	1.00	55.90	34.46	6.70	37.40
AV	6.103G	96.50	Inf	-Inf	3.44	3	Horizontal	37	1.00	93.06	34.41	6.39	37.36
PK	5.919G	70.81	88.20	-17.39	3.78	3	Horizontal	37	1.00	67.03	34.46	6.72	37.40
PK	6.103G	107.75	Inf	-Inf	3.44	3	Horizontal	37	1.00	104.31	34.41	6.39	37.36


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6475MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	11.94904G	37.95	54.00	-16.05	3	Vertical	75	1.96
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	12.08408G	38.18	54.00	-15.82	3	Vertical	231	2.73
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	Pass	AV	12.19144G	38.12	54.00	-15.88	3	Horizontal	88	1.08
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	7.16G	50.46	68.20	-17.74	3	Vertical	40	1.50
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	Pass	AV	7.204G	50.47	68.20	-17.73	3	Horizontal	313	2.14
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	Pass	AV	7.348G	50.67	54.00	-3.33	3	Vertical	22	1.00


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz_TX	Pass	AV	5.9245G	48.67	68.20	-19.53	3	Vertical	20	1.01
5985MHz_TX	Pass	AV	5.9665G	93.39	Inf	-Inf	3	Vertical	20	1.01
5985MHz_TX	Pass	PK	5.916G	63.47	88.20	-24.73	3	Vertical	20	1.01
5985MHz_TX	Pass	PK	6.0155G	105.90	Inf	-Inf	3	Vertical	20	1.01
5985MHz_TX	Pass	AV	5.9225G	46.58	68.20	-21.62	3	Horizontal	297	2.04
5985MHz_TX	Pass	AV	6.0125G	89.91	Inf	-Inf	3	Horizontal	297	2.04
5985MHz_TX	Pass	PK	5.9195G	61.32	88.20	-26.88	3	Horizontal	297	2.04
5985MHz_TX	Pass	PK	6.0075G	102.66	Inf	-Inf	3	Horizontal	297	2.04
5985MHz_TX	Pass	AV	11.94904G	37.95	54.00	-16.05	3	Vertical	75	1.96
5985MHz_TX	Pass	PK	11.9636G	49.60	74.00	-24.40	3	Vertical	75	1.96
5985MHz_TX	Pass	AV	11.94904G	37.92	54.00	-16.08	3	Horizontal	5	1.89
5985MHz_TX	Pass	PK	11.95256G	50.15	74.00	-23.85	3	Horizontal	5	1.89
7025MHz_TX	Pass	AV	7.0121G	92.26	Inf	-Inf	3	Vertical	40	1.50
7025MHz_TX	Pass	AV	7.16G	50.46	68.20	-17.74	3	Vertical	40	1.50
7025MHz_TX	Pass	PK	7.0121G	103.35	Inf	-Inf	3	Vertical	40	1.50
7025MHz_TX	Pass	PK	7.1282G	62.78	88.20	-25.42	3	Vertical	40	1.50
7025MHz_TX	Pass	AV	6.9863G	91.53	Inf	-Inf	3	Horizontal	45	1.00
7025MHz_TX	Pass	AV	7.163G	50.44	68.20	-17.76	3	Horizontal	45	1.00
7025MHz_TX	Pass	PK	7.0088G	102.11	Inf	-Inf	3	Horizontal	45	1.00
7025MHz_TX	Pass	PK	7.1417G	62.00	88.20	-26.20	3	Horizontal	45	1.00
7025MHz_TX	Pass	AV	14.07432G	39.58	68.20	-28.62	3	Vertical	303	2.96
7025MHz_TX	Pass	PK	14.07992G	51.74	88.20	-36.46	3	Vertical	303	2.96
7025MHz_TX	Pass	AV	14.0724G	39.55	68.20	-28.65	3	Horizontal	283	2.53
7025MHz_TX	Pass	PK	14.03432G	51.53	88.20	-36.67	3	Horizontal	283	2.53
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz_TX	Pass	AV	5.925G	51.55	68.20	-16.65	3	Vertical	17	1.50
6025MHz_TX	Pass	AV	6.098G	93.53	Inf	-Inf	3	Vertical	17	1.50
6025MHz_TX	Pass	PK	5.909G	67.94	88.20	-20.26	3	Vertical	17	1.50
6025MHz_TX	Pass	PK	6.092G	105.07	Inf	-Inf	3	Vertical	17	1.50
6025MHz_TX	Pass	AV	5.925G	47.98	68.20	-20.22	3	Horizontal	30	1.33
6025MHz_TX	Pass	AV	6.0995G	89.42	Inf	-Inf	3	Horizontal	30	1.33
6025MHz_TX	Pass	PK	5.914G	63.60	88.20	-24.60	3	Horizontal	30	1.33
6025MHz_TX	Pass	PK	6.101G	100.33	Inf	-Inf	3	Horizontal	30	1.33
6025MHz_TX	Pass	AV	12.08408G	38.18	54.00	-15.82	3	Vertical	231	2.73
6025MHz_TX	Pass	PK	12.06728G	49.85	74.00	-24.15	3	Vertical	231	2.73
6025MHz_TX	Pass	AV	12.08776G	38.03	54.00	-15.97	3	Horizontal	16	2.84
6025MHz_TX	Pass	PK	12.08296G	49.26	74.00	-24.74	3	Horizontal	16	2.84
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
6985MHz_TX	Pass	AV	6.937G	89.12	Inf	-Inf	3	Vertical	33	1.50
6985MHz_TX	Pass	AV	7.2055G	50.41	68.20	-17.79	3	Vertical	33	1.50
6985MHz_TX	Pass	PK	6.938G	100.99	Inf	-Inf	3	Vertical	33	1.50
6985MHz_TX	Pass	PK	7.2185G	62.16	88.20	-26.04	3	Vertical	33	1.50
6985MHz_TX	Pass	AV	6.9345G	91.68	Inf	-Inf	3	Horizontal	313	2.14
6985MHz_TX	Pass	AV	7.204G	50.47	68.20	-17.73	3	Horizontal	313	2.14
6985MHz_TX	Pass	PK	6.9335G	103.58	Inf	-Inf	3	Horizontal	313	2.14
6985MHz_TX	Pass	PK	7.154G	62.46	88.20	-25.74	3	Horizontal	313	2.14
6985MHz_TX	Pass	AV	13.94888G	39.61	68.20	-28.59	3	Vertical	79	1.43
6985MHz_TX	Pass	PK	13.9772G	52.33	88.20	-35.87	3	Vertical	79	1.43
6985MHz_TX	Pass	AV	13.95096G	39.69	68.20	-28.51	3	Horizontal	61	1.59
6985MHz_TX	Pass	PK	13.9404G	51.59	88.20	-36.61	3	Horizontal	61	1.59
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz_TX	Pass	AV	5.925G	50.69	68.20	-17.51	3	Vertical	18	1.00
6105MHz_TX	Pass	AV	6.089G	90.96	Inf	-Inf	3	Vertical	18	1.00
6105MHz_TX	Pass	PK	5.91G	70.48	88.20	-17.72	3	Vertical	18	1.00
6105MHz_TX	Pass	PK	6.011G	101.85	Inf	-Inf	3	Vertical	18	1.00
6105MHz_TX	Pass	AV	5.924G	46.76	68.20	-21.44	3	Horizontal	29	1.50
6105MHz_TX	Pass	AV	6.183G	85.72	Inf	-Inf	3	Horizontal	29	1.50
6105MHz_TX	Pass	PK	5.916G	59.39	88.20	-28.81	3	Horizontal	29	1.50
6105MHz_TX	Pass	PK	6.175G	98.07	Inf	-Inf	3	Horizontal	29	1.50
6105MHz_TX	Pass	AV	12.1908G	38.03	54.00	-15.97	3	Vertical	131	1.01

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz_TX	Pass	PK	12.23832G	49.79	74.00	-24.21	3	Vertical	131	1.01
6105MHz_TX	Pass	AV	12.19144G	38.12	54.00	-15.88	3	Horizontal	88	1.08
6105MHz_TX	Pass	PK	12.2244G	50.26	74.00	-23.74	3	Horizontal	88	1.08
6905MHz_TX	Pass	AV	6.75G	88.07	Inf	-Inf	3	Vertical	22	1.00
6905MHz_TX	Pass	AV	7.25G	50.32	54.00	-3.68	3	Vertical	22	1.00
6905MHz_TX	Pass	AV	7.348G	50.67	54.00	-3.33	3	Vertical	22	1.00
6905MHz_TX	Pass	PK	6.751G	100.12	Inf	-Inf	3	Vertical	22	1.00
6905MHz_TX	Pass	PK	7.25G	59.66	74.00	-14.34	3	Vertical	22	1.00
6905MHz_TX	Pass	PK	7.352G	62.89	74.00	-11.11	3	Vertical	22	1.00
6905MHz_TX	Pass	AV	6.751G	88.07	Inf	-Inf	3	Horizontal	317	1.98
6905MHz_TX	Pass	AV	7.25G	50.26	54.00	-3.74	3	Horizontal	317	1.98
6905MHz_TX	Pass	AV	7.373G	50.67	54.00	-3.33	3	Horizontal	317	1.98
6905MHz_TX	Pass	PK	6.769G	98.86	Inf	-Inf	3	Horizontal	317	1.98
6905MHz_TX	Pass	PK	7.25G	60.57	74.00	-13.43	3	Horizontal	317	1.98
6905MHz_TX	Pass	PK	7.33G	63.23	74.00	-10.77	3	Horizontal	317	1.98
6905MHz_TX	Pass	AV	13.7716G	38.98	68.20	-29.22	3	Vertical	123	2.78
6905MHz_TX	Pass	PK	13.8348G	51.43	88.20	-36.77	3	Vertical	123	2.78
6905MHz_TX	Pass	AV	13.77032G	38.98	68.20	-29.22	3	Horizontal	8	1.05
6905MHz_TX	Pass	PK	13.77384G	50.78	88.20	-37.42	3	Horizontal	8	1.05


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	50.69	68.20	-17.51	3.74	3	Vertical	18	1.00	46.95	34.45	6.69	37.40
AV	6.089G	90.96	Inf	-Inf	3.40	3	Vertical	18	1.00	87.56	34.38	6.38	37.36
PK	5.91G	70.48	88.20	-17.72	3.84	3	Vertical	18	1.00	66.64	34.48	6.76	37.40
PK	6.011G	101.85	Inf	-Inf	3.27	3	Vertical	18	1.00	98.58	34.30	6.34	37.37

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.924G	46.76	68.20	-21.44	3.74	3	Horizontal	29	1.50	43.02	34.45	6.69	37.40
AV	6.183G	85.72	Inf	-Inf	3.66	3	Horizontal	29	1.50	82.06	34.57	6.44	37.35
PK	5.916G	59.39	88.20	-28.81	3.80	3	Horizontal	29	1.50	55.59	34.47	6.73	37.40
PK	6.175G	98.07	Inf	-Inf	3.64	3	Horizontal	29	1.50	94.43	34.55	6.44	37.35


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX


6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.75G	88.07	Inf	-Inf	5.75	3	Vertical	22	1.00	82.32	36.30	6.73	37.28
AV	7.25G	50.32	54.00	-3.68	7.44	3	Vertical	22	1.00	42.88	37.10	7.62	37.28
AV	7.348G	50.67	54.00	-3.33	7.50	3	Vertical	22	1.00	43.17	37.20	7.59	37.29
PK	6.751G	100.12	Inf	-Inf	5.75	3	Vertical	22	1.00	94.37	36.30	6.73	37.28
PK	7.25G	59.66	74.00	-14.34	7.44	3	Vertical	22	1.00	52.22	37.10	7.62	37.28
PK	7.352G	62.89	74.00	-11.11	7.48	3	Vertical	22	1.00	55.41	37.18	7.59	37.29

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX


6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.751G	88.07	Inf	-Inf	5.75	3	Horizontal	317	1.98	82.32	36.30	6.73	37.28
AV	7.25G	50.26	54.00	-3.74	7.44	3	Horizontal	317	1.98	42.82	37.10	7.62	37.28
AV	7.373G	50.67	54.00	-3.33	7.32	3	Horizontal	317	1.98	43.35	37.02	7.59	37.29
PK	6.769G	98.86	Inf	-Inf	5.70	3	Horizontal	317	1.98	93.16	36.26	6.72	37.28
PK	7.25G	60.57	74.00	-13.43	7.44	3	Horizontal	317	1.98	53.13	37.10	7.62	37.28
PK	7.33G	63.23	74.00	-10.77	7.51	3	Horizontal	317	1.98	55.72	37.20	7.60	37.29


6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6905MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	AV	11.97057G	36.19	54.00	-17.81	3	Vertical	16	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	Pass	AV	5.924G	55.64	68.20	-12.56	3	Vertical	18	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX	Pass	AV	12.20942G	38.93	54.00	-15.07	3	Horizontal	336	2.20
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	AV	7.1654G	49.56	68.20	-18.64	3	Horizontal	315	2.05
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	Pass	AV	7.126G	52.16	68.20	-16.04	3	Horizontal	314	2.11
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	Pass	AV	7.299G	50.88	54.00	-3.12	3	Horizontal	341	2.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9238G	47.62	68.20	-20.58	3	Vertical	18	1.50
5985MHz	Pass	AV	6.015G	94.89	Inf	-Inf	3	Vertical	18	1.50
5985MHz	Pass	PK	5.9208G	60.14	88.20	-28.06	3	Vertical	18	1.50
5985MHz	Pass	PK	5.9904G	106.26	Inf	-Inf	3	Vertical	18	1.50
5985MHz	Pass	AV	5.9166G	46.63	68.20	-21.57	3	Horizontal	301	1.99
5985MHz	Pass	AV	6.0234G	93.59	Inf	-Inf	3	Horizontal	301	1.99
5985MHz	Pass	PK	5.8992G	58.17	88.20	-30.03	3	Horizontal	301	1.99
5985MHz	Pass	PK	5.9964G	105.40	Inf	-Inf	3	Horizontal	301	1.99
5985MHz	Pass	AV	11.97057G	36.19	54.00	-17.81	3	Vertical	16	1.50
5985MHz	Pass	PK	11.96981G	48.45	74.00	-25.55	3	Vertical	16	1.50
5985MHz	Pass	AV	11.96878G	35.57	54.00	-18.43	3	Horizontal	203	1.50
5985MHz	Pass	PK	11.96768G	48.09	74.00	-25.91	3	Horizontal	203	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0124G	95.13	Inf	-Inf	3	Vertical	42	1.50
7025MHz	Pass	AV	7.1726G	49.47	68.20	-18.73	3	Vertical	42	1.50
7025MHz	Pass	PK	7.0124G	106.60	Inf	-Inf	3	Vertical	42	1.50
7025MHz	Pass	PK	7.1354G	61.44	88.20	-26.76	3	Vertical	42	1.50
7025MHz	Pass	AV	6.995G	96.75	Inf	-Inf	3	Horizontal	315	2.05
7025MHz	Pass	AV	7.1654G	49.56	68.20	-18.64	3	Horizontal	315	2.05
7025MHz	Pass	PK	6.9968G	108.16	Inf	-Inf	3	Horizontal	315	2.05
7025MHz	Pass	PK	7.1282G	61.20	88.20	-27.00	3	Horizontal	315	2.05
7025MHz	Pass	AV	14.05003G	39.25	68.20	-28.95	3	Vertical	208	2.33
7025MHz	Pass	PK	14.04934G	51.04	88.20	-37.16	3	Vertical	208	2.33
7025MHz	Pass	AV	14.05037G	38.74	68.20	-29.46	3	Horizontal	120	2.57
7025MHz	Pass	PK	14.04976G	51.73	88.20	-36.47	3	Horizontal	120	2.57
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	55.64	68.20	-12.56	3	Vertical	18	1.50
6025MHz	Pass	AV	6.096G	96.55	Inf	-Inf	3	Vertical	18	1.50
6025MHz	Pass	PK	5.92G	69.67	88.20	-18.53	3	Vertical	18	1.50
6025MHz	Pass	PK	6.096G	108.42	Inf	-Inf	3	Vertical	18	1.50
6025MHz	Pass	AV	5.925G	52.23	68.20	-15.97	3	Horizontal	40	1.00
6025MHz	Pass	AV	6.103G	93.56	Inf	-Inf	3	Horizontal	40	1.00
6025MHz	Pass	PK	5.905G	65.88	88.20	-22.32	3	Horizontal	40	1.00
6025MHz	Pass	PK	6.058G	105.13	Inf	-Inf	3	Horizontal	40	1.00
6025MHz	Pass	AV	12.05006G	38.76	54.00	-15.24	3	Vertical	269	2.80
6025MHz	Pass	PK	12.0496G	51.58	74.00	-22.42	3	Vertical	269	2.80
6025MHz	Pass	AV	12.05029G	38.75	54.00	-15.25	3	Horizontal	94	2.96
6025MHz	Pass	PK	12.05049G	50.81	74.00	-23.19	3	Horizontal	94	2.96
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	51.32	68.20	-16.88	3	Vertical	20	1.50
6025MHz	Pass	AV	6.098G	95.41	Inf	-Inf	3	Vertical	20	1.50
6025MHz	Pass	PK	5.924G	69.64	88.20	-18.56	3	Vertical	20	1.50
6025MHz	Pass	PK	6.088G	107.34	Inf	-Inf	3	Vertical	20	1.50
6025MHz	Pass	AV	5.925G	48.21	68.20	-19.99	3	Horizontal	39	1.01
6025MHz	Pass	AV	6.103G	92.59	Inf	-Inf	3	Horizontal	39	1.01
6025MHz	Pass	PK	5.915G	65.90	88.20	-22.30	3	Horizontal	39	1.01
6025MHz	Pass	PK	6.075G	104.71	Inf	-Inf	3	Horizontal	39	1.01
6025MHz	Pass	AV	12.04929G	37.22	54.00	-16.78	3	Vertical	269	2.76
6025MHz	Pass	PK	12.0493G	51.42	74.00	-22.58	3	Vertical	269	2.76
6025MHz	Pass	AV	12.04938G	37.80	54.00	-16.20	3	Horizontal	148	2.02
6025MHz	Pass	PK	12.04956G	50.36	74.00	-23.64	3	Horizontal	148	2.02
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.938G	93.65	Inf	-Inf	3	Vertical	32	1.50
6985MHz	Pass	AV	7.126G	51.25	68.20	-16.95	3	Vertical	32	1.50
6985MHz	Pass	PK	6.938G	105.43	Inf	-Inf	3	Vertical	32	1.50
6985MHz	Pass	PK	7.133G	65.75	88.20	-22.45	3	Vertical	32	1.50
6985MHz	Pass	AV	6.914G	96.16	Inf	-Inf	3	Horizontal	314	2.11
6985MHz	Pass	AV	7.126G	52.16	68.20	-16.04	3	Horizontal	314	2.11
6985MHz	Pass	PK	6.935G	106.81	Inf	-Inf	3	Horizontal	314	2.11
6985MHz	Pass	PK	7.128G	69.37	88.20	-18.83	3	Horizontal	314	2.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	AV	13.96908G	39.54	68.20	-28.66	3	Vertical	90	2.50
6985MHz	Pass	PK	13.96976G	51.88	88.20	-36.32	3	Vertical	90	2.50
6985MHz	Pass	AV	13.96998G	39.63	68.20	-28.57	3	Horizontal	338	1.62
6985MHz	Pass	PK	13.97038G	52.16	88.20	-36.04	3	Horizontal	338	1.62
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX										
6985MHz	Pass	AV	6.973G	93.28	Inf	-Inf	3	Vertical	41	1.50
6985MHz	Pass	AV	7.125G	49.86	68.20	-18.34	3	Vertical	41	1.50
6985MHz	Pass	PK	6.975G	105.10	Inf	-Inf	3	Vertical	41	1.50
6985MHz	Pass	PK	7.132G	63.25	88.20	-24.95	3	Vertical	41	1.50
6985MHz	Pass	AV	6.955G	95.70	Inf	-Inf	3	Horizontal	315	2.06
6985MHz	Pass	AV	7.125G	50.13	68.20	-18.07	3	Horizontal	315	2.06
6985MHz	Pass	PK	6.976G	106.98	Inf	-Inf	3	Horizontal	315	2.06
6985MHz	Pass	PK	7.133G	66.03	88.20	-22.17	3	Horizontal	315	2.06
6985MHz	Pass	AV	13.97069G	39.49	68.20	-28.71	3	Vertical	165	2.74
6985MHz	Pass	PK	13.96938G	51.63	88.20	-36.57	3	Vertical	165	2.74
6985MHz	Pass	AV	13.96903G	39.54	68.20	-28.66	3	Horizontal	98	1.94
6985MHz	Pass	PK	13.96934G	51.20	88.20	-37.00	3	Horizontal	98	1.94
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX										
6105MHz	Pass	AV	5.925G	46.86	68.20	-21.34	3	Vertical	18	1.50
6105MHz	Pass	AV	6.097G	89.95	Inf	-Inf	3	Vertical	18	1.50
6105MHz	Pass	PK	5.909G	64.05	88.20	-24.15	3	Vertical	18	1.50
6105MHz	Pass	PK	6.155G	101.74	Inf	-Inf	3	Vertical	18	1.50
6105MHz	Pass	AV	5.915G	44.98	68.20	-23.22	3	Horizontal	30	1.50
6105MHz	Pass	AV	6.187G	86.43	Inf	-Inf	3	Horizontal	30	1.50
6105MHz	Pass	PK	5.913G	58.79	88.20	-29.41	3	Horizontal	30	1.50
6105MHz	Pass	PK	6.217G	98.04	Inf	-Inf	3	Horizontal	30	1.50
6105MHz	Pass	AV	12.21098G	38.76	54.00	-15.24	3	Vertical	185	1.00
6105MHz	Pass	PK	12.21068G	50.62	74.00	-23.38	3	Vertical	185	1.00
6105MHz	Pass	AV	12.20942G	38.93	54.00	-15.07	3	Horizontal	336	2.20
6105MHz	Pass	PK	12.20917G	50.64	74.00	-23.36	3	Horizontal	336	2.20
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX										
6905MHz	Pass	AV	6.753G	90.57	Inf	-Inf	3	Vertical	334	1.80
6905MHz	Pass	AV	7.133G	49.59	68.20	-18.61	3	Vertical	334	1.80
6905MHz	Pass	AV	7.303G	49.69	54.00	-4.31	3	Vertical	334	1.80
6905MHz	Pass	PK	6.777G	100.98	Inf	-Inf	3	Vertical	334	1.80
6905MHz	Pass	PK	7.133G	60.77	88.20	-27.43	3	Vertical	334	1.80
6905MHz	Pass	PK	7.297G	61.64	74.00	-12.36	3	Vertical	334	1.80
6905MHz	Pass	AV	6.749G	92.58	Inf	-Inf	3	Horizontal	314	2.08
6905MHz	Pass	AV	7.199G	51.34	68.20	-16.86	3	Horizontal	314	2.08
6905MHz	Pass	AV	7.303G	50.17	54.00	-3.83	3	Horizontal	314	2.08
6905MHz	Pass	PK	6.771G	103.56	Inf	-Inf	3	Horizontal	314	2.08
6905MHz	Pass	PK	7.133G	65.17	88.20	-23.03	3	Horizontal	314	2.08
6905MHz	Pass	PK	7.319G	62.58	74.00	-11.42	3	Horizontal	314	2.08
6905MHz	Pass	AV	13.8107G	39.51	68.20	-28.69	3	Vertical	210	1.03
6905MHz	Pass	PK	13.81039G	51.73	88.20	-36.47	3	Vertical	210	1.03
6905MHz	Pass	AV	13.81044G	39.37	68.20	-28.83	3	Horizontal	136	2.11
6905MHz	Pass	PK	13.80926G	51.75	88.20	-36.45	3	Horizontal	136	2.11
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX										
6905MHz	Pass	AV	6.747G	91.45	Inf	-Inf	3	Vertical	19	1.50
6905MHz	Pass	AV	7.197G	49.81	68.20	-18.39	3	Vertical	19	1.50
6905MHz	Pass	AV	7.297G	49.93	54.00	-4.07	3	Vertical	19	1.50
6905MHz	Pass	PK	6.769G	101.94	Inf	-Inf	3	Vertical	19	1.50
6905MHz	Pass	PK	7.137G	63.11	88.20	-25.09	3	Vertical	19	1.50
6905MHz	Pass	PK	7.305G	61.38	74.00	-12.62	3	Vertical	19	1.50
6905MHz	Pass	AV	6.749G	91.67	Inf	-Inf	3	Horizontal	341	2.00
6905MHz	Pass	AV	7.205G	50.41	68.20	-17.79	3	Horizontal	341	2.00
6905MHz	Pass	AV	7.299G	50.88	54.00	-3.12	3	Horizontal	341	2.00
6905MHz	Pass	PK	6.749G	104.39	Inf	-Inf	3	Horizontal	341	2.00
6905MHz	Pass	PK	7.199G	67.29	88.20	-20.91	3	Horizontal	341	2.00
6905MHz	Pass	PK	7.285G	66.68	74.00	-7.32	3	Horizontal	341	2.00
6905MHz	Pass	AV	13.80972G	39.61	68.20	-28.59	3	Vertical	75	1.65
6905MHz	Pass	PK	13.81006G	51.50	88.20	-36.70	3	Vertical	75	1.65




RSE TX above 1GHz_Non-Beamforming_ Channel Puncturing

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	AV	13.80917G	39.59	68.20	-28.61	3	Horizontal	223	2.70
6905MHz	Pass	PK	13.81042G	51.72	88.20	-36.48	3	Horizontal	223	2.70
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.831G	89.95	Inf	-Inf	3	Vertical	343	1.50
6905MHz	Pass	AV	7.195G	49.58	68.20	-18.62	3	Vertical	343	1.50
6905MHz	Pass	AV	7.337G	49.77	54.00	-4.23	3	Vertical	343	1.50
6905MHz	Pass	PK	6.873G	101.80	Inf	-Inf	3	Vertical	343	1.50
6905MHz	Pass	PK	7.141G	61.13	88.20	-27.07	3	Vertical	343	1.50
6905MHz	Pass	PK	7.381G	61.88	74.00	-12.12	3	Vertical	343	1.50
6905MHz	Pass	AV	6.831G	90.41	Inf	-Inf	3	Horizontal	317	2.01
6905MHz	Pass	AV	7.213G	49.67	68.20	-18.53	3	Horizontal	317	2.01
6905MHz	Pass	AV	7.339G	49.87	54.00	-4.13	3	Horizontal	317	2.01
6905MHz	Pass	PK	6.895G	102.37	Inf	-Inf	3	Horizontal	317	2.01
6905MHz	Pass	PK	7.183G	61.13	88.20	-27.07	3	Horizontal	317	2.01
6905MHz	Pass	PK	7.359G	62.17	74.00	-11.83	3	Horizontal	317	2.01
6905MHz	Pass	AV	13.80926G	39.54	68.20	-28.66	3	Vertical	335	1.76
6905MHz	Pass	PK	13.81012G	51.77	88.20	-36.43	3	Vertical	335	1.76
6905MHz	Pass	AV	13.81074G	39.55	68.20	-28.65	3	Horizontal	172	1.28
6905MHz	Pass	PK	13.80987G	51.42	88.20	-36.78	3	Horizontal	172	1.28


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	46.86	68.20	-21.34	3.74	3	Vertical	18	1.50	43.12	34.45	6.69	37.40
AV	6.097G	89.95	Inf	-Inf	3.42	3	Vertical	18	1.50	86.53	34.39	6.39	37.36
PK	5.909G	64.05	88.20	-24.15	3.85	3	Vertical	18	1.50	60.20	34.48	6.77	37.40
PK	6.155G	101.74	Inf	-Inf	3.58	3	Vertical	18	1.50	98.16	34.51	6.42	37.35

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.915G	44.98	68.20	-23.22	3.81	3	Horizontal	30	1.50	41.17	34.47	6.74	37.40
AV	6.187G	86.43	Inf	-Inf	3.66	3	Horizontal	30	1.50	82.77	34.57	6.44	37.35
PK	5.913G	58.79	88.20	-29.41	3.82	3	Horizontal	30	1.50	54.97	34.47	6.75	37.40
PK	6.217G	98.04	Inf	-Inf	3.76	3	Horizontal	30	1.50	94.28	34.63	6.47	37.34


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_2TX

6105MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6905MHz_TX




Antenna Gain (dBi)			
UNII5	UNII6	UNII7	UNII8
3.95	3.62	3.68	3.57

Contention Based protocol 802.11be EHT20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-73.95	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-74.62	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-74.68	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-71.57	OFF	10	100	90	Pass


Contention Based protocol 802.11be EHT320											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-78.95	OFF	10	100	90	Pass
				Center	6105	-73.95	OFF	10	100	90	Pass
				High edge	6260	-71.95	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-78.62	OFF	10	100	90	Pass
				Center	6425	-71.62	OFF	10	100	90	Pass
				High edge	6580	-64.62	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-80.68	OFF	10	100	90	Pass
				Center	6585	-70.68	OFF	10	100	90	Pass
				High edge	6740	-71.68	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-77.57	OFF	10	100	90	Pass
				Center	6905	-71.57	OFF	10	100	90	Pass
				High edge	7060	-70.57	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT20										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-70.00	3.95	-73.95	≤ -62
						Minimal	-71.00	3.95	-74.95	≤ -62
						ON	-72.00	3.95	-75.95	≤ -62
6	101	20	6455	Center	6455	OFF	-71.00	3.62	-74.62	≤ -62
						Minimal	-72.00	3.62	-75.62	≤ -62
						ON	-73.00	3.62	-76.62	≤ -62
7	149	20	6695	Center	6695	OFF	-71.00	3.68	-74.68	≤ -62
						Minimal	-72.00	3.68	-75.68	≤ -62
						ON	-73.00	3.68	-76.68	≤ -62
8	213	20	7015	Center	7015	OFF	-68.00	3.57	-71.57	≤ -62
						Minimal	-69.00	3.57	-72.57	≤ -62
						ON	-70.00	3.57	-73.57	≤ -62


Contention Based protocol 802.11be EHT320										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-75.00	3.95	-78.95	≤ -62
						Minimal	-76.00	3.95	-79.95	≤ -62
						ON	-77.00	3.95	-80.95	≤ -62
				Center	6105	OFF	-70.00	3.95	-73.95	≤ -62
						Minimal	-71.00	3.95	-74.95	≤ -62
						ON	-72.00	3.95	-75.95	≤ -62
				High edge	6260	OFF	-68.00	3.95	-71.95	≤ -62
						Minimal	-72.00	3.95	-75.95	≤ -62
						ON	-73.00	3.95	-76.95	≤ -62
5,6,7	95	320	6425	Low edge	6270	OFF	-75.00	3.62	-78.62	≤ -62
						Minimal	-76.00	3.62	-79.62	≤ -62
						ON	-77.00	3.62	-80.62	≤ -62
				Center	6425	OFF	-68.00	3.62	-71.62	≤ -62
						Minimal	-71.00	3.62	-74.62	≤ -62
						ON	-72.00	3.62	-75.62	≤ -62
				High edge	6580	OFF	-61.00	3.62	-64.62	≤ -62
						Minimal	-70.00	3.62	-73.62	≤ -62
						ON	-71.00	3.62	-74.62	≤ -62
6,7	127	320	6585	Low edge	6430	OFF	-77.00	3.68	-80.68	≤ -62
						Minimal	-78.00	3.68	-81.68	≤ -62
						ON	-79.00	3.68	-82.68	≤ -62
				Center	6585	OFF	-67.00	3.68	-70.68	≤ -62
						Minimal	-68.00	3.68	-71.68	≤ -62
						ON	-69.00	3.68	-72.68	≤ -62
				High edge	6740	OFF	-68.00	3.68	-71.68	≤ -62
						Minimal	-70.00	3.68	-73.68	≤ -62
						ON	-71.00	3.68	-74.68	≤ -62
7,8	191	320	6905	Low edge	6750	OFF	-74.00	3.57	-77.57	≤ -62
						Minimal	-75.00	3.57	-78.57	≤ -62
						ON	-76.00	3.57	-79.57	≤ -62
				Center	6905	OFF	-68.00	3.57	-71.57	≤ -62
						Minimal	-71.00	3.57	-74.57	≤ -62
						ON	-72.00	3.57	-75.57	≤ -62
				High edge	7060	OFF	-67.00	3.57	-70.57	≤ -62
						Minimal	-70.00	3.57	-73.57	≤ -62
						ON	-71.00	3.57	-74.57	≤ -62



1. Incumbent signal (AWGN) Plot




2. Contention-Based Protocol Plot



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 5950 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -70 dBm)


Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -71 dBm)

Time Analysis



Contention Based Protocol Threshold Level Verify Plot**Bandwidth (MHz): 20****Frequency (MHz): 6215 MHz (Threshold Level: -72 dBm)****Time Analysis**


11/03/2026
Sample Time
1us
All TX Time
943.34ms
All TX Sample
943340
Duty Cycle
0.943339
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -75dBm)

Time Analysis



Frequency (MHz): 5950 MHz (Threshold Level: -76dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -77dBm)

Time Analysis



Frequency (MHz): 6105 MHz (Threshold Level: -70dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 6105 MHz (Threshold Level: -71dBm)

Time Analysis



Frequency (MHz): 6105 MHz (Threshold Level: -72dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 6260 MHz (Threshold Level: -68dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -72dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320

Frequency (MHz): 6260 MHz (Threshold Level: -73dBm)

Time Analysis






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	13.38802G	40.47	54.00	-13.53	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.874G	32.61	54.00	-21.39	3	Vertical	143	1.97
Mode 1	Pass	AV	7.31013G	34.50	54.00	-19.50	3	Vertical	32	2.48
Mode 1	Pass	AV	10.65131G	39.12	54.00	-14.88	3	Vertical	0	1.46
Mode 1	Pass	AV	13.38802G	40.47	54.00	-13.53	3	Vertical	25	1.05
Mode 1	Pass	PK	4.8743G	43.05	74.00	-30.95	3	Vertical	143	1.97
Mode 1	Pass	PK	7.31514G	47.40	74.00	-26.60	3	Vertical	32	2.48
Mode 1	Pass	PK	10.65212G	51.91	74.00	-22.09	3	Vertical	0	1.46
Mode 1	Pass	PK	13.38058G	54.09	74.00	-19.91	3	Vertical	25	1.05
Mode 1	Pass	AV	4.87397G	36.10	54.00	-17.90	3	Horizontal	39	1.50
Mode 1	Pass	AV	7.31031G	35.01	54.00	-18.99	3	Horizontal	0	1.12
Mode 1	Pass	AV	10.64744G	39.00	54.00	-15.00	3	Horizontal	143	1.20
Mode 1	Pass	AV	13.38748G	40.32	54.00	-13.68	3	Horizontal	319	1.89
Mode 1	Pass	PK	4.87382G	43.73	74.00	-30.27	3	Horizontal	39	1.50
Mode 1	Pass	PK	7.31229G	48.16	74.00	-25.84	3	Horizontal	0	1.12
Mode 1	Pass	PK	10.65023G	52.18	74.00	-21.82	3	Horizontal	143	1.20
Mode 1	Pass	PK	13.38742G	53.13	74.00	-20.87	3	Horizontal	319	1.89

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

