



TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9035.52	52.42	40.83	-11.59	74.00	33.17	PK	Vertical	PASS
2	10091.05	51.29	41.12	-10.17	68.20	27.08	PK	Vertical	PASS
3	11941.97	49.92	40.44	-9.48	74.00	33.56	PK	Vertical	PASS
4	14183.09	51.39	40.10	-11.29	68.20	28.10	PK	Vertical	PASS
5	15994.00	49.10	40.87	-8.23	74.00	33.13	PK	Vertical	PASS
6	17319.66	47.95	40.90	-7.05	68.20	27.30	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9035.52	51.00	39.41	-11.59	74.00	34.59	PK	Horizontal	PASS
2	10196.10	50.79	40.07	-10.72	68.20	28.13	PK	Horizontal	PASS
3	11621.81	49.02	39.19	-9.83	74.00	34.81	PK	Horizontal	PASS
4	14163.08	50.45	39.13	-11.32	68.20	29.07	PK	Horizontal	PASS
5	15873.94	49.40	40.60	-8.80	74.00	33.40	PK	Horizontal	PASS
6	16984.49	49.21	41.59	-7.62	68.20	26.61	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9150.58	51.00	40.06	-10.94	74.00	33.94	PK	Vertical	PASS
2	9996.00	50.49	40.78	-9.71	68.20	27.42	PK	Vertical	PASS
3	11396.70	48.67	39.91	-8.76	74.00	34.09	PK	Vertical	PASS
4	13787.89	51.83	40.53	-11.30	68.20	27.67	PK	Vertical	PASS
5	15738.87	49.75	40.70	-9.05	74.00	33.30	PK	Vertical	PASS
6	17444.72	48.22	41.42	-6.80	68.20	26.78	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9095.55	50.61	39.36	-11.25	74.00	34.64	PK	Horizontal	PASS
2	10201.10	50.60	39.86	-10.74	68.20	28.34	PK	Horizontal	PASS
3	11871.94	49.50	39.98	-9.52	74.00	34.02	PK	Horizontal	PASS
4	14008.00	51.44	39.90	-11.54	68.20	28.30	PK	Horizontal	PASS
5	15888.94	49.72	40.98	-8.74	74.00	33.02	PK	Horizontal	PASS
6	17264.63	47.89	40.75	-7.14	68.20	27.45	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9095.55	50.65	39.40	-11.25	74.00	34.60	PK	Vertical	PASS
2	10111.06	50.60	40.33	-10.27	68.20	27.87	PK	Vertical	PASS
3	11581.79	48.43	38.66	-9.77	74.00	35.34	PK	Vertical	PASS
4	13998.00	51.19	39.63	-11.56	68.20	28.57	PK	Vertical	PASS
5	15643.82	49.83	40.94	-8.89	74.00	33.06	PK	Vertical	PASS
6	16929.46	50.01	42.31	-7.70	68.20	25.89	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9140.57	49.84	38.84	-11.00	74.00	35.16	PK	Horizontal	PASS
2	10031.02	50.55	40.71	-9.84	68.20	27.49	PK	Horizontal	PASS
3	11711.86	49.91	40.21	-9.70	74.00	33.79	PK	Horizontal	PASS
4	13852.93	51.71	40.37	-11.34	68.20	27.83	PK	Horizontal	PASS
5	15703.85	49.57	40.59	-8.98	74.00	33.41	PK	Horizontal	PASS
6	17519.76	47.89	41.27	-6.62	68.20	26.93	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9100.55	50.66	39.44	-11.22	74.00	34.56	PK	Vertical	PASS
2	10021.01	52.79	43.00	-9.79	68.20	25.20	PK	Vertical	PASS
3	11531.77	49.09	39.61	-9.48	74.00	34.39	PK	Vertical	PASS
4	14063.03	51.29	39.82	-11.47	68.20	28.38	PK	Vertical	PASS
5	15888.94	50.00	41.26	-8.74	74.00	32.74	PK	Vertical	PASS
6	17374.69	48.37	41.42	-6.95	68.20	26.78	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9100.55	50.58	39.36	-11.22	74.00	34.64	PK	Horizontal	PASS
2	10161.08	50.99	40.46	-10.53	68.20	27.74	PK	Horizontal	PASS
3	11661.83	49.35	39.57	-9.78	74.00	34.43	PK	Horizontal	PASS
4	13982.99	50.70	39.16	-11.54	68.20	29.04	PK	Horizontal	PASS
5	15803.90	50.86	41.73	-9.13	74.00	32.27	PK	Horizontal	PASS
6	16959.48	48.67	41.01	-7.66	68.20	27.19	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9085.54	50.93	39.62	-11.31	74.00	34.38	PK	Vertical	PASS
2	10076.04	51.51	41.43	-10.08	68.20	26.77	PK	Vertical	PASS
3	12242.12	50.64	40.98	-9.66	74.00	33.02	PK	Vertical	PASS
4	13787.89	51.45	40.15	-11.30	68.20	28.05	PK	Vertical	PASS
5	15828.91	49.62	40.61	-9.01	74.00	33.39	PK	Vertical	PASS
6	17009.50	49.31	41.73	-7.58	68.20	26.47	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9090.55	50.69	39.41	-11.28	74.00	34.59	PK	Horizontal	PASS
2	10096.05	51.19	41.00	-10.19	68.20	27.20	PK	Horizontal	PASS
3	11411.71	48.79	39.96	-8.83	74.00	34.04	PK	Horizontal	PASS
4	13892.95	51.81	40.41	-11.40	68.20	27.79	PK	Horizontal	PASS
5	15818.91	49.90	40.84	-9.06	74.00	33.16	PK	Horizontal	PASS
6	17039.52	48.38	40.85	-7.53	68.20	27.35	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9095.55	50.97	39.72	-11.25	74.00	34.28	PK	Vertical	PASS
2	10071.04	50.58	40.52	-10.06	68.20	27.68	PK	Vertical	PASS
3	12007.00	49.55	40.09	-9.46	74.00	33.91	PK	Vertical	PASS
4	13942.97	50.93	39.46	-11.47	68.20	28.74	PK	Vertical	PASS
5	15768.88	49.88	40.78	-9.10	74.00	33.22	PK	Vertical	PASS
6	17334.67	48.08	41.07	-7.01	68.20	27.13	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9070.54	50.77	39.38	-11.39	74.00	34.62	PK	Horizontal	PASS
2	10091.05	51.68	41.51	-10.17	68.20	26.69	PK	Horizontal	PASS
3	11761.88	49.78	40.15	-9.63	74.00	33.85	PK	Horizontal	PASS
4	14183.09	50.66	39.37	-11.29	68.20	28.83	PK	Horizontal	PASS
5	15898.95	48.93	40.25	-8.68	74.00	33.75	PK	Horizontal	PASS
6	17474.74	47.87	41.14	-6.73	68.20	27.06	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9080.54	50.88	39.55	-11.33	74.00	34.45	PK	Vertical	PASS
2	9996.00	50.65	40.94	-9.71	68.20	27.26	PK	Vertical	PASS
3	11491.75	48.74	39.49	-9.25	74.00	34.51	PK	Vertical	PASS
4	13772.89	51.58	40.24	-11.34	68.20	27.96	PK	Vertical	PASS
5	15823.91	49.86	40.82	-9.04	74.00	33.18	PK	Vertical	PASS
6	17294.65	48.64	41.56	-7.08	68.20	26.64	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9100.55	51.50	40.28	-11.22	74.00	33.72	PK	Horizontal	PASS
2	9970.99	51.42	41.50	-9.92	68.20	26.70	PK	Horizontal	PASS
3	11701.85	48.88	39.17	-9.71	74.00	34.83	PK	Horizontal	PASS
4	13902.95	51.04	39.62	-11.42	68.20	28.58	PK	Horizontal	PASS
5	15773.89	49.66	40.55	-9.11	74.00	33.45	PK	Horizontal	PASS
6	17199.60	48.53	41.28	-7.25	68.20	26.92	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9055.53	51.74	40.26	-11.48	74.00	33.74	PK	Vertical	PASS
2	10026.01	50.41	40.60	-9.81	68.20	27.60	PK	Vertical	PASS
3	11476.74	48.40	39.24	-9.16	74.00	34.76	PK	Vertical	PASS
4	13912.96	53.26	41.83	-11.43	68.20	26.37	PK	Vertical	PASS
5	15933.97	49.14	40.63	-8.51	74.00	33.37	PK	Vertical	PASS
6	17214.61	48.69	41.46	-7.23	68.20	26.74	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9030.52	51.42	39.80	-11.62	74.00	34.20	PK	Horizontal	PASS
2	9845.92	50.93	39.98	-10.95	68.20	28.22	PK	Horizontal	PASS
3	11011.51	48.37	39.96	-8.41	74.00	34.04	PK	Horizontal	PASS
4	13732.87	52.17	40.73	-11.44	68.20	27.47	PK	Horizontal	PASS
5	15658.83	50.80	41.89	-8.91	74.00	32.11	PK	Horizontal	PASS
6	17014.51	48.58	41.00	-7.58	68.20	27.20	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9105.55	51.21	40.02	-11.19	74.00	33.98	PK	Vertical	PASS
2	9996.00	50.71	41.00	-9.71	68.20	27.20	PK	Vertical	PASS
3	11706.85	49.91	40.20	-9.71	74.00	33.80	PK	Vertical	PASS
4	13977.99	51.38	39.85	-11.53	68.20	28.35	PK	Vertical	PASS
5	15868.93	49.72	40.90	-8.82	74.00	33.10	PK	Vertical	PASS
6	17384.69	49.14	42.22	-6.92	68.20	25.98	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9135.57	50.66	39.64	-11.02	74.00	34.36	PK	Horizontal	PASS
2	10141.07	50.75	40.32	-10.43	68.20	27.88	PK	Horizontal	PASS
3	11021.51	48.31	39.91	-8.40	74.00	34.09	PK	Horizontal	PASS
4	13727.86	51.78	40.34	-11.44	68.20	27.86	PK	Horizontal	PASS
5	15643.82	50.03	41.14	-8.89	74.00	32.86	PK	Horizontal	PASS
6	16939.47	49.18	41.49	-7.69	68.20	26.71	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9095.55	50.51	39.26	-11.25	74.00	34.74	PK	Vertical	PASS
2	10106.05	50.77	40.53	-10.24	68.20	27.67	PK	Vertical	PASS
3	11801.90	49.87	40.31	-9.56	74.00	33.69	PK	Vertical	PASS
4	13797.90	52.38	41.10	-11.28	68.20	27.10	PK	Vertical	PASS
5	15738.87	49.16	40.11	-9.05	74.00	33.89	PK	Vertical	PASS
6	17019.51	48.79	41.22	-7.57	68.20	26.98	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9060.53	51.78	40.33	-11.45	74.00	33.67	PK	Horizontal	PASS
2	10341.17	49.91	39.67	-10.24	68.20	28.53	PK	Horizontal	PASS
3	11971.99	49.94	40.48	-9.46	74.00	33.52	PK	Horizontal	PASS
4	13902.95	51.96	40.54	-11.42	68.20	27.66	PK	Horizontal	PASS
5	15928.96	49.36	40.82	-8.54	74.00	33.18	PK	Horizontal	PASS
6	16904.45	48.87	41.13	-7.74	68.20	27.07	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9145.57	50.00	39.03	-10.97	74.00	34.97	PK	Vertical	PASS
2	9700.85	51.53	40.62	-10.91	68.20	27.58	PK	Vertical	PASS
3	11401.70	48.72	39.94	-8.78	74.00	34.06	PK	Vertical	PASS
4	14008.00	51.15	39.61	-11.54	68.20	28.59	PK	Vertical	PASS
5	15933.97	49.91	41.40	-8.51	74.00	32.60	PK	Vertical	PASS
6	17324.66	48.18	41.15	-7.03	68.20	27.05	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9090.55	50.82	39.54	-11.28	74.00	34.46	PK	Horizontal	PASS
2	10091.05	52.65	42.48	-10.17	68.20	25.72	PK	Horizontal	PASS
3	11701.85	49.39	39.68	-9.71	74.00	34.32	PK	Horizontal	PASS
4	14063.03	50.74	39.27	-11.47	68.20	28.93	PK	Horizontal	PASS
5	15733.87	49.34	40.31	-9.03	74.00	33.69	PK	Horizontal	PASS
6	17309.65	48.35	41.30	-7.05	68.20	26.90	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9130.57	50.06	39.01	-11.05	74.00	34.99	PK	Vertical	PASS
2	10026.01	50.62	40.81	-9.81	68.20	27.39	PK	Vertical	PASS
3	12137.07	49.80	40.19	-9.61	74.00	33.81	PK	Vertical	PASS
4	13797.90	51.49	40.21	-11.28	68.20	27.99	PK	Vertical	PASS
5	15888.94	50.31	41.57	-8.74	74.00	32.43	PK	Vertical	PASS
6	17319.66	47.54	40.49	-7.05	68.20	27.71	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9060.53	50.97	39.52	-11.45	74.00	34.48	PK	Horizontal	PASS
2	10066.03	51.02	41.00	-10.02	68.20	27.20	PK	Horizontal	PASS
3	11406.70	48.59	39.78	-8.81	74.00	34.22	PK	Horizontal	PASS
4	13932.97	52.05	40.58	-11.47	68.20	27.62	PK	Horizontal	PASS
5	15798.90	49.38	40.23	-9.15	74.00	33.77	PK	Horizontal	PASS
6	16929.46	48.77	41.07	-7.70	68.20	27.13	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9150.58	50.62	39.68	-10.94	74.00	34.32	PK	Vertical	PASS
2	9965.98	51.39	41.43	-9.96	68.20	26.77	PK	Vertical	PASS
3	11416.71	48.48	39.63	-8.85	74.00	34.37	PK	Vertical	PASS
4	13792.90	51.73	40.45	-11.28	68.20	27.75	PK	Vertical	PASS
5	15623.81	49.93	41.08	-8.85	74.00	32.92	PK	Vertical	PASS
6	17039.52	48.78	41.25	-7.53	68.20	26.95	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9045.52	50.29	38.76	-11.53	74.00	35.24	PK	Horizontal	PASS
2	10071.04	50.48	40.42	-10.06	68.20	27.78	PK	Horizontal	PASS
3	11511.76	48.57	39.21	-9.36	74.00	34.79	PK	Horizontal	PASS
4	13932.97	51.82	40.35	-11.47	68.20	27.85	PK	Horizontal	PASS
5	15803.90	49.34	40.21	-9.13	74.00	33.79	PK	Horizontal	PASS
6	16894.45	48.70	40.95	-7.75	68.20	27.25	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9050.53	51.54	40.04	-11.50	74.00	33.96	PK	Vertical	PASS
2	10026.01	51.15	41.34	-9.81	68.20	26.86	PK	Vertical	PASS
3	11746.87	49.95	40.31	-9.64	74.00	33.69	PK	Vertical	PASS
4	13792.90	51.54	40.26	-11.28	68.20	27.94	PK	Vertical	PASS
5	15873.94	50.19	41.39	-8.80	74.00	32.61	PK	Vertical	PASS
6	17269.63	48.02	40.89	-7.13	68.20	27.31	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9130.57	50.34	39.29	-11.05	74.00	34.71	PK	Horizontal	PASS
2	9975.99	50.80	40.92	-9.88	68.20	27.28	PK	Horizontal	PASS
3	11406.70	48.96	40.15	-8.81	74.00	33.85	PK	Horizontal	PASS
4	13902.95	51.65	40.23	-11.42	68.20	27.97	PK	Horizontal	PASS
5	15873.94	49.41	40.61	-8.80	74.00	33.39	PK	Horizontal	PASS
6	17144.57	48.37	41.02	-7.35	68.20	27.18	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9100.55	50.40	39.18	-11.22	74.00	34.82	PK	Vertical	PASS
2	9970.99	52.35	42.43	-9.92	68.20	25.77	PK	Vertical	PASS
3	11481.74	49.10	39.90	-9.20	74.00	34.10	PK	Vertical	PASS
4	13892.95	51.30	39.90	-11.40	68.20	28.30	PK	Vertical	PASS
5	15923.96	49.31	40.74	-8.57	74.00	33.26	PK	Vertical	PASS
6	16954.48	48.29	40.62	-7.67	68.20	27.58	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9060.53	50.88	39.43	-11.45	74.00	34.57	PK	Horizontal	PASS
2	10201.10	51.46	40.72	-10.74	68.20	27.48	PK	Horizontal	PASS
3	11496.75	49.42	40.15	-9.27	74.00	33.85	PK	Horizontal	PASS
4	13792.90	51.94	40.66	-11.28	68.20	27.54	PK	Horizontal	PASS
5	16009.00	50.25	42.02	-8.23	74.00	31.98	PK	Horizontal	PASS
6	17329.66	48.94	41.92	-7.02	68.20	26.28	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9090.55	50.55	39.27	-11.28	74.00	34.73	PK	Vertical	PASS
2	10096.05	51.61	41.42	-10.19	68.20	26.78	PK	Vertical	PASS
3	11396.70	49.06	40.30	-8.76	74.00	33.70	PK	Vertical	PASS
4	13847.92	51.88	40.54	-11.34	68.20	27.66	PK	Vertical	PASS
5	15958.98	49.20	40.81	-8.39	74.00	33.19	PK	Vertical	PASS
6	17089.54	49.08	41.63	-7.45	68.20	26.57	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9090.55	50.60	39.32	-11.28	74.00	34.68	PK	Horizontal	PASS
2	10141.07	50.99	40.56	-10.43	68.20	27.64	PK	Horizontal	PASS
3	11771.89	49.21	39.61	-9.60	74.00	34.39	PK	Horizontal	PASS
4	13912.96	51.92	40.49	-11.43	68.20	27.71	PK	Horizontal	PASS
5	15928.96	48.95	40.41	-8.54	74.00	33.59	PK	Horizontal	PASS
6	16944.47	48.91	41.23	-7.68	68.20	26.97	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9140.57	50.92	39.92	-11.00	74.00	34.08	PK	Vertical	PASS
2	10151.08	51.28	40.80	-10.48	68.20	27.40	PK	Vertical	PASS
3	11281.64	48.09	39.52	-8.57	74.00	34.48	PK	Vertical	PASS
4	14008.00	51.59	40.05	-11.54	68.20	28.15	PK	Vertical	PASS
5	15803.90	50.53	41.40	-9.13	74.00	32.60	PK	Vertical	PASS
6	17179.59	48.82	41.54	-7.28	68.20	26.66	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9140.57	50.79	39.79	-11.00	74.00	34.21	PK	Horizontal	PASS
2	10246.12	50.62	40.05	-10.57	68.20	28.15	PK	Horizontal	PASS
3	11711.86	49.89	40.19	-9.70	74.00	33.81	PK	Horizontal	PASS
4	13917.96	51.60	40.16	-11.44	68.20	28.04	PK	Horizontal	PASS
5	15988.99	49.32	41.06	-8.26	74.00	32.94	PK	Horizontal	PASS
6	17379.69	47.75	40.82	-6.93	68.20	27.38	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9060.53	50.73	39.28	-11.45	74.00	34.72	PK	Vertical	PASS
2	10396.20	50.80	40.76	-10.04	68.20	27.44	PK	Vertical	PASS
3	11981.99	49.59	40.12	-9.47	74.00	33.88	PK	Vertical	PASS
4	14043.02	50.57	39.07	-11.50	68.20	29.13	PK	Vertical	PASS
5	15538.77	48.75	39.78	-8.97	74.00	34.22	PK	Vertical	PASS
6	17069.53	48.29	40.81	-7.48	68.20	27.39	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9135.57	50.65	39.63	-11.02	74.00	34.37	PK	Horizontal	PASS
2	9970.99	50.77	40.85	-9.92	68.20	27.35	PK	Horizontal	PASS
3	11421.71	48.54	39.66	-8.88	74.00	34.34	PK	Horizontal	PASS
4	14118.06	50.52	39.14	-11.38	68.20	29.06	PK	Horizontal	PASS
5	15773.89	49.58	40.47	-9.11	74.00	33.53	PK	Horizontal	PASS
6	17444.72	48.22	41.42	-6.80	68.20	26.78	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9055.53	51.11	39.63	-11.48	74.00	34.37	PK	Vertical	PASS
2	10121.06	51.05	40.73	-10.32	68.20	27.47	PK	Vertical	PASS
3	11756.88	49.57	39.94	-9.63	74.00	34.06	PK	Vertical	PASS
4	13822.91	51.56	40.26	-11.30	68.20	27.94	PK	Vertical	PASS
5	15668.83	50.21	41.28	-8.93	74.00	32.72	PK	Vertical	PASS
6	17179.59	48.19	40.91	-7.28	68.20	27.29	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9090.55	49.97	38.69	-11.28	74.00	35.31	PK	Horizontal	PASS
2	9980.99	51.13	41.29	-9.84	68.20	26.91	PK	Horizontal	PASS
3	11591.80	49.55	39.73	-9.82	74.00	34.27	PK	Horizontal	PASS
4	13922.96	52.51	41.06	-11.45	68.20	27.14	PK	Horizontal	PASS
5	15778.89	50.40	41.29	-9.11	74.00	32.71	PK	Horizontal	PASS
6	17139.57	48.64	41.28	-7.36	68.20	26.92	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9095.55	50.70	39.45	-11.25	74.00	34.55	PK	Vertical	PASS
2	10156.08	50.78	40.28	-10.50	68.20	27.92	PK	Vertical	PASS
3	11891.95	49.65	40.14	-9.51	74.00	33.86	PK	Vertical	PASS
4	13847.92	51.68	40.34	-11.34	68.20	27.86	PK	Vertical	PASS
5	15663.83	51.29	42.37	-8.92	74.00	31.63	PK	Vertical	PASS
6	17214.61	48.44	41.21	-7.23	68.20	26.99	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9095.55	50.90	39.65	-11.25	74.00	34.35	PK	Horizontal	PASS
2	9695.85	51.10	40.21	-10.89	68.20	27.99	PK	Horizontal	PASS
3	11336.67	47.85	39.19	-8.66	74.00	34.81	PK	Horizontal	PASS
4	13912.96	51.35	39.92	-11.43	68.20	28.28	PK	Horizontal	PASS
5	15999.00	49.27	41.07	-8.20	74.00	32.93	PK	Horizontal	PASS
6	17064.53	48.76	41.27	-7.49	68.20	26.93	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9145.57	49.43	38.46	-10.97	74.00	35.54	PK	Vertical	PASS
2	10151.08	50.61	40.13	-10.48	68.20	28.07	PK	Vertical	PASS
3	11761.88	50.50	40.87	-9.63	74.00	33.13	PK	Vertical	PASS
4	14318.16	49.70	38.64	-11.06	68.20	29.56	PK	Vertical	PASS
5	15833.92	49.12	40.14	-8.98	74.00	33.86	PK	Vertical	PASS
6	17069.53	47.30	39.82	-7.48	68.20	28.38	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9090.55	51.29	40.01	-11.28	74.00	33.99	PK	Horizontal	PASS
2	9985.99	50.81	41.02	-9.79	68.20	27.18	PK	Horizontal	PASS
3	11661.83	49.52	39.74	-9.78	74.00	34.26	PK	Horizontal	PASS
4	14058.03	51.28	39.81	-11.47	68.20	28.39	PK	Horizontal	PASS
5	15778.89	49.69	40.58	-9.11	74.00	33.42	PK	Horizontal	PASS
6	17179.59	48.38	41.10	-7.28	68.20	27.10	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9050.53	51.29	39.79	-11.50	74.00	34.21	PK	Vertical	PASS
2	10046.02	50.61	40.69	-9.92	68.20	27.51	PK	Vertical	PASS
3	11796.90	49.45	39.89	-9.56	74.00	34.11	PK	Vertical	PASS
4	13987.99	51.30	39.76	-11.54	68.20	28.44	PK	Vertical	PASS
5	15863.93	49.65	40.80	-8.85	74.00	33.20	PK	Vertical	PASS
6	17364.68	47.93	40.97	-6.96	68.20	27.23	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.0100	78.22	-101.40	-23.18	47.60	-70.78	peak
2	0.0154	74.44	-101.37	-26.93	43.85	-70.78	peak
3	0.0240	70.82	-101.36	-30.54	40.00	-70.54	peak
4	0.0529	64.30	-101.49	-37.19	33.13	-70.32	peak
5	0.0796	62.53	-101.63	-39.10	29.58	-68.68	peak
6	0.1335	58.66	-101.69	-43.03	25.10	-68.13	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.1524	78.30	-101.63	-23.33	23.94	-47.27	peak
2	0.1794	71.27	-101.68	-30.41	22.53	-52.94	peak
3	0.2346	68.85	-101.77	-32.92	20.19	-53.11	peak
4	0.2836	66.21	-101.83	-35.62	18.55	-54.17	peak
5	0.3654	62.81	-101.93	-39.12	16.35	-55.47	peak
6	0.4581	60.64	-102.02	-41.38	14.38	-55.76	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.8225	61.25	-62.16	-0.91	29.30	-30.21	peak
2	1.2418	59.51	-62.16	-2.65	25.72	-28.37	peak
3	3.5604	57.90	-61.44	-3.54	29.54	-33.08	peak
4	5.2705	57.04	-61.45	-4.41	29.54	-33.95	peak
5	15.1859	55.05	-61.01	-5.96	29.54	-35.50	peak
6	29.3213	55.30	-60.02	-4.72	29.54	-34.26	peak


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18120.000	50.09	-5.46	44.63	74.00	-29.37	peak
2	19904.000	49.33	-5.37	43.96	74.00	-30.04	peak
3	21856.000	48.52	-4.39	44.13	74.00	-29.87	peak
4	23256.000	48.72	-3.35	45.37	74.00	-28.63	peak
5	24208.000	48.21	-2.81	45.40	74.00	-28.60	peak
6	25064.000	46.92	-1.99	44.93	74.00	-29.07	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18248.000	50.22	-5.56	44.66	74.00	-29.34	peak
2	19024.000	49.20	-5.24	43.96	74.00	-30.04	peak
3	20096.000	50.60	-5.51	45.09	74.00	-28.91	peak
4	21456.000	48.85	-4.70	44.15	74.00	-29.85	peak
5	23216.000	49.51	-3.38	46.13	74.00	-27.87	peak
6	25248.000	47.09	-1.67	45.42	74.00	-28.58	peak


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26560.000	53.01	-4.76	48.25	74.00	-25.75	peak
2	29276.000	48.29	-1.01	47.28	74.00	-26.72	peak
3	31432.000	49.25	-1.10	48.15	74.00	-25.85	peak
4	33644.000	47.81	0.42	48.23	74.00	-25.77	peak
5	37228.000	45.23	3.14	48.37	74.00	-25.63	peak
6	39454.000	42.65	4.87	47.52	74.00	-26.48	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26602.000	51.28	-4.80	46.48	74.00	-27.52	peak
2	29836.000	49.35	-1.59	47.76	74.00	-26.24	peak
3	33602.000	47.51	0.46	47.97	74.00	-26.03	peak
4	35828.000	44.75	3.67	48.42	74.00	-25.58	peak
5	38250.000	44.34	3.86	48.20	74.00	-25.80	peak
6	39972.000	43.45	5.13	48.58	74.00	-25.42	peak


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	55.2200	39.09	-15.55	23.54	40.00	-16.46	peak
2	148.3400	26.27	-13.31	12.96	43.50	-30.54	peak
3	302.5700	41.77	-10.96	30.81	46.00	-15.19	peak
4	547.9800	25.31	-6.40	18.91	46.00	-27.09	peak
5	741.0100	26.76	-2.41	24.35	46.00	-21.65	peak
6	901.0600	26.78	-1.04	25.74	46.00	-20.26	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	46.4900	35.58	-15.14	20.44	40.00	-19.56	peak
2	214.3000	27.78	-12.61	15.17	43.50	-28.33	peak
3	250.1900	38.40	-14.60	23.80	46.00	-22.20	peak
4	473.2900	25.59	-7.21	18.38	46.00	-27.62	peak
5	736.1599	27.62	-2.58	25.04	46.00	-20.96	peak
6	845.7700	27.68	-2.19	25.49	46.00	-20.51	peak

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to FCC 47 CFR §15.207 (a)

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00

*Decreases with the logarithm of the frequency.


TEST PROCEDURE

Refer to ANSI C63.10-2020 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2020. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	21.4℃	Relative Humidity	64%
Atmosphere Pressure	101kPa	Test Voltage	AC 120 V, 60 Hz

TEST DATE / ENGINEER

Test Date	June 18, 2026	Test By	Mick Zhang
-----------	---------------	---------	------------

TEST RESULTS

Test Mode:	802.11a 20	Frequency(MHz):	5180
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1589	39.26	9.80	49.06	65.52	-16.46	QP
2	0.1589	19.85	9.80	29.65	55.52	-25.87	AVG
3	0.1736	37.24	9.75	46.99	64.79	-17.80	QP
4	0.1736	20.99	9.75	30.74	54.79	-24.05	AVG
5	0.2688	25.70	9.66	35.36	61.15	-25.79	QP
6	0.2688	13.11	9.66	22.77	51.15	-28.38	AVG
7	1.8977	17.32	9.74	27.06	56.00	-28.94	QP
8	1.8977	9.38	9.74	19.12	46.00	-26.88	AVG
9	8.0367	23.15	9.76	32.91	60.00	-27.09	QP
10	8.0367	17.42	9.76	27.18	50.00	-22.82	AVG
11	17.0710	15.18	9.84	25.02	60.00	-34.98	QP
12	17.0710	9.94	9.84	19.78	50.00	-30.22	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11a 20	Frequency(MHz):	5180
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1587	39.31	9.54	48.85	65.53	-16.68	QP
2	0.1587	18.45	9.54	27.99	55.53	-27.54	AVG
3	0.1781	36.81	9.54	46.35	64.57	-18.22	QP
4	0.1781	20.82	9.54	30.36	54.57	-24.21	AVG
5	0.2393	29.07	9.55	38.62	62.12	-23.50	QP
6	0.2393	14.24	9.55	23.79	52.12	-28.33	AVG
7	2.2737	19.77	9.57	29.34	56.00	-26.66	QP
8	2.2737	12.03	9.57	21.60	46.00	-24.40	AVG
9	4.0542	14.47	9.73	24.20	56.00	-31.80	QP
10	4.0542	5.32	9.73	15.05	46.00	-30.95	AVG
11	17.4255	19.54	9.79	29.33	60.00	-30.67	QP
12	17.4255	14.26	9.79	24.05	50.00	-25.95	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

11. TEST DATA


11.1. APPENDIX A: EMISSION BANDWIDTH


11.1.1. Test Result

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11A	Ant1	5180	18.76	5170.84	5189.60	PASS
	Ant2	5180	18.56	5170.80	5189.36	PASS
	Ant1	5200	18.36	5190.76	5209.12	PASS
	Ant2	5200	18.52	5190.76	5209.28	PASS
	Ant1	5240	18.56	5230.76	5249.32	PASS
	Ant2	5240	18.48	5230.68	5249.16	PASS
	Ant1	5260	18.20	5250.96	5269.16	PASS
	Ant2	5260	18.48	5250.68	5269.16	PASS
	Ant1	5280	18.44	5270.64	5289.08	PASS
	Ant2	5280	18.60	5270.72	5289.32	PASS
	Ant1	5320	18.64	5310.76	5329.40	PASS
	Ant2	5320	18.52	5310.72	5329.24	PASS
	Ant1	5500	18.60	5490.72	5509.32	PASS
	Ant2	5500	18.52	5490.80	5509.32	PASS
	Ant1	5580	18.60	5570.68	5589.28	PASS
	Ant2	5580	18.32	5570.72	5589.04	PASS
	Ant1	5700	18.72	5690.68	5709.40	PASS
	Ant2	5700	18.48	5690.68	5709.16	PASS
	Ant1	5720	18.76	5710.60	5729.36	PASS
	Ant2	5720	18.52	5710.72	5729.24	PASS
	Ant1	5720 UNII-2C	14.4	5710.60	5725	PASS
	Ant2	5720 UNII-2C	14.28	5710.72	5725	PASS
	Ant1	5720 UNII-3	4.36	5725	5729.36	PASS
	Ant2	5720 UNII-3	4.24	5725	5729.24	PASS
	Ant1	5745	18.52	5735.72	5754.24	PASS
	Ant2	5745	18.44	5735.76	5754.20	PASS
	Ant1	5785	18.52	5775.80	5794.32	PASS
	Ant2	5785	18.60	5775.76	5794.36	PASS
	Ant1	5825	18.48	5815.84	5834.32	PASS
	Ant2	5825	18.48	5815.76	5834.24	PASS
11N20MIMO	Ant1	5180	19.48	5170.16	5189.64	PASS
	Ant2	5180	19.56	5170.16	5189.72	PASS
	Ant1	5200	19.40	5190.28	5209.68	PASS
	Ant2	5200	19.56	5190.28	5209.84	PASS
	Ant1	5240	19.32	5230.28	5249.60	PASS
	Ant2	5240	19.56	5230.12	5249.68	PASS
	Ant1	5260	19.48	5250.12	5269.60	PASS
	Ant2	5260	19.60	5250.16	5269.76	PASS
	Ant1	5280	19.24	5270.24	5289.48	PASS
	Ant2	5280	19.68	5270.12	5289.80	PASS
	Ant1	5320	19.48	5310.16	5329.64	PASS
	Ant2	5320	19.56	5310.00	5329.56	PASS
	Ant1	5500	19.68	5490.08	5509.76	PASS
	Ant2	5500	19.44	5490.28	5509.72	PASS
	Ant1	5580	19.52	5570.24	5589.76	PASS
	Ant2	5580	19.64	5570.12	5589.76	PASS
	Ant1	5700	19.52	5690.16	5709.68	PASS
	Ant2	5700	19.48	5690.20	5709.68	PASS
	Ant1	5720	19.36	5710.24	5729.60	PASS
	Ant2	5720	19.32	5710.28	5729.60	PASS
	Ant1	5720 UNII-2C	14.76	5710.24	5725	PASS
	Ant2	5720 UNII-2C	14.72	5710.28	5725	PASS


	Ant1	5720 UNII-3	4.6	5725	5729.60	PASS
	Ant2	5720 UNII-3	4.6	5725	5729.60	PASS
	Ant1	5745	19.56	5735.12	5754.68	PASS
	Ant2	5745	19.36	5735.24	5754.60	PASS
	Ant1	5785	19.76	5775.04	5794.80	PASS
	Ant2	5785	19.56	5775.20	5794.76	PASS
	Ant1	5825	19.60	5815.04	5834.64	PASS
	Ant2	5825	19.28	5815.32	5834.60	PASS
11N40MIMO	Ant1	5190	39.28	5170.40	5209.68	PASS
	Ant2	5190	39.28	5170.24	5209.52	PASS
	Ant1	5230	39.36	5210.32	5249.68	PASS
	Ant2	5230	39.28	5210.32	5249.60	PASS
	Ant1	5270	39.28	5250.40	5289.68	PASS
	Ant2	5270	39.28	5250.48	5289.76	PASS
	Ant1	5310	39.12	5290.40	5329.52	PASS
	Ant2	5310	39.52	5290.24	5329.76	PASS
	Ant1	5510	39.44	5490.32	5529.76	PASS
	Ant2	5510	39.52	5490.24	5529.76	PASS
	Ant1	5550	39.28	5530.40	5569.68	PASS
	Ant2	5550	39.36	5530.40	5569.76	PASS
	Ant1	5670	39.44	5650.32	5689.76	PASS
	Ant2	5670	39.44	5650.32	5689.76	PASS
	Ant1	5710	39.60	5689.92	5729.52	PASS
	Ant2	5710	39.36	5690.32	5729.68	PASS
	Ant1	5710 UNII-2C	35.08	5689.92	5725	PASS
	Ant2	5710 UNII-2C	34.68	5690.32	5725	PASS
	Ant1	5710 UNII-3	4.52	5725	5729.52	PASS
	Ant2	5710 UNII-3	4.68	5725	5729.68	PASS
	Ant1	5755	39.84	5735.16	5775.00	PASS
	Ant2	5755	41.76	5733.00	5774.76	PASS
	Ant1	5795	39.28	5775.48	5814.76	PASS
	Ant2	5795	40.64	5773.96	5814.60	PASS
11AC80MIMO	Ant1	5210	81.12	5169.68	5250.80	PASS
	Ant2	5210	81.60	5169.52	5251.12	PASS
	Ant1	5290	81.44	5249.52	5330.96	PASS
	Ant2	5290	81.12	5249.52	5330.64	PASS
	Ant1	5530	81.28	5489.68	5570.96	PASS
	Ant2	5530	81.44	5489.36	5570.80	PASS
	Ant1	5610	81.28	5569.68	5650.96	PASS
	Ant2	5610	81.60	5569.36	5650.96	PASS
	Ant1	5690	81.60	5649.52	5731.12	PASS
	Ant2	5690	81.92	5649.20	5731.12	PASS
	Ant1	5690 UNII-2C	75.48	5649.52	5725	PASS
	Ant2	5690 UNII-2C	75.8	5649.20	5725	PASS
	Ant1	5690 UNII-3	6.12	5725	5731.12	PASS
	Ant2	5690 UNII-3	6.12	5725	5731.12	PASS
	Ant1	5775	81.44	5734.52	5815.96	PASS
	Ant2	5775	81.92	5734.04	5815.96	PASS

11.1.2. Test Graphs







11A_Ant2_5200




11A_Ant1_5240




11A_Ant2_5240




11A_Ant1_5260




11A_Ant2_5260




11A_Ant1_5280




11A_Ant2_5280




11A_Ant1_5320




11A_Ant2_5320




11A_Ant1_5500




11A_Ant2_5500




11A_Ant1_5580




11A_Ant2_5580




11A_Ant1_5700




11A_Ant2_5700




11A_Ant1_5720




11A_Ant2_5720




11A_Ant1_5745




11A_Ant2_5745




11A_Ant1_5785




11A_Ant2_5785




11A_Ant1_5825




11A_Ant2_5825




11N20MIMO_Ant1_5180




11N20MIMO_Ant2_5180




11N20MIMO_Ant1_5200




11N20MIMO_Ant2_5200




11N20MIMO_Ant1_5240




11N20MIMO_Ant2_5240




11N20MIMO_Ant1_5260




11N20MIMO_Ant2_5260




11N20MIMO_Ant1_5280




11N20MIMO_Ant2_5280




11N20MIMO_Ant1_5320




11N20MIMO_Ant2_5320




11N20MIMO_Ant1_5500




11N20MIMO_Ant2_5500




11N20MIMO_Ant1_5580




11N20MIMO_Ant2_5580




11N20MIMO_Ant1_5700




11N20MIMO_Ant2_5700




11N20MIMO_Ant1_5720




11N20MIMO_Ant2_5720




11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785




11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5190




11N40MIMO_Ant2_5190



11N40MIMO_Ant1_5230



11N40MIMO_Ant2_5230



11N40MIMO_Ant1_5270