


11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1148.300	43.03	-14.62	74.0	30.97	Peak	350.00	300	Horizontal	Pass
1**	1148.300	33.46	-14.62	54.0	20.54	AV	350.00	300	Horizontal	Pass
2	2856.000	48.38	-6.24	74.0	25.62	Peak	0.00	300	Horizontal	Pass
2**	2856.000	39.39	-6.24	54.0	14.61	AV	0.00	300	Horizontal	Pass
3	4245.250	49.03	-4.94	74.0	24.97	Peak	360.00	200	Horizontal	Pass
3**	4245.250	39.32	-4.94	54.0	14.68	AV	360.00	200	Horizontal	Pass
4	5744.250	99.77	-2.59	--	--	Peak	325.00	300	Horizontal	N/A
4**	5744.250	92.30	-2.59	--	--	AV	325.00	300	Horizontal	N/A
5	7383.500	57.18	1.57	74.0	16.82	Peak	142.00	100	Horizontal	Pass
5**	7383.500	46.97	1.57	54.0	7.03	AV	142.00	100	Horizontal	Pass
6	12459.300	50.07	3.61	74.0	23.93	Peak	169.00	200	Horizontal	Pass
6**	12459.300	40.08	3.61	54.0	13.92	AV	169.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.900	45.21	-14.59	74.0	28.79	Peak	253.00	200	Vertical	Pass
1**	1497.900	34.60	-14.59	54.0	19.40	AV	253.00	200	Vertical	Pass
2	2727.100	48.30	-6.50	74.0	25.70	Peak	82.00	300	Vertical	Pass
2**	2727.100	39.77	-6.50	54.0	14.23	AV	82.00	300	Vertical	Pass
3	4277.750	49.06	-4.62	74.0	24.94	Peak	0.00	200	Vertical	Pass
3**	4277.750	40.70	-4.62	54.0	13.30	AV	0.00	200	Vertical	Pass
4	5746.500	107.54	-2.47	--	--	Peak	325.00	200	Vertical	N/A
4**	5746.500	99.66	-2.47	--	--	AV	325.00	200	Vertical	N/A
5	7614.000	56.53	3.09	74.0	17.47	Peak	34.00	150	Vertical	Pass
5**	7614.000	47.09	3.09	54.0	6.91	AV	34.00	150	Vertical	Pass
6	12591.112	50.64	4.12	74.0	23.36	Peak	358.00	300	Vertical	Pass
6**	12591.112	40.95	4.12	54.0	13.05	AV	358.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.700	43.14	-14.42	74.0	30.86	Peak	351.00	100	Horizontal	Pass
1**	1157.700	33.28	-14.42	54.0	20.72	AV	351.00	100	Horizontal	Pass
2	2867.400	48.45	-6.42	74.0	25.55	Peak	341.00	200	Horizontal	Pass
2**	2867.400	39.00	-6.42	54.0	15.00	AV	341.00	200	Horizontal	Pass
3	4359.250	48.77	-4.57	74.0	25.23	Peak	325.00	200	Horizontal	Pass
3**	4359.250	39.03	-4.57	54.0	14.97	AV	325.00	200	Horizontal	Pass
4	5786.000	100.19	-2.27	--	--	Peak	341.00	300	Horizontal	N/A
4**	5786.000	92.05	-2.27	--	--	AV	341.00	300	Horizontal	N/A
5	7621.000	56.69	3.02	74.0	17.31	Peak	4.00	150	Horizontal	Pass
5**	7621.000	46.72	3.02	54.0	7.28	AV	4.00	150	Horizontal	Pass
6	12341.026	50.16	4.20	74.0	23.84	Peak	229.00	400	Horizontal	Pass
6**	12341.026	41.04	4.20	54.0	12.96	AV	229.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.600	43.13	-14.33	74.0	30.87	Peak	315.00	150	Vertical	Pass
1**	1327.600	32.17	-14.33	54.0	21.83	AV	315.00	150	Vertical	Pass
2	2870.900	48.40	-6.51	74.0	25.60	Peak	272.00	100	Vertical	Pass
2**	2870.900	38.59	-6.51	54.0	15.41	AV	272.00	100	Vertical	Pass
3	4028.250	48.84	-5.47	74.0	25.16	Peak	81.00	100	Vertical	Pass
3**	4028.250	38.15	-5.47	54.0	15.85	AV	81.00	100	Vertical	Pass
4	5783.000	108.18	-2.28	--	--	Peak	325.00	100	Vertical	N/A
4**	5783.000	100.98	-2.28	--	--	AV	325.00	100	Vertical	N/A
5	7385.000	56.13	1.52	74.0	17.87	Peak	1.00	200	Vertical	Pass
5**	7385.000	46.90	1.52	54.0	7.10	AV	1.00	200	Vertical	Pass
6	12115.637	50.44	3.78	74.0	23.56	Peak	0.00	100	Vertical	Pass
6**	12115.637	40.59	3.78	54.0	13.41	AV	0.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.900	43.67	-14.63	74.0	30.33	Peak	50.00	200	Horizontal	Pass
1**	1515.900	31.79	-14.63	54.0	22.21	AV	50.00	200	Horizontal	Pass
2	2879.600	51.14	-6.26	74.0	22.86	Peak	59.00	100	Horizontal	Pass
2**	2879.600	39.38	-6.26	54.0	14.62	AV	59.00	100	Horizontal	Pass
3	4296.750	49.01	-4.73	74.0	24.99	Peak	112.00	100	Horizontal	Pass
3**	4296.750	40.07	-4.73	54.0	13.93	AV	112.00	100	Horizontal	Pass
4	5826.000	101.53	-2.22	--	--	Peak	325.00	200	Horizontal	N/A
4**	5826.000	94.42	-2.22	--	--	AV	325.00	200	Horizontal	N/A
5	7663.750	56.76	2.05	74.0	17.24	Peak	325.00	200	Horizontal	Pass
5**	7663.750	46.66	2.05	54.0	7.34	AV	325.00	200	Horizontal	Pass
6	12604.888	50.21	4.30	74.0	23.79	Peak	161.00	300	Horizontal	Pass
6**	12604.888	40.96	4.30	54.0	13.04	AV	161.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	45.04	-14.48	74.0	28.96	Peak	345.00	150	Vertical	Pass
1**	1331.200	37.73	-14.48	54.0	16.27	AV	345.00	150	Vertical	Pass
2	2796.300	48.99	-7.10	74.0	25.01	Peak	126.00	200	Vertical	Pass
2**	2796.300	38.34	-7.10	54.0	15.66	AV	126.00	200	Vertical	Pass
3	4297.250	49.34	-4.73	74.0	24.66	Peak	8.00	150	Vertical	Pass
3**	4297.250	40.24	-4.73	54.0	13.76	AV	8.00	150	Vertical	Pass
4	5824.000	108.41	-2.26	--	--	Peak	311.00	200	Vertical	N/A
4**	5824.000	101.24	-2.26	--	--	AV	311.00	200	Vertical	N/A
5	7461.250	57.62	2.08	74.0	16.38	Peak	8.00	100	Vertical	Pass
5**	7461.250	47.24	2.08	54.0	6.76	AV	8.00	100	Vertical	Pass
6	11643.013	51.35	2.21	74.0	22.65	Peak	246.00	100	Vertical	Pass
6**	11643.013	41.17	2.21	54.0	12.83	AV	246.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.000	43.60	-14.55	74.0	30.40	Peak	351.00	200	Horizontal	Pass
1**	1154.000	33.72	-14.55	54.0	20.28	AV	351.00	200	Horizontal	Pass
2	2838.000	48.43	-6.47	74.0	25.57	Peak	357.00	300	Horizontal	Pass
2**	2838.000	38.68	-6.47	54.0	15.32	AV	357.00	300	Horizontal	Pass
3	4296.250	48.60	-4.72	74.0	25.40	Peak	360.00	100	Horizontal	Pass
3**	4296.250	40.02	-4.72	54.0	13.98	AV	360.00	100	Horizontal	Pass
4	5746.500	97.46	-2.47	--	--	Peak	325.00	300	Horizontal	N/A
4**	5746.500	90.71	-2.47	--	--	AV	325.00	300	Horizontal	N/A
5	7498.500	56.16	2.07	74.0	17.84	Peak	50.00	200	Horizontal	Pass
5**	7498.500	46.77	2.07	54.0	7.23	AV	50.00	200	Horizontal	Pass
6	12384.963	50.44	4.07	74.0	23.56	Peak	0.00	100	Horizontal	Pass
6**	12384.963	40.55	4.07	54.0	13.45	AV	0.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	45.13	-14.33	74.0	28.87	Peak	341.00	400	Vertical	Pass
1**	1328.600	37.36	-14.33	54.0	16.64	AV	341.00	400	Vertical	Pass
2	2732.500	48.85	-6.44	74.0	25.15	Peak	136.00	400	Vertical	Pass
2**	2732.500	39.67	-6.44	54.0	14.33	AV	136.00	400	Vertical	Pass
3	4352.750	48.78	-4.48	74.0	25.22	Peak	311.00	150	Vertical	Pass
3**	4352.750	39.90	-4.48	54.0	14.10	AV	311.00	150	Vertical	Pass
4	5749.500	104.74	-2.48	--	--	Peak	327.00	300	Vertical	N/A
4**	5749.500	97.38	-2.48	--	--	AV	327.00	300	Vertical	N/A
5	7382.500	56.52	1.58	74.0	17.48	Peak	236.00	100	Vertical	Pass
5**	7382.500	46.29	1.58	54.0	7.71	AV	236.00	100	Vertical	Pass
6	11704.526	50.49	2.02	74.0	23.51	Peak	35.00	400	Vertical	Pass
6**	11704.526	40.24	2.02	54.0	13.76	AV	35.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1144.200	44.54	-14.59	74.0	29.46	Peak	352.00	400	Horizontal	Pass
1**	1144.200	33.84	-14.59	54.0	20.16	AV	352.00	400	Horizontal	Pass
2	2856.600	48.45	-6.21	74.0	25.55	Peak	350.00	200	Horizontal	Pass
2**	2856.600	39.14	-6.21	54.0	14.86	AV	350.00	200	Horizontal	Pass
3	4302.000	48.92	-4.80	74.0	25.08	Peak	0.00	200	Horizontal	Pass
3**	4302.000	39.57	-4.80	54.0	14.43	AV	0.00	200	Horizontal	Pass
4	5782.500	98.79	-2.27	--	--	Peak	325.00	200	Horizontal	N/A
4**	5782.500	91.49	-2.27	--	--	AV	325.00	200	Horizontal	N/A
5	7634.500	56.04	2.80	74.0	17.96	Peak	48.00	100	Horizontal	Pass
5**	7634.500	46.80	2.80	54.0	7.20	AV	48.00	100	Horizontal	Pass
6	12374.750	51.19	4.11	74.0	22.81	Peak	196.00	400	Horizontal	Pass
6**	12374.750	41.78	4.11	54.0	12.22	AV	196.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.800	44.05	-14.65	74.0	29.95	Peak	249.00	100	Vertical	Pass
1**	1496.800	32.77	-14.65	54.0	21.23	AV	249.00	100	Vertical	Pass
2	2812.600	48.84	-6.73	74.0	25.16	Peak	138.00	300	Vertical	Pass
2**	2812.600	39.63	-6.73	54.0	14.37	AV	138.00	300	Vertical	Pass
3	5023.250	51.10	-2.98	74.0	22.90	Peak	360.00	150	Vertical	Pass
3**	5023.250	41.58	-2.98	54.0	12.42	AV	360.00	150	Vertical	Pass
4	5784.750	105.27	-2.29	--	--	Peak	312.00	400	Vertical	N/A
4**	5784.750	98.83	-2.29	--	--	AV	312.00	400	Vertical	N/A
5	7556.000	56.05	2.09	74.0	17.95	Peak	8.00	200	Vertical	Pass
5**	7556.000	46.73	2.09	54.0	7.27	AV	8.00	200	Vertical	Pass
6	12599.900	50.34	4.26	74.0	23.66	Peak	340.00	400	Vertical	Pass
6**	12599.900	41.13	4.26	54.0	12.87	AV	340.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1142.600	43.09	-14.63	74.0	30.91	Peak	352.00	100	Horizontal	Pass
1**	1142.600	33.98	-14.63	54.0	20.02	AV	352.00	100	Horizontal	Pass
2	2847.700	47.97	-6.78	74.0	26.03	Peak	284.00	100	Horizontal	Pass
2**	2847.700	38.82	-6.78	54.0	15.18	AV	284.00	100	Horizontal	Pass
3	4976.500	51.37	-3.21	74.0	22.63	Peak	299.00	150	Horizontal	Pass
3**	4976.500	42.17	-3.21	54.0	11.83	AV	299.00	150	Horizontal	Pass
4	5828.000	99.68	-2.25	--	--	Peak	327.00	100	Horizontal	N/A
4**	5828.000	92.67	-2.25	--	--	AV	327.00	100	Horizontal	N/A
5	7618.250	56.36	3.04	74.0	17.64	Peak	76.00	150	Horizontal	Pass
5**	7618.250	47.22	3.04	54.0	6.78	AV	76.00	150	Horizontal	Pass
6	12341.975	50.79	4.19	74.0	23.21	Peak	297.00	400	Horizontal	Pass
6**	12341.975	40.27	4.19	54.0	13.73	AV	297.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.800	44.53	-14.47	74.0	29.47	Peak	348.00	400	Vertical	Pass
1**	1330.800	36.63	-14.47	54.0	17.37	AV	348.00	400	Vertical	Pass
2	2726.000	48.43	-6.53	74.0	25.57	Peak	336.00	400	Vertical	Pass
2**	2726.000	38.54	-6.53	54.0	15.46	AV	336.00	400	Vertical	Pass
3	4980.250	50.83	-3.10	74.0	23.17	Peak	222.00	150	Vertical	Pass
3**	4980.250	41.84	-3.10	54.0	12.16	AV	222.00	150	Vertical	Pass
4	5824.000	107.11	-2.26	--	--	Peak	208.00	100	Vertical	N/A
4**	5824.000	99.57	-2.26	--	--	AV	208.00	100	Vertical	N/A
5	7477.250	56.60	2.26	74.0	17.40	Peak	2.00	200	Vertical	Pass
5**	7477.250	47.03	2.26	54.0	6.97	AV	2.00	200	Vertical	Pass
6	11660.112	47.11	2.05	74.0	26.89	Peak	290.00	400	Vertical	Pass
6**	11660.112	43.06	2.05	54.0	10.94	AV	290.00	400	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1143.300	43.28	-14.61	74.0	30.72	Peak	347.00	100	Horizontal	Pass
1**	1143.300	35.03	-14.61	54.0	18.97	AV	347.00	100	Horizontal	Pass
2	2713.600	49.28	-7.25	74.0	24.72	Peak	126.00	400	Horizontal	Pass
2**	2713.600	38.41	-7.25	54.0	15.59	AV	126.00	400	Horizontal	Pass
3	5014.500	50.96	-2.96	74.0	23.04	Peak	11.00	150	Horizontal	Pass
3**	5014.500	41.83	-2.96	54.0	12.17	AV	11.00	150	Horizontal	Pass
4	5751.500	95.62	-2.53	--	--	Peak	342.00	200	Horizontal	N/A
4**	5751.500	88.53	-2.53	--	--	AV	342.00	200	Horizontal	N/A
5	7619.250	56.34	3.04	74.0	17.66	Peak	311.00	100	Horizontal	Pass
5**	7619.250	46.91	3.04	54.0	7.09	AV	311.00	100	Horizontal	Pass
6	12263.838	50.41	3.80	74.0	23.59	Peak	210.00	100	Horizontal	Pass
6**	12263.838	42.47	3.80	54.0	11.53	AV	210.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.600	44.48	-14.65	74.0	29.52	Peak	52.00	100	Vertical	Pass
1**	1495.600	33.14	-14.65	54.0	20.86	AV	52.00	100	Vertical	Pass
2	2853.700	48.19	-6.43	74.0	25.81	Peak	193.00	200	Vertical	Pass
2**	2853.700	39.16	-6.43	54.0	14.84	AV	193.00	200	Vertical	Pass
3	5037.000	51.07	-2.91	74.0	22.93	Peak	0.00	150	Vertical	Pass
3**	5037.000	41.49	-2.91	54.0	12.51	AV	0.00	150	Vertical	Pass
4	5758.500	103.49	-2.42	--	--	Peak	327.00	100	Vertical	N/A
4**	5758.500	95.46	-2.42	--	--	AV	327.00	100	Vertical	N/A
5	7627.000	56.78	2.99	74.0	17.22	Peak	267.00	200	Vertical	Pass
5**	7627.000	47.97	2.99	54.0	6.03	AV	267.00	200	Vertical	Pass
6	11657.263	50.11	2.06	74.0	23.89	Peak	279.00	300	Vertical	Pass
6**	11657.263	40.42	2.06	54.0	13.58	AV	279.00	300	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1146.900	44.01	-14.61	74.0	29.99	Peak	349.00	200	Horizontal	Pass
1**	1146.900	33.29	-14.61	54.0	20.71	AV	349.00	200	Horizontal	Pass
2	2721.000	48.89	-6.66	74.0	25.11	Peak	0.00	100	Horizontal	Pass
2**	2721.000	38.43	-6.66	54.0	15.57	AV	0.00	100	Horizontal	Pass
3	5011.500	51.39	-2.87	74.0	22.61	Peak	66.00	100	Horizontal	Pass
3**	5011.500	41.68	-2.87	54.0	12.32	AV	66.00	100	Horizontal	Pass
4	5791.500	96.90	-2.26	--	--	Peak	325.00	200	Horizontal	N/A
4**	5791.500	89.10	-2.26	--	--	AV	325.00	200	Horizontal	N/A
5	7611.250	56.24	3.22	74.0	17.76	Peak	360.00	100	Horizontal	Pass
5**	7611.250	47.80	3.22	54.0	6.20	AV	360.00	100	Horizontal	Pass
6	12293.049	50.78	4.07	74.0	23.22	Peak	277.00	300	Horizontal	Pass
6**	12293.049	40.61	4.07	54.0	13.39	AV	277.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.000	45.26	-14.47	74.0	28.74	Peak	350.00	200	Vertical	Pass
1**	1331.000	33.10	-14.47	54.0	20.90	AV	350.00	200	Vertical	Pass
2	2859.600	48.55	-6.11	74.0	25.45	Peak	7.00	400	Vertical	Pass
2**	2859.600	39.22	-6.11	54.0	14.78	AV	7.00	400	Vertical	Pass
3	4986.750	51.27	-3.17	74.0	22.73	Peak	147.00	100	Vertical	Pass
3**	4986.750	41.71	-3.17	54.0	12.29	AV	147.00	100	Vertical	Pass
4	5791.000	103.35	-2.26	--	--	Peak	311.00	300	Vertical	N/A
4**	5791.000	95.48	-2.26	--	--	AV	311.00	300	Vertical	N/A
5	7556.750	56.38	2.13	74.0	17.62	Peak	71.00	100	Vertical	Pass
5**	7556.750	47.21	2.13	54.0	6.79	AV	71.00	100	Vertical	Pass
6	12532.213	50.63	4.09	74.0	23.37	Peak	164.00	200	Vertical	Pass
6**	12532.213	40.51	4.09	54.0	13.49	AV	164.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1148.200	43.33	-14.62	74.0	30.67	Peak	347.00	300	Horizontal	Pass
1**	1148.200	33.09	-14.62	54.0	20.91	AV	347.00	300	Horizontal	Pass
2	2853.400	48.50	-6.47	74.0	25.50	Peak	70.00	100	Horizontal	Pass
2**	2853.400	38.57	-6.47	54.0	15.43	AV	70.00	100	Horizontal	Pass
3	5007.500	51.11	-2.73	74.0	22.89	Peak	360.00	150	Horizontal	Pass
3**	5007.500	42.33	-2.73	54.0	11.67	AV	360.00	150	Horizontal	Pass
4	5744.250	96.94	-2.59	--	--	Peak	325.00	100	Horizontal	N/A
4**	5744.250	90.73	-2.59	--	--	AV	325.00	100	Horizontal	N/A
5	7485.000	56.83	2.18	74.0	17.17	Peak	1.00	100	Horizontal	Pass
5**	7485.000	47.69	2.18	54.0	6.31	AV	1.00	100	Horizontal	Pass
6	12118.013	50.10	3.81	74.0	23.90	Peak	352.00	400	Horizontal	Pass
6**	12118.013	40.75	3.81	54.0	13.25	AV	352.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.200	44.67	-14.51	74.0	29.33	Peak	246.00	200	Vertical	Pass
1**	1501.200	32.05	-14.51	54.0	21.95	AV	246.00	200	Vertical	Pass
2	2818.200	48.31	-6.49	74.0	25.69	Peak	300.00	400	Vertical	Pass
2**	2818.200	38.63	-6.49	54.0	15.37	AV	300.00	400	Vertical	Pass
3	5061.750	50.73	-3.24	74.0	23.27	Peak	191.00	150	Vertical	Pass
3**	5061.750	41.76	-3.24	54.0	12.24	AV	191.00	150	Vertical	Pass
4	5750.250	103.79	-2.50	--	--	Peak	325.00	100	Vertical	N/A
4**	5750.250	96.18	-2.50	--	--	AV	325.00	100	Vertical	N/A
5	7422.000	56.08	1.15	74.0	17.92	Peak	355.00	200	Vertical	Pass
5**	7422.000	46.03	1.15	54.0	7.97	AV	355.00	200	Vertical	Pass
6	11045.463	50.20	2.17	74.0	23.80	Peak	0.00	200	Vertical	Pass
6**	11045.463	39.91	2.17	54.0	14.09	AV	0.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.900	42.79	-14.47	74.0	31.21	Peak	191.00	100	Horizontal	Pass
1**	1161.900	32.75	-14.47	54.0	21.25	AV	191.00	100	Horizontal	Pass
2	2715.700	48.53	-6.94	74.0	25.47	Peak	320.00	200	Horizontal	Pass
2**	2715.700	38.61	-6.94	54.0	15.39	AV	320.00	200	Horizontal	Pass
3	5113.750	51.42	-3.01	74.0	22.58	Peak	295.00	150	Horizontal	Pass
3**	5113.750	42.17	-3.01	54.0	11.83	AV	295.00	150	Horizontal	Pass
4	5781.750	98.31	-2.26	--	--	Peak	339.00	200	Horizontal	N/A
4**	5781.750	90.13	-2.26	--	--	AV	339.00	200	Horizontal	N/A
5	7674.500	56.98	2.19	74.0	17.02	Peak	205.00	200	Horizontal	Pass
5**	7674.500	46.16	2.19	54.0	7.84	AV	205.00	200	Horizontal	Pass
6	12564.750	50.63	3.99	74.0	23.37	Peak	315.00	400	Horizontal	Pass
6**	12564.750	40.99	3.99	54.0	13.01	AV	315.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	43.89	-14.48	74.0	30.11	Peak	288.00	400	Vertical	Pass
1**	1331.300	33.03	-14.48	54.0	20.97	AV	288.00	400	Vertical	Pass
2	2834.200	48.58	-6.51	74.0	25.42	Peak	235.00	200	Vertical	Pass
2**	2834.200	39.05	-6.51	54.0	14.95	AV	235.00	200	Vertical	Pass
3	5045.000	51.01	-3.01	74.0	22.99	Peak	36.00	200	Vertical	Pass
3**	5045.000	42.02	-3.01	54.0	11.98	AV	36.00	200	Vertical	Pass
4	5786.250	104.50	-2.27	--	--	Peak	311.00	400	Vertical	N/A
4**	5786.250	97.43	-2.27	--	--	AV	311.00	400	Vertical	N/A
5	7626.000	56.77	3.02	74.0	17.23	Peak	36.00	200	Vertical	Pass
5**	7626.000	47.06	3.02	54.0	6.94	AV	36.00	200	Vertical	Pass
6	12332.951	50.27	4.29	74.0	23.73	Peak	78.00	100	Vertical	Pass
6**	12332.951	40.28	4.29	54.0	13.72	AV	78.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	43.10	-14.46	74.0	30.90	Peak	258.00	300	Horizontal	Pass
1**	1330.500	33.56	-14.46	54.0	20.44	AV	258.00	300	Horizontal	Pass
2	2854.900	48.83	-6.33	74.0	25.17	Peak	344.00	300	Horizontal	Pass
2**	2854.900	39.95	-6.33	54.0	14.05	AV	344.00	300	Horizontal	Pass
3	4930.750	50.88	-3.62	74.0	23.12	Peak	281.00	150	Horizontal	Pass
3**	4930.750	40.89	-3.62	54.0	13.11	AV	281.00	150	Horizontal	Pass
4	5823.750	98.46	-2.27	--	--	Peak	325.00	300	Horizontal	N/A
4**	5823.750	90.85	-2.27	--	--	AV	325.00	300	Horizontal	N/A
5	7599.500	55.99	2.34	74.0	18.01	Peak	189.00	100	Horizontal	Pass
5**	7599.500	45.99	2.34	54.0	8.01	AV	189.00	100	Horizontal	Pass
6	12550.737	50.16	4.06	74.0	23.84	Peak	155.00	300	Horizontal	Pass
6**	12550.737	41.18	4.06	54.0	12.82	AV	155.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.400	44.80	-14.57	74.0	29.20	Peak	265.00	200	Vertical	Pass
1**	1498.400	31.76	-14.57	54.0	22.24	AV	265.00	200	Vertical	Pass
2	2715.300	48.59	-7.01	74.0	25.41	Peak	274.00	100	Vertical	Pass
2**	2715.300	39.46	-7.01	54.0	14.54	AV	274.00	100	Vertical	Pass
3	4985.500	51.50	-3.08	74.0	22.50	Peak	128.00	150	Vertical	Pass
3**	4985.500	41.57	-3.08	54.0	12.43	AV	128.00	150	Vertical	Pass
4	5826.250	105.74	-2.22	--	--	Peak	219.00	400	Vertical	N/A
4**	5826.250	98.86	-2.22	--	--	AV	219.00	400	Vertical	N/A
5	7625.750	57.55	3.02	74.0	16.45	Peak	219.00	150	Vertical	Pass
5**	7625.750	47.27	3.02	54.0	6.73	AV	219.00	150	Vertical	Pass
6	12384.012	50.76	4.04	74.0	23.24	Peak	0.00	400	Vertical	Pass
6**	12384.012	41.96	4.04	54.0	12.04	AV	0.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.500	42.79	-14.16	74.0	31.21	Peak	207.00	300	Horizontal	Pass
1**	1198.500	32.42	-14.16	54.0	21.58	AV	207.00	300	Horizontal	Pass
2	2859.800	48.76	-6.11	74.0	25.24	Peak	357.00	100	Horizontal	Pass
2**	2859.800	39.54	-6.11	54.0	14.46	AV	357.00	100	Horizontal	Pass
3	4953.250	50.64	-3.37	74.0	23.36	Peak	341.00	150	Horizontal	Pass
3**	4953.250	42.05	-3.37	54.0	11.95	AV	341.00	150	Horizontal	Pass
4	5751.000	94.72	-2.52	--	--	Peak	341.00	200	Horizontal	N/A
4**	5751.000	86.88	-2.52	--	--	AV	341.00	200	Horizontal	N/A
5	7389.250	56.94	1.47	74.0	17.06	Peak	6.00	100	Horizontal	Pass
5**	7389.250	47.57	1.47	54.0	6.43	AV	6.00	100	Horizontal	Pass
6	12483.049	50.49	3.76	74.0	23.51	Peak	21.00	300	Horizontal	Pass
6**	12483.049	39.91	3.76	54.0	14.09	AV	21.00	300	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.500	44.37	-14.49	74.0	29.63	Peak	348.00	100	Vertical	Pass
1**	1331.500	33.68	-14.49	54.0	20.32	AV	348.00	100	Vertical	Pass
2	2845.200	48.34	-6.72	74.0	25.66	Peak	73.00	200	Vertical	Pass
2**	2845.200	38.85	-6.72	54.0	15.15	AV	73.00	200	Vertical	Pass
3	5024.250	51.31	-2.95	74.0	22.69	Peak	1.00	100	Vertical	Pass
3**	5024.250	41.47	-2.95	54.0	12.53	AV	1.00	100	Vertical	Pass
4	5747.000	100.91	-2.47	--	--	Peak	311.00	200	Vertical	N/A
4**	5747.000	92.85	-2.47	--	--	AV	311.00	200	Vertical	N/A
5	7459.750	56.02	2.13	74.0	17.98	Peak	311.00	200	Vertical	Pass
5**	7459.750	46.53	2.13	54.0	7.47	AV	311.00	200	Vertical	Pass
6	12444.100	50.55	3.89	74.0	23.45	Peak	161.00	300	Vertical	Pass
6**	12444.100	40.83	3.89	54.0	13.17	AV	161.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1130.000	43.48	-14.73	74.0	30.52	Peak	333.00	100	Horizontal	Pass
1**	1130.000	33.44	-14.73	54.0	20.56	AV	333.00	100	Horizontal	Pass
2	2750.200	49.01	-6.33	74.0	24.99	Peak	353.00	150	Horizontal	Pass
2**	2750.200	39.31	-6.33	54.0	14.69	AV	353.00	150	Horizontal	Pass
3	5002.500	51.78	-2.70	74.0	22.22	Peak	360.00	200	Horizontal	Pass
3**	5002.500	41.91	-2.70	54.0	12.09	AV	360.00	200	Horizontal	Pass
4	5798.000	95.36	-2.33	--	--	Peak	325.00	300	Horizontal	N/A
4**	5798.000	87.63	-2.33	--	--	AV	325.00	300	Horizontal	N/A
5	7613.250	56.85	3.13	74.0	17.15	Peak	202.00	150	Horizontal	Pass
5**	7613.250	47.88	3.13	54.0	6.12	AV	202.00	150	Horizontal	Pass
6	12553.113	50.27	4.03	74.0	23.73	Peak	333.00	200	Horizontal	Pass
6**	12553.113	41.06	4.03	54.0	12.94	AV	333.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.400	42.73	-14.49	74.0	31.27	Peak	321.00	300	Vertical	Pass
1**	1331.400	31.96	-14.49	54.0	22.04	AV	321.00	300	Vertical	Pass
2	2868.300	48.61	-6.54	74.0	25.39	Peak	351.00	400	Vertical	Pass
2**	2868.300	39.71	-6.54	54.0	14.29	AV	351.00	400	Vertical	Pass
3	4973.000	50.88	-3.39	74.0	23.12	Peak	328.00	200	Vertical	Pass
3**	4973.000	41.68	-3.39	54.0	12.32	AV	328.00	200	Vertical	Pass
4	5791.750	101.27	-2.26	--	--	Peak	312.00	200	Vertical	N/A
4**	5791.750	94.59	-2.26	--	--	AV	312.00	200	Vertical	N/A
5	7617.250	56.59	3.04	74.0	17.41	Peak	252.00	150	Vertical	Pass
5**	7617.250	46.87	3.04	54.0	7.13	AV	252.00	150	Vertical	Pass
6	11712.838	50.28	2.01	74.0	23.72	Peak	230.00	400	Vertical	Pass
6**	11712.838	39.86	2.01	54.0	14.14	AV	230.00	400	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1154.700	44.33	-14.53	74.0	29.67	Peak	351.00	100	Horizontal	Pass
1**	1154.700	33.63	-14.53	54.0	20.37	AV	351.00	100	Horizontal	Pass
2	2809.200	48.47	-6.79	74.0	25.53	Peak	267.00	200	Horizontal	Pass
2**	2809.200	39.07	-6.79	54.0	14.93	AV	267.00	200	Horizontal	Pass
3	5006.000	51.23	-2.74	74.0	22.77	Peak	1.00	100	Horizontal	Pass
3**	5006.000	41.71	-2.74	54.0	12.29	AV	1.00	100	Horizontal	Pass
4	5768.500	93.82	-2.16	--	--	Peak	339.00	100	Horizontal	N/A
4**	5768.500	85.39	-2.16	--	--	AV	339.00	100	Horizontal	N/A
5	7525.250	56.27	2.27	74.0	17.73	Peak	165.00	100	Horizontal	Pass
5**	7525.250	46.96	2.27	54.0	7.04	AV	165.00	100	Horizontal	Pass
6	12555.250	50.20	4.00	74.0	23.80	Peak	224.00	100	Horizontal	Pass
6**	12555.250	41.22	4.00	54.0	12.78	AV	224.00	100	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.200	44.36	-14.52	74.0	29.64	Peak	317.00	400	Vertical	Pass
1**	1332.200	35.86	-14.52	54.0	18.14	AV	317.00	400	Vertical	Pass
2	2825.900	48.55	-6.45	74.0	25.45	Peak	211.00	200	Vertical	Pass
2**	2825.900	40.14	-6.45	54.0	13.86	AV	211.00	200	Vertical	Pass
3	5074.250	50.88	-3.34	74.0	23.12	Peak	246.00	150	Vertical	Pass
3**	5074.250	41.50	-3.34	54.0	12.50	AV	246.00	150	Vertical	Pass
4	5778.250	98.32	-2.23	--	--	Peak	323.00	300	Vertical	N/A
4**	5778.250	90.40	-2.23	--	--	AV	323.00	300	Vertical	N/A
5	7517.500	56.72	2.18	74.0	17.28	Peak	200.00	100	Vertical	Pass
5**	7517.500	47.31	2.18	54.0	6.69	AV	200.00	100	Vertical	Pass
6	12368.812	50.27	4.26	74.0	23.73	Peak	223.00	300	Vertical	Pass
6**	12368.812	40.29	4.26	54.0	13.71	AV	223.00	300	Vertical	Pass


A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass

	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass


Test Data

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.775	63.20	2.38	74.0	10.80	Peak	0.00	100	Vertical	Pass
1**	5145.775	49.46	2.38	54.0	4.54	AV	0.00	100	Vertical	Pass
2	5150.000	62.84	2.39	74.0	11.16	Peak	0.00	100	Vertical	Pass
2**	5150.000	50.97	2.39	54.0	3.03	AV	0.00	100	Vertical	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.66	2.63	74.0	18.34	Peak	254.00	400	Vertical	Pass
1**	5350.000	45.22	2.63	54.0	8.78	AV	254.00	400	Vertical	Pass
2	5382.266	57.43	2.43	74.0	16.57	Peak	276.00	100	Vertical	Pass
2**	5382.266	45.47	2.43	54.0	8.53	AV	276.00	100	Vertical	Pass
3	5372.183	55.82	2.55	74.0	18.18	Peak	360.00	100	Vertical	Pass
3**	5372.183	45.58	2.55	54.0	8.42	AV	360.00	100	Vertical	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	57.31	2.38	74.0	16.69	Peak	328.00	300	Vertical	Pass
1**	5147.725	46.59	2.38	54.0	7.41	AV	328.00	300	Vertical	Pass
2	5150.000	56.11	2.39	74.0	17.89	Peak	320.00	100	Vertical	Pass
2**	5150.000	47.28	2.39	54.0	6.72	AV	320.00	100	Vertical	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.69	2.63	74.0	18.31	Peak	246.00	100	Vertical	Pass
1**	5350.000	45.43	2.63	54.0	8.57	AV	246.00	100	Vertical	Pass
2	5386.117	58.22	2.25	74.0	15.78	Peak	60.00	100	Vertical	Pass
2**	5386.117	45.16	2.25	54.0	8.84	AV	60.00	100	Vertical	Pass
3	5353.117	55.96	2.63	74.0	18.04	Peak	106.00	100	Vertical	Pass
3**	5353.117	45.58	2.63	54.0	8.42	AV	106.00	100	Vertical	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	61.63	2.38	74.0	12.37	Peak	326.00	200	Vertical	Pass
1**	5147.725	49.65	2.38	54.0	4.35	AV	326.00	200	Vertical	Pass
2	5150.000	59.92	2.39	74.0	14.08	Peak	330.00	200	Vertical	Pass
2**	5150.000	50.27	2.39	54.0	3.73	AV	330.00	200	Vertical	Pass
3	5148.050	59.45	2.39	74.0	14.55	Peak	326.00	100	Vertical	Pass
3**	5148.050	50.63	2.39	54.0	3.37	AV	326.00	100	Vertical	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.03	2.63	74.0	17.97	Peak	4.00	100	Vertical	Pass
1**	5350.000	45.23	2.63	54.0	8.77	AV	4.00	100	Vertical	Pass
2	5355.867	57.73	2.48	74.0	16.27	Peak	26.00	100	Vertical	Pass
2**	5355.867	45.10	2.48	54.0	8.90	AV	26.00	100	Vertical	Pass
3	5350.733	55.98	2.66	74.0	18.02	Peak	0.00	150	Vertical	Pass
3**	5350.733	45.73	2.66	54.0	8.27	AV	0.00	150	Vertical	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.400	57.71	2.58	74.0	16.29	Peak	308.00	400	Vertical	Pass
1**	5134.400	46.06	2.58	54.0	7.94	AV	308.00	400	Vertical	Pass
2	5150.000	55.90	2.39	74.0	18.10	Peak	302.00	300	Vertical	Pass
2**	5150.000	45.88	2.39	54.0	8.12	AV	302.00	300	Vertical	Pass
3	5141.875	55.38	2.40	74.0	18.62	Peak	88.00	300	Vertical	Pass
3**	5141.875	46.16	2.40	54.0	7.84	AV	88.00	300	Vertical	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.07	2.63	74.0	17.93	Peak	125.00	300	Vertical	Pass
1**	5350.000	45.26	2.63	54.0	8.74	AV	125.00	300	Vertical	Pass
2	5451.750	57.40	2.21	74.0	16.60	Peak	110.00	300	Vertical	Pass
2**	5451.750	45.23	2.21	54.0	8.77	AV	110.00	300	Vertical	Pass
3	5369.617	56.89	2.53	74.0	17.11	Peak	100.00	150	Vertical	Pass
3**	5369.617	45.53	2.53	54.0	8.47	AV	100.00	150	Vertical	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	60.45	2.40	74.0	13.55	Peak	326.00	100	Vertical	Pass
1**	5149.675	50.19	2.40	54.0	3.81	AV	326.00	100	Vertical	Pass
2	5150.000	60.82	2.39	74.0	13.18	Peak	323.00	400	Vertical	Pass
2**	5150.000	50.34	2.39	54.0	3.66	AV	323.00	400	Vertical	Pass
3	5148.700	59.11	2.40	74.0	14.89	Peak	307.00	150	Vertical	Pass
3**	5148.700	50.32	2.40	54.0	3.68	AV	307.00	150	Vertical	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.72	2.63	74.0	18.28	Peak	147.00	200	Vertical	Pass
1**	5350.000	45.25	2.63	54.0	8.75	AV	147.00	200	Vertical	Pass
2	5396.017	57.79	2.27	74.0	16.21	Peak	245.00	200	Vertical	Pass
2**	5396.017	45.07	2.27	54.0	8.93	AV	245.00	200	Vertical	Pass
3	5351.283	55.70	2.66	74.0	18.30	Peak	210.00	150	Vertical	Pass
3**	5351.283	45.58	2.66	54.0	8.42	AV	210.00	150	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	60.63	2.36	74.0	13.37	Peak	325.00	200	Vertical	Pass
1**	5146.425	50.32	2.36	54.0	3.68	AV	325.00	200	Vertical	Pass
2	5150.000	59.93	2.39	74.0	14.07	Peak	325.00	200	Vertical	Pass
2**	5150.000	50.08	2.39	54.0	3.92	AV	325.00	200	Vertical	Pass
3	5149.675	59.25	2.40	74.0	14.75	Peak	325.00	150	Vertical	Pass
3**	5149.675	50.46	2.40	54.0	3.54	AV	325.00	150	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.03	2.63	74.0	17.97	Peak	336.00	200	Vertical	Pass
1**	5350.000	45.50	2.63	54.0	8.50	AV	336.00	200	Vertical	Pass
2	5369.617	57.55	2.53	74.0	16.45	Peak	268.00	300	Vertical	Pass
2**	5369.617	45.29	2.53	54.0	8.71	AV	268.00	300	Vertical	Pass
3	5353.117	56.13	2.63	74.0	17.87	Peak	134.00	150	Vertical	Pass
3**	5353.117	45.68	2.63	54.0	8.32	AV	134.00	150	Vertical	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.725	57.38	2.58	74.0	16.62	Peak	72.00	100	Vertical	Pass
1**	5134.725	46.09	2.58	54.0	7.91	AV	72.00	100	Vertical	Pass
2	5150.000	54.83	2.39	74.0	19.17	Peak	155.00	400	Vertical	Pass
2**	5150.000	45.74	2.39	54.0	8.26	AV	155.00	400	Vertical	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.42	2.63	74.0	11.58	Peak	0.00	100	Vertical	Pass
1**	5350.000	50.27	2.63	54.0	3.73	AV	0.00	100	Vertical	Pass
2	5351.834	62.85	2.65	74.0	11.15	Peak	0.00	100	Vertical	Pass
2**	5351.834	49.75	2.65	54.0	4.25	AV	0.00	100	Vertical	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.250	57.55	2.40	74.0	16.45	Peak	0.00	300	Vertical	Pass
1**	5127.250	45.94	2.40	54.0	8.06	AV	0.00	300	Vertical	Pass
2	5150.000	54.86	2.39	74.0	19.14	Peak	161.00	400	Vertical	Pass
2**	5150.000	45.51	2.39	54.0	8.49	AV	161.00	400	Vertical	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.38	2.63	74.0	16.62	Peak	241.00	100	Vertical	Pass
1**	5350.000	47.41	2.63	54.0	6.59	AV	241.00	100	Vertical	Pass
2	5350.733	58.52	2.66	74.0	15.48	Peak	217.00	100	Vertical	Pass
2**	5350.733	47.14	2.66	54.0	6.86	AV	217.00	100	Vertical	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5111.975	57.06	2.45	74.0	16.94	Peak	352.00	100	Vertical	Pass
1**	5111.975	45.79	2.45	54.0	8.21	AV	352.00	100	Vertical	Pass
2	5150.000	56.01	2.39	74.0	17.99	Peak	96.00	400	Vertical	Pass
2**	5150.000	45.49	2.39	54.0	8.51	AV	96.00	400	Vertical	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.65	2.63	74.0	11.35	Peak	328.00	400	Vertical	Pass
1**	5350.000	49.77	2.63	54.0	4.23	AV	328.00	400	Vertical	Pass
2	5350.917	68.97	2.66	74.0	5.03	Peak	251.00	400	Vertical	Pass
2**	5350.917	49.81	2.66	54.0	4.19	AV	251.00	400	Vertical	Pass
3	5350.367	60.14	2.64	74.0	13.86	Peak	334.00	150	Vertical	Pass
3**	5350.367	50.02	2.64	54.0	3.98	AV	334.00	150	Vertical	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5064.850	58.32	2.37	74.0	15.68	Peak	334.00	300	Vertical	Pass
1**	5064.850	45.79	2.37	54.0	8.21	AV	334.00	300	Vertical	Pass
2	5150.000	55.19	2.39	74.0	18.81	Peak	73.00	300	Vertical	Pass
2**	5150.000	45.86	2.39	54.0	8.14	AV	73.00	300	Vertical	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.70	2.63	74.0	18.30	Peak	332.00	200	Vertical	Pass
1**	5350.000	46.16	2.63	54.0	7.84	AV	332.00	200	Vertical	Pass
2	5358.250	57.73	2.42	74.0	16.27	Peak	160.00	200	Vertical	Pass
2**	5358.250	45.41	2.42	54.0	8.59	AV	160.00	200	Vertical	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5035.925	57.69	2.70	74.0	16.31	Peak	166.00	100	Vertical	Pass
1**	5035.925	45.74	2.70	54.0	8.26	AV	166.00	100	Vertical	Pass
2	5150.000	55.92	2.39	74.0	18.08	Peak	137.00	200	Vertical	Pass
2**	5150.000	45.51	2.39	54.0	8.49	AV	137.00	200	Vertical	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.21	2.63	74.0	14.79	Peak	158.00	200	Vertical	Pass
1**	5350.000	49.55	2.63	54.0	4.45	AV	158.00	200	Vertical	Pass
2	5352.383	60.54	2.65	74.0	13.46	Peak	241.00	100	Vertical	Pass
2**	5352.383	48.77	2.65	54.0	5.23	AV	241.00	100	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5048.925	57.40	2.62	74.0	16.60	Peak	197.00	200	Vertical	Pass
1**	5048.925	45.93	2.62	54.0	8.07	AV	197.00	200	Vertical	Pass
2	5150.000	54.93	2.39	74.0	19.07	Peak	360.00	100	Vertical	Pass
2**	5150.000	45.54	2.39	54.0	8.46	AV	360.00	100	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.84	2.63	74.0	12.16	Peak	0.00	100	Vertical	Pass
1**	5350.000	50.14	2.63	54.0	3.86	AV	0.00	100	Vertical	Pass
2	5354.400	65.48	2.56	74.0	8.52	Peak	0.00	100	Vertical	Pass
2**	5354.400	50.38	2.56	54.0	3.62	AV	0.00	100	Vertical	Pass
3	5353.300	62.71	2.62	74.0	11.29	Peak	0.00	100	Vertical	Pass
3**	5353.300	50.39	2.62	54.0	3.61	AV	0.00	100	Vertical	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.400	58.13	2.33	74.0	15.87	Peak	60.00	200	Vertical	Pass
1**	5442.400	45.66	2.33	54.0	8.34	AV	60.00	200	Vertical	Pass
2	5460.000	57.29	2.40	74.0	16.71	Peak	315.00	100	Vertical	Pass
2**	5460.000	46.33	2.40	54.0	7.67	AV	315.00	100	Vertical	Pass
3	5468.800	61.61	2.45	68.2	6.59	Peak	330.00	400	Vertical	Pass
3**	5468.800	49.00	2.45	--	--	AV	330.00	400	Vertical	N/A
4	5470.000	60.88	2.49	68.2	7.32	Peak	326.00	100	Vertical	Pass
4**	5470.000	49.34	2.49	--	--	AV	326.00	100	Vertical	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.77	2.90	68.2	9.43	Peak	334.00	300	Vertical	Pass
2	5727.917	59.73	2.80	68.2	8.47	Peak	310.00	400	Vertical	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.200	57.67	2.63	74.0	16.33	Peak	356.00	100	Vertical	Pass
1**	5350.200	45.29	2.63	54.0	8.71	AV	356.00	100	Vertical	Pass
2	5460.000	55.79	2.40	74.0	18.21	Peak	312.00	300	Vertical	Pass
2**	5460.000	45.64	2.40	54.0	8.36	AV	312.00	300	Vertical	Pass
3	5468.000	57.30	2.42	68.2	10.90	Peak	323.00	300	Vertical	Pass
3**	5468.000	46.22	2.42	--	--	AV	323.00	300	Vertical	N/A
4	5470.000	56.24	2.49	68.2	11.96	Peak	2.00	300	Vertical	Pass
4**	5470.000	46.32	2.49	--	--	AV	2.00	300	Vertical	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.92	2.90	68.2	8.28	Peak	114.00	400	Vertical	Pass
2	5728.333	58.93	2.75	68.2	9.27	Peak	308.00	200	Vertical	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	60.56	2.40	74.0	13.44	Peak	321.00	300	Vertical	Pass
1**	5459.800	48.17	2.40	54.0	5.83	AV	321.00	300	Vertical	Pass
2	5460.000	59.64	2.40	74.0	14.36	Peak	154.00	400	Vertical	Pass
2**	5460.000	48.71	2.40	54.0	5.29	AV	154.00	400	Vertical	Pass
3	5466.000	65.08	2.54	68.2	3.12	Peak	336.00	400	Vertical	Pass
3**	5466.000	51.84	2.54	--	--	AV	336.00	400	Vertical	N/A
4	5470.000	62.77	2.49	68.2	5.43	Peak	336.00	100	Vertical	Pass
4**	5470.000	54.02	2.49	--	--	AV	336.00	100	Vertical	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.81	2.90	68.2	6.39	Peak	320.00	300	Vertical	Pass
2	5737.083	60.90	2.71	68.2	7.30	Peak	114.00	300	Vertical	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5443.000	57.35	2.31	74.0	16.65	Peak	360.00	100	Vertical	Pass
1**	5443.000	45.28	2.31	54.0	8.72	AV	360.00	100	Vertical	Pass
2	5460.000	56.17	2.40	74.0	17.83	Peak	42.00	400	Vertical	Pass
2**	5460.000	45.67	2.40	54.0	8.33	AV	42.00	400	Vertical	Pass
3	5466.200	57.17	2.53	68.2	11.03	Peak	60.00	200	Vertical	Pass
3**	5466.200	45.91	2.53	--	--	AV	60.00	200	Vertical	N/A
4	5470.000	56.92	2.49	68.2	11.28	Peak	248.00	400	Vertical	Pass
4**	5470.000	46.15	2.49	--	--	AV	248.00	400	Vertical	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.75	2.90	68.2	11.45	Peak	125.00	400	Vertical	Pass
2	5754.584	58.50	2.93	68.2	9.70	Peak	354.00	300	Vertical	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.600	58.30	2.40	74.0	15.70	Peak	335.00	200	Vertical	Pass
1**	5459.600	47.12	2.40	54.0	6.88	AV	335.00	200	Vertical	Pass
2	5460.000	57.69	2.40	74.0	16.31	Peak	335.00	100	Vertical	Pass
2**	5460.000	47.39	2.40	54.0	6.61	AV	335.00	100	Vertical	Pass
3	5468.200	63.56	2.43	68.2	4.64	Peak	335.00	300	Vertical	Pass
3**	5468.200	50.70	2.43	--	--	AV	335.00	300	Vertical	N/A
4	5470.000	61.70	2.49	68.2	6.50	Peak	335.00	100	Vertical	Pass
4**	5470.000	51.54	2.49	--	--	AV	335.00	100	Vertical	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.73	2.90	68.2	11.47	Peak	145.00	400	Vertical	Pass
2	5774.167	58.57	3.28	68.2	9.63	Peak	1.00	100	Vertical	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.800	63.16	2.27	74.0	10.84	Peak	334.00	100	Vertical	Pass
1**	5456.800	51.62	2.27	54.0	2.38	AV	334.00	100	Vertical	Pass
2	5460.000	62.40	2.40	74.0	11.60	Peak	150.00	400	Vertical	Pass
2**	5460.000	52.16	2.40	54.0	1.84	AV	150.00	400	Vertical	Pass
3	5467.800	64.98	2.41	68.2	3.22	Peak	334.00	100	Vertical	Pass
3**	5467.800	53.44	2.41	--	--	AV	334.00	100	Vertical	N/A
4	5470.000	64.56	2.49	68.2	3.64	Peak	334.00	400	Vertical	Pass
4**	5470.000	54.53	2.49	--	--	AV	334.00	400	Vertical	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.40	2.90	68.2	11.80	Peak	47.00	400	Vertical	Pass
2	5825.625	58.55	3.28	68.2	9.65	Peak	125.00	100	Vertical	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5623.333	58.10	2.58	68.2	10.10	Peak	304.00	200	Vertical	Pass
2	5650.000	56.35	2.56	68.2	11.85	Peak	360.00	200	Vertical	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.87	4.03	68.4	10.53	Peak	353.00	400	Vertical	Pass
2	5936.750	59.28	4.42	68.2	8.92	Peak	131.00	300	Vertical	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5606.875	57.42	2.63	68.2	10.78	Peak	0.00	100	Vertical	Pass
2	5650.000	55.85	2.56	68.2	12.35	Peak	83.00	300	Vertical	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.95	4.03	68.4	10.45	Peak	246.00	200	Vertical	Pass
2	5935.750	58.94	4.37	68.2	9.26	Peak	321.00	200	Vertical	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5617.709	57.53	2.71	68.2	10.67	Peak	129.00	100	Vertical	Pass
2	5650.000	55.48	2.56	68.2	12.72	Peak	360.00	400	Vertical	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	58.29	4.03	68.4	10.11	Peak	266.00	200	Vertical	Pass
2	5930.750	59.05	4.20	68.2	9.15	Peak	99.00	200	Vertical	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5606.875	57.70	2.63	68.2	10.50	Peak	357.00	100	Vertical	Pass
2	5650.000	55.92	2.56	68.2	12.28	Peak	196.00	200	Vertical	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.53	4.03	68.4	10.87	Peak	117.00	100	Vertical	Pass
2	5934.500	59.22	4.33	68.2	8.98	Peak	94.00	400	Vertical	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5617.709	57.88	2.71	68.2	10.32	Peak	178.00	200	Vertical	Pass
2	5650.000	55.75	2.56	68.2	12.45	Peak	321.00	200	Vertical	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.25	4.03	68.4	11.15	Peak	198.00	300	Vertical	Pass
2	5983.500	59.21	3.54	68.2	8.99	Peak	63.00	400	Vertical	Pass

U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5615.416	57.67	2.68	68.2	10.53	Peak	140.00	100	Vertical	Pass
2	5650.000	56.27	2.56	68.2	11.93	Peak	170.00	400	Vertical	Pass

U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.96	4.03	68.4	10.44	Peak	134.00	100	Vertical	Pass
2	5938.000	59.07	4.41	68.2	9.13	Peak	12.00	200	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ25B1396-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ25B1396-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ25B1396-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--