


Spurious Emission at Antenna Terminals


7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	59.01	Pass	2986
30	694	0.1	RMS	487	-66.07	-13	53.07	Pass	6641
694	726	0.1	RMS	711.36	19.58	60	40.42	Pass	401
726	1000	0.1	RMS	1000	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1422	-49.17	-13	36.17	Pass	2001
3000	10000	1	RMS	6799	-45.61	-13	32.61	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.23	-72.05	-13	59.05	Pass	2986
30	694	0.1	RMS	694	-64.27	-13	51.27	Pass	6641
694	726	0.1	RMS	704.56	20.29	60	39.71	Pass	401
726	1000	0.1	RMS	957.1	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	1409	-48.22	-13	35.22	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.27	-72.61	-13	59.61	Pass	2986
30	694	0.1	RMS	693.9	-64.39	-13	51.39	Pass	6641
694	726	0.1	RMS	704.56	19.52	60	40.48	Pass	401
726	1000	0.1	RMS	842.9	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1409	-49.07	-13	36.07	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.21	-72.68	-13	59.68	Pass	2986
30	694	0.1	RMS	693.8	-65.53	-13	52.53	Pass	6641
694	726	0.1	RMS	705.6	20.47	60	39.53	Pass	401
726	1000	0.1	RMS	838.8	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1411	-48.48	-13	35.48	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	59.47	Pass	2986
30	694	0.1	RMS	693.9	-65.55	-13	52.55	Pass	6641
694	726	0.1	RMS	705.6	19.45	60	40.55	Pass	401
726	1000	0.1	RMS	842.8	-64.95	-13	51.95	Pass	2741
1000	3000	1	RMS	1411	-49.52	-13	36.52	Pass	2001
3000	10000	1	RMS	6799	-45.5	-13	32.5	Pass	7001




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	694	0.1	RMS	693.7	-65.85	-13	52.85	Pass	6641
694	726	0.1	RMS	706.56	20.27	60	39.73	Pass	401
726	1000	0.1	RMS	863.6	-64.91	-13	51.91	Pass	2741
1000	3000	1	RMS	1413	-48.14	-13	35.14	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001



7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.91	-13	59.91	Pass	2986
30	694	0.1	RMS	694	-65.98	-13	52.98	Pass	6641
694	726	0.1	RMS	706.56	19.31	60	40.69	Pass	401
726	1000	0.1	RMS	990.3	-64.96	-13	51.96	Pass	2741
1000	3000	1	RMS	1413	-49.11	-13	36.11	Pass	2001
3000	10000	1	RMS	6803	-45.63	-13	32.63	Pass	7001



8. LTE_Band66


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	855.304	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1700	-53.58	-13	40.58	Pass	701
1700	1790	1	RMS	1710.125	22.57	60	37.43	Pass	401
1790	3000	1	RMS	3000	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11996	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13610	-39.79	-13	26.79	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	831.8	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-53.66	-13	40.66	Pass	701
1700	1790	1	RMS	1710.125	21.72	60	38.28	Pass	401
1790	3000	1	RMS	2986	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11995	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13599	-39.76	-13	26.76	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	869.914	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1695	-53.72	-13	40.72	Pass	701
1700	1790	1	RMS	1744.55	22.47	60	37.53	Pass	401
1790	3000	1	RMS	2844	-51.33	-13	38.33	Pass	1211
3000	12000	1	RMS	11995	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13602	-39.76	-13	26.76	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	842.1	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1694	-53.8	-13	40.8	Pass	701
1700	1790	1	RMS	1744.55	21.6	60	38.4	Pass	401
1790	3000	1	RMS	3000	-51.3	-13	38.3	Pass	1211
3000	12000	1	RMS	11988	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13599	-39.74	-13	26.74	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	990.894	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1698	-53.97	-13	40.97	Pass	701
1700	1790	1	RMS	1778.75	22.58	60	37.42	Pass	401
1790	3000	1	RMS	2939	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11999	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	894.83	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1700	-53.98	-13	40.98	Pass	701
1700	1790	1	RMS	1778.75	21.59	60	38.41	Pass	401
1790	3000	1	RMS	2982	-51.3	-13	38.3	Pass	1211
3000	12000	1	RMS	11991	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.69	-13	26.69	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	974.783	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-53.27	-13	40.27	Pass	701
1700	1790	1	RMS	1710.125	22.65	60	37.35	Pass	401
1790	3000	1	RMS	2930	-51.31	-13	38.31	Pass	1211
3000	12000	1	RMS	11991	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13603	-39.7	-13	26.7	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	840.1	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-53.36	-13	40.36	Pass	701
1700	1790	1	RMS	1710.125	21.75	60	38.25	Pass	401
1790	3000	1	RMS	2987	-51.32	-13	38.32	Pass	1211
3000	12000	1	RMS	12000	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13604	-39.68	-13	26.68	Pass	8001




8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	866.612	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-53.77	-13	40.77	Pass	701
1700	1790	1	RMS	1743.65	22.77	60	37.23	Pass	401
1790	3000	1	RMS	2983	-51.32	-13	38.32	Pass	1211
3000	12000	1	RMS	11998	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	916.945	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-53.71	-13	40.71	Pass	701
1700	1790	1	RMS	1743.65	21.73	60	38.27	Pass	401
1790	3000	1	RMS	3000	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11989	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	843.5	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1696	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1777.175	22.47	60	37.53	Pass	401
1790	3000	1	RMS	2997	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11998	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	835.1	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1700	-53.96	-13	40.96	Pass	701
1700	1790	1	RMS	1777.175	21.63	60	38.37	Pass	401
1790	3000	1	RMS	2993	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11994	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13602	-39.7	-13	26.7	Pass	8001




8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.21	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	983.789	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-53.15	-13	40.15	Pass	701
1700	1790	1	RMS	1710.125	22.63	60	37.37	Pass	401
1790	3000	1	RMS	2986	-51.31	-13	38.31	Pass	1211
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	906.638	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1700	-53.48	-13	40.48	Pass	701
1700	1790	1	RMS	1710.35	21.59	60	38.41	Pass	401
1790	3000	1	RMS	2997	-51.3	-13	38.3	Pass	1211
3000	12000	1	RMS	11999	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	842.6	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-53.68	-13	40.68	Pass	701
1700	1790	1	RMS	1742.75	22.82	60	37.18	Pass	401
1790	3000	1	RMS	2985	-51.32	-13	38.32	Pass	1211
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.63	-13	26.63	Pass	8001




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	845.6	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1694	-53.75	-13	40.75	Pass	701
1700	1790	1	RMS	1742.75	21.93	60	38.07	Pass	401
1790	3000	1	RMS	2846	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11992	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	984.59	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-53.84	-13	40.84	Pass	701
1700	1790	1	RMS	1775.15	22.38	60	37.62	Pass	401
1790	3000	1	RMS	2986	-51.33	-13	38.33	Pass	1211
3000	12000	1	RMS	11999	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13600	-39.68	-13	26.68	Pass	8001




8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.18	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	857.105	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1700	-53.85	-13	40.85	Pass	701
1700	1790	1	RMS	1775.15	21.61	60	38.39	Pass	401
1790	3000	1	RMS	2997	-51.31	-13	38.31	Pass	1211
3000	12000	1	RMS	11994	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13605	-39.75	-13	26.75	Pass	8001




8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	858.306	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-51.32	-13	38.32	Pass	701
1700	1790	1	RMS	1710.35	22.56	60	37.44	Pass	401
1790	3000	1	RMS	2986	-51.33	-13	38.33	Pass	1211
3000	12000	1	RMS	11997	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001




8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	851.402	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1700	-51.5	-13	38.5	Pass	701
1700	1790	1	RMS	1710.575	21.85	60	38.15	Pass	401
1790	3000	1	RMS	2981	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13607	-39.79	-13	26.79	Pass	8001




8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	862.909	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1698	-53.83	-13	40.83	Pass	701
1700	1790	1	RMS	1740.5	22.84	60	37.16	Pass	401
1790	3000	1	RMS	2986	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11995	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13598	-39.82	-13	26.82	Pass	8001




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.16	-72.84	-13	59.84	Pass	2986
30	1000	0.1	RMS	849.6	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1698	-53.84	-13	40.84	Pass	701
1700	1790	1	RMS	1740.5	21.92	60	38.08	Pass	401
1790	3000	1	RMS	2987	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	12000	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	844.2	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1700	-53.85	-13	40.85	Pass	701
1700	1790	1	RMS	1770.425	22.61	60	37.39	Pass	401
1790	3000	1	RMS	2984	-51.31	-13	38.31	Pass	1211
3000	12000	1	RMS	11999	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001




8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	831.2	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1700	-53.77	-13	40.77	Pass	701
1700	1790	1	RMS	1770.425	21.82	60	38.18	Pass	401
1790	3000	1	RMS	2974	-51.3	-13	38.3	Pass	1211
3000	12000	1	RMS	11999	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13604	-39.77	-13	26.77	Pass	8001




8.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	835	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1699	-49.3	-13	36.3	Pass	701
1700	1790	1	RMS	1710.8	22.74	60	37.26	Pass	401
1790	3000	1	RMS	2997	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11998	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




8.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	995.897	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1700	-50.11	-13	37.11	Pass	701
1700	1790	1	RMS	1710.8	21.79	60	38.21	Pass	401
1790	3000	1	RMS	2998	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11996	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




8.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	972.282	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1696	-53.86	-13	40.86	Pass	701
1700	1790	1	RMS	1738.25	22.98	60	37.02	Pass	401
1790	3000	1	RMS	2975	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11996	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13598	-39.79	-13	26.79	Pass	8001




8.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	846.8	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1694	-53.88	-13	40.88	Pass	701
1700	1790	1	RMS	1738.25	21.89	60	38.11	Pass	401
1790	3000	1	RMS	2939	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




8.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	855.404	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1697	-53.58	-13	40.58	Pass	701
1700	1790	1	RMS	1765.7	22.6	60	37.4	Pass	401
1790	3000	1	RMS	1792	-47.77	-13	34.77	Pass	1211
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




8.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	838.2	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1697	-53.67	-13	40.67	Pass	701
1700	1790	1	RMS	1765.7	21.81	60	38.19	Pass	401
1790	3000	1	RMS	1792	-47.88	-13	34.88	Pass	1211
3000	12000	1	RMS	12000	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




8.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	950.267	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1696	-49.68	-13	36.68	Pass	701
1700	1790	1	RMS	1711.025	22.7	60	37.3	Pass	401
1790	3000	1	RMS	2991	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13599	-39.68	-13	26.68	Pass	8001




8.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	904.136	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1700	-50.01	-13	37.01	Pass	701
1700	1790	1	RMS	1711.025	21.9	60	38.1	Pass	401
1790	3000	1	RMS	2987	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	11997	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




8.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	841.9	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1700	-52.92	-13	39.92	Pass	701
1700	1790	1	RMS	1736	22.68	60	37.32	Pass	401
1790	3000	1	RMS	2991	-51.33	-13	38.33	Pass	1211
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




8.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	872.415	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-53.19	-13	40.19	Pass	701
1700	1790	1	RMS	1736	21.93	60	38.07	Pass	401
1790	3000	1	RMS	2993	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11998	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13604	-39.81	-13	26.81	Pass	8001




8.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	841.8	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-53.03	-13	40.03	Pass	701
1700	1790	1	RMS	1760.975	22.77	60	37.23	Pass	401
1790	3000	1	RMS	1790	-42.11	-13	29.11	Pass	1211
3000	12000	1	RMS	11994	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001



8.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	860.007	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1698	-53.26	-13	40.26	Pass	701
1700	1790	1	RMS	1760.975	21.75	60	38.25	Pass	401
1790	3000	1	RMS	1790	-42.86	-13	29.86	Pass	1211
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13603	-39.74	-13	26.74	Pass	8001



9. LTE_Band38


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.84	-25	43.84	Pass	401
0.15	30	0.01	RMS	0.15	-67.54	-25	42.54	Pass	2986
30	1000	0.1	RMS	992.395	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2506	-48.1	-25	23.1	Pass	1561
2560	2630	1	RMS	2570.15	23.16	60	36.84	Pass	401
2630	3000	1	RMS	2901.025	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11968	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25502	-50.95	-25	25.95	Pass	14502




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.08	-25	44.08	Pass	401
0.15	30	0.01	RMS	0.18	-68.12	-25	43.12	Pass	2986
30	1000	0.1	RMS	904.937	-61.34	-25	36.34	Pass	9701
1000	2560	1	RMS	2506	-48.14	-25	23.14	Pass	1561
2560	2630	1	RMS	2570.325	22.06	60	37.94	Pass	401
2630	3000	1	RMS	2900.1	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11956	-49.83	-25	24.83	Pass	9002
12000	26500	1	RMS	25502	-50.88	-25	25.88	Pass	14502




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.38	-25	43.38	Pass	401
0.15	30	0.01	RMS	0.15	-67.21	-25	42.21	Pass	2986
30	1000	0.1	RMS	976.685	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2529	-48.09	-25	23.09	Pass	1561
2560	2630	1	RMS	2592.9	22.47	60	37.53	Pass	401
2630	3000	1	RMS	2901.025	-46.22	-25	21.22	Pass	401
3000	12000	1	RMS	11978	-49.93	-25	24.93	Pass	9002
12000	26500	1	RMS	25498	-50.94	-25	25.94	Pass	14502




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.61	-25	43.61	Pass	401
0.15	30	0.01	RMS	0.17	-68.02	-25	43.02	Pass	2986
30	1000	0.1	RMS	866.211	-61.36	-25	36.36	Pass	9701
1000	2560	1	RMS	2535	-48.09	-25	23.09	Pass	1561
2560	2630	1	RMS	2592.725	22.05	60	37.95	Pass	401
2630	3000	1	RMS	2901.025	-46.21	-25	21.21	Pass	401
3000	12000	1	RMS	11955	-49.78	-25	24.78	Pass	9002
12000	26500	1	RMS	25901	-50.88	-25	25.88	Pass	14502




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.71	-25	42.71	Pass	401
0.15	30	0.01	RMS	0.24	-68.41	-25	43.41	Pass	2986
30	1000	0.1	RMS	965.877	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2551	-48.16	-25	23.16	Pass	1561
2560	2630	1	RMS	2615.125	22.67	60	37.33	Pass	401
2630	3000	1	RMS	2899.175	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11997	-49.93	-25	24.93	Pass	9002
12000	26500	1	RMS	25499	-50.92	-25	25.92	Pass	14502




**9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.07	-25	44.07	Pass	401
0.15	30	0.01	RMS	0.15	-67.56	-25	42.56	Pass	2986
30	1000	0.1	RMS	969.68	-61.25	-25	36.25	Pass	9701
1000	2560	1	RMS	2558	-48.19	-25	23.19	Pass	1561
2560	2630	1	RMS	2615.125	21.73	60	38.27	Pass	401
2630	3000	1	RMS	2902.875	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11950	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25496	-50.87	-25	25.87	Pass	14502




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.61	-25	43.61	Pass	401
0.15	30	0.01	RMS	0.15	-67.85	-25	42.85	Pass	2986
30	1000	0.1	RMS	906.838	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2560	-45.92	-25	20.92	Pass	1561
2560	2630	1	RMS	2570.5	22.59	60	37.41	Pass	401
2630	3000	1	RMS	2900.1	-46.22	-25	21.22	Pass	401
3000	12000	1	RMS	11979	-49.92	-25	24.92	Pass	9002
12000	26500	1	RMS	25506	-50.85	-25	25.85	Pass	14502




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.01	-25	43.01	Pass	401
0.15	30	0.01	RMS	0.15	-67.66	-25	42.66	Pass	2986
30	1000	0.1	RMS	974.383	-61.47	-25	36.47	Pass	9701
1000	2560	1	RMS	2560	-46.33	-25	21.33	Pass	1561
2560	2630	1	RMS	2570.5	22.11	60	37.89	Pass	401
2630	3000	1	RMS	2900.1	-46.17	-25	21.17	Pass	401
3000	12000	1	RMS	11958	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25508	-50.93	-25	25.93	Pass	14502




9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.07	-25	42.07	Pass	401
0.15	30	0.01	RMS	0.17	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	965.977	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2527	-48.02	-25	23.02	Pass	1561
2560	2630	1	RMS	2590.45	22.61	60	37.39	Pass	401
2630	3000	1	RMS	2902.875	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11956	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25493	-50.92	-25	25.92	Pass	14502




9.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.75	-25	43.75	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	835.1	-61.24	-25	36.24	Pass	9701
1000	2560	1	RMS	2525	-48.19	-25	23.19	Pass	1561
2560	2630	1	RMS	2590.625	21.39	60	38.61	Pass	401
2630	3000	1	RMS	2901.95	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11949	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25496	-50.86	-25	25.86	Pass	14502




9.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.76	-25	42.76	Pass	401
0.15	30	0.01	RMS	0.3	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	956.271	-61.3	-25	36.3	Pass	9701
1000	2560	1	RMS	2539	-48.19	-25	23.19	Pass	1561
2560	2630	1	RMS	2610.4	22.98	60	37.02	Pass	401
2630	3000	1	RMS	2901.95	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11968	-49.85	-25	24.85	Pass	9002
12000	26500	1	RMS	25511	-50.91	-25	25.91	Pass	14502




9.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.5	-25	42.5	Pass	401
0.15	30	0.01	RMS	0.16	-67.39	-25	42.39	Pass	2986
30	1000	0.1	RMS	955.871	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2554	-48.25	-25	23.25	Pass	1561
2560	2630	1	RMS	2610.575	21.53	60	38.47	Pass	401
2630	3000	1	RMS	2901.95	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11959	-49.8	-25	24.8	Pass	9002
12000	26500	1	RMS	25504	-50.88	-25	25.88	Pass	14502




9.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.84	-25	43.84	Pass	401
0.15	30	0.01	RMS	0.16	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	849.1	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2559	-45.51	-25	20.51	Pass	1561
2560	2630	1	RMS	2570.85	23.22	60	36.78	Pass	401
2630	3000	1	RMS	2901.95	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11959	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25497	-50.96	-25	25.96	Pass	14502




9.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.17	-67.35	-25	42.35	Pass	2986
30	1000	0.1	RMS	892.829	-61.47	-25	36.47	Pass	9701
1000	2560	1	RMS	2559	-46.31	-25	21.31	Pass	1561
2560	2630	1	RMS	2570.675	22.29	60	37.71	Pass	401
2630	3000	1	RMS	2901.025	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11954	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25500	-50.89	-25	25.89	Pass	14502




9.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.81	-25	43.81	Pass	401
0.15	30	0.01	RMS	0.17	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	996.998	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2536	-48.08	-25	23.08	Pass	1561
2560	2630	1	RMS	2588.175	22.39	60	37.61	Pass	401
2630	3000	1	RMS	2899.175	-46.22	-25	21.22	Pass	401
3000	12000	1	RMS	11958	-49.9	-25	24.9	Pass	9002
12000	26500	1	RMS	25500	-50.84	-25	25.84	Pass	14502




9.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.69	-25	42.69	Pass	401
0.15	30	0.01	RMS	0.17	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	970.781	-61.36	-25	36.36	Pass	9701
1000	2560	1	RMS	2530	-48.14	-25	23.14	Pass	1561
2560	2630	1	RMS	2588.175	22.04	60	37.96	Pass	401
2630	3000	1	RMS	2901.025	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11991	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25889	-50.98	-25	25.98	Pass	14502




9.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.25	-25	42.25	Pass	401
0.15	30	0.01	RMS	0.15	-67.49	-25	42.49	Pass	2986
30	1000	0.1	RMS	934.557	-61.48	-25	36.48	Pass	9701
1000	2560	1	RMS	2548	-48.09	-25	23.09	Pass	1561
2560	2630	1	RMS	2605.85	22.94	60	37.06	Pass	401
2630	3000	1	RMS	2630.925	-45.05	-25	20.05	Pass	401
3000	12000	1	RMS	11977	-49.85	-25	24.85	Pass	9002
12000	26500	1	RMS	25501	-50.8	-25	25.8	Pass	14502



9.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.25	-25	43.25	Pass	401
0.15	30	0.01	RMS	0.16	-68.11	-25	43.11	Pass	2986
30	1000	0.1	RMS	896.131	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2541	-48.05	-25	23.05	Pass	1561
2560	2630	1	RMS	2605.85	22.29	60	37.71	Pass	401
2630	3000	1	RMS	2630.925	-44.88	-25	19.88	Pass	401
3000	12000	1	RMS	11952	-49.78	-25	24.78	Pass	9002
12000	26500	1	RMS	25516	-50.97	-25	25.97	Pass	14502



9.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.32	-25	43.32	Pass	401
0.15	30	0.01	RMS	0.18	-67.87	-25	42.87	Pass	2986
30	1000	0.1	RMS	953.769	-61.5	-25	36.5	Pass	9701
1000	2560	1	RMS	2556	-45.01	-25	20.01	Pass	1561
2560	2630	1	RMS	2571.025	23.4	60	36.6	Pass	401
2630	3000	1	RMS	2900.1	-46.19	-25	21.19	Pass	401
3000	12000	1	RMS	11948	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25504	-50.84	-25	25.84	Pass	14502

