













Mode	5																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5 Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2327.03</td><td>56.14</td><td>74.00</td><td>-17.86</td><td>42.44</td><td>27.19</td><td>7.50</td><td>31.02</td><td>10.03</td><td>400</td><td>39</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2327.03	56.14	74.00	-17.86	42.44	27.19	7.50	31.02	10.03	400	39	PEAK	Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>98.84</td><td>-----</td><td>-----</td><td>84.44</td><td>27.67</td><td>7.67</td><td>30.97</td><td>10.03</td><td>400</td><td>39</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	98.84	-----	-----	84.44	27.67	7.67	30.97	10.03	400	39
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2327.03	56.14	74.00	-17.86	42.44	27.19	7.50	31.02	10.03	400	39	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	98.84	-----	-----	84.44	27.67	7.67	30.97	10.03	400	39	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH02-CA Condition: AVG_BE_54 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2385.79</td><td>44.86</td><td>54.00</td><td>-9.14</td><td>30.00</td><td>27.44</td><td>7.59</td><td>31.00</td><td>10.03</td><td>400</td><td>39</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.79	44.86	54.00	-9.14	30.00	27.44	7.59	31.00	10.03	400	39	AVERAGE	Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>97.65</td><td>-----</td><td>-----</td><td>83.25</td><td>27.67</td><td>7.67</td><td>30.97</td><td>10.03</td><td>400</td><td>39</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	97.65	-----	-----	83.25	27.67	7.67	30.97	10.03	400	39
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2385.79	44.86	54.00	-9.14	30.00	27.44	7.59	31.00	10.03	400	39	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	97.65	-----	-----	83.25	27.67	7.67	30.97	10.03	400	39	AVERAGE																																																																																							





Mode	5																																													
	Band Edge - R																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	 Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.46</td><td>56.43</td><td>74.00</td><td>-17.57</td><td>41.04</td><td>27.75</td><td>7.74</td><td>30.93</td><td>10.03</td><td>400</td><td>39</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.46	56.43	74.00	-17.57	41.04	27.75	7.74	30.93	10.03	400	39	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2487.46	56.43	74.00	-17.57	41.04	27.75	7.74	30.93	10.03	400	39	PEAK																																		
Avg	 Site : 03CH02-CA Condition: AVG_BE_54 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.00</td><td>45.03</td><td>54.00</td><td>-8.97</td><td>30.41</td><td>27.76</td><td>7.75</td><td>30.92</td><td>10.03</td><td>400</td><td>39</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.00	45.03	54.00	-8.97	30.41	27.76	7.75	30.92	10.03	400	39	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2495.00	45.03	54.00	-8.97	30.41	27.76	7.75	30.92	10.03	400	39	AVERAGE																																		



Mode	5																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2342.24</td><td>55.76</td><td>74.00</td><td>-18.24</td><td>42.09</td><td>27.13</td><td>7.52</td><td>31.01</td><td>10.03</td><td>309</td><td>69 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2342.24	55.76	74.00	-18.24	42.09	27.13	7.52	31.01	10.03	309	69 PEAK	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>100.42</td><td>-----</td><td>-----</td><td>86.05</td><td>27.64</td><td>7.67</td><td>30.97</td><td>10.03</td><td>309</td><td>69 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	100.42	-----	-----	86.05	27.64	7.67	30.97	10.03	309	69 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2342.24	55.76	74.00	-18.24	42.09	27.13	7.52	31.01	10.03	309	69 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2440.00	100.42	-----	-----	86.05	27.64	7.67	30.97	10.03	309	69 PEAK																																																																													
Avg	 Site : 03CH02-CA Condition: AVG_BE_54 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2343.93</td><td>44.11</td><td>54.00</td><td>-9.89</td><td>30.44</td><td>27.13</td><td>7.52</td><td>31.01</td><td>10.03</td><td>309</td><td>69 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2343.93	44.11	54.00	-9.89	30.44	27.13	7.52	31.01	10.03	309	69 AVERAGE	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>99.15</td><td>-----</td><td>-----</td><td>84.78</td><td>27.64</td><td>7.67</td><td>30.97</td><td>10.03</td><td>309</td><td>69 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	99.15	-----	-----	84.78	27.64	7.67	30.97	10.03	309	69 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2343.93	44.11	54.00	-9.89	30.44	27.13	7.52	31.01	10.03	309	69 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2440.00	99.15	-----	-----	84.78	27.64	7.67	30.97	10.03	309	69 AVERAGE																																																																													





Mode	5																																													
	Band Edge - R																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	 Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2491.90</td><td>56.29</td><td>74.00</td><td>-17.71</td><td>41.54</td><td>27.91</td><td>7.74</td><td>30.93</td><td>10.03</td><td>309</td><td>69</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2491.90	56.29	74.00	-17.71	41.54	27.91	7.74	30.93	10.03	309	69	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 2491.90	56.29	74.00	-17.71	41.54	27.91	7.74	30.93	10.03	309	69	PEAK																																			
Avg	 Site : 03CH02-CA Condition: AVG_BE_54 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2496.62</td><td>45.06</td><td>54.00</td><td>-8.94</td><td>30.26</td><td>27.94</td><td>7.75</td><td>30.92</td><td>10.03</td><td>309</td><td>69</td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2496.62	45.06	54.00	-8.94	30.26	27.94	7.75	30.92	10.03	309	69	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 2496.62	45.06	54.00	-8.94	30.26	27.94	7.75	30.92	10.03	309	69	AVERAGE																																			







Mode	5																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>41.59</td><td>74.00</td><td>-32.41</td><td>65.13</td><td>32.74</td><td>10.37</td><td>67.16</td><td>0.51</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>65.81</td><td>36.73</td><td>12.64</td><td>66.44</td><td>0.38</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	41.59	74.00	-32.41	65.13	32.74	10.37	67.16	0.51	--	PEAK	2	7320.00	49.12	74.00	-24.88	65.81	36.73	12.64	66.44	0.38	--	PEAK	Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>41.68</td><td>74.00</td><td>-32.32</td><td>65.23</td><td>32.73</td><td>10.37</td><td>67.16</td><td>0.51</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>63.66</td><td>36.71</td><td>12.64</td><td>66.44</td><td>0.38</td><td>--</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	41.68	74.00	-32.32	65.23	32.73	10.37	67.16	0.51	--	PEAK	2	7320.00	46.95	74.00	-27.05	63.66	36.71	12.64	66.44	0.38	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4880.00	41.59	74.00	-32.41	65.13	32.74	10.37	67.16	0.51	--	PEAK																																																																																																														
2	7320.00	49.12	74.00	-24.88	65.81	36.73	12.64	66.44	0.38	--	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4880.00	41.68	74.00	-32.32	65.23	32.73	10.37	67.16	0.51	--	PEAK																																																																																																														
2	7320.00	46.95	74.00	-27.05	63.66	36.71	12.64	66.44	0.38	--	PEAK																																																																																																														







Mode	5	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 HORIZONTAL	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 VERTICAL





Mode	6																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.00</td><td>57.98</td><td>74.00</td><td>-16.02</td><td>43.41</td><td>27.75</td><td>7.73</td><td>30.94</td><td>10.03</td><td>300</td><td>41</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.00	57.98	74.00	-16.02	43.41	27.75	7.73	30.94	10.03	300	41	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>98.50</td><td>-----</td><td>-----</td><td>83.93</td><td>27.75</td><td>7.73</td><td>30.94</td><td>10.03</td><td>300</td><td>41</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.50	-----	-----	83.93	27.75	7.73	30.94	10.03	300	41
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.00	57.98	74.00	-16.02	43.41	27.75	7.73	30.94	10.03	300	41	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	98.50	-----	-----	83.93	27.75	7.73	30.94	10.03	300	41	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH02-CA Condition: AVG_BE_54 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto						Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>47.90</td><td>54.00</td><td>-6.10</td><td>33.33</td><td>27.75</td><td>7.73</td><td>30.94</td><td>10.03</td><td>300</td><td>41</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	47.90	54.00	-6.10	33.33	27.75	7.73	30.94	10.03	300	41	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>97.30</td><td>-----</td><td>-----</td><td>82.73</td><td>27.75</td><td>7.73</td><td>30.94</td><td>10.03</td><td>300</td><td>41</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.30	-----	-----	82.73	27.75	7.73	30.94	10.03	300	41
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.52	47.90	54.00	-6.10	33.33	27.75	7.73	30.94	10.03	300	41	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	97.30	-----	-----	82.73	27.75	7.73	30.94	10.03	300	41	AVERAGE																																																																																							



Mode	6																																																																																																										
	Band Edge																																																																																																										
	2400-2483.5 Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Vertical						Fundamental																																																																																																				
Peak																																																																																																											
	Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2483.56</td><td>57.57</td><td>74.00</td><td>-16.43</td><td>42.88</td><td>27.87</td><td>7.73</td><td>30.94</td><td>10.03</td><td>400</td><td>76</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.56	57.57	74.00	-16.43	42.88	27.87	7.73	30.94	10.03	400	76	PEAK	Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2480.00</td><td>99.97</td><td>-----</td><td>-----</td><td>85.30</td><td>27.85</td><td>7.73</td><td>30.94</td><td>10.03</td><td>400</td><td>76</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	99.97	-----	-----	85.30	27.85	7.73	30.94	10.03	400	76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 2483.56	57.57	74.00	-16.43	42.88	27.87	7.73	30.94	10.03	400	76	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 2480.00	99.97	-----	-----	85.30	27.85	7.73	30.94	10.03	400	76	PEAK																																																																																																
Avg																																																																																																											
	Site : 03CH02-CA Condition: AVG_BE_54 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2483.52</td><td>48.21</td><td>54.00</td><td>-5.79</td><td>33.52</td><td>27.87</td><td>7.73</td><td>30.94</td><td>10.03</td><td>400</td><td>76</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.52	48.21	54.00	-5.79	33.52	27.87	7.73	30.94	10.03	400	76	AVERAGE	Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2480.00</td><td>98.81</td><td>-----</td><td>-----</td><td>84.14</td><td>27.85</td><td>7.73</td><td>30.94</td><td>10.03</td><td>400</td><td>76</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	98.81	-----	-----	84.14	27.85	7.73	30.94	10.03	400	76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 2483.52	48.21	54.00	-5.79	33.52	27.87	7.73	30.94	10.03	400	76	AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 2480.00	98.81	-----	-----	84.14	27.85	7.73	30.94	10.03	400	76	AVERAGE																																																																																																





Mode	6																																																																
	Harmonic																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																
ANT	1																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	Site : 03CH02-CA																																																																
	Condition: PEAK_74 3m HORN_02140_260223 HORIZONTAL																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.50</td><td>74.00</td><td>-33.50</td><td>63.82</td><td>33.01</td><td>10.48</td><td>67.23</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>64.46</td><td>36.46</td><td>12.76</td><td>66.72</td><td>0.42</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.50	74.00	-33.50	63.82	33.01	10.48	67.23	0.42	--	PEAK	2	7440.00	47.38	74.00	-26.62	64.46	36.46	12.76	66.72	0.42	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	4960.00	40.50	74.00	-33.50	63.82	33.01	10.48	67.23	0.42	--	PEAK																																																						
2	7440.00	47.38	74.00	-26.62	64.46	36.46	12.76	66.72	0.42	--	PEAK																																																						
Site : 03CH02-CA																																																																	
Condition: PEAK_74 3m HORN_02140_260223 VERTICAL																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>42.10</td><td>74.00</td><td>-31.90</td><td>65.44</td><td>32.99</td><td>10.48</td><td>67.23</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.37</td><td>74.00</td><td>-27.63</td><td>63.50</td><td>36.41</td><td>12.76</td><td>66.72</td><td>0.42</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	42.10	74.00	-31.90	65.44	32.99	10.48	67.23	0.42	--	PEAK	2	7440.00	46.37	74.00	-27.63	63.50	36.41	12.76	66.72	0.42	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	4960.00	42.10	74.00	-31.90	65.44	32.99	10.48	67.23	0.42	--	PEAK																																																						
2	7440.00	46.37	74.00	-27.63	63.50	36.41	12.76	66.72	0.42	--	PEAK																																																						



Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 HORIZONTAL	Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 VERTICAL



Mode	7																																																																																																								
	LF																																																																																																								
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal								Vertical																																																																																																
QPI Peak																																																																																																									
	Site : 03CH02-CA Condition: QP 3m B1LOG_50392_250825 HORIZONTAL																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>41.64</td><td>32.61</td><td>40.00</td><td>-7.39</td><td>45.15</td><td>18.85</td><td>1.00</td><td>32.47</td><td>0.08 -- -- Peak</td></tr><tr><td>2</td><td>132.82</td><td>28.13</td><td>43.50</td><td>-15.37</td><td>41.08</td><td>17.67</td><td>1.74</td><td>32.46</td><td>0.10 -- -- Peak</td></tr><tr><td>3</td><td>240.49</td><td>35.83</td><td>46.00</td><td>-10.17</td><td>40.48</td><td>17.32</td><td>2.35</td><td>32.49</td><td>0.17 -- -- Peak</td></tr><tr><td>4</td><td>300.63</td><td>32.45</td><td>46.00</td><td>-13.55</td><td>42.87</td><td>19.32</td><td>2.62</td><td>32.53</td><td>0.17 -- -- Peak</td></tr><tr><td>5</td><td>540.22</td><td>36.27</td><td>46.00</td><td>-9.73</td><td>40.91</td><td>24.33</td><td>3.47</td><td>32.68</td><td>0.24 -- -- Peak</td></tr><tr><td>6</td><td>960.23</td><td>39.37</td><td>54.00</td><td>-14.63</td><td>34.84</td><td>30.69</td><td>4.68</td><td>31.28</td><td>0.44 -- -- Peak</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	41.64	32.61	40.00	-7.39	45.15	18.85	1.00	32.47	0.08 -- -- Peak	2	132.82	28.13	43.50	-15.37	41.08	17.67	1.74	32.46	0.10 -- -- Peak	3	240.49	35.83	46.00	-10.17	40.48	17.32	2.35	32.49	0.17 -- -- Peak	4	300.63	32.45	46.00	-13.55	42.87	19.32	2.62	32.53	0.17 -- -- Peak	5	540.22	36.27	46.00	-9.73	40.91	24.33	3.47	32.68	0.24 -- -- Peak	6	960.23	39.37	54.00	-14.63	34.84	30.69	4.68	31.28
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																
1	41.64	32.61	40.00	-7.39	45.15	18.85	1.00	32.47	0.08 -- -- Peak																																																																																																
2	132.82	28.13	43.50	-15.37	41.08	17.67	1.74	32.46	0.10 -- -- Peak																																																																																																
3	240.49	35.83	46.00	-10.17	40.48	17.32	2.35	32.49	0.17 -- -- Peak																																																																																																
4	300.63	32.45	46.00	-13.55	42.87	19.32	2.62	32.53	0.17 -- -- Peak																																																																																																
5	540.22	36.27	46.00	-9.73	40.91	24.33	3.47	32.68	0.24 -- -- Peak																																																																																																
6	960.23	39.37	54.00	-14.63	34.84	30.69	4.68	31.28	0.44 -- -- Peak																																																																																																
Site : 03CH02-CA Condition: QP 3m B1LOG_50392_250825 VERTICAL																																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>41.64</td><td>33.26</td><td>40.00</td><td>-6.74</td><td>45.80</td><td>18.85</td><td>1.00</td><td>32.47</td><td>0.08 100 284 QP</td></tr><tr><td>2</td><td>210.42</td><td>27.23</td><td>43.50</td><td>-16.27</td><td>42.05</td><td>15.32</td><td>2.19</td><td>32.47</td><td>0.14 -- -- Peak</td></tr><tr><td>3</td><td>240.49</td><td>29.50</td><td>46.00</td><td>-16.50</td><td>42.15</td><td>17.32</td><td>2.35</td><td>32.49</td><td>0.17 -- -- Peak</td></tr><tr><td>4</td><td>420.91</td><td>30.10</td><td>46.00</td><td>-15.90</td><td>36.68</td><td>22.68</td><td>3.07</td><td>32.61</td><td>0.28 -- -- Peak</td></tr><tr><td>5</td><td>540.22</td><td>34.63</td><td>46.00</td><td>-11.37</td><td>39.27</td><td>24.33</td><td>3.47</td><td>32.68</td><td>0.24 -- -- Peak</td></tr><tr><td>6</td><td>960.23</td><td>36.35</td><td>54.00</td><td>-17.65</td><td>31.82</td><td>30.69</td><td>4.68</td><td>31.28</td><td>0.44 -- -- Peak</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	41.64	33.26	40.00	-6.74	45.80	18.85	1.00	32.47	0.08 100 284 QP	2	210.42	27.23	43.50	-16.27	42.05	15.32	2.19	32.47	0.14 -- -- Peak	3	240.49	29.50	46.00	-16.50	42.15	17.32	2.35	32.49	0.17 -- -- Peak	4	420.91	30.10	46.00	-15.90	36.68	22.68	3.07	32.61	0.28 -- -- Peak	5	540.22	34.63	46.00	-11.37	39.27	24.33	3.47	32.68	0.24 -- -- Peak	6	960.23	36.35	54.00	-17.65	31.82	30.69	4.68	31.28	0.44 -- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																
1	41.64	33.26	40.00	-6.74	45.80	18.85	1.00	32.47	0.08 100 284 QP																																																																																																
2	210.42	27.23	43.50	-16.27	42.05	15.32	2.19	32.47	0.14 -- -- Peak																																																																																																
3	240.49	29.50	46.00	-16.50	42.15	17.32	2.35	32.49	0.17 -- -- Peak																																																																																																
4	420.91	30.10	46.00	-15.90	36.68	22.68	3.07	32.61	0.28 -- -- Peak																																																																																																
5	540.22	34.63	46.00	-11.37	39.27	24.33	3.47	32.68	0.24 -- -- Peak																																																																																																
6	960.23	36.35	54.00	-17.65	31.82	30.69	4.68	31.28	0.44 -- -- Peak																																																																																																



Mode	8																																																																																							
	SHF																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak	Site : 03CH02-CA Condition: PEAK_74 1m SHF_HORN_00041_250000 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>22886.00</td><td>38.21</td><td>74.00</td><td>-35.79</td><td>38.29</td><td>38.87</td><td>22.88</td><td>52.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	22886.00	38.21	74.00	-35.79	38.29	38.87	22.88	52.29	-9.54	--	Peak	Site : 03CH02-CA Condition: PEAK_74 1m SHF_HORN_00041_250000 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>22767.00</td><td>38.10</td><td>74.00</td><td>-35.90</td><td>38.34</td><td>38.83</td><td>22.83</td><td>52.36</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	22767.00	38.10	74.00	-35.90	38.34	38.83	22.83	52.36	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	22886.00	38.21	74.00	-35.79	38.29	38.87	22.88	52.29	-9.54	--	Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	22767.00	38.10	74.00	-35.90	38.34	38.83	22.83	52.36	-9.54	--	Peak																																																																													



Appendix C. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
SISO	BLE(1M)	100.00	15000	0.07	10Hz
SISO	BLE(2M)	100.00	3767	0.27	10Hz

