



11a_TX_CH_165_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17937.9	31.59	41.52	-31.05	42.06	54.00	11.94	Horizontal
2	6254.3333	39.81	35.01	-16.93	57.88	68.20	10.32	Horizontal
3	8024.1333	48.11	37.32	-41.14	44.28	68.20	23.92	Horizontal
4	11648.55	43.76	38.91	-35.41	47.26	74.00	26.74	Horizontal
5	14679.5667	40.75	39.99	-33.98	46.77	68.20	21.43	Horizontal
6	17915.6667	39.52	41.46	-31.10	49.88	74.00	24.12	Horizontal

11a_TX_CH_165_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	11651.6167	40.91	38.91	-35.43	44.39	54.00	9.61	Vertical
2	17941.35	31.19	41.53	-31.05	41.67	54.00	12.33	Vertical
3	6176.875	39.93	34.85	-16.78	58.00	68.20	10.20	Vertical
4	7468.6833	48.89	36.30	-42.04	43.15	74.00	30.85	Vertical
5	11645.4833	46.86	38.91	-35.40	50.37	74.00	23.63	Vertical
6	15412.1167	41.14	39.06	-33.82	46.38	74.00	27.62	Vertical
7	17473.3	45.11	40.17	-32.11	53.18	68.20	15.02	Vertical

11ax(HE20)_TX_CH_36_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17936.75	31.87	41.52	-31.06	42.33	54.00	11.67	Horizontal
2	6135.625	39.81	34.77	-16.73	57.85	68.20	10.35	Horizontal
3	7840.1333	48.30	36.98	-41.21	44.07	68.20	24.13	Horizontal
4	10619.6833	44.24	38.84	-36.52	46.57	74.00	27.43	Horizontal
5	14421.5833	42.23	40.15	-33.99	48.39	68.20	19.81	Horizontal
6	17893.8167	39.66	41.39	-31.18	49.87	74.00	24.13	Horizontal


11ax(HE20)_TX_CH_36_Veritical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17968.5667	31.07	41.61	-30.99	41.69	54.00	12.31	Vertical
2	6374.875	39.34	35.25	-16.70	57.89	68.20	10.31	Vertical
3	7396.6167	48.99	36.30	-42.03	43.26	74.00	30.74	Vertical
4	10361.7	46.34	38.53	-36.84	48.03	68.20	20.17	Vertical
5	14453.0167	42.24	40.13	-34.32	48.05	68.20	20.15	Vertical
6	17918.35	39.47	41.46	-31.09	49.84	74.00	24.16	Vertical

11ax(HE20)_TX_CH_40_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17981.2167	31.24	41.65	-30.97	41.92	54.00	12.08	Horizontal
2	6169.0833	39.59	34.84	-16.77	57.66	68.20	10.54	Horizontal
3	8025.6667	47.92	37.32	-41.14	44.10	74.00	29.90	Horizontal
4	10398.1167	49.04	38.58	-36.62	51.00	68.20	17.20	Horizontal
5	13864.9833	41.73	40.33	-34.27	47.79	68.20	20.41	Horizontal
6	17938.2833	38.88	41.52	-31.05	49.35	74.00	24.65	Horizontal


11ax(HE20)_TX_CH_40_Vertical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.8	31.49	41.61	-30.99	42.10	54.00	11.90	Vertical
2	6206.2083	39.99	34.91	-16.82	58.08	68.20	10.12	Vertical
3	8002.2833	48.07	37.30	-41.18	44.20	68.20	24.00	Vertical
4	10390.45	48.87	38.57	-36.67	50.77	68.20	17.43	Vertical
5	15604.9333	43.13	38.71	-33.06	48.78	74.00	25.22	Vertical
6	17941.7333	39.69	41.53	-31.05	50.17	74.00	23.83	Vertical

11ax(HE20)_TX_CH_48_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17979.3	31.32	41.64	-30.97	41.99	54.00	12.01	Horizontal
2	6174.5833	39.11	34.85	-16.78	57.18	68.20	11.02	Horizontal
3	8020.6833	47.90	37.31	-41.15	44.07	68.20	24.13	Horizontal
4	10477.85	48.86	38.67	-36.47	51.06	68.20	17.14	Horizontal
5	12826.15	42.18	39.69	-34.70	47.18	68.20	21.02	Horizontal
6	17983.1333	39.01	41.65	-30.96	49.70	74.00	24.30	Horizontal

11ax(HE20)_TX_CH_48_Veritical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17953.6167	32.47	41.57	-31.02	43.01	54.00	10.99	Vertical
2	6104	39.23	34.71	-16.69	57.25	68.20	10.95	Vertical
3	8008.8	48.06	37.31	-41.17	44.20	68.20	24.00	Vertical
4	10485.5167	48.51	38.68	-36.46	50.74	68.20	17.46	Vertical
5	13866.1333	42.52	40.33	-34.26	48.60	68.20	19.60	Vertical
6	17940.2	39.87	41.53	-31.05	50.35	74.00	23.65	Vertical

11ax(HE20)_TX_CH_52_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17982.75	31.18	41.65	-30.96	41.87	54.00	12.13	Horizontal
2	6351.0417	39.85	35.20	-16.81	58.25	68.20	9.95	Horizontal
3	8013.7833	48.70	37.31	-41.16	44.85	68.20	23.35	Horizontal
4	10521.55	49.42	38.73	-36.48	51.66	68.20	16.54	Horizontal
5	13886.45	41.44	40.34	-33.98	47.80	68.20	20.40	Horizontal
6	17968.5667	39.10	41.61	-30.99	49.72	74.00	24.28	Horizontal

11ax(HE20)_TX_CH_52_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17898.8	31.88	41.41	-31.14	42.15	54.00	11.85	Vertical
2	6287.3333	40.15	35.07	-17.01	58.21	68.20	9.99	Vertical
3	7771.9	47.53	36.84	-41.21	43.16	68.20	25.04	Vertical
4	10524.2333	49.53	38.73	-36.49	51.77	68.20	16.43	Vertical
5	13888.75	41.82	40.34	-33.95	48.21	68.20	19.99	Vertical
6	17980.0667	38.87	41.64	-30.97	49.54	74.00	24.46	Vertical

11ax(HE20)_TX_CH_60_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17935.6	31.72	41.51	-31.06	42.17	54.00	11.83	Horizontal
2	5907.375	40.39	34.22	-16.83	57.78	68.20	10.42	Horizontal
3	7411.95	49.69	36.30	-42.03	43.96	74.00	30.04	Horizontal
4	10598.9833	49.79	38.82	-36.67	51.94	68.20	16.26	Horizontal
5	14495.1833	42.84	40.10	-34.77	48.17	74.00	25.83	Horizontal
6	17933.6833	38.78	41.51	-31.06	49.23	74.00	24.77	Horizontal


11ax(HE20)_TX_CH_60_Vertical



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17968.5667	31.58	41.61	-30.99	42.20	54.00	11.80	Vertical
2	6120.9583	39.58	34.74	-16.71	57.61	68.20	10.59	Vertical
3	8020.6833	49.19	37.31	-41.15	45.36	68.20	22.84	Vertical
4	10599.3667	50.13	38.82	-36.67	52.28	68.20	15.92	Vertical
5	14355.2667	42.46	40.19	-34.30	48.35	68.20	19.85	Vertical
6	17960.1333	39.27	41.58	-31.01	49.84	74.00	24.16	Vertical


11ax(HE20)_TX_CH_64_Horizontal



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17996.55	31.46	41.69	-30.94	42.21	54.00	11.79	Horizontal
2	17996.55	31.46	41.69	-30.94	42.21	54.00	11.79	Horizontal
3	6153.0417	40.00	34.81	-16.75	58.06	68.20	10.14	Horizontal
4	7448.75	49.01	36.30	-42.03	43.28	74.00	30.72	Horizontal
5	10635.7833	47.39	38.86	-36.39	49.86	74.00	24.14	Horizontal
6	13860.7667	42.03	40.33	-34.33	48.03	68.20	20.17	Horizontal
7	17996.1667	39.12	41.69	-30.94	49.87	74.00	24.13	Horizontal


11ax(HE20)_TX_CH_64_Vertical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17980.45	31.84	41.64	-30.97	42.51	54.00	11.49	Vertical
2	6261.6667	39.89	35.02	-16.95	57.96	68.20	10.24	Vertical
3	7028.6167	49.56	36.30	-42.59	43.27	68.20	24.93	Vertical
4	10638.4667	48.61	38.87	-36.37	51.11	74.00	22.89	Vertical
5	14407.0167	41.52	40.16	-33.83	47.84	68.20	20.36	Vertical
6	17928.7	38.72	41.49	-31.07	49.14	74.00	24.86	Vertical

11ax(HE20)_TX_CH_100_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17986.2	31.48	41.66	-30.96	42.18	54.00	11.82	Horizontal
2	6406.9583	40.39	35.31	-16.59	59.11	68.20	9.09	Horizontal
3	7852.7833	48.31	37.01	-41.27	44.04	68.20	24.16	Horizontal
4	11004.1667	45.95	39.30	-35.98	49.27	74.00	24.73	Horizontal
5	13857.3167	42.29	40.33	-34.38	48.24	68.20	19.96	Horizontal
6	17931	40.04	41.50	-31.07	50.47	74.00	23.53	Horizontal


11ax(HE20)_TX_CH_100_Vertical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17912.9833	31.90	41.45	-31.10	42.24	54.00	11.76	Vertical
2	6326.75	39.57	35.15	-16.92	57.81	68.20	10.39	Vertical
3	8021.45	49.42	37.32	-41.15	45.59	68.20	22.61	Vertical
4	10998.0333	45.34	39.30	-35.99	48.64	74.00	25.36	Vertical
5	13826.2667	43.19	40.31	-34.80	48.71	68.20	19.49	Vertical
6	17921.8	39.97	41.47	-31.09	50.36	74.00	23.64	Vertical

11ax(HE20)_TX_CH_116_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17964.35	31.54	41.60	-31.00	42.14	54.00	11.86	Horizontal
2	6296.5	39.18	35.09	-17.03	57.24	68.20	10.96	Horizontal
3	8033.7167	48.25	37.32	-41.13	44.44	74.00	29.56	Horizontal
4	11161.7167	45.72	39.20	-35.32	49.60	74.00	24.40	Horizontal
5	13913.2833	41.75	40.36	-34.03	48.08	68.20	20.12	Horizontal
6	17944.0333	39.11	41.54	-31.04	49.61	74.00	24.39	Horizontal

11ax(HE20)_TX_CH_116_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17938.2833	31.60	41.52	-31.05	42.07	54.00	11.93	Vertical
2	6048.5417	40.61	34.60	-16.91	58.30	68.20	9.90	Vertical
3	7431.1167	48.80	36.30	-42.03	43.07	74.00	30.93	Vertical
4	11160.5667	45.79	39.20	-35.33	49.66	74.00	24.34	Vertical
5	15365.35	41.41	39.14	-33.57	46.99	74.00	27.01	Vertical
6	17966.65	38.87	41.60	-31.00	49.48	74.00	24.52	Vertical


11ax(HE20)_TX_CH_120_Horizontal



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17981.9833	31.22	41.65	-30.97	41.90	54.00	12.10	Horizontal
2	6124.1667	39.35	34.75	-16.71	57.39	68.20	10.81	Horizontal
3	7835.9167	47.18	36.97	-41.19	42.96	68.20	25.24	Horizontal
4	11198.5167	44.46	39.18	-35.07	48.57	74.00	25.43	Horizontal
5	14831.75	41.32	39.90	-34.01	47.21	68.20	20.99	Horizontal
6	17990.0333	38.75	41.67	-30.95	49.47	74.00	24.53	Horizontal

11ax(HE20)_TX_CH_120_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17976.2333	31.02	41.63	-30.98	41.67	54.00	12.33	Vertical
2	6171.8333	39.33	34.84	-16.77	57.40	68.20	10.80	Vertical
3	8026.8167	48.12	37.32	-41.14	44.30	74.00	29.70	Vertical
4	11200.4333	45.63	39.18	-35.06	49.75	74.00	24.25	Vertical
5	14285.5	43.12	40.23	-35.03	48.32	68.20	19.88	Vertical
6	17888.0667	39.66	41.38	-31.22	49.81	74.00	24.19	Vertical


11ax(HE20)_TX_CH_124_Horizontal



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.4167	31.84	41.61	-31.00	42.45	54.00	11.55	Horizontal
2	6276.3333	39.81	35.05	-16.99	57.88	68.20	10.32	Horizontal
3	7402.3667	49.25	36.30	-42.03	43.52	74.00	30.48	Horizontal
4	10631.95	43.62	38.86	-36.42	46.06	74.00	27.94	Horizontal
5	13889.9	41.45	40.34	-33.94	47.86	68.20	20.34	Horizontal
6	17967.4167	39.37	41.61	-31.00	49.98	74.00	24.02	Horizontal


11ax(HE20)_TX_CH_124_Vertical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17972.0167	31.39	41.62	-30.99	42.02	54.00	11.98	Vertical
2	6197.9583	39.68	34.90	-16.81	57.77	68.20	10.43	Vertical
3	7045.8667	49.75	36.30	-42.56	43.49	68.20	24.71	Vertical
4	11239.15	44.59	39.16	-35.44	48.31	74.00	25.69	Vertical
5	13876.8667	41.57	40.34	-34.11	47.80	68.20	20.40	Vertical
6	17973.9333	40.09	41.62	-30.98	50.73	74.00	23.27	Vertical

11ax(HE20)_TX_CH_128_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17988.5	31.27	41.67	-30.95	41.98	54.00	12.02	Horizontal
2	6119.5833	39.81	34.74	-16.71	57.84	68.20	10.36	Horizontal
3	8005.7333	48.56	37.30	-41.17	44.69	68.20	23.51	Horizontal
4	11281.7	45.22	39.13	-35.84	48.51	74.00	25.49	Horizontal
5	15166.7833	41.67	39.50	-33.98	47.19	68.20	21.01	Horizontal
6	17995.7833	39.67	41.69	-30.94	50.42	74.00	23.58	Horizontal

11ax(HE20)_TX_CH_128_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17956.3	31.48	41.57	-31.02	42.04	54.00	11.96	Vertical
2	6186.9583	40.19	34.87	-16.79	58.27	68.20	9.93	Vertical
3	7620.4833	48.05	36.54	-41.78	42.81	74.00	31.19	Vertical
4	11280.1667	46.38	39.13	-35.83	49.68	74.00	24.32	Vertical
5	14845.1667	41.38	39.89	-33.89	47.38	68.20	20.82	Vertical
6	17952.0833	38.84	41.56	-31.03	49.38	74.00	24.62	Vertical


11ax(HE20)_TX_CH_140_Horizontal



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17929.0833	31.36	41.49	-31.07	41.78	54.00	12.22	Horizontal
2	6266.7083	40.27	35.03	-16.96	58.34	68.20	9.86	Horizontal
3	7242.9	49.12	36.30	-42.07	43.35	68.20	24.85	Horizontal
4	11401.3	43.43	39.06	-35.61	46.88	74.00	27.12	Horizontal
5	14683.7833	41.05	39.99	-33.95	47.09	68.20	21.11	Horizontal
6	17958.2167	39.29	41.58	-31.01	49.86	74.00	24.14	Horizontal


11ax(HE20)_TX_CH_140_Vertical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17988.8833	31.23	41.67	-30.95	41.95	54.00	12.05	Vertical
2	6171.8333	39.62	34.84	-16.77	57.69	68.20	10.51	Vertical
3	7654.9833	48.34	36.61	-41.75	43.20	74.00	30.80	Vertical
4	11399.3833	46.44	39.06	-35.61	49.89	74.00	24.11	Vertical
5	14400.8833	40.80	40.16	-33.77	47.19	68.20	21.01	Vertical
6	17911.0667	39.03	41.44	-31.11	49.36	74.00	24.64	Vertical

11ax(HE20)_TX_CH_144_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17974.7	30.94	41.63	-30.98	41.59	54.00	12.41	Horizontal
2	6296.5	39.35	35.09	-17.03	57.41	68.20	10.79	Horizontal
3	8007.2667	48.04	37.31	-41.17	44.18	68.20	24.02	Horizontal
4	11437.7167	47.13	39.04	-35.70	50.46	74.00	23.54	Horizontal
5	13831.6333	41.53	40.32	-34.72	47.12	68.20	21.08	Horizontal
6	17952.0833	39.17	41.56	-31.03	49.71	74.00	24.29	Horizontal

11ax(HE20)_TX_CH_144_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.8	30.98	41.61	-30.99	41.59	54.00	12.41	Vertical
2	6238.75	39.80	34.98	-16.90	57.88	68.20	10.32	Vertical
3	7357.9	48.95	36.30	-42.08	43.17	74.00	30.83	Vertical
4	11440.7833	49.32	39.04	-35.71	52.64	74.00	21.36	Vertical
5	14437.3	42.19	40.14	-34.16	48.17	68.20	20.03	Vertical
6	17933.3	39.64	41.51	-31.06	50.08	74.00	23.92	Vertical

11ax(HE20)_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17974.3167	31.42	41.63	-30.98	42.06	54.00	11.94	Horizontal
2	6290.5417	39.74	35.08	-17.02	57.80	68.20	10.40	Horizontal
3	7452.2	49.12	36.30	-42.04	43.38	74.00	30.62	Horizontal
4	10967.75	43.03	39.26	-36.06	46.23	74.00	27.77	Horizontal
5	13834.7	42.12	40.32	-34.68	47.76	68.20	20.44	Horizontal
6	17995.0167	39.95	41.69	-30.94	50.70	74.00	23.30	Horizontal

11ax(HE20)_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17982.75	30.81	41.65	-30.96	41.50	54.00	12.50	Vertical
2	6291	39.46	35.08	-17.02	57.52	68.20	10.68	Vertical
3	7988.8667	47.99	37.28	-41.22	44.05	68.20	24.15	Vertical
4	11493.6833	47.28	39.00	-35.84	50.44	74.00	23.56	Vertical
5	14695.6667	40.62	39.98	-33.86	46.74	68.20	21.46	Vertical
6	17993.4833	38.29	41.68	-30.94	49.03	74.00	24.97	Vertical

11ax(HE20)_TX_CH_157_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17963.2	31.22	41.59	-31.00	41.81	54.00	12.19	Horizontal
2	6310.7083	40.34	35.12	-16.99	58.47	68.20	9.73	Horizontal
3	8939.15	45.53	37.96	-39.49	44.00	68.20	24.20	Horizontal
4	12100.1167	41.62	38.82	-34.96	45.48	74.00	28.52	Horizontal
5	17360.2167	44.67	39.84	-32.14	52.37	68.20	15.83	Horizontal
6	17945.1833	39.63	41.54	-31.04	50.13	74.00	23.87	Horizontal


11ax(HE20)_TX_CH_157_Vertical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	11569.2	38.89	38.96	-35.40	42.45	54.00	11.55	Vertical
2	17996.9333	31.06	41.69	-30.94	41.81	54.00	12.19	Vertical
3	6170	39.47	34.84	-16.77	57.54	68.20	10.66	Vertical
4	8102.7167	46.43	37.37	-41.02	42.78	74.00	31.22	Vertical
5	11566.9	46.08	38.96	-35.41	49.63	74.00	24.37	Vertical
6	17359.0667	43.24	39.84	-32.14	50.95	68.20	17.25	Vertical
7	17995.0167	39.47	41.69	-30.94	50.22	74.00	23.78	Vertical

11ax(HE20)_TX_CH_165_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17985.8167	31.29	41.66	-30.96	41.99	54.00	12.01	Horizontal
2	6131.5	39.65	34.76	-16.72	57.69	68.20	10.51	Horizontal
3	7832.4667	47.90	36.96	-41.18	43.69	68.20	24.51	Horizontal
4	11650.0833	43.40	38.91	-35.42	46.89	74.00	27.11	Horizontal
5	14691.45	40.91	39.99	-33.89	47.00	68.20	21.20	Horizontal
6	17954.7667	39.21	41.57	-31.02	49.76	74.00	24.24	Horizontal

11ax(HE20)_TX_CH_165_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17975.85	31.13	41.63	-30.98	41.78	54.00	12.22	Vertical
2	6324.9167	39.70	35.15	-16.93	57.92	68.20	10.28	Vertical
3	7538.45	48.40	36.38	-41.95	42.83	74.00	31.17	Vertical
4	11651.6167	46.08	38.91	-35.43	49.56	74.00	24.44	Vertical
5	14688.3833	41.07	39.99	-33.91	47.14	68.20	21.06	Vertical
6	17994.25	38.76	41.68	-30.94	49.50	74.00	24.50	Vertical


11ax(HE40)_TX_CH_38_Horizontal



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17969.3333	30.95	41.61	-30.99	41.57	54.00	12.43	Horizontal
2	5950.4583	39.18	34.35	-16.97	56.56	68.20	11.64	Horizontal
3	7140.9333	48.64	36.30	-42.29	42.65	68.20	25.55	Horizontal
4	9632.6	44.59	38.06	-38.03	44.62	68.20	23.58	Horizontal
5	12697.35	41.43	39.54	-34.46	46.51	74.00	27.49	Horizontal
6	17952.4667	39.09	41.56	-31.03	49.63	74.00	24.37	Horizontal


11ax(HE40)_TX_CH_38_Veritical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17915.2833	31.01	41.45	-31.10	41.36	54.00	12.64	Vertical
2	6121.875	39.38	34.74	-16.71	57.42	68.20	10.78	Vertical
3	7367.8667	48.49	36.30	-42.07	42.72	74.00	31.28	Vertical
4	10636.9333	44.21	38.86	-36.38	46.69	74.00	27.31	Vertical
5	14620.15	41.44	40.03	-34.40	47.06	68.20	21.14	Vertical
6	17969.3333	39.18	41.61	-30.99	49.80	74.00	24.20	Vertical

11ax(HE40)_TX_CH_46_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17979.6833	31.13	41.64	-30.97	41.80	54.00	12.20	Horizontal
2	6110.875	39.05	34.72	-16.69	57.08	68.20	11.12	Horizontal
3	7970.85	48.99	37.24	-41.27	44.96	68.20	23.24	Horizontal
4	11177.4333	41.89	39.19	-35.22	45.87	74.00	28.13	Horizontal
5	14338.4	42.32	40.20	-34.51	48.01	68.20	20.19	Horizontal
6	17962.05	38.90	41.59	-31.01	49.48	74.00	24.52	Horizontal


11ax(HE40)_TX_CH_46_Veritical



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17970.4833	31.06	41.61	-30.99	41.69	54.00	12.31	Vertical
2	6038.9167	38.73	34.58	-16.95	56.36	68.20	11.84	Vertical
3	7691.0167	47.85	36.68	-41.72	42.81	74.00	31.19	Vertical
4	10463.2833	44.72	38.66	-36.50	46.88	68.20	21.32	Vertical
5	14407.4	41.03	40.16	-33.84	47.35	68.20	20.85	Vertical
6	17942.5	39.61	41.53	-31.04	50.10	74.00	23.90	Vertical


11ax(HE40)_TX_CH_54_Horizontal



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17926.0167	31.52	41.49	-31.08	41.93	54.00	12.07	Horizontal
2	5772.625	41.11	33.82	-17.10	57.82	68.20	10.38	Horizontal
3	7537.6833	48.81	36.38	-41.95	43.24	74.00	30.76	Horizontal
4	10545.7	43.74	38.75	-36.54	45.96	68.20	22.24	Horizontal
5	13885.6833	41.43	40.34	-33.99	47.78	68.20	20.42	Horizontal
6	17949.4	38.76	41.55	-31.03	49.28	74.00	24.72	Horizontal


11ax(HE40)_TX_CH_54_Vertical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17952.0833	31.07	41.56	-31.03	41.61	54.00	12.39	Vertical
2	5829.4583	39.63	33.99	-16.96	56.66	68.20	11.54	Vertical
3	7454.5	48.74	36.30	-42.04	43.00	74.00	31.00	Vertical
4	10529.6	44.15	38.74	-36.50	46.38	68.20	21.82	Vertical
5	13830.8667	41.93	40.32	-34.73	47.51	68.20	20.69	Vertical
6	17933.3	39.02	41.51	-31.06	49.46	74.00	24.54	Vertical

11ax(HE40)_TX_CH_62_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17998.4667	31.00	41.70	-30.93	41.76	54.00	12.24	Horizontal
2	6121.875	40.47	34.74	-16.71	58.51	68.20	9.69	Horizontal
3	7148.9833	48.57	36.30	-42.25	42.62	68.20	25.58	Horizontal
4	9517.2167	45.48	38.05	-38.44	45.09	68.20	23.11	Horizontal
5	13395.7833	41.30	40.10	-34.47	46.93	74.00	27.07	Horizontal
6	17980.8333	38.81	41.64	-30.97	49.49	74.00	24.51	Horizontal

11ax(HE40)_TX_CH_62_Vertical



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17993.8667	30.77	41.68	-30.94	41.51	54.00	12.49	Vertical
2	6188.3333	39.29	34.88	-16.79	57.37	68.20	10.83	Vertical
3	7421.9167	48.64	36.30	-42.03	42.91	74.00	31.09	Vertical
4	10962.3833	43.01	39.25	-36.07	46.20	74.00	27.80	Vertical
5	15378.7667	40.92	39.12	-33.67	46.37	74.00	27.63	Vertical
6	17995.0167	38.50	41.69	-30.94	49.25	74.00	24.75	Vertical