



BLE (125 kbps): Low Channel




ProjectNo.:RKS250929007 Tester:Neil Zhou
Date: 27.OCT.2025 16:49:31

BLE (125 kbps): Middle Channel




ProjectNo.:RKS250929007 Tester:Neil Zhou
Date: 27.OCT.2025 16:57:55

BLE (125 kbps): High Channel




ProjectNo.:RKS250929007 Tester:Neil Zhou
Date: 27.OCT.2025 17:07:27

BLE (500 kbps): Low Channel




ProjectNo.:RKS250929007 Tester:Neil Zhou
Date: 27.OCT.2025 16:09:19

BLE (500 kbps): Middle Channel




ProjectNo.:RKS250929007 Tester:Neil Zhou
Date: 27.OCT.2025 16:20:43

BLE (500 kbps): High Channel




ProjectNo.:RKS250929007 Tester:Neil Zhou
Date: 27.OCT.2025 16:32:01

BLE (1 Mbps): Low Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 14:36:15

BLE (1 Mbps): Middle Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 14:45:21

BLE (1 Mbps): High Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 14:55:53

BLE (2 Mbps): Low Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 15:14:55

BLE (2 Mbps): Middle Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 15:30:15

BLE (2 Mbps): High Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 15:41:08

Zigbee: Low Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 13:36:00

Zigbee: Middle Channel



ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 13:43:27

Zigbee: High Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 13:50:43

CONDUCTED SPURIOUS EMISSION**Environmental Conditions & Test Information**

Test Date:	2025-10-27
Temperature:	24.5 °C
Relative Humidity:	49 %
ATM Pressure:	102.8 kPa
Test Result:	Pass
Test Engineer:	Neil Zhou


Mode	Channel	Frequency (MHz)	Result (dBc)	Limit (dBc)
BLE (125 kbps)	Low	2402	47.68	20
	Middle	2440	47.18	
	High	2480	47.29	
BLE (500 kbps)	Low	2402	49.13	
	Middle	2440	49.49	
	High	2480	49.67	
BLE (1 Mbps)	Low	2402	48.52	
	Middle	2440	49.42	
	High	2480	49.56	
BLE (2 Mbps)	Low	2402	47.01	
	Middle	2440	47.28	
	High	2480	46.91	
Zigbee	Low	2405	46.30	
	Middle	2440	46.40	
	High	2480	46.32	

BLE (125 kbps): Low Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 16:54:28

BLE (125 kbps): Middle Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 17:02:58

BLE (125 kbps): High Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 17:12:18

BLE (500 kbps): Low Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 16:16:27

BLE (500 kbps): Middle Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 16:25:50

BLE (500 kbps): High Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 16:38:17

BLE (1 Mbps): Low Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 14:41:42

BLE (1 Mbps): Middle Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 14:50:17

BLE (1 Mbps): High Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 15:01:10

BLE (2 Mbps): Low Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 15:26:14

BLE (2 Mbps): Middle Channel




ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 15:36:26

BLE (2 Mbps): High Channel



ProjectNo.:RKSB250929007 Tester:Neil Zhou
Date: 27.OCT.2025 15:46:30

Zigbee: Middle Channel



ProjectNo.:RKS250929007 Tester:Neil Zhou
Date: 27.OCT.2025 14:22:26

2.497 GHz

Ref 20 Offset 11 dB *Att 30 dB SMT 2.5 s 22.323180000 GHz

20 Offset 11 dB

10

0

-10

-20

-30

-40

-50

-60

-70

-80

dBm

2.497 GHz

Start 30 MHz 2.497 GHz/ Stop 25 GHz

Marker 1 [T1] -64 dBm 2.47706000 GHz

D1 -13.96 dBm

SMT 100 dB 100

Page 112 of 115

EUT PHOTOGRAPHS

Please refer to the attachment EXHIBIT A - EUT EXTERNAL and EXHIBIT B - EUT INTERNAL PHOTOGRAPHS.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment EXHIBIT C - TEST SETUP PHOTOGRAPHS.

Declarations

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s).
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95.45% confidence interval.
6. This report may contain standards and test items that are not covered by the accreditation scope and shall be marked with an asterisk “▲”.

******* END OF REPORT *******