


Performed measurements

Test method applied	☐	Section 3.1 Conducted measurement
	☒	Section 3.2 Radiated measurement
Test setup	Refer to Appendix test setup photo(s).	
Operating mode(s) used	Mode 1, 2, 3, 4	
Remark	The reported frequencies represent the highest emissions observed within the applicable restricted band near the band edge.	


See next page

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 1	2402	V	2389.24	42.8	48.12	5.330	74.00	25.88	PK
		V	2389.24	31.4	36.75	5.330	54.00	17.25	AV

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBμV)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Type
Mode 1	2402	H	2389.30	44.2	49.53	5.330	74.00	24.47	PK
		H	2389.30	33.7	39.01	5.330	54.00	14.99	AV

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 1	2480	V	2483.50	42.5	48.21	5.740	74.00	25.79	PK
		V	2483.50	32.7	38.43	5.740	54.00	15.57	AV

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 1	2480	H	2483.50	45.5	51.27	5.740	74.00	22.73	PK
		H	2483.50	36.5	42.27	5.740	54.00	11.73	AV

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 2	2402	V	2388.89	42.6	47.90	5.330	74.00	26.10	PK
		V	2388.89	31.4	36.71	5.330	54.00	17.29	AV

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 2	2402	H	2389.45	44.8	50.12	5.330	74.00	23.88	PK
		H	2389.45	33.0	38.28	5.330	54.00	15.72	AV

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBμV)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Type
Mode 2	2480	V	2483.50	50.3	56.01	5.740	74.00	17.99	PK
		V	2483.50	39.7	45.45	5.740	54.00	8.55	AV

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 2	2480	H	2483.50	56.5	62.22	5.740	74.00	11.78	PK
		H	2483.50	47.5	53.27	5.740	54.00	0.73	AV

Result of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 3	2402	V	2388.83	43.1	48.47	5.330	74.00	25.53	PK
		V	2388.83	31.0	36.30	5.330	54.00	17.70	AV

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 3	2402	H	2389.95	45.0	50.28	5.330	74.00	23.72	PK
		H	2389.95	33.6	38.92	5.330	54.00	15.08	AV

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 3	2480	V	2483.50	43.5	49.21	5.740	74.00	24.79	PK
		V	2483.50	32.7	38.48	5.740	54.00	15.52	AV

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 3	2480	H	2483.50	47.3	53.06	5.740	74.00	20.94	PK
		H	2483.50	37.9	43.62	5.740	54.00	10.38	AV

Result of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 4	2402	V	2389.40	43.2	48.51	5.330	74.00	25.49	PK
		V	2389.40	31.6	36.92	5.330	54.00	17.08	AV

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBμV)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Type
Mode 4	2402	H	2389.33	44.0	49.30	5.330	74.00	24.70	PK
		H	2389.33	33.9	39.21	5.330	54.00	14.79	AV

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 4	2480	V	2483.50	44.2	49.94	5.740	74.00	24.06	PK
		V	2483.50	33.0	38.69	5.740	54.00	15.31	AV

Results of model 9290043202:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 4	2480	H	2483.50	46.9	52.60	5.740	74.00	21.40	PK
		H	2483.50	37.5	43.24	5.740	54.00	10.76	AV

Results of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 1	2402	V	2388.93	42.8	48.14	5.330	74.00	25.86	PK
		V	2388.93	31.2	36.48	5.330	54.00	17.52	AV

Results of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 1	2402	H	2388.94	43.5	48.85	5.330	74.00	25.15	PK
		H	2388.94	31.5	36.84	5.330	54.00	17.16	AV

Results of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 1	2480	V	2483.50	42.0	47.74	5.740	74.00	26.26	PK
		V	2483.50	32.5	38.19	5.740	54.00	15.81	AV

Results of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 1	2480	H	2483.50	45.7	51.42	5.740	74.00	22.58	PK
		H	2483.50	35.7	41.43	5.740	54.00	12.57	AV

Results of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 2	2402	V	2388.13	42.5	47.84	5.330	74.00	26.16	PK
		V	2388.13	31.0	36.35	5.330	54.00	17.65	AV

Results of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBμV)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Type
Mode 2	2402	H	2389.71	43.4	48.70	5.330	74.00	25.30	PK
		H	2389.71	32.4	37.71	5.330	54.00	16.29	AV

Results of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 2	2480	V	2483.50	45.9	51.62	5.740	74.00	22.38	PK
		V	2483.50	37.1	42.86	5.740	54.00	11.14	AV

Results of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBμV)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Type
Mode 2	2480	H	2483.50	54.9	60.59	5.740	74.00	13.41	PK
		H	2483.50	44.2	49.96	5.740	54.00	4.04	AV

Result of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 3	2402	V	2389.54	42.8	48.12	5.330	74.00	25.88	PK
		V	2389.54	31.1	36.40	5.330	54.00	17.60	AV

Results of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 3	2402	H	2388.98	43.1	48.39	5.330	74.00	25.61	PK
		H	2388.98	31.9	37.27	5.330	54.00	16.73	AV

Results of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 3	2480	V	2483.50	42.9	48.59	5.740	74.00	25.41	PK
		V	2483.50	32.0	37.73	5.740	54.00	16.27	AV

Results of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBμV)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Type
Mode 3	2480	H	2483.50	44.9	50.66	5.740	74.00	23.34	PK
		H	2483.50	35.8	41.56	5.740	54.00	12.44	AV

Result of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 4	2402	V	2386.94	43.4	48.74	5.330	74.00	25.26	PK
		V	2386.94	31.1	36.43	5.330	54.00	17.57	AV

Results of model 9290043198:




Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 4	2402	H	2389.33	43.3	48.60	5.330	74.00	25.40	PK
		H	2389.33	32.3	37.62	5.330	54.00	16.38	AV

Results of model 9290043198:



Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 4	2480	V	2483.50	31.8	37.49	5.740	54.00	16.51	AV
		V	2483.50	42.2	47.91	5.740	74.00	26.09	PK

Results of model 9290043198:



Operating Mode	Channel (MHz)	Polarity	Frequency (MHz)	Reading (dBµV)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Type
Mode 4	2480	H	2483.50	44.5	50.22	5.740	74.00	23.78	PK
		H	2483.50	36.0	41.71	5.740	54.00	12.29	AV