


Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band48


1.1. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.98	-40	15.98	Pass	401
0.15	30	0.01	RMS	0.175	-58.48	-40	18.48	Pass	5971
30	1000	0.1	RMS	882.7	-61.15	-40	21.15	Pass	19401
1000	3000	1	RMS	2682.5	-46.74	-40	6.74	Pass	4001
3000	3500	1	RMS	3158	-47.28	-40	7.28	Pass	1001
3500	3750	1	RMS	3550.5	10.65	60	49.35	Pass	501
3750	6500	1	RMS	6080	-46.15	-40	6.15	Pass	5501
6500	26500	1	RMS	25570.5	-43.2	-40	3.2	Pass	40001




1.2. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:2, Channel:55265, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.48	-40	15.48	Pass	401
0.15	30	0.01	RMS	1.32	-56.8	-40	16.8	Pass	5971
30	1000	0.1	RMS	913.8	-61.4	-40	21.4	Pass	19401
1000	3000	1	RMS	2684.5	-46.75	-40	6.75	Pass	4001
3000	3500	1	RMS	3159.5	-47.26	-40	7.26	Pass	1001
3500	3750	1	RMS	3550.5	9.88	60	50.12	Pass	501
3750	6500	1	RMS	6072.5	-46.27	-40	6.27	Pass	5501
6500	26500	1	RMS	25565	-43.28	-40	3.28	Pass	40001




1.3. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.03	-40	16.03	Pass	401
0.15	30	0.01	RMS	0.155	-58.04	-40	18.04	Pass	5971
30	1000	0.1	RMS	875.7	-61.25	-40	21.25	Pass	19401
1000	3000	1	RMS	2670.5	-46.74	-40	6.74	Pass	4001
3000	3500	1	RMS	3158.5	-47.32	-40	7.32	Pass	1001
3500	3750	1	RMS	3623	10.95	60	49.05	Pass	501
3750	6500	1	RMS	6084.5	-46.27	-40	6.27	Pass	5501
6500	26500	1	RMS	25532.5	-43.22	-40	3.22	Pass	40001




1.4. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:4, Channel:55990, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.82	-40	15.82	Pass	401
0.15	30	0.01	RMS	1.435	-56.02	-40	16.02	Pass	5971
30	1000	0.1	RMS	880	-61.31	-40	21.31	Pass	19401
1000	3000	1	RMS	2690.5	-46.76	-40	6.76	Pass	4001
3000	3500	1	RMS	3153	-47.29	-40	7.29	Pass	1001
3500	3750	1	RMS	3623	10.02	60	49.98	Pass	501
3750	6500	1	RMS	6080	-46.19	-40	6.19	Pass	5501
6500	26500	1	RMS	25538	-43.19	-40	3.19	Pass	40001




1.5. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:5, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.75	-40	15.75	Pass	401
0.15	30	0.01	RMS	0.15	-57.52	-40	17.52	Pass	5971
30	1000	0.1	RMS	888.8	-61.32	-40	21.32	Pass	19401
1000	3000	1	RMS	2692	-46.74	-40	6.74	Pass	4001
3000	3500	1	RMS	3157	-47.29	-40	7.29	Pass	1001
3500	3750	1	RMS	3695.5	10.77	60	49.23	Pass	501
3750	6500	1	RMS	6080	-46.21	-40	6.21	Pass	5501
6500	26500	1	RMS	25551.5	-43.21	-40	3.21	Pass	40001




1.6. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:6, Channel:56715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.57	-40	15.57	Pass	401
0.15	30	0.01	RMS	0.15	-57.27	-40	17.27	Pass	5971
30	1000	0.1	RMS	891.9	-61.34	-40	21.34	Pass	19401
1000	3000	1	RMS	2676	-46.77	-40	6.77	Pass	4001
3000	3500	1	RMS	3165.5	-47.31	-40	7.31	Pass	1001
3500	3750	1	RMS	3695.5	10	60	50	Pass	501
3750	6500	1	RMS	6082.5	-46.21	-40	6.21	Pass	5501
6500	26500	1	RMS	25565	-43.26	-40	3.26	Pass	40001




1.7. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:7, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.07	-40	16.07	Pass	401
0.15	30	0.01	RMS	0.165	-58.05	-40	18.05	Pass	5971
30	1000	0.1	RMS	870.15	-61.26	-40	21.26	Pass	19401
1000	3000	1	RMS	2677.5	-46.7	-40	6.7	Pass	4001
3000	3500	1	RMS	3160.5	-47.29	-40	7.29	Pass	1001
3500	3750	1	RMS	3550.5	10.9	60	49.1	Pass	501
3750	6500	1	RMS	6069	-46.27	-40	6.27	Pass	5501
6500	26500	1	RMS	25544	-43.25	-40	3.25	Pass	40001




1.8. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:8, Channel:55290, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.54	-40	14.54	Pass	401
0.15	30	0.01	RMS	0.155	-58.06	-40	18.06	Pass	5971
30	1000	0.1	RMS	859.55	-61.32	-40	21.32	Pass	19401
1000	3000	1	RMS	2685.5	-46.77	-40	6.77	Pass	4001
3000	3500	1	RMS	3160	-47.29	-40	7.29	Pass	1001
3500	3750	1	RMS	3550.5	9.92	60	50.08	Pass	501
3750	6500	1	RMS	6070	-46.26	-40	6.26	Pass	5501
6500	26500	1	RMS	25560.5	-43.12	-40	3.12	Pass	40001




1.9. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:9, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.64	-40	15.64	Pass	401
0.15	30	0.01	RMS	0.16	-58.02	-40	18.02	Pass	5971
30	1000	0.1	RMS	836.4	-61.41	-40	21.41	Pass	19401
1000	3000	1	RMS	2677	-46.77	-40	6.77	Pass	4001
3000	3500	1	RMS	3158.5	-47.22	-40	7.22	Pass	1001
3500	3750	1	RMS	3620.5	11.05	60	48.95	Pass	501
3750	6500	1	RMS	6078	-46.28	-40	6.28	Pass	5501
6500	26500	1	RMS	25579	-43.15	-40	3.15	Pass	40001




1.10. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:10, Channel:55990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.8	-40	14.8	Pass	401
0.15	30	0.01	RMS	0.17	-58.6	-40	18.6	Pass	5971
30	1000	0.1	RMS	874.75	-61.12	-40	21.12	Pass	19401
1000	3000	1	RMS	2676.5	-46.78	-40	6.78	Pass	4001
3000	3500	1	RMS	3162	-47.27	-40	7.27	Pass	1001
3500	3750	1	RMS	3620.5	9.93	60	50.07	Pass	501
3750	6500	1	RMS	6060	-46.26	-40	6.26	Pass	5501
6500	26500	1	RMS	25557.5	-43.02	-40	3.02	Pass	40001




1.11. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:1, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.53	-40	15.53	Pass	401
0.15	30	0.01	RMS	0.16	-58.12	-40	18.12	Pass	5971
30	1000	0.1	RMS	897.95	-61.39	-40	21.39	Pass	19401
1000	3000	1	RMS	2683	-46.77	-40	6.77	Pass	4001
3000	3500	1	RMS	3162	-47.26	-40	7.26	Pass	1001
3500	3750	1	RMS	3690.5	10.87	60	49.13	Pass	501
3750	6500	1	RMS	6085	-46.26	-40	6.26	Pass	5501
6500	26500	1	RMS	25542	-43.06	-40	3.06	Pass	40001




1.12. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:12, Channel:56690, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.87	-40	14.87	Pass	401
0.15	30	0.01	RMS	0.155	-57.85	-40	17.85	Pass	5971
30	1000	0.1	RMS	910	-61.2	-40	21.2	Pass	19401
1000	3000	1	RMS	2670	-46.67	-40	6.67	Pass	4001
3000	3500	1	RMS	3160	-47.3	-40	7.3	Pass	1001
3500	3750	1	RMS	3690.5	10.03	60	49.97	Pass	501
3750	6500	1	RMS	6074	-46.27	-40	6.27	Pass	5501
6500	26500	1	RMS	25560	-43.13	-40	3.13	Pass	40001




1.13. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:13, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.06	-40	16.06	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-40	17.39	Pass	5971
30	1000	0.1	RMS	884.8	-61.38	-40	21.38	Pass	19401
1000	3000	1	RMS	2686.5	-46.73	-40	6.73	Pass	4001
3000	3500	1	RMS	3158.5	-47.31	-40	7.31	Pass	1001
3500	3750	1	RMS	3551	10.53	60	49.47	Pass	501
3750	6500	1	RMS	6077.5	-46.16	-40	6.16	Pass	5501
6500	26500	1	RMS	25572	-43.16	-40	3.16	Pass	40001




1.14. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:14, Channel:55315, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.83	-40	15.83	Pass	401
0.15	30	0.01	RMS	0.15	-57.33	-40	17.33	Pass	5971
30	1000	0.1	RMS	997.25	-61.33	-40	21.33	Pass	19401
1000	3000	1	RMS	2688.5	-46.74	-40	6.74	Pass	4001
3000	3500	1	RMS	3167	-47.27	-40	7.27	Pass	1001
3500	3750	1	RMS	3551	9.66	60	50.34	Pass	501
3750	6500	1	RMS	6079.5	-46.24	-40	6.24	Pass	5501
6500	26500	1	RMS	25560.5	-43.17	-40	3.17	Pass	40001




1.15. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:15, Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.64	-40	14.64	Pass	401
0.15	30	0.01	RMS	0.15	-58.08	-40	18.08	Pass	5971
30	1000	0.1	RMS	892.8	-61.12	-40	21.12	Pass	19401
1000	3000	1	RMS	2679	-46.81	-40	6.81	Pass	4001
3000	3500	1	RMS	3160	-47.33	-40	7.33	Pass	1001
3500	3750	1	RMS	3618.5	10.56	60	49.44	Pass	501
3750	6500	1	RMS	6070	-46.28	-40	6.28	Pass	5501
6500	26500	1	RMS	25533	-43.18	-40	3.18	Pass	40001




1.16. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:16, Channel:55990, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.62	-40	15.62	Pass	401
0.15	30	0.01	RMS	0.15	-57.76	-40	17.76	Pass	5971
30	1000	0.1	RMS	905.65	-61.45	-40	21.45	Pass	19401
1000	3000	1	RMS	2672.5	-46.76	-40	6.76	Pass	4001
3000	3500	1	RMS	3156	-47.31	-40	7.31	Pass	1001
3500	3750	1	RMS	3618.5	9.74	60	50.26	Pass	501
3750	6500	1	RMS	6084.5	-46.27	-40	6.27	Pass	5501
6500	26500	1	RMS	25581	-43.21	-40	3.21	Pass	40001




1.17. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:17, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.67	-40	15.67	Pass	401
0.15	30	0.01	RMS	0.155	-57.54	-40	17.54	Pass	5971
30	1000	0.1	RMS	881.2	-61.15	-40	21.15	Pass	19401
1000	3000	1	RMS	2680.5	-46.73	-40	6.73	Pass	4001
3000	3500	1	RMS	3161.5	-47.28	-40	7.28	Pass	1001
3500	3750	1	RMS	3686	10.62	60	49.38	Pass	501
3750	6500	1	RMS	6074	-46.19	-40	6.19	Pass	5501
6500	26500	1	RMS	25563.5	-43.22	-40	3.22	Pass	40001




1.18. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:18, Channel:56665, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.02	-40	15.02	Pass	401
0.15	30	0.01	RMS	0.155	-57.13	-40	17.13	Pass	5971
30	1000	0.1	RMS	892.95	-61.3	-40	21.3	Pass	19401
1000	3000	1	RMS	2676.5	-46.72	-40	6.72	Pass	4001
3000	3500	1	RMS	3163.5	-47.28	-40	7.28	Pass	1001
3500	3750	1	RMS	3686	9.77	60	50.23	Pass	501
3750	6500	1	RMS	6082	-46.33	-40	6.33	Pass	5501
6500	26500	1	RMS	25539.5	-43.08	-40	3.08	Pass	40001




1.19. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:19, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.55	-40	15.55	Pass	401
0.15	30	0.01	RMS	0.15	-58.13	-40	18.13	Pass	5971
30	1000	0.1	RMS	883.75	-61.4	-40	21.4	Pass	19401
1000	3000	1	RMS	2679.5	-46.71	-40	6.71	Pass	4001
3000	3500	1	RMS	3162.5	-47.29	-40	7.29	Pass	1001
3500	3750	1	RMS	3551	10.69	60	49.31	Pass	501
3750	6500	1	RMS	6056.5	-46.23	-40	6.23	Pass	5501
6500	26500	1	RMS	25576.5	-43.1	-40	3.1	Pass	40001




1.20. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:20, Channel:55340, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.56	-40	16.56	Pass	401
0.15	30	0.01	RMS	0.15	-57.53	-40	17.53	Pass	5971
30	1000	0.1	RMS	905.35	-61.37	-40	21.37	Pass	19401
1000	3000	1	RMS	2689	-46.71	-40	6.71	Pass	4001
3000	3500	1	RMS	3163.5	-47.32	-40	7.32	Pass	1001
3500	3750	1	RMS	3551	9.93	60	50.07	Pass	501
3750	6500	1	RMS	6078	-46.24	-40	6.24	Pass	5501
6500	26500	1	RMS	25540	-43.15	-40	3.15	Pass	40001




1.21. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:21, Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.73	-40	14.73	Pass	401
0.15	30	0.01	RMS	0.15	-58.22	-40	18.22	Pass	5971
30	1000	0.1	RMS	884.9	-61.45	-40	21.45	Pass	19401
1000	3000	1	RMS	2686	-46.78	-40	6.78	Pass	4001
3000	3500	1	RMS	3159.5	-47.31	-40	7.31	Pass	1001
3500	3750	1	RMS	3616	10.98	60	49.02	Pass	501
3750	6500	1	RMS	6080.5	-46.18	-40	6.18	Pass	5501
6500	26500	1	RMS	25529	-43.09	-40	3.09	Pass	40001




1.22. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:22, Channel:55990, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.12	-40	14.12	Pass	401
0.15	30	0.01	RMS	0.155	-57.55	-40	17.55	Pass	5971
30	1000	0.1	RMS	876.15	-61.12	-40	21.12	Pass	19401
1000	3000	1	RMS	2675.5	-46.76	-40	6.76	Pass	4001
3000	3500	1	RMS	3163	-47.28	-40	7.28	Pass	1001
3500	3750	1	RMS	3616	9.98	60	50.02	Pass	501
3750	6500	1	RMS	6077.5	-46.26	-40	6.26	Pass	5501
6500	26500	1	RMS	25541.5	-43.18	-40	3.18	Pass	40001




1.23. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:23, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.42	-40	15.42	Pass	401
0.15	30	0.01	RMS	0.16	-57.62	-40	17.62	Pass	5971
30	1000	0.1	RMS	899.25	-61.26	-40	21.26	Pass	19401
1000	3000	1	RMS	2677.5	-46.74	-40	6.74	Pass	4001
3000	3500	1	RMS	3166	-47.29	-40	7.29	Pass	1001
3500	3750	1	RMS	3681	10.88	60	49.12	Pass	501
3750	6500	1	RMS	6070.5	-46.13	-40	6.13	Pass	5501
6500	26500	1	RMS	25554.5	-43.24	-40	3.24	Pass	40001



1.24. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:24, Channel:56640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.69	-40	15.69	Pass	401
0.15	30	0.01	RMS	0.16	-57.64	-40	17.64	Pass	5971
30	1000	0.1	RMS	886.5	-61.37	-40	21.37	Pass	19401
1000	3000	1	RMS	2678.5	-46.73	-40	6.73	Pass	4001
3000	3500	1	RMS	3157.5	-47.3	-40	7.3	Pass	1001
3500	3750	1	RMS	3681	9.93	60	50.07	Pass	501
3750	6500	1	RMS	6080	-46.24	-40	6.24	Pass	5501
6500	26500	1	RMS	25546.5	-43.13	-40	3.13	Pass	40001



--BLANK BELOW--